FORM A.
BRITISH RAINFALL.

28 FEB 1918

SMALLFIELD

TRIDDLES FARM

SURREY

1917 - 1920

REG

Kept at Smallfield,

in the County of Su

by F. C. Bayard,

uge 5 in.

round 1 ft. — in.

Sea Level 215 ft.

IMPORTANT NOT … e result entered to the previous day. If an Ob … sal rule, he is earnestly requested to add the read … in the space provided for it at the end of this … nt of rain, the selection and placing … sh Rainfall Organization are given in … plication to Dr. H. R. Mill, 62, Cam

Jan. 1, following.

Date	Jan.	Feb.	March.								Nov.	Dec.	Date.
1		·01	·02								·07	·02	1
2	·02			[illegible]				·15			·09		2
3				·08			·50	·37		·07	·06	·02	3
4		·21	·08				·21	·43		·18	·04		4
5	·27		·04	·27				·01	·91	·26	·02		5
6			·08	·02		·20			·39	·02	·04	·04	6
7	·29						·11	—		·15	·01	·06	7
8	·12			·08			·43	·38	·01	·22	·16	·12	8
9	·01		·02	·08			·08	·04	·01		·04	·16	9
10	·19		·16	·08		·07		·07			·04	·02	10
11	·09		·17	·37				·02	·19	·16			11
12	·04		·03	·01				·08	·03	·61	·02		12
13	·06		·13	·04	·01			·02		·25		·02	13
14			·01	·12				·05				·01	14
15	·02			·01			·07	·51		·10		·03	15
16	·02	·07		·37	·10		·23	·07		·33		·56	16
17	·01	·01		·12	·32		·17	·03	·31	·06		·02	17
18	·04	·05		·08	·03		·09	·08	·24	·06		·01	18
19	·02	·10	·12	·01		·05	·01	·09	·12	·01			19
20		·07	·07		·47	·01	·05	·02	·11		·05		20
21	·02	·01	·03	·01							·03		21
22	·01					·11		·22		·15		·02	22
23		·17			·20			·10				·04	23
24		·03	·03			·05	·03	·02		·11	·06	·06	24
25		·09	·07			·02					·02		25
26			·02			·07		·24	·07		·65	·02	26
27								·77				·03	27
28			·03			·64		·18					28
29			·10		·96	·04	·29	·03		·02		·11	29
30	·02	×	·28				1·00	·11	·02	·16		·02	30
31	·07	×	·04	×		×	·43	·05	×		×	·02	31
Total	1·32	·82	1·53	2·13	2·09	1·27	3·70	5·17	2·74	2·92	1·40	1·41	YEAR'S TOTAL 26·50
Rain Days.	18	11	20	18	7	11	15	27	13	18	16	21	195

W. 8,000, VIII. 16

✓

REG

FORM A.
BRITISH RAINFALL.

28 FEB 1918

Kept at Smallfield,

in the County of Surrey

by F. C. Bayard, W. W. Hughes D'Aeth

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 215 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·02	·10		·01		1·03	·33		·07	·02	1
2	·02			·28				·15			·09		2
3				·08			·50	·37		·07	·06	·02	3
4		·21	·08				·21	·43		·18	·04		4
5	·27		·04	·27				·01	·91	·26	·02		5
6			·08	·02		·20			·39	·02	·04	·04	6
7	·29						·11			·15	·01	·06	7
8	·12			·08			·43	·38	·01	·22	·16	·12	8
9	·01		·02	·08			·08	·04	·01		·04	·16	9
10	·19		·16	·08		·07		·07			·04	·02	10
11	·09		·17	·37				·02	·19	·16			11
12	·04		·03	·01				·08	·03	·61	·02		12
13	·06		·13	·04	·01			·02		·25		·02	13
14			·01	·12				·05				·01	14
15	·02			·01			·07	·51		·10		·03	15
16	·02	·07		·37	·10		·23	·07		·33		·56	16
17	·01	·01		·12	·32		·17	·03	·31	·06		·02	17
18	·04	·05		·08	·03		·09	·08	·24	·06		·01	18
19	·02	·10	·12	·01		·05	·01	·09	·12	·01			19
20		·07	·07		·47	·01	·05	·02	·11		·05		20
21	·02	·01	·03	·01							·03		21
22	·01					·11		·22		·15		·02	22
23		·17			·20			·10				·04	23
24		·03	·03			·05	·03	·02		·11	·06	·06	24
25		·09	·07			·02					·02		25
26			·02			·07		·24	·07		·65	·02	26
27								·77				·03	27
28			·03			·64		·18					28
29			·10		·96	·04	·29	·03		·02		·11	29
30	·02	X	·28				1·00	·11	·02	·16		·02	30
31	·07	X	·04	X		X	·43	·05	X		X	·02	31
Total	1·32	·82	1·53	2·13	2·09	1·27	3·70	5·17	2·74	2·92	1·40	1·41	YEAR'S TOTAL 26·50
Rain Days.	18	11	20	18	7	11	15	27	13	18	16	21	195

W. 8,000, VIII. 16

[illegible]

57

FORM A.
BRITISH RAINFALL
6. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Triddles Farm Smallfield nr Horley

in the County of Surrey.

by W. W. Hughes-D'Aeth

Lat. 51·10 N Long. 0·10 W

Time of Observation 9 a.m

Nearest Railway Station Horley.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 216 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·02	·02		·07			·04			·19	·06	1
2				·18				·20		·01	·25	·13	2
3		·04	·09	·03	·32			·37		·04	·31	·03	3
4		·12	·02	·02				·02	·27		·49		4
5					·07			·12	·15	·04		·01	5
6	·23	·06		·17	·17			·68	·02	·01		·05	6
7	·04	·08		·21	·14	·03		·01	·28	·03	·19	·01	7
8		·10						·01	·23	·03		·05	8
9	·03	·01		·03		·07	·17		·46	·16	·02	·31	9
10				·05	·02		·63		·22	·13		·26	10
11	·01				·07		·32		·09	·20	·08	·13	11
12		·09			·16		·06		·06	·01		·03	12
13	·12			·02	·05		·04		·08			·01	13
14	·02.		·05	·01		·13	·02		·13	·18		·13	14
15	1·03			·61		·01	·16		·01	·01		·18	15
16	·31		·01	·06		·16	·02		·20				16
17	·10			·08		·04	·57	·03				·31	17
18	·47			·05		·20	·13		·36			·04	18
19	·08		·07	·07		·03	·06		·03	·02		·12	19
20	·02	·13		1·09		·03	·20		·15	·06	·03		20
21	·08	·02		·89			·02		·23	·16		·03	21
22	·04	·01			·26		·42		·31		·01	·15	22
23	·08			·03	·07		·59	·08	·13				23
24		·27		·05		·05	·05		·14	·01	·07		24
25				·27		·02	·20	·10		·02		·04	25
26							·64	·01	·02		·08	·15	26
27	·01		·02				·11	·13	·03		·11	·03	27
28		·07	·17	·09				·02			·18	·02	28
29				·07					·78		·02	·04	29
30	·01	✕	·25	·05					·11	·05		·20	30
31		✕	·08	✕		✕			✕	·04	✕	·03	31
Total	2·68 ✓	1·02 ✓	·78 ✓	4·05 ✓	1·40 ✓	·77 ✓	4·41 ✓	1·22 ✓	4·49 ✓	1·21 ✓	2·03 ✓	2.55 ✓	YEAR'S TOTAL 26·61 ✓
Rain Days.	17 ✓	13 ✓	10 ✓	22 ✓	11 ✓	11 ✓	19 ✓	14 ✓	24 ✓	19 ✓	14 ✓	26 ✓	200 ✓

E+BR 128

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Smallfield, Tridles Farm

in the County of Surrey

by W. W. Hughes D'Aeth, per Bayard

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " Sea Level 215 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
	Smallfield	Smallfield (Tridles F.)	Smallfield (Tridles F.)	Smallfield (Tridles F.)	Smallfield (Tridles F.)	Smallfield (Tridles F.)	Smallfield (Tridles F.)	Smallfield (Tridles F.)	Smallfield (Tridles F.)	Smallfield (Tridles F.)	Smallfield (Tridles F.)	Smallfield (Tridles F.)	
	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	
1	·31	..	·01	·01	·08	..	·07	·04	..	·12	·08	·77	1
2	·14	·04	·02	..	·08	..	·11	..	·07	·03	·06	·16	2
3	·21	..	·20	..	·02	..	·41	..	·05	..	·03	·34	3
4	·12	·02	·46	..	..	·07	·19	..	·03	..	·03	·12	4
5	·01	·28	·38	..	..	..	..	..	..	..	·10	·38	5
6	·14	..	·04	..	..	..	..	..	..	..	..	·04	6
7	·10	..	·39	..	..	..	..	..	..	..	·06	..	7
8	·36	..	·12	..	..	..	..	..	..	..	·03	..	8
9	·48	..	·04	·03	·04	..	..	..	..	..	·14	..	9
10	·26	..	·05	·02	..	..	..	..	..	·02	·02	·02	10
11	·19	..	·18	·19	·04	..	·22	..	..	..	..	·02	11
12	·04	·09	·04	·04	·03	..	·22	..	..	·05	·05	·01	12
13	·02	..	..	·17	..	..	..	..	..	..	..	..	13
14	·38	..	..	·36	..	..	·07	..	·22	·03	..	·04	14
15	·20	·04	·14	·04	..	..	..	..	..	·01	·08	·29	15
16	·06	·46	..	..	..	..	..	..	..	..	·05	..	16
17	·02	·12	·05	·01	..	..	..	..	..	..	·10	·06	17
18	..	·16	·08	..	..	..	..	·03	·05	·01	·09	·04	18
19	·03	·06	·41	..	..	·18	·33	·11	·04	·01	·06	·01	19
20	·22	·06	·13	..	..	·51	·07	·13	..	..	·03	·03	20
21	·09	·39	·02	..	..	..	·04	..	·11	..	..	·02	21
22	·01	·02	·02	..	..	..	·18	..	·16	..	·03	·18	22
23	..	..	..	..	..	·01	·01	·04	·10	..	·02	·02	23
24	..	..	..	·17	..	..	·08	·05	..	·10	·16	·06	24
25	·02	·01	..	·07	·02	·03	..	·10	..	..	·01	·04	25
26	·03	·10	·07	·06	..	..	·01	·02	·09	..	·05	·08	26
27	·45	·04	·01	·77	..	..	..	·37	..	..	·12	·02	27
28	·04	·01	·24	·03	..	..	..	·57	..	..	·32	·10	28
29	..		..	·04	..	·04	..	·28	..	·15	..	·08	29
30	·01		..	·37	..	·07	..	·42	..	·02	·21	·63	30
31	·07		·01		..		·02	·01		..		·05	31
TOTAL	4·01 ..	1·90 5·91	3·11 9·02	2·38 11·40	·31 11·71	·91 12·62	2·03 14·65	2·17 16·82	·92 17·74	·55 18·29	1·93 20·22	3·61 23·83	YEAR'S TOTAL 23·83
Days with ·01 in. or more	27	16	23	16	7	7	15	13	10	11	24	26	195

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

[illegible]

125

Copy by B.R.O.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at Smallfield, Tridles Farm

in the County of

by per Bayard, W. W. Hughes D'Aeth

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
Day of Mo.	Smallfield (Tridles F.) IN.	Smallfield (Tridles F.) IN.	Smallfield (Tridles F.) IN.	Smallfield (Tridles F.) IN.	Smallfield (Tridles F.) IN.	Smallfield (Tridles F.) IN.	Smallfield (Tridles F.) IN.	Smallfield (Tridles F.) IN.	Smallfield (Tridles F.) IN.	Smallfield (Tridles F.) IN.	Smallfield (Tridles F.) IN.	Smallfield (Tridles F.) IN.	
1	·04	..	..	·12	·04	..	·30	..	..	·09	..	·17	1
2	..	..	·04	..	·03	..	..	·19	·08	..	..	·03	2
3	·02	..	·01	..	·14	..	..	..	·02	·17	..	·14	3
4	..	·05	..	·04	·04	..	·63	·06	..	·07	..	..	4
5	..	..	·10	..	·02	..	·53	·09	..	..	..	..	5
6	..	..	·12	..	·12	..	·17	..	..	..	..	..	6
7	·03	·01	..	·12	..	..	·16	·01	..	..	..	·03	7
8	..	·01	..	·03	·11	..	·35	·01	..	..	..	·01	8
9	·23	·04	..	·02	·02	..	·09	..	..	..	..	..	9
10	·68	·15	·04	·04	..	·02	·18	..	..	..	·03	..	10
11	·30	..	·07	·18	..	..	·18	·06	..	..	..	·28	11
12	·05	·01	·01	·14	..	·24	..	..	..	..	·01	..	12
13	·20	·01	·18	·01	..	..	..	..	..	..	·02	..	13
14	..	·02	·34	·36	..	·03	..	..	·08	·10	·19	..	14
15	·03	..	·06	·23	..	..	..	..	·78	·20	·10	..	15
16	..	..	..	·07	..	..	..	..	·20	..	·03	..	16
17	·01	..	·02	·01	·13	·01	·01	..	·82	..	..	·06	17
18	·03	..	·01	..	·06	..	·01	·70	·24	..	..	·04	18
19	·09	..	..	·48	..	·03	..	..	..	..	..	·03	19
20	·06	·08	..	·24	..	·29	..	..	·10	..	..	..	20
21	..	..	..	·04	..	..	·7[illegible]	·01	·19	..	..	·08	21
22	·03	..	..	·22	..	..	·02	..	·30	..	..	·22	22
23	..	..	..	..	..	..	·25	..	..	..	..	·11	23
24	..	·03	·06	·01	..	..	..	..	..	..	..	..	24
25	..	..	·02	·01	..	..	·16	..	..	..	..	·05	25
26	·02	..	·12	..	..	·01	·02	..	..	..	..	·06	26
27	·33	·04	·01	·24	..	·06	·08	..	..	..	·35	·14	27
28	·33	..	·12	·04	·12	..	·09	..	..	..	·11	·05	28
29	·57	..	·10	·06	..	..	..	..	..	..	·11	·21	29
30	·02		..	..	..	·04	·19	..	·29	..	·31	·05	30
31	·03		·15		·02		·01	..		·18		·19	31
TOTAL *	3·10	·45	1·58	2·71	·85	·73	4·22	1·13	3·10	·81	1·26	1·95	YEAR'S TOTAL
†	..	3·55	5·13	7·84	8·69	9·42	13·64	14·77	17·87	18·68	19·94	21·89	21·89
Days with ·01 in. or more	20	11	19	22	12	9	20	8	11	6	10	19	167
Days with ·04 in. or more	11	5	13	16	8	4	15	5	10	6	6	15	114

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

58

RE

STH NORWOOD
WOODVALE
SURREY
1911

FORM A2.
BRITISH RAINFALL.
20 FEB 1912

Kept at South Nor

in the County of Surr

by F. C. Bayard

in.

round 1 ft. 0 in.

ea Level 216 ft.

ame

istance Direction

IMPORTANT NOTE.— the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05		·01	·86			·04	·05					1
2	·19			·20	·14						·15	·05	2
3		·02			·13						·07	·06	3
4	·03	·01	·08	·07					·01	·06	·13	·25	4
5	·02	·01		·03						·16	·03	·07	5
6	·21		·28	·01							·01	·25	6
7	·03			·01						·12	·28	·11	7
8	·10		·11								·26	·27	8
9	·21		·03	·05								·03	9
10	·01	·10	·06								·07	·30	10
11	·25		·01		·03						·55		11
12	·03		·49		·51				·02		·17		12
13			·04		·19				·25	·13		·13	13
14		·06			·25							·42	14
15		·04	·23							·01	·01	·01	15
16						·70					·46	·01	16
17			·02								·26	·14	17
18		·09	·03			·01					·53	·24	18
19					·03	·19			·26	·15	·16	·10	19
20	·01	·01	·02					·16		·02		·55	20
21		·10						1·11		·54		·10	21
22	·04		·21			·01				·03		·38	22
23		·12	·06			·83			·28	·01	·01	·04	23
24		·11				·01	·01			1·26		·17	24
25	·01	·03		·03		·11	·20			·04			25
26		·01	·11	·16	·04	·18	·02			·09	·01	·22	26
27		·29	·12	·06					·12	·01	·04	·08	27
28		·09	·01	·21			·04	·11			·01		28
29				·24		·18	·17		·11	·18			29
30				·01		·01		·89		·17			30
31					·07					·01			31
Total	1·19	1·09	1·92	1·94	1·39	2·23	·48	2·32	1·05	2·99	3·21	3·98	TOTAL for year 23·79
No. of Rain Days	14	15	18	13	9	10	6	5	7	17	19	23	156

9,000, IX. '10.

58

RE

FORM A2.
BRITISH RAINFALL
20 FEB 1912

Kept at South Norwood, Woodvale

in the County of Surrey 3

by F. C. Bayard, E. Dean

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
„ „ „ Sea Level 216 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05		·01	·86			·04	·05					1
2	·19			·20	·14						·15	·05	2
3		·02			·13						·07	·06	3
4	·03	·01	·08	·07					·01	·06	·13	·25	4
5	·02	·01		·03						·16	·03	·07	5
6	·21		·28	·01							·01	·25	6
7	·03			·01						·12	·28	·11	7
8	·10		·11								·26	·27	8
9	·21		·03	·05								·03	9
10	·01	·10	·06								·07	·30	10
11	·25		·01		·03						·55		11
12	·03		·49		·51				·02		·17		12
13			·04		·19				·25	·13		·13	13
14		·06			·25							·42	14
15		·04	·23							·01	·01	·01	15
16						·70					·46	·01	16
17			·02								·26	·14	17
18		·09	·03			·01					·53	·24	18
19					·03	·19			·26	·15	·16	·10	19
20	·01	·01	·02					·16		·02		·55	20
21		·10						1·11		·54		·10	21
22	·04		·21			·01				·03		·38	22
23		·12	·06			·83			·28	·01	·01	·04	23
24		·18				·01	·01			1·26		·17	24
25	·01	·03		·03		·11	·20			·04			25
26		·01	·11	·16	·04	·18	·02			·09	·01	·22	26
27		·29	·12	·06					·12	·01	·04	·08	27
28		·09	·01	·21			·04	·11			·01		28
29				·24		·18	·17		·11	·18			29
30				·01		·01		·89		·17			30
31					·07					·01			31
Total	1·19	1·09	1·92	1·94	1·39	2·23	·48	2·32	1·05	2·99	3·21	3·98	TOTAL for year 23·79
No. of Rain Days	14	15	18	13	9	10	6	5	7	17	19	23	156

9,000, IX. '10.

Ser

SOUTH NORWOOD
HOLMESDALE RD
SURREY
1911- 1919

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

Kept at South

in the County of S

by Edward A

...in.

...round 1 foot — in.

...Level 200 ft.

...ame Norwood June.

...istance ½ m. Direction E.

IMPORTANT NOTE.—... the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	00	.01	.93		00	.13	.05	00	00	.01	00	1
2	.00	00	00	.16	.16	00	00	00	00	.02	.15	.06	2
3	.00	.02	00	snow .01	.13	00	00	00	00	00	.07	.08	3
4	.00	.01	.08	00	00	00	00	00	.03	.07	.15	.27	4
5	.00	00	00	.07	00	00	00	00	00	.21	.04	.12	5
6	.44	00	.27	snow .07	00	00	00	00	00	.01	.03	00	6
7	.04	00	.02	snow 00	00	00	00	00	00	.14	.28	.47	7
8	.20	00	.09	00	00	00	00	00	00	.01	.26	.31	8
9	.10	00	.02	.06	00	00	00	00	00	00	.01	.25	9
10	.01	.11	.08	.01	00	00	00	00	00	00	.07	.54	10
11	.26	00	00	00	00	00	00	00	00	00	.61	00	11
12	.00	00	.49	00	.47	00	00	00	.02	00	.15	00	12
13	.00	00	snow .02	00	.27	00	00	00	.27	.15	.01	.15	13
14	.00	.10	snow .02	00	00	00	00	00	00	00	00	.50	14
15	.02	00	.18	00	00	00	00	00	00	.03	00	00	15
16	.00	00	00	00	.03	.57	00	00	00	00	.49	.05	16
17	.00	.07	.04	00	00	.02	00	00	00	.01	.55	.18	17
18	.00	.02	.03	00	00	.01	00	00	00	00	.27	.33	18
19	.00	.01	00	00	00	.14	00	00	.29	.09	.17	.13	19
20	.00	00	00	00	00	00	00	.18	.01	.15	00	.51	20
21	.02	.10	00	00	00	00	00	.96	.01	.52	00	.22	21
22	00	00	.24	00	00	.02	00	.01	00	.05	00	.42	22
23	00	.14	00	00	00	.83	00	00	.27	00	00	.10	23
24	00	.12	.06	00	00	.03	.04	00	00	1.36	00	.17	24
25	.04	00	00	.03	00	.14	.19	00	.04	.04	.02	.07	25
26	00	.02	00	.17	.05	.18	00	00	00	00	00	.15	26
27	00	.29	.22	.05	00	00	00	.01	.11	.14	.06	.09	27
28	.01	.10	00	.22	00	00	.13	.11	.01	00	.02	00	28
29	00	—	.01	.24	00	.19	.20	00	.11	.19	.01	00	29
30	00	—	00	.01	00	.03	00	.73	.02	.18	00	00	30
31	00	—	00	~~00~~	.10		00	00		.03		00	31
Total	1.18	1.11	1.88	2.03	1.21	2.16	.69	2.05	1.19	3.40	3.43	5.17	TOTAL for year 25.50
No. of Rain Days.	11	13	17	13	7	11	5	7	12	19	21	22	158

W. 8,000, X. '11.

Ser

FORM A2.
BRITISH RAINFALL.

17 JAN 1912

Kept at South

HOLMESDALE RD 3

in the County of Surrey

by Edward A. Martin F.G.S.

RAIN GAUGE { ~~Diameter of top~~ 5 in.
Height of top above Ground 1 foot ft. in.
" " " Sea Level 200 ft.

Time of Observation 9 a.m.

Nearest Railway Station { Name Norwood Junc.
Distance ¼ m Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	00	·01	·93		00	·13	·05	00	00	·01	00	1
2	·00	00	00	·16	·16	00	00	00	00	·02	·15	·06	2
3	·00	·02	00	snow ·01	·13	00	00	00	00	00	·07	·08	3
4	·00	·01	·08	00	00	00	00	00	·03	·07	·15	·27	4
5	·00	00	00	·07	00	00	00	00	00	·21	·04	·12	5
6	·44	00	·27	snow ·07	00	00	00	00	00	·01	·03	00	6
7	·04	00	·02	snow 00	00	00	00	00	00	·14	·28	·47	7
8	·20	00	·09	00	00	00	00	00	00	·01	·26	·31	8
9	·10	00	·02	·06	00	00	00	00	00	00	·01	·25	9
10	·01	·11	·08	·01	00	00	00	00	00	00	·07	·54	10
11	·26	00	00	00	00	00	00	00	00	00	·61	00	11
12	·00	00	·49	00	·47	00	00	00	·02	00	·15	00	12
13	·00	00	snow ·02	00	·27	00	00	00	·27	·15	·01	·15	13
14	·00	·10	snow ·02	00	00	00	00	00	00	00	00	·50	14
15	·02	00	·18	00	00	00	00	00	00	·03	00	00	15
16	·00	00	00	00	·03	·57	00	00	00	00	·49	·05	16
17	·00	·07	·04	00	00	·02	00	00	00	·01	·55	·18	17
18	·00	·02	·03	00	00	·01	00	00	00	00	·27	·33	18
19	·00	·01	00	00	00	·14	00	00	·29	·09	·17	·13	19
20	·00	00	00	00	00	00	00	·18	·01	·15	00	·51	20
21	·02	·10	00	00	00	00	00	·96	·01	·52	00	·22	21
22	00	00	·24	00	00	·02	00	·01	00	·05	00	·42	22
23	00	·14	00	00	00	·83	00	00	·27	00	00	·10	23
24	00	·12	·06	00	00	·03	·04	00	00	1·36	00	·17	24
25	·04	00	00	·03	00	·14	·19	00	·04	·04	·02	·07	25
26	00	·02	00	·17	·05	·18	00	00	00	00	00	·15	26
27	00	·29	·22	·05	00	00	00	·01	·11	·14	·06	·09	27
28	·01	·10	00	·22	00	00	·13	·11	·01	00	·02	00	28
29	00	—	·01	·24	00	·19	·20	00	·11	·19	·01	00	29
30	00	—	00	·01	00	·03	00	·73	·02	·18	00	00	30
31	00	—	00	~~00~~	·10		00	00		·03		00	31
Total	1.18	1.11	1.88	2.03	1.21	2.16	·69	2.05	1.19	3.40	3.43	5.17	TOTAL for year 25·50
No. of Rain Days.	11	13	17	13	7	11	5	7	12	19	21	22	158

W. 8,000, X. '11.

Cd. for auth 1.II.13 W.

FORM A2. BRITISH RAINFALL.

23 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at 285, HOLMESDALE ROAD, ~~SOUTH NORWOOD, S.E.~~

in the County of ~~London~~ Surrey 3

by E. A. Martin F.G.S.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 200 ft.

Time of Observation 9 am

Nearest Railway Station
Name Norwood Junc.ⁿ
Distance ⅛ m. Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						·10	·28	·03	·06	·50		·19	1
2			·46				·34			·05			2
3			·03			·10	·01	·31			·11	·08	3
4	·05		·56		·15	·18		·02			·11		4
5	·16	·06		·03				·22				·01	5
6	·05	·06	·04		·03			·13				·10	6
7		·08			·07	·78	·20	·09	·05				7
8	·50	·20		·01		·02	·04	·31			·01	·01	8
9	·25	·04		·03		·42	·03	·34	·03			·10	9
10	·03	·05	·01					·21			·08	·23	10
11		·30	·20					·06			·04	·19	11
12	·04	·10	·04		·15	·19				·01		·03	12
13		·01						·01			·01		13
14		·01			·03			·04		·06	·03	·01	14
15			·12		·33	·67		·04			·08		15
16	·50				·05	·22		·07			·03	·38	16
17	·22		·34			·02		·04		·07		·15	17
18	·10		·15					·07			·01		18
19	·17	·08	·10				·29	·41			·01		19
20	·02	·01	·33		·02			·11		·44			20
21			·20		·02			·08		·09	·08		21
22	·10		·16				·06	·12		·01		·03	22
23	·40	·48	·13		·02			·40				·11	23
24	·33	·01				·17	·03	·22			·17		24
25	·13					·16		·85		·06	·25	·50	25
26								·40		·19	·35	·24	26
27		·01				·03	·01			·12		·14	27
28				·01		·02	·10	·03	·10	·33	·50	·09	28
29		·14				·09	·24	·15	1.13	·07	·05		29
30					·37	·10	·02	·10	1.37	·20	·01		30
31	·01		·07				·09	·10		·04		·01	31
Total	3.06	1.66	2.94	·08	1.24	3.27	1.74	4.96	2.74	2.24	1.93	2.60	TOTAL for year 28.46 28.[illegible]
No. of Rain Days	17	16	16	4	11	16	14	28	6	15	18	19	180

7,000. X. '09.

REGISTER OF RAINFALL IN 19 13

FORM A.
BRITISH RAINFALL
-9 JAN 1914

Kept at 285, HOLMESDALE ROAD, SOUTH NORWOOD, S.E. Ext Rd
in the County of Surrey 3
by Edwd. A. Martin F.G.S.

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Norwood Junction.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·27		·17					·38	·04	·12	·12	1
2		·12	·02				·08		·01	·19	·05		2
3				·03	·31						·02	·09	3
4	·26			·01	·23		·08		·01	·17	·01	·09	4
5	·36	·01	·01				·08		·42	·03	·01		5
6		·01	·09		·02	·11	·08			·16	·15	·08	6
7	·03	·11			·04	·01	·08	·24		·49	·08	·01	7
8		·02	·03		·09	·07				·02	·03		8
9		·12			·03				·09		·02	·02	9
10			·21	·10	·04			·02			·43		10
11	·30			·34						·66	·34		11
12					·02						·33		12
13			·04					·02	·01		·21		13
14	·16	·01	·09	·08			·37	·09	·06	·11	·04		14
15	·30	·05	·36	·21			·21		·05		·01		15
16	·15		·30	·09			·01		·49				16
17		·07	·06	·03			·14						17
18	·03		·09	·08							·04		18
19	·20		·12			·02	·12		·12				19
20	·21		·30	·04		·02				·45	·04		20
21			·31	·14			·03			·27	·65		21
22	·33		·25	·14				·08	·13				22
23			·02			·04		·21					23
24				·02				·04				·38	24
25	·02	·02		·20					·01	·10	·03	·01	25
26			·17	·08	·01	·01				·69		·22	26
27	·10	·01	·06	·15	·01			·18		·02			27
28	·27	·03	·18	·09	·39					·17			28
29	·07		·09	·36				·05	·01	·03		·01	29
30	·25			·09				·28		·15			30
31			·03					·94		·07			31
Total	3·04	·85	2·83	2·45	1·19	·28	1·28	2·15	1·79	3·82	2·61	1·03	YEAR'S TOTAL 23·32
Rain Days.	16	13	21	20	11	7	11	11	13	18	19	10	170

W.7,000, XI. 13 Mem:- ·00 rain fell on those days left blank.

Ex LMcE

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

5 - JAN 1915

Kept at 205, HOLMESDALE ROAD, SOUTH NORWOOD, S.E.

in the County of Surrey 3

by E. A. Martin

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Norwood Junction

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	~~·01~~		·01					·29			·01	·02	1
2	·01		·06			·01	·20	·23			·36	·19	2
3	·01		·06	·02	·11		·11				·01	·01	3
4	·06		·02	·19				·06			·23	·32	4
5			·02	·24	·12	·02	·29	·38			·03		5
6	·06	·09	·09	·13		·22	·01	·02			·09	·11	6
7		·46	·04	·17	·30	·23	·13	·01				·09	7
8	·05	·36	·48	·02	·01	·09	·33	·07	·02			·04	8
9	·21		·71	·08	·01	·06			·04			1.41	9
10		·09	·04		·05				·05			·19	10
11		·44	·24		·03	·05	·01		·20			·19	11
12		·10	·10				·17		·13			·45	12
13	·01	·21	·20						·14	·07	·22	·60	13
14	·01	·08	·19			1.46	·10			·27	·09	·47	14
15	·02		·18				·16	·04		·01	·93	·05	15
16			·01						·03			·02	16
17		·26	·12						·02			·13	17
18		·06	·18					·08				·28	18
19			·21			·13	·21		·01		·20	·28	19
20		·21	·31			·05			·06			·06	20
21		·76	·09										21
22		·09			·30	·06	·15	·01		·06		·05	22
23			·08	·01	·10	·06	·05			·06			23
24			·01	·01						·01	·08	·02	24
25	·02		·27				·02	·08		·22	·02	·16	25
26			·07				·08	·08		·06	·03	·51	26
27	·01	·01						·01			·14	·17	27
28	·02		·02								·33	·79	28
29	·04	·01	·03							·45	·10	·01	29
30	·01	X	·03							·06	·45	·16	30
31		X		X	·18	X	·01		X		X	·04	31
Total	·54	3.23	3.87	·87	1·21	2·44	2·03	1·36	·70	1.27	3.32	6.82	YEAR'S TOTAL 27.66
Rain Days.	14	15	28	9	10	12	16	13	10	10	17	28	183

W. 8,000. X. 14.

over

6 X mL

105

FORM A.
BRITISH RAINFALL.
19 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at 285 Holmesdale Road South Norwood 3

in the County of Surrey

by Edwd A. Martin

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Norwood Junct.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. — in.

" " " " Sea Level ~~as before~~ 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·51	·10	·02		·06	·01		·01	·09	·02	·32	·35	1
2	·21	·16	·15	·16				·69	·05		·01	·30	2
3	·29		·08	·16	·03			·36	·02			·33	3
4	·14	·03	·01							·04		·20	4
5	·04	·25	·01	·01	·01					·05		·23	5
6	·35	·04	·01	·26	·04		·45					·11	6
7	·21	·28	·03	·01		·01	·25					·15	7
8	·09	·58					·06	·47					8
9		·02		·13		·10		·02		·04	·31	·63	9
10	·18		·01					·01				·12	10
11	·02		·02					·27			·62	·08	11
12	·05	·08		·41	·50			·07		·02	·22	·20	12
13	·01	·40			1·16			·10					13
14	·07	·17					·27	·16	·04			·30	14
15					·04		·01	·29			·16	·10	15
16		·48					·57					·07	16
17		·18			·90		·04	·46					17
18	·01	·11	·06		·21						·07		18
19	·13	·23			·03		·06			·02	·01		19
20	·13			·03								·18	20
21	·46						·02			·03		·11	21
22	1.64	·07	·13				·64					·06	22
23		·32				·03	·22		·22	·55		·02	23
24			·05	·10		·02	·06		·17	·17		·55	24
25				·14			·22					·22	25
26	·02	·03	·06	·01		·05	·15			·21		·51	26
27		·01				·13	·01					·01	27
28		·03				·04			1.66				28
29		X				·07		·09			·16		29
30		X						·02	·01	·25	·34		30
31	·02	X	~~·64~~	X		X			X	·88	X	·29	31
Total	4.58	3.57	·64	1.42	2.98	·46	3.03	3.02	2.26	2.28	2.22	5.12	YEAR'S TOTAL 31·58
Rain Days.	20	20	13	11	10	9	15	14	8	12	10	23	165

W. 8,000. X. 15.

Exd CFL

96

REGISTER OF RAINFALL IN 19 16

FORM A.
BRITISH RAINFALL.

6 JAN 1917

Kept at 285, HOLMESDALE ROAD,
SOUTH NORWOOD, S.E.

in the County of London Surrey

by Edward A. Martin F.G.S.

Lat. Long.

Time of Observation 9 am

Nearest Railway Station as before

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level as before ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15		·01		·58				·19		·20		1
2	·17	·09	·13		·31		·03		·19	·08	·18	·02	2
3		·94			·01				·03	·42	·53		3
4	·19	·21		·07		·21	·01		·11	·01	·60		4
5	·01	·01		·02	·09	·15				·05	·48		5
6		·10	·48	·32	·14	·22	·20			·01	·61		6
7	·04		·35		·15	·21	·54			·01	·77	·02	7
8			·20		·21							·40	8
9					·15	·20				·08		·04	9
10		·19	·15	·07	·01	·15	·06					·09	10
11	·02	·13		·11		·21	·10	~~·02~~	·01			·02	11
12	·02	·03	·13	·05	·29	·22	·04	·04	·01	·09			12
13		·20		·10	·01	·03	·06	·08		·02			13
14		·40	·18					·19				·06	14
15		·24	·21				·08	·28					15
16		·02	·13	·15			·17	·15				·04	16
17	·08	·11	·02	·02			·03	·34	·30	·44			17
18		·13		·34				·32	·09	·22	·64		18
19	·08		·14	·05				·01	·08		·70	·04	19
20	·02		·26	·10			·13	·01			·08	·56	20
21	·10		·46								·05	·24	21
22		·01	·02			·02				·02		·10	22
23	·02	·26	·01			·03		·01		·03	·04	·42	23
24		·13			·03			·08		·15		·29	24
25		·36	·10		·02			·20 ~~·07~~		·06	·09		25
26		·40	·30			·12		·29		·12		~~·02~~	26
27			·57			·61		·40	·06	·57		·02 ~~·03~~	27
28	·02	·36	·22					·07	·07	·12		·08	28
29		·08				·15		·90	·05	·20		·14	29
30		X						·14		·24			30
31		X		X		X		·05	X	·08	X	·02	31
Total	·92	4.40	4.17	1.34	2.00	2.53	1.55	3.56	1.19	3.02	4.97	2.60	YEAR'S TOTAL 32.25
Rain Days.	13	21	20	12	13	14	12	18	12	21	13	18	187

W. 8,000, VIII. 16

93

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at 285, HOLMESDALE ROAD,
SOUTH NORWOOD, S.E.
in the County of Surrey
by Edward A. Martin

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

4. JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				20				1.59			10		1
2			01	35				11			23		2
3				17			08	04		17	10		3
4		03					64	13		35			4
5	·21	16		28					1·10	17	03		5
6			17			05			21	13			6
7	·14						34			14	03	02	7
8	09			09			47	14		21	20	33	8
9			03	06			05	06	02			38	9
10	15		06	04	01				02		09	01	10
11	08		30	19				03	14	20		01	11
12	12		14	06				06		43			12
13			12	·12				02	03	08	01		13
14	04			10				01					14
15	06						34	38		03			15
16	03	25		29	13		18			15		34	16
17	01			10	64		30	04	34	06			17
18	03	01		05	05	01	20	11	15	08			18
19			08	05	09	03	01		12				19
20		29	08	01	64						05		20
21		01	05		01								21
22								12		09	04		22
23		21			14	03		07		05		10	23
24		03				07	04	01		10			24
25	·03	01	05							08	05		25
26			06					38	02		53		26
27					01			86					27
28		01				1.53		02				09	28
29		X	02		14	24	20	02		33	01	13	29
30		X	27				2·14	08					30
31	01	X	09	X		X	46	04	X		X	04	31
Total	1.00	1.01	1.53	2.16	1.86	1.96	5.45	4.32	2.15	2.85	1.47	1.45	YEAR'S TOTAL 27·21
Rain Days.	13	10	15	16	10	7	14	22	10	18	13	10	158

W. 8,000, IX. 17.

Ex 8

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at 285, HOLMESDALE ROAD, SOUTH NORWOOD, S.E.
in the County of Surrey
by Edward A. Martin

Lat. As Long. Before
Time of Observation 9 am
Nearest Railway Station Norwood June
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground one ft. — in.
" " " " Sea Level as before ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	02	04						03			20	08	1
2		05	02	04				26			48	05	2
3			05	04	35			08			30	04	3
4		09			03			02			45		4
5		03			14			09	60	05	01		5
6	02	12	11	25	22			03	22	03		07	6
7		08		07	32				05	01	07	02	7
8		01	·01		07				09	02		02	8
9	23			09		09	21		30	06	09	24	9
10				06			27		03			41	10
11		03		09	09		99		02	24	16	15	11
12					10		38		07			04	12
13	09	02	02		11		04		08			02	13
14	04			04		62	05		09	13	01	04	14
15	1.19			80			32					22	15
16	10			19		03	04		·05				16
17	53			10	02		1.28					06	17
18	44			04		02	02		55	36		20	18
19	07		05	08		20	12		15	14		07	19
20	12	02	01	09		03	21		20	02		01	20
21	01	08		20			02		31	32		15	21
22	02				34		52		12			07	22
23	02			02	18		29	08	02		03	01	23
24	~~02~~	29				05	42		12				24
25				52	01	01	20	24			06		25
26							08	03					26
27				21			07	13	06		16	10	27
28		02	15	19				02			20	10	28
29			08						1.00		05	·01	29
30			35						03		05	14	30
31			07							11		15	31
Total	2·90	·88	92	3.72	1.92	1.05	5.53	1.01	4.16	1.49	2.32	2.47	YEAR'S TOTAL 28.37
Rain Days.	14	13	11	19	13	8	19	11	21	12	15	25	18

W, 6,000, VII. 18. W W C

Ex. 1886 [illegible] 88

FORM A. 1. METEOROLOGICAL OFFICE.—~~BRITISH~~ RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

24 JAN 20

Kept at 265, HOLMESDALE ROAD,
in the County of SOUTH NORWOOD, S.E.
by E. F. Martin Jury

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station .... As before
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the ~~end~~ of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	25				06				03	22		77	1
2	04		08		03		43		02	03		30	2
3			48				11		08			11	3
4		08	72		~~06~~	06	15	07				22	4
5	02	18	1.17						03			20	5
6	03	09	15									10	6
7	02		15										7
8	38			01									8
9	10		07	06					04				9
10	16			04						02			10
11	08			26			17		02			01	11
12				10		08				06			12
13	10			27						03			13
14	05			39					49				14
15	04	18	33	04									15
16	16	40		06								22	16
17	02	35	05										17
18	05	46	16						05				18
19	10	11	17	01		13		29				06	19
20			05			83		11					20
21	14	26				07						30	21
22						04			24			01	22
23								04		01		03	23
24	01	06		24			1.37		03	15			24
25								17					25
26	08	15	11	12		01		11	07				26
27	25	15		1.00	trace		01	29				25	27
28			27	08			03	50				20	28
29	08	X	02	18		02		73		(·30)		09	29
30	26	X		07		08		38		(·06)	(~~1.77~~ ·41)	40	30
31	02	X	03	X		X			X		X	15	31
TOTAL	2.49	2.47	4.01	2.88	·09	1.32	2.27	2.69	1.10	~~·54~~ ·88	1.77	3.42	YEAR'S TOTAL 25.39 ~~25.05~~
Days with ·01 in. or more	23	12	16	16	2	9	(16)	10	11	9	(18)	17	(159)

July: {house closed from 12th
{total to 24th = 1.37 in.

Nov.: {away owing to scarlet fever. Total from 1st
{to 30th = 1.36 in.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

B+R

88

17 MAR 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at South Norwood, Holmesdale Road

in the County of Surrey

by E. A. Martin, per Bayard

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
	S.Norwood (Holm. rd.) IN.	S.Norwood (Holm. rd.) IN.	S.Norwood (Holm. rd.) IN.	S.Norwood (Holm. rd.) IN.	S.Norwood (Holm. rd.) IN.	S.Norwood (Holm. rd.) IN.	S.Norwood (Holm. rd.) IN.	S.Norwood (Holm. rd.) IN.	S.Norwood (Holm. rd.) IN.	S.Norwood (Holm. rd.) IN.	S.Norwood (Holm. rd.) IN.	S.Norwood (Holm. rd.) IN.	
1	·25	..	..	..	·06	..	·20	..	·03	·22	·12	·77	1
2	·04	..	·08	..	·03	..	·23	..	·02	·03	·10	·30	2
3	..	..	·48	..	..	..	·11	..	·08	..	·06	·11	3
4	..	·08	·72	..	..	·06	·15	·07	..	..	·04	·22	4
5	·02	·18	1·17	..	..	..	..	..	·03	..	·04	·20	5
6	·03	·09	·15	..	..	..	..	..	..	..	..	·10	6
7	·02	..	·15	..	..	..	..	..	..	..	·08	..	7
8	·38	..	..	·01	..	..	..	..	..	..	·08	..	8
9	·10	..	·07	·06	..	..	..	..	·04	..	·07	..	9
10	·16	..	..	·04	..	..	..	..	..	·02	..	..	10
11	·08	..	..	·26	..	..	·17	..	·02	..	..	·01	11
12	..	..	..	·10	..	·08	·25	..	..	·06	..	..	12
13	·10	..	..	·27	..	..	..	..	..	·03	..	..	13
14	·05	..	..	·39	..	..	·08	..	·49	..	..	..	14
15	·09	·18	·33	·04	..	..	..	..	..	..	..	..	15
16	·16	·40	..	·06	..	..	·01	..	..	..	·10	·22	16
17	..	·35	·05	..	..	..	..	..	..	..	·18	..	17
18	·02	·46	·16	..	..	..	..	..	·05	..	·07	..	18
19	·05	·11	·17	·01	..	·13	·32	·29	..	..	·08	·06	19
20	·10	..	·05	..	..	·83	·28	·11	..	..	..	..	20
21	·14	·26	..	..	..	·07	·10	..	..	..	·04	..	21
22	..	..	..	..	..	·04	·22	..	·24	..	·04	·30	22
23	..	..	..	..	..	..	·01	·04	·03	·01	·02	·01	23
24	·01	·06	..	·24	..	..	·10	..	..	·15	·04	..	24
25	..	..	..	..	..	..	..	·17	..	..	..	·03	25
26	·08	·15	·11	·12	..	·01	..	·11	·07	..	..	·25	26
27	·25	·15	..	1·00	..	..	·01	·29	..	..	..	..	27
28	..	..	·27	·03	..	..	·03	·50	..	..	·20	·20	28
29	·08		·02	·18	..	·02	..	·73	..	·30	..	·09	29
30	·26		..	·07	..	·08	..	·38	..	·06	·41	·40	30
31	·02		·03		..		..	..		..		·15	31
	2·49	2·47	4·01	2·88	·09	1·32	2·27	2·69	1·10	·88	1·77	3·42	YEAR'S TOTAL
TOTAL	..	4·96	8·97	11·85	11·94	13·26	15·53	18·22	19·32	20·20	21·97	25·39	25·39
Days with ·01 in. or more	23	12	16	16	2	9	16	10	11	9	18	17	159

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

SOUTH NORWOOD
APOLEY
SURREY
1911 - 1917

Jug Ser

R

FORM A2.
BRITISH RAINFALL.

11 JAN 1912

Kept at 14 Apoley ... ll

in the County of Su...

by W A ...

...d 1 ft. 2 in.

...vel 125 ft.

...ll as often as possible

Norwood Junction

...e 1½ miles Direction West

IMPORTANT NOT... should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.04			0.75							0.02		1
2				0.19				0.05			0.14		2
3	0.17	0.03			0.23				0.02		0.06	0.11	3
4				Snow 0.08)						0.10	0.16	0.26	4
5	0.02	0.03								0.17	0.03	0.10	5
6	0.21		0.37		Away from home no [illegible]						0.02	0.29	6
7	0.02		0.02							0.16	0.33		7
8	0.09		0.10								0.28	0.44	8
9	0.20		0.02	0.06							0.12		9
10		0.09	0.06								0.04	0.64	10
11	0.25	—									0.58	0.01	11
12			2 Days 0.46								0.15		12
13			0.06						0.25	0.12	0.01	0.15	13
14		0.05		0	The month 0.87							0.45	14
15			0.22							0.02	0.02	0.02	15
16		0.03				0.39					0.48	0.02	16
17			0.03			0.02					0.26	0.17	17
18											0.56	0.25	18
19						0.12			0.26	0.19	0.16	0.11	19
20			0.04				× Taken at 1-30	0.18			0.02	0.54	20
21	0.07	0.15					×0.98			0.65		0.10	21
22			0.21			0.03		0.82				0.40	22
23		0.11				0.50			0.25		0.03	0.09	23
24		0.11				0.03		0.02		1.42		0.13	24
25				0.04			0.28		0.04	0.03		0.02	25
26			0.16	0.15		0.34				0.12	0.02	0.20	26
27		0.27	0.10	0.04					0.11		0.04	0.08	27
28							0.21	0.15	0.01		0.03	0.01	28
29				0.41		0.18	0.20		0.11	0.28	0.01		29
30						0.02		0.50		0.27			30
31					0.14					0.08			31
Total	1.07	0.87	1.85	1.72	1.24	1.63	1.67	1.72	1.05	3.56	3.57	4.59	TOTAL for year
No. of Rain Days.	9	9	14	8	—	9	4	6	8	13	24	23	24.

W. 8,000, X. '11.

Sup 2er

FORM A2.
BRITISH RAINFALL.

11 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at 14 Apsley Road S. Norwood

in the County of Surrey 3

by W A Cullis

RAIN GAUGE
Pattern Funnell
Diameter of top 5 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 125 ft.

Time of Observation 9 a.m. as often as possible

Nearest Railway Station
Name Norwood Junction
Distance ½ mile Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.04			0.75							0.02		1
2				0.19				0.05			0.14		2
3	0.17	0.03			0.23				0.02		0.06	0.11	3
4				Snow 0.08)						0.10	0.16	0.26	4
5	0.02	0.03								0.17	0.03	0.10	5
6	0.21		0.37		Away from home no calculation						0.02	0.29	6
7	0.02		0.02							0.16	0.33		7
8	0.09		0.10								0.28	0.44	8
9	0.20		0.02	0.06							0.12		9
10		0.09	0.06								0.04	0.64	10
11	0.25										0.58	0.01	11
12			2 Days 0.46								0.15		12
13			0.06						0.25	0.12	0.01	0.15	13
14		0.05		0	The month 0.87							0.45	14
15			0.22							0.02	0.02	0.02	15
16		0.03				0.39					0.48	0.02	16
17			0.03			0.02					0.26	0.17	17
18											0.56	0.25	18
19						0.12			0.26	0.19	0.16	0.11	19
20			0.04				× Total 1-30	0.18			0.02	0.54	20
21	0.07	0.15					×0.98			0.65		0.10	21
22			0.21			0.03		0.82				0.40	22
23		0.11				0.50			0.25		0.03	0.09	23
24		0.11				0.03		0.02		1.42		0.13	24
25				0.04			0.28		0.04	0.03		0.02	25
26			0.16	0.15		0.34				0.12	0.02	0.20	26
27		0.27	0.10	0.04					0.11		0.04	0.08	27
28							0.21	0.15	0.01		0.03	0.01	28
29				0.41		0.18	0.20		0.11	0.28	0.01		29
30						0.02		050		0.27			30
31					0.14					0.08			31
Total	1.07	0.87	1.85	1.72	1.24	1.63	1.67	1.72	1.05	3.56	3.57	4.59	TOTAL for year
No. of Rain Days.	9	9	14	8	–	9	4	6	8	13	24	23	24.

W. 8,000, X. '11.

S. made

Card for auth 19·11·13

FORM A2. BRITISH RAINFALL.

FEB 1913

REGISTER OF RAINFALL IN 1913

Kept at 14 Apsley Rd. S. Norwood

in the County of Surrey 3

by W H Callis

RAIN GAUGE
Pattern Funnel & bottle
Diameter of top 5 in.
Height of top above Ground 1 ft. 2
" " " Sea Level 125 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Norwood Junction
Distance 1/4 Mile Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0.09				0.28			0.51		0.23	1
2				0.03		0.11	0.32		2 days 0.06	0.06			2
3	0.04		0.33				0.01	0.31	0.01			0.08	3
4	0.17	0.18	0.51		0.16	2 days 0.24		0.04			0.16		4
5	0.17		0.05					0.27			0.06		5
6	0.42	0.04			0.02			0.11			0.01	0.18	6
7					0.07	0.71	0.18	0.15				0.01	7
8	0.22	0.30	0.19				0.02	0.30	0.03				8
9	0.01			0.05			0.03					0.09	9
10		0.33				0.25		0.62	0.03	mist 0.02	0.12	0.25	10
11	0.03	0.08						0.06	0.02		0.01		11
12	0.03		0.04		0.16	0.11		0.01			0.01	2 days 0.25	12
13	0.01	0.02						0.07		~~0.06~~	0.07	0.01	13
14			0.01		0.03			0.05		0.06	0.01		14
15	0.01	0.01	0.16		0.34			0.01			0.03	0.37	15
16	0.37		0.03		0.04	0.55		0.08		0.02	0.04		16
17	0.41		0.25									0.07	17
18	0.04		0.14			0.05		2 days 0.11		0.05		0.11	18
19	0.11	0.06	0.10				0.03				0.01		19
20			0.34					2 days 0.38		0.47	0.02		20
21	0.01	0.03	0.16					0.10		0.09			21
22	0.16	0.10	0.05		0.03		0.07	0.13		0.01	2 days 0.04	0.03	22
23	0.36	0.32			0.02	0.04		0.39		0.05		0.11	23
24	0.27	0.02	0.27			0.13	0.03	4 days 1.05			2 days 0.17	0.14	24
25	0.12					0.14					0.25	0.52	25
26						0.01		0.41			0.34	0.21	26
27						0.02				0.30		0.13	27
28		0.09				0.05	0.12	0.02	0.08	0.33	0.49	0.09	28
29		0.02				0.11	0.25	0.14	1.24		0.03		29
30					0.35		0.02	0.10	1.35	2 days 0.29	~~0.23~~		30
31			0.06				0.10	0.11		0.02			31
Total	2.96	1.60	2.78	0.08	1.22	2.52	1.46	5.02	2.82	2.28	1.87 ~~[illegible]~~	2.88	TOTAL for year 27.49
No. of Rain Days.	19	14	17	2	10	15	13	27	9	15	20	19	27.40 180

Record. Driest April since obtained
20 years

W. 8,000, X. '11.

Not quite sure of June out of town for most of the Month

Days

made ✓ Cord for arith 21.1.14 Sep. cord by obr.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 7 JAN 1914

Kept at South Norwood W. Rn

in the County of Surrey 3

by W H Cullis APSLEY (4)

Lat. 0 Long. 5 2

Time of Observation 9 AM

Nearest Railway Station Norwood Junction

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 125 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.03	.18					.38	.04	.03	.13	1
2		2 days .37		.01			.11			.24	.04		2
3	.04	.01	.01	.31	.31							.11	3
4			.01	.04	.25		.09		.02	.25	.01	.07	4
5	2 D .59				.01	.07	.08		.43	.02	.01	.04	5
6	.03		.10		.01	.07					.15	.10	6
7		.10					.09	.28		2 days 66	.09		7
8		.01	.03		.12	.05				.03		.01	8
9		.12		.01	.03				.10		.04	.02	9
10			.20	.09				.01			.47		10
11				.36	.16				~~.4~~	.69	.28		11
12					.01						.36		12
13	.34		.04					.01			.21		13
14			.09	.09			.25	.08		.13	.05		14
15	2 D .37	.06		.18			.22		.11				15
16	.13		2 D .60	.11			.02		.49		.01		16
17	.03	.06	.09	.04			.14						17
18			.07	.09		.04	.02				.03		18
19	.17		.17			.04	.13		.10				19
20	.20		.36	.05						.52	.01		20
21	.02		.18	.06			.09			.24			21
22	.33		.22	.31					.13				22
23									.01		.02	.37	23
24	.02		2 D .03	.02		.05		2 D .34			.03		24
25		.02	.02	.21									25
26		.01	.19				.02	.20		.82		.20	26
27		.01	.06							.02			27
28	.36		.23	3 days .25						.18		.02	28
29	.05		.04	.34	.44			.06					29
30	.28			.07				2 days		.14			30
31			.02					1.21		.14			31
Total	2.96	.77	2.89 2.79	2.82	1.34	.32	1.26	2.19	1.77	4.12	1.84	1.07	YEAR'S TOTAL 23.35 23.25
Rain Days.	17	11	24 3	22	9	6	12	10	9	16	17	10	162

162

W. 7,500, XI. 12

Slip made 1/3/15

ex LMCC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

17 FEB 1915

Kept at 14 Apsley Rd S Norwood S

in the County of Surrey 3

by W H Cullis

Lat. .... Long. ....

Time of Observation 9 AM

Nearest Railway Station Norwood Junction

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 125 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								.22			2 days	.03	1
2								.35			.29	.21	2
3			.07		.11		.25	.01			.02		3
4	.04		.02				.19	.05			.24		4
5			.04	.42	.14	.03	.30	.56			.03		5
6		.10		.16		.20		.02			.08	.12	6
7		.41	.20	.17	.29	.25						.08	7
8		.33	.44	.03	.02	1.14		.08				.04	8
9			.74	.07		.05			.03			2 days	9
10		.11	.02	.02	.06				.08			1.44	10
11		.37	.27			.05			.20		.13	.34	11
12		.11	.13		.01		.35		.13	.07	.04	.43	12
13		.17							.16		.09	.65	13
14		.07	.31				.23			.30		.45	14
15		.02	.19				.14	.05		.01	1.07	.05	15
16			.04						.04				16
17		.24	.10									.12	17
18		.08	.15									2 days	18
19		.03	.22				.13				.23	.59	19
20		.16	.32			.07	.01		.07		.27	.06	20
21		.74	.06									.04	21
22		.03	.05		.22	.09	.16						22
23			.07		.17	.08	.05		.03				23
24			.13	.03			.01						24
25	.02		.20					.10	.21		.08	.12	25
26			.06				.10	.09	.06		.18	2 days	26
27	.03							.02			.04	.66	27
28	.02	.01							.10		.31	.78	28
29	.03		.05						.36		.14		29
30		×	.04								.37	.16	30
31		×		×	.19	×			×	.06	×	.04	31
Total	.14	2.98	3.92	.90	1.21	1.96	1.92	1.55	1.47	.44	3.61	6.41	YEAR'S TOTAL 26.51
Rain Days.	5	16	24	7	9	9	12	11	12	4	17	23	149

W. 8,000. X. 14.

106

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
11 FEB 1916

Kept at 14 Apsley Rd S^th Norwood

in the County of Surrey 3

by W H Coultis

Lat. Long.

Time of Observation 9 a m

Nearest Railway Station Norwood Junction

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 125 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.09							.01		.35		1
2	2 Days	.19	.21	.18	.05			.75	.07	.07			2
3	.53		.06	.21	.04			.30				1.45	3
4	.09											week	4
5	.05	.48								.05		.41	5
6	.40	.04		.27	.04							.11	6
7	.20							.04				.16	7
8	.11	.52	.04	.08				.39					8
9		.04	.01	.14		.09		.05			.28		9
10	.17							.03		.04		.77	10
11	.03	.38	.02								.48	.03	11
12	.05	.05		.42	.40			.34		.03	.33		12
13	.01	.52		.02	1.24			.06				.27	13
14						.19	.25	.17	.04		Sleet & snow		14
15	.08				.05		.01	.28			.16	.06	15
16		.33					.45					.10	16
17		.31			.90			.37					17
18		2 Days			.23		.03						18
19		.27	Snow .01		.02		.05						19
20	.27			.03	.01							.23	20
21	.22	Doubtfull					.03			.03		.07	21
* 22	Snow .95	.07	.15	.04			.54					.05	22
23	.06	Snow .41	.10			.05	.22		.20	.46		.28	23
24			.02				.06		.21	.22		.32	24
25	.02		.01	.21			.29					.19	25
26		.03				.07						.46	26
27						.16	.12			.16		.02	27
28						.04			1.61	.17			28
29								.10					29
30	.03	✕						.01		.03			30
31		✕		✕		✕			✕	.99	✕	.28	31
Total	3.27	3.73	.63	1.60	2.98	.60	2.05	2.89	2.14	2.25	1.60	5.26	YEAR'S TOTAL 29.00
Rain Days.	18	16	10	10	10	6	11	13	6	11	5	22?	138

W. 8,000. X. 15. * Snow as near as I could get it

Smalle ✓ ~~W.C.S.E.~~ and [illegible] 97

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

13 JAN 1917

Kept at South Norwood
in the County of Surrey
by W H Cullis

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Norwood Junction
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 125 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					.60				.18	.11	.20		1
2	.29	.09	.10		.31				.07	.32	.09		2
3		.84	.23		.01				.14		.57		3
4	.20		.02	.01		.18			.12	.01	.43		4
5	.01		.01	.02	.08	.20	.04			.05	.56		5
6		.09	snow .03	.32		.19	.26				.54		6
7			.27		.22	.19	.21				.67	.06	7
8			.29		.22							.30	8
9	.04				.14							.10	9
10		.25	.13	.07		.38	.07					.09	10
11		.17	.04	.11		17	.02						11
12		.03		.05	27	.22			.02	.12			12
13	.04	.19	.28	.11	.02	.05	.18	.09		.06			13
14		.34	.03	.02	.10								14
15		.18	.20	.03				2 days .44				.09	15
16		.04	.13	.14			.23	.03					16
17	.06	.12		.03			.03	.33	.30	.42			17
18		.09	.03	.36				.27	.10	23	.76		18
19	.04	.03	.14	.16					.05		.64		19
20	.15	.05	.25	.03							.08	.58	20
21			.40	.01			.12					.26	21
22			.08		.03							.37	22
23		Snow	.03	.01		.04				.03	.04	.12	23
24		"			.04			.04		.12	.04		24
25		"	.11					.26		.10	.05		25
26		total "	.09			.11		.13		.10			26
27	.03	"	.74			.65		32		.60			27
28		~~.87~~	.22			.03		.01	.06			.39	28
29		.08				.12		.85	.05	.22		.14	29
30		X						.22		.30			30
31		X		X	.02	X		.04	X	.08	X	.03	31
Total	.86	3.46	3.85	1.48	2.06	2.53	1.16	3.03	1.09	2.87	4.67	2.53	YEAR'S TOTAL 29.69 29.59
Rain Days.	9	21	23	16	13	13	9	14	10	16	13	12	169

W. 8,000, VIII. 16

SMa 94

FORM A.
BRITISH RAINFALL.

W. H. CULLIS
Builder & Decorator
APSLEY RD, S. NORWOOD

2 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at South Norwood

in the County of Surrey

by W H Cullis 1917

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 125 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				Snow .12				1.55			.09		1
2						.01		.12			.12		2
3	.01			2 days .47			—	.36			.11		3
4								.13					4
5	.21	Snow .31		R & S .34					.06		.04		5
6									.18		.06		6
7	.13					.04					.01	.01	7
8	.09			R & S .10			.53	.12	.05		.12	.22	8
9				" " .05				.06	.02		.07	.48	9
10	.17		Snow .24	Snow .13				.05				.03	10
11	.07		.41	" " .13				—	16				11
12	.11			" " .06				.03		Away from home	.01		12
13			.10	.06				.03	.02				13
14				.16				.06					14
15	.06						.27	.36				.03	15
16	.05	.18		.39	.12		.13	.03				.33	16
17		.04			.62		17		.32				17
18				.11	.04		35	.11	.13				18
19		.12	13		11	.03	.02		.12				19
20		.11	.05		.64						.04		20
21			Snow .26	—	.03						.01		21
22								.12	no daily record away from home		.02		22
23		.14			.15	.04		.07					23
24		.02				.05	.02	.02					24
25			.06					.30			.08		25
26											.55		26
27								.70					27
28						1.55		.02					28
29					13	.25	.17	.03				.24	29
30	Snow	X	R & S .33				(2.30)	.08		Sep &		.04	30
31	.21	X	R & S .08	X		X	44	.01	X	Oct	X		31
Total	1.11	.92	1.48	2.12	1.84	1.97	(4.40) 2.33	4.33		~~2.62~~	1.33	1.39	YEAR'S TOTAL ~~21.43~~
Rain Days.	10	7	9	13 12	8	7	10	22		imp	14	8	imp

W. 8,000, IX. 17.

8L
8

SURBITON

M. W. B.

1911 - 1920

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

4

RE

Kept at Surbiton ft. 10 in.

in the County of E 34 ft.

by H. E. Wrench

Direction

IMPORTANT NOTE lt entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02		.01	.74	.01			.05					1
2	.17		—	.29	.19	—	.07				.16	.07	2
3					.15						.07	.07	3
4	.03	.03	.04	.07					.02	.03	.18	.35	4
5	.02			.02						.14	.04	.06	5
6	.19		.17									.36	6
7				.02						.04	.34	.14	7
8	.12		.15								.20	.31	8
9	.15		.02	.02								.07	9
10	.03	.12	.04	.03							.05	.51	10
11	.27				.01						.59		11
12	.03		.40		.36				.04		.23		12
13			.07		.10				.37	.14	.01	.28	13
14		.07	.01		.24							.48	14
15		.05	.08							.01	.02	.01	15
16						.56					.34	.02	16
17			.05			.03					.26	.10	17
18		.10				.02					.60	.18	18
19						.22				.07	.15	.13	19
20		.02	.01					.10	.25	.05		.51	20
21		.10						.50	.02	.43		.15	21
22	.07		.21							.06		.39	22
23		.10	.07			.74			.17		.04	.07	23
24		.10	.02			.06	.02			1.08		.29	24
25		.02		.04		.15	.44			.03		.01	25
26		.01	.05	.18	.14	.14	.07			.10		.24	26
27		.30	.06	.09			.07		.10	.02	.02	.13	27
28		.09		.19				.11					28
29				.16		.18	.09		.11	.20			29
30				.04		.02		.13		.16			30
31					1.04					.03			31
Total	1.10	1.11	1.46	1.89	2.24	2.12	~~.67~~ .76	.89	1.08	2.59	3.30	4.93	TOTAL for year 23.47
No. of Rain Days	11	13	17	13	9	10	~~5~~ 6	5	8	16	17	24	148

9,000, IX. '10.

8L 58

47

RE

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

Kept at Surbiton

in the County of E. Surrey 5

by H. E. Wrench

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 10 in.
" " " Sea Level 34 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02		·01	·74	·01	—		·05					1
2	·17			·29	·19		·07				·16	·07	2
3					·15						·07	·07	3
4	·03	·03	·04	·07			—		·02	·03	·18	·35	4
5	·02			·02						·14	·04	·06	5
6	·19		·17									·36	6
7				·02						·04	·34	·14	7
8	·12		·15								·20	·31	8
9	·15		·02	·02								·07	9
10	·03	·12	·04	·03							·05	·51	10
11	·27	—			·01						·59		11
12	·03		·40		·36				·04		·23		12
13			·07		·10				·37	·14	·01	·28	13
14		·07	·01		·24							·48	14
15		·05	·08							·01	·02	·01	15
16						·56					·34	·02	16
17			·05			·03					·26	·10	17
18		·10				·02					·60	·18	18
19						·22				·07	·15	·13	19
20		·02	·01					·10	·25	·05		·51	20
21		·10						·50	·02	·43		·15	21
22	·07		·21							·06		·39	22
23		·10	·07			·74			·17		·04	·07	23
24		·10	·02			·06	·02			1·08		·29	24
25		·02		·04		·15	·44			·03		·01	25
26		·01	·05	·18	·14	·14	·07			·10		·24	26
27		·30	·06	·09			·07		·10	·02	·02	·13	27
28		·09		·19				·11					28
29				·16		·18	09		·11	·20			29
30				·04		·02		·13		·16			30
31					1·04					·03			31
Total	1·10	1·11	1·46	1·89	2·24	2·12	·76 ~~·67~~	·89	1·08	2·59	3·30	4·93	TOTAL for year 23 47
No. of Rain Days	11	13	17	13	9	10	~~5~~ 6	5	8	16	17	24	148

9,000, IX. '10.

Jl

[illegible] B } 3·11·13 [illegible] 21·10·13

FORM A2.
BRITISH RAINFALL.

21 JAN 1913

36

REGISTER OF RAINFALL IN 1912

Kept at Surbiton

in the County of Surrey 5

by H. E. H. Wrench

RAIN GAUGE { Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station { Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·09	·02		·07	·07		·08	·48		·17	1
2			·29			·06	·36	·04		·04		·01	2
3			·12			·10	·03	·21	·01			·07	3
4	·21		·45		·08	·20		·04			·18		4
5	·15	·03	·06			·01		·46			·03	·01	5
6	·34	·05	·01					·20				·02	6
7			·01		·09	1·22	·29	·07				·01	7
8	·26	·30	·18			·04	·03	·29					8
9			·02	·03		·13	·01	·05				·11	9
10		·04				·01		·59			·08	·24	10
11	·03	·15				·03		·13				·17	11
12	·03	·06	·05		·24	·05	·03				·03	·01	12
13			·01				·08				·04	·01	13
14					·04			·05		·05		·02	14
15			·10		·20	·68		·02			·04	·32	15
16	·37		·03		·03	·15		·04			·05		16
17	·50		·21			·02		·05			·01	·02	17
18	·05	·11	·12					·14			·02	·09	18
19	·05		·04				·09	·48				·01	19
20	·02	·06	·16					·13		·46	·01		20
21	·01	·02	·17		·03			·06		·09	·07		21
22	·15	·01	·05		·05		·06	·13		·03		·05	22
23	·32	·16	·31					·38		·06	·16	·14	23
24	·51	·44	·01			·24		·23			·01	·15	24
25	·14	·02				·18		·56			·17	·52	25
26		·05						·30		·28	·41	·32	26
27			·01			·07				·18		·16	27
28						·24	·20	·04	·05	·28	·48	·08	28
29		·05				·12	·15	·21	1·18	·13	·05		29
30					·50	·01	·01	·13	1·13	·17			30
31			·17		·01		·12	·12		·01			31
Total	3·14	1·55	2·67	·05	1·27	3·73	1·53	5·15	2·45	2·26 2·26	1·84	2·71	TOTAL for year 28·35
No. of Rain Days.	16	15	23	2	10	20	14	27	5	13	17	23	185

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

22 JAN 1914

Kept at Surbiton

in the County of Surrey

by H. E. Wrench

5

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge — in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·23	·03	·15					·71	·02	·03	·14	1
2	·10	·14		·01			·06		·01	·39	·06	·02	2
3	·01		·02	·25	·33							·02	3
4	·22		·01	·02	·36		·02			·42	·02	·05	4
5	·27					·04	·07		·40	·01	·01	·03	5
6	·01	·03	·13		·03	·05	·08		·02	·17	·21	·15	6
7		·10	·01		·05		·02			·42	·07	·02	7
8		·02			·09	·03				·07	·02		8
9		·14	·01	·01	·03				·06		·02	·05	9
10			·17	·07			·05	·01			·29		10
11	·22			·40	·02					·52	·13		11
12					·02						·34		12
13	·03		·03						·11		·20		13
14	·11	·01	·05	·08			1·10	·16		·12	·05		14
15	·22	·05	·30	·20			·40		·10				15
16	·15		·32	·11					·27				16
17	·04	·05	·03	·06			·15				·01	·01	17
18		·04	·15	·09							·04		18
19	·21		·07	·01			·16		·27				19
20	·23		·32	·02	·01	·05				·45			20
21	·03		·14	·08			·03		·01	·19	·65		21
22	·40		·19	·04				·25	·14				22
23	·01		·02			·04		·19	·02			·39	23
24			·01	·04		·03		·01					24
25		·01		·20									25
26		·02	·16	·07				·06		·73		·18	26
27			·02	·07	·11					·02	·01		27
28	·29		·26	·13						·08			28
29	·05		·06	·44	·70			·15		·04			29
30	·25			·06				·18		·08			30
31			·02					·81		·09			31
Total	2·87	·84	2·53	2·61	1·75	·24	2·14	1·82	2·12	3·82	2·16	1·06	YEAR'S TOTAL 23.96
Rain Days.	20	12	24	23	11	6	11	9	12	17	17	11	173

W. 7,500, XI. 12

8L

Ω IX

33

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Surbiton

in the County of Surrey 5

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03					·14			·01	·03	1
2						·01	·17	·02			·08	·18	2
3			·06		·14		·08	·02			·04	·01	3
4	·05		·03	·14			·03	·06			·20	·35	4
5	·07		·04	·23	·23	·04	·25	1·43			·01	·01	5
6		·14	·03	·12		·11	·07	·02			·09	·07	6
7		·25	·22	·33	·16	·15	·21	·01			·01	·07	7
8	·08	·36	·77	·01		·14	·10	·08				·03	8
9	·20		·57	·16		·06		·01	·12			1·71	9
10	·01	·09	·02	·04	·05				·19			·02	10
11		·30	·41		·02	·04			·08		·21	·28	11
12		·11	·12				·32		·15		·01	·36	12
13		·18	·16						·14		·04	·45	13
14		·08	·21			1·36	·08			·30	·04	·45	14
15	·03	·02	·14				·24	·02		·01	·57	·05	15
16			·03						·04				16
17		·34	·08									·07	17
18		·04	·17									·24	18
19		·06	·24			·02	·12				·17	·28	19
20		·23	·34			·02			·11			·05	20
21		·59	·06					·03		·02		·04	21
22		·01	·01		·35	·05	·22	·01		·18			22
23		·01	·07		·10	·10	·03			·10			23
24			·03				·02				·09		24
25			·23				·01	·14		·21	·01	·02	25
26			·10				·07	·07		·07	·18	·46	26
27	·04										·02	·14	27
28	·02	·02			·01					·10	·56	·84	28
29	·04		·06							·27	·12		29
30			·04							·05	·46	·25	30
31	·01				·15		·02					·06	31
Total	·55	2·83	4·27	1·03	1·21	2·10	2·04	2·06	·83	1·31	2·92	6·52	YEAR'S TOTAL 27 67
Rain Days.	10	17	27	7	9	12	17	14	7	10	20	26	176

W.7,000, XI. 13

82

203
38

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at *Surbiton*

in the County of *Surrey*

by *Met. Water Board, H. E. H. Wrench*

5

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.58	.13	.05		.05		.02	.03	.03	.03	.12	.30	1
2	.62	.17	.16	.13		.03		.50		.05		.15	2
3	.35		.06	.11	.01			.12				.45	3
4	.04											.13	4
5	.05	.42		.01						.04	.02	.22	5
6	.36	.04	.01	.27			.92					.12	6
7	.18	.17	.03				.07	02				.20	7
8	.09	.58		.06			.03	.08					8
9		.04		.19		.07		.04		.01	.22	.64	9
10	.18	.07						.69				.21	10
11	.06		.03					.01			.55	.02	11
12	.05	.04		31	.47			.02			.17		12
13	.01	.33			.93			.03					13
14	.07	.03					.44	.12	.02			.17	14
15					.05		.13	.08			.12	.11	15
16		.23			.03		1.39	.04				.06	16
17		.30			1.04		.01						17
18		.29	.05		.18						.02		18
19		.13			.03		.09			.02			19
20	.26			.05								.17	20
21	.10	.01					01			.02		.04	21
22	.80	.08	.16	.14			.48					.05	22
23	.38	.11	.03			.02	.26		.09	.50		.24	23
24	.01			.02			.04		.45	.20		.36	24
25			.03	.09			.18					.06	25
26		.03				.30	.28					.40	26
27		.01				.24	.08			.23		.05	27
28		.02				.05			1.30	.32			28
29						.04	.19	.08			.11	.01	29
30	.02	X				.18				.07	.23	.01	30
31		X		X		X			X	.92	X	.19	31
Total	4.21	3.23	.61	1.38	2.79	.93	4.62	1.86	1.89	2.41	1.56	4.36	YEAR'S TOTAL 29.85
Rain Days.	19	21	10	11	9	8	17	14	5	12	9	24	159

cntly c

192

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
30. JAN. 1917

Kept at Metropolitan Water Board, Surbiton

in the County of Surrey

by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·02	·04		·45	·01			·21	·03	·35	·06	1
2	·21	·03	·04		·17		·01		·30	·34	·07	·11	2
3	·01	·30	·14				·04		·08	·20	·46	·07	3
4	·13	·11		·07		·19			·17		·41	·14	4
5	·02			·02	·12	·18				·06	·41	·02	5
6		·05	·17	·17	·03	·17	·43			·02	·32		6
7	·06		·46		·10	·27	·30			·01	·50		7
8			·08		·18	·04							8
9					·24					·08			9
10		·17	·08	·06		·13	·08						10
11	·02	·11	·02	·19	·01	·23				·01			11
12		·02		·03	·52	·13	·01	·05	·02	·04			12
13		·19	·29	·12		·03	·44	·09	·07	·02			13
14	·02	·37			·05			·31		·02		·06	14
15		·16	·17				·08	·17					15
16	·01	·03	·33	·12			·19	·22		·02			16
17	·05	·11		·03			·02	·01	·32	·37			17
18		·06	·03	·23				·24	·08	·57	·61		18
19	·05		·18	·13				·06	·04		·42	·02	19
20	·18		·17	·02							·03	·34	20
21	·01		·34	·02	·03		·39					·26	21
22			·04							·03		·31	22
23	·03	·05	·02			·09				·03	·02	·03	23
24		·12						·03		·13	·03	·25	24
25		·57	·10					·15		·04	·07		25
26		·18	·05			·07		·63		·11			26
27	·03		·70			·04		·56	·05	·62			27
28		·39	·21			·02		·06	·04		·01	·10	28
29		·05				·15		·92	·03	·18		·14	29
30		X						·06		·20			30
31		X		X		X		·04	X	·16	X	·08	31
													YEAR'S TOTAL
Total	·85	3·29	3·66	1·21	1·90	1·75	1·99	3·60	1·41	3·29	3·71	1·99	28·65
Rain Days.	15	20	21	13	11	15	11	16	12	23	14	15	186

W. 8,000, VIII. 16

81 ✓ 186/37

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

26. JAN 1918

Kept at *Surbiton*

in the County of *Surrey*

by *M. W. B.* (H. E. H. Wrench ?)

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	·08				1.11	·01		·05		1
2				·49		·06		·05			·12		2
3	·01			·05			·18	·26		·10	·01		3
4		·25	·06				·25	·14		·36			4
5	·18		·02	·17					·30	·16	·04		5
6			·12	·03		·06			·15	·01	·05		6
7	·11						·18			·21		·01	7
8	·08			·06			·61	·49	·05	·20	·12	·20	8
9	·03		·02	·04			·03	·07	·03	·01	·05	·14	9
10	·18		·05	·18				·02			·01		10
11	·07		·37	·24					·58	·14		·01	11
12	·04		·03	·01				·05		·33			12
13			·13	·08				·06	·02	·12			13
14			·01	·13				·04					14
15	·04						·26	·06		·01		·01	15
16	·05	·13		·09	·07	·09	·19			·38		·30	16
17				·07	·55		·21	·17	·26	·17			17
18	·03	·04		·06	·04	·95	·16	·19	·19	·03			18
19	·01	·08	·02		·02	·01			·09				19
20		·09	·04		·67		·11	·04			·05		20
21			·04	·01							·04		21
22			·05					·07		·05			22
23	·02	·09			·10	·04		·05		·05		·02	23
24		·02				·18	·03	·02		·12		·02	24
25		·04	·04							·11	·06		25
26			·03					·21	·04	·02	·29		26
27			·01			·02		·66					27
28		·01	·02			1·35		·02				·04	28
29			·04		1·00	·04	·75			·13		·08	29
30		×	·32				1·80	·05		·01		·01	30
31		×	·03	×		×	·24	·02	×		×		31
													YEAR'S TOTAL
Total	·85	·75	1·46	1·79	2·45	2·80	5·00	3·85	1·72	2·72	·89	·84	25·12
Rain Days.	13	9	21	16	7	10	14	22	11	21	12	11	167

W. 8,000, VIII. 16

DL

108
~~32~~

Eg DL completed by [illegible]

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

27 · 1 · 19

Kept at Surbiton, M. W. B.

in the County of Surrey

by H. E. Wrench

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·06	-			·01			·23	·05	1
2		·05		·04				·22		·03	·18	·09	2
3		·02	·04	·03	·45			·10			·53	·02	3
4		·06	·09					·03	·22		·47		4
5		·03			·06			·08	·80	·03			5
6	·18	·10		·18	·18			·03	·03			·08	6
7		·10		·13	·36				·07	·08	·09		7
8		·05		·02					·05	·03	·11		8
9	·03	·02		·05		·08	·26		·20	·08		·23	9
10				·13			·44		·04	·01	·02	·33	10
11	·02			·03	·02		1·68		·02	·17	·10	·12	11
12		02			·15		·18		·05				12
13					·13		·03		·10			·01	13
14	·13		·02			·21	·03		·08	·06		·25	14
15	1·10			·57			·40					·06	15
16	·11			·18		·15			·24			·01	16
17	·38			·09	·03		·26	·01	·01			·09	17
18	·46					·15	·12		1·30	·16		·05	18
19	·03		·04	·07	·03	·07	·18		·02	·10		·03	19
20	·05	·08		·47		·03	·09		·10	·14			20
21	·11	·02		·42			·05		·50	·04			21
22	·04				·16		·23		·12			·18	22
23	·02				·08		·35	·05	·04			·04	23
24		·23				·05	·53		·10		·03		24
25				·11			·31	·23		·02	·01		25
26					·01		·46	·03		·01	·06	·12	26
27		·02		·07			·05	·14	·04		·11		27
28		·02	·20	·02	·01			·02			·14	·09	28
29									·91				29
30		×	·39						·08		·01	·14	30
31		×		×		×			×	·05	×		31
Total	2·66	·82	·78	2·67	1·67	·74	5·65	·95	5·12	1·01	2·09	1·99	YEAR'S TOTAL 26·15
Rain Days.	13	14	6	18	13	7	18	12	23	15	14	19	172

W. 8,000, VIII. 16

Dl

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Surbiton
in the County of Surrey
by H. E. H. Wrench

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.25				.02		.24			.02	.06	.91	1
2	.35	.04			.09		.04			.10	.14	.16	2
3	.26		.33		.01		.21				.03	.35	3
4	.07	.07	.44			.06	.13	.06			.01	.22	4
5		.26	.50								.04	.25	5
6	.07		.04						.36			.15	6
7	.02		.27								.02		7
8	.12		.06	.03									8
9	.04		.01	.03							.01		9
10	.60		.04	.01						.02	.02	.02	10
11	.01		.05	.25			.29					.01	11
12	.02		.05	.03		.01	.04			.12			12
13				.33						.04		.01	13
14	.20			.19			.12		.66			.01	14
15	.18		.13	.08								.36	15
16	.05	.44		.02							.10	.05	16
17	.01	.24									.14		17
18		.22	.07						.05		.07	.01	18
19	.03	.05	.46			.27	.58	.23	.02		.06		19
20	.07	.05	.13			.70	.23	.09	.08				20
21	.20	.25	.03			.08	.08				.01	.02	21
22		.04					.19		.21		.01	.30	22
23						.02		.03				.03	23
24				.28		.02	.13			.17	.05		24
25	.02	.03			.01	.02		.09				.01	25
26	.06	.16	.12	.06			.08		.06			.25	26
27	.40	.03	.03	1.11			.02	.43			.07	.04	27
28	.01		.28	.01				.60			.24	.26	28
29	.04			.04				.43		.22	.03	.05	29
30		X		.25		.13		.32		.03	.22	.29	30
31		X	.03	X		X	.04		X	.02	X	.08	31
Total	3.08	1.88	3.07	2.72	.13	1.31	2.42	2.28	1.44	.74	1.33	3.84	YEAR'S TOTAL 24.24
Rain Days.	23	13	19	15	4	9	15	9	7	9	19	23	165

W. 6,500, VII. 18. W W C

4 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at Surbiton

in the County of Surrey

by Mr H. E. H. Wrinch

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Surbiton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground - ft. 10 in.

" " " " Sea Level 34 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	/	/	·25	·07	/	·27	·01	·01	·88	/	·22	1
2	/	/	·07	/	·02	/	·01	·59	·05	·07	/	·07	2
3	/	·04	/	·06	/	/	·09	/	·03	·04	/	·02	3
4	/	·06	·02	·10	/	/	·97	/	/	·13	/	·04	4
5	/	/	·14	/	·02	/	·67	·12	/	·01	/	·04	5
6	/	/	·11	/	·09	/	·41	/	/	·03	/	·02	6
7	/	/	/	·10	·07	/	·14	/	/	·01	/	/	7
8	/	/	/	·26	·17	/	·05	/	/	/	/	/	8
9	·30	·02	/	·05	/	/	/	/	/	/	/	/	9
10	·32	·06	·04	·01	/	·15	·07	/	/	/	·04	/	10
11	·11	/	·07	·09	·01	·01	·28	/	/	/	/	·14	11
12	·06	·01	/	·11	/	·90	/	/	/	·04	/	/	12
13	·20	/	·10	·13	/	/	/	/	/	/	/	/	13
14	/	/	·24	·22	/	·09	/	/	·12	·01	·20	·02	14
15	·01	·02	·07	·12	/	/	/	/	·42	·13	·07	/	15
16	/	/	·01	·29	/	/	/	/	·14	/	/	/	16
17	·01	/	/	/	·13	·16	/	/	·65	/	/	·04	17
18	·03	/	/	·03	/	/	/	·82	·10	/	/	·01	18
19	·08	/	/	·19	/	·03	/	/	/	/	/	·03	19
20	·06	·20	/	·16	/	·48	/	/	·11	/	/	/	20
21	/	/	/	·02	/	/	·61	/	·48	/	/	·05	21
22	/	/	/	·32	/	/	/	/	·04	/	/	·43	22
23	/	/	/	/	/	/	·39	/	/	/	/	·30	23
24	/	·03	·06	·01	/	/	/	/	/	/	·02	/	24
25	·01	·01	/	/	/	/	·13	/	/	/	/	/	25
26	·04	/	·12	/	/	/	·08	/	/	/	/	·07	26
27	·20	·07	·01	·22	/	·10	·06	/	/	/	·63	·05	27
28	·40	/	·10	·06	·01	·01	·06	/	/	/	·06	·01	28
29	·21	/	·08	·02	/	/	/	/	/	/	·04	·15	29
30	·02	✕	/	/	·09	/	·14	/	·37	/	·19	·10	30
31	/	✕	/	✕	·01	✕	/	/	✕	·37	✕	·07	31
TOTAL	2·12	·52	1·24	2·82	·69	1·93	4·43	1·54	2·82	1·72	1·25	1·88	YEAR'S TOTAL 22·96
Days with ·01 in. or more	14	10	15	22	11	9	17	4	12	11	8	20	156
	12	3	12	17	6	6	16	3	10	7	7	14	115

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

SA

VRONVELIN, L
F. J.

Kept at

in the County of

by

SURBITON
LOVELACE RD.

SURREY

1911 - 1914

911

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

op 5 in.
above Ground ft. 12 in.
" Sea Level 80 ft.
10.30 am

ion Name
Distance Direction

IMPORTA and the result entered to the previous day. universal rule, he is earnestly requested to ad g year in the space provided for it at the e urement of rain, the selection a British Rainfall Organization ar on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	—	—	·90	·01	—	·06	·05	—	—	—	—	1
2	·22	—	—	·14	·20	—	—	—	—	—	·20	·08	2
3	·02	·03	—	—	·16	—	—	·01	—	—	·06	·05	3
4	·03	·02	·05	·08	—	—	—	—	·03	·04	·18	·37	4
5	·01	—	—	·03	—	—	—	—	—	·15	·04	—	5
6	·19	—	·20	·02	—	—	—	—	—	—	·63	—	6
7	·03	—	—	—	—	—	—	—	—	·05	·30	R	7
8	·10	—	·18	—	—	—	—	—	—	—	·20	R	8
9	·15	—	·02	·03	—	—	—	—	—	—	·03	R	9
10	·04	·11	·05	·01	—	—	—	—	—	—	·03	R	accum 10
11	·27	—	—	—	·02	—	—	—	—	—	·25	1·78	11
12	·03	—	·44	—	·23	—	—	—	·05	—	·66	·38	12
13	—	—	·08	—	·23	—	—	—	·35	·10	—	·45	13
14	—	·07	·02	—	·12	[illegible]	—	—	—	—	—	·38	14
15	—	·15	·08	—	—	—	—	—	—	·02	·03	—	15
16	—	—	—	—	—	·56	—	—	—	—	·35	·04	16
17	—	—	·05	—	—	·04	—	—	—	—	·25	·11	3 5 9 17
18	—	·10	·01	·01	—	·11	—	—	—	—	·56	·21	18
19	—	—	—	—	·02	·15	—	—	·28	·11	·17	·20	19
20	·01	·03	·01	—	—	—	—	·13	·02	—	—	·51	20
21	—	·10	—	—	—	·01	—	·45	—	·49	—	·10	21
22	·08	—	·21	—	—	·02	—	—	—	·03	—	·38	22
23	—	·10	·07	—	—	·68	—	—	·16	·08	·05	·11	23
24	—	·10	·01	—	—	·07	·03	—	—	1·00	—	·26	24
25	—	·02	·01	·04	—	·19	·43	·02	—	·05	—	—	25
26	—	·03	·08	·20	·21	·11	·01	—	—	·06	·01	·24	26
27	—	·31	·05	·10	—	—	·07	—	·10	·02	·02	·13	27
28	—	·06	—	·19	—	—	—	·12	—	—	—	—	28
29	—		—	·18	—	·19	·09	—	·13	·20	·01	—	29
30	—		—	·04	—	·02	—	·15	—	·20	—	—	30
31	—		—		1·07		—	—		·02		—	31
Total	1·21	1·23	1·62	1·97	2·29	2·15	·69	·93	1·12	2·62	3·43	5·73	TOTAL for year 24·99
No. of Rain Days	14	14	18	14	10	12	6	7	8	16	20	22	161

10·47

9,000, IX. '10.

sa

VRONVELIN, [redacted] 911

F. J.

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at

in the County of Surrey 5

by

op 5 in.

GAUGE Height of top above Ground ft. 12 in.
" " " Sea Level 80 ft.

Time of Observation 10.30 am

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	—	—	·90	·01	—	·06	·05	—	—	—	—	1
2	·22	—	—	·14	·20	—	—	—	—	—	·20	·08	2
3	·02	·03	—	—	·16	—	—	·01	—	—	·06	·05	3
4	·03	·02	·05	·08	—	—	—	—	·03	·04	·18	·37	4
5	·01	—	—	03	—	—	—	—	—	·15	·04	—	5
6	·19	—	·20	02	—	—	—	—	—	—	·03	—	6
7	·03	—	—	—	—	—	—	—	—	·05	·30	R	7
8	·10	—	·18	—	—	—	—	—	—	—	·20	R	8
9	·15	—	·02	·03	—	—	—	—	—	—	·03	R	9
10	·04	·11	·05	·01	—	—	—	—	—	—	·03	R	accum 10
11	·27	—	—	—	·02	—	—	—	—	—	·25	1·78	11
12	·03	—	·44	—	·23	—	—	—	·05	—	·66	·38	12
13	—	—	·08	—	·23	—	—	—	·35	·10	—	·45	13
14	—	·07	·02	—	·12	[illegible]	—	—	—	—	—	·38	14
15	—	·15	·08	—	—	—	—	—	—	·02	·03	—	15
16	—	—	—	—	—	·56	—	—	—	—	·35	·04	16
17	—	—	·05	—	—	·04	—	—	—	—	·25	·11	3 59 17
18	—	·10	·01	·01	—	·11	—	—	—	—	·56	·21	18
19	—	—	—	—	·02	·15	—	—	·28	·11	·17	·20	19
20	·01	·03	·01	—	—	—	—	·13	·02	—	—	·51	20
21	—	·10	—	—	—	·01	—	·45	—	·49	—	·10	21
22	·08	—	·21	—	—	·02	—	—	—	·03	—	·38	22
23	—	·10	·07	—	—	·68	—	—	·16	·08	·05	·11	23
24	—	·10	·01	—	—	·07	·03	—	—	1·00	—	·26	24
25	—	·02	·01	·04	—	·19	·43	·02	—	·05	—	—	25
26	—	·03	·08	·20	·21	·11	·01	—	—	·06	·01	·24	26
27	—	·31	05	·10	—	—	·07	—	·10	·02	·02	·13	27
28	—	·06	—	·19	—	—	—	·12	—	—	—	—	28
29	—		—	·18	—	·19	·09	—	·13	·20	·01	—	29
30	—		—	·04	—	·02	—	·15	—	·20	—	—	30
31	—		—		1·07		—	—		·02		—	31
Total	1·21	1·23	1·62	1·97	2·29	2·15	·69	·93	1·12	2·62	3·43	5·73	TOTAL for year 24·99
No. of Rain Days	14	14	18	14	10	12	6	7	8	16	20	22	161

9,000, IX. '10.

10·47

cnd for audit 19.11.13

FORM A2.
BRITISH RAINFALL.

19 FEB 1913

REGISTER OF RAINFALL IN 1912

Kept at VRONVELIN, LOVELACE ROAD, SURBITON,

in the County of Surrey 5

by F. J. Barclay

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 12 in.
" " " Sea Level 50 ft.

Time of Observation 10.30 am

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·09	·01	·02	·14	·07	—	·08	·56	—	·17	1
2	—	—	·38	—	—	—	·36	·05	—	·03	—	—	2
3	·02	S ·05	·06	—	—	·08	·06	·22	—	—	·01	·07	3
4	·22	—	·45	—	·11	·20	—	·12	—	—	·19	—	4
5	·21	·04	·09	—	—	—	—	·45	—	—	·02	·01	5
6	·26	·03	—	—	—	—	—	·24	—	—	—	·03	6
7	—	·04	·02	—	·10	1·17	·27	·07	—	—	—	·01	7
8	·24	·27	·19	—	—	~~17~~	·03	·29	·01	—	—	—	8
9	—	·07	·01	·04	—	·19	·02	·06	—	—	·02	·11	9
10	—	·05	—	—	—	—	—	TS ·57	—	—	·06	·18	10
11	·03	·15	—	—	—	·03	—	·11	·01	708 ·01	·02	·16	11
12	·03	·06	·05	—	·28	·18	—	·01	—	—	·03	—	12
13	—	—	·01	—	—	—	·05	—	—	—	·04	·02	13
14	—	—	·01	—	·05	—	—	·07	—	·06	—	·04	14
15	·02	·02	·10	—	·21	·72	—	—	—	—	·04	·34	15
16	·41	—	·04	—	·04	·12	—	·05	—	·03	·05	—	16
17	·52	—	·25	—	—	·03	—	·06	—	—	—	·04	17
18	·04	—	·12	—	— 81	—	—	·11	—	·02	·02	·09	18
19	·06	·08	·03	—	—	—	·11	·48	—	—	—	—	19
20	—	·01	·23	—	[illegible]	—	—	·10	—	·45	·02	—	20
21	·02	·02	·16	—	·03	—	—	·05	—	·09	·07	—	21
22	·16	·19	·08	—	·06	—	·05	·26	—	·03	—	·05	22
23	·36	·44	·30	—	—	—	—	·30	—	·06	·17	·13	23
24	·38	x02	—	—	—	·21	—	·24	—	—	—	·19	24
25	·13	—	—	—	—	·16	—	3.9 ·55	—	·02	·18	·53	25
26	—	·05	—	—	—	—	—	·32	—	·25	·41	·29	26
27	—	—	·02	—	—	·06	—	—	—	·20	—	·14	27
28	—	·05	—	—	—	·30	·29	·19	·08	·28	·48	·10	28
29	—	·03	—	·01	—	·10	·14	—	1·12	·20	·03	—	29
30	—	×	—	—	·55	—	·02	·29	1·09	·14	[illegible]	—	30
31	—	×	·17	×	—	×	·15	·13	×	·01	×	·02	31
Total	3·11	1·67	2·86	·06	1·45	3·69	1·62	~~5·29~~ 5·39	2·39	2·44	1·86	2·72	TOTAL for year 29·26
No. of Rain Days.	17	19	22	3	10	15	13	26	6	17	18	21	187

W. 8,000, X. '11.

✓

REGISTER OF RAINFALL IN 1913

Form A. British Rainfall. 4 - JAN 1914

Kept at **VRONVELIN, LOVELACE ROAD, SURBITON.**

in the County of Surrey 5

by **F. J. BARCLAY**

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 12 in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·23	·03	·17	—	—	—	—	·70	·02	·04	·14	1
2	·11	·14	—	—	—	—	·07	—	·01	·49	·08	—	2
3	—	—	·02	·27	·35	—	—	—	—	—	—	·04	3
4	·23	—	·01	·01	·32	—	·03	—	—	·38	·01	·05	4
5	·31	—	—	—	—	·06	·08	—	·39	—	·02	·03	5
6	—	·04	·14	—	·04	·05	·06	—	·02	·33	·22	·15	6
7	—	·10	—	—	·09	·02	—	—	—	·25	·07	·01	7
8	—	·03	—	—	·08	·05	—	—	—	·04	—	—	8
9	—	·13	—	·01	·02	—	—	—	·08	—	·01	·05	9
10	·01	—	·19	·09	—	—	·08	·02	—	~~·06~~	·26	—	10
11	·22	—	—	·38	·03	—	—	—	—	·54	·30	—	11
12	—	·01	—	—	·01	—	—	—	—	—	·25	—	12
13	·03	—	·03	—	—	—	—	—	·10	—	·24	—	13
14	·14	·01	·06	·07	—	—	1·20	·16	·02	·12	—	—	14
15	·15	·06	·30	·25	—	—	·18	—	·03	—	—	—	15
16	·15	—	·32	·05	—	—	—	—	·24	—	—	—	16
17	·03	S ·13	·04	·09	—	—	—	—	—	—	·01	·01	17
18	—	—	·19	·09	—	—	·08	—	—	—	·04	—	18
19	·25	—	—	—	·01	~~·02~~	·06	—	·28	—	—	—	19
20	·21	—	x·30	·03	—	·09	—	—	—	·49	—	—	20
21	—	—	·13	·08	—	—	·08	—	—	·21	·61	—	21
22	·37	—	·22	·04	—	—	·03	—	·15	—	—	—	22
23	—	—	—	—	—	·04	—	·39	—	—	—	·38	23
24	—	—	·01	·05	—	·02	—	—	—	—	—	—	24
25	—	·01	—	·20	—	—	—	—	—	—	—	—	25
26	—	—	·16	·15	—	—	—	·06	—	·70	—	·20	26
27	—	—	·14	·03	S ·07	—	·07	—	—	·02	—	—	27
28	·28	—	·13	·13	—	—	—	—	—	·10	—	—	28
29	·04		·05	S ·46	S ·69	—	—	S ·26	—	·04	—	S ·01	29
30	·22		—	·06	—	—	—	·20	—	·10	—	—	30
31	—		·04		—		—	W.D. ·81		·04		—	31
Total	2·75	·89	2·51	2·71	1·71	·33	2·02	1·90	2·02	3·87	2·16	1·07	YEAR'S TOTAL 23.94
Rain Days.	16	11	20	21	11	7	12	7	11	16	14	11	157

W. 7,500, XI. 12

10.90
86

and by own stats sky pencil figures beneath

June 14. 2·18

REGISTER OF RAINFALL IN 1914

Ex. W.

FORM A. BRITISH RAINFALL.
4 JAN 1915

Kept at VRONVELIN, LOVELACE ROAD, SURBITON.

in the County of Surrey 5

by Fredᶜ J. Barclay

Lat. Long.

Time of Observation 9 am

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	·04	—	—	—	—	·17	—	—	·03	·01	1
2	·01	—	—	—	—	·01	·16	·03	—	—	·10	·20	2
3	—	—	·07	—	·14	—	·09	·03	—	—	—	·01	3
4	·10	—	·01	·15	·04	—	·04	·04	—	—	·19	·32	4
5	·02	—	·04	·23	·14	·05	·25	1·00	—	—	—	—	5
6	—	·14	·10	·14	—	·13	·04	·03	—	—	·06	·09	6
7	—	·31	·15	·23	·15	·18	·24	·04	—	—	—	·07	7
8	·07	·35	·81	—	—	·12	·04	·07	—	—	—	·03	8
9	·20	—	·53	·13	—	·06	—	—	·15	—	—	1·67	9
10	—	·09	·02	·03	·05	—	—	—	·25	—	·01	·01	10
11	—	·31	·40	—	·03	·05	—	—	·03	—	·20	·26	11
12	·01	·09	·11	—	—	—	·30	—	·15	—	·05	·36	12
13	—	·19	·20	—	—	—	—	—	·13	·01	·01	·45	13
14	—	·11	·14	—	—	(1·88)	·12	—	—	·31	·04	·49	14
15	·03	—	·15	—	—	—	·22	·03	—	—	·55	·04	15
16	—	—	·04	—	—	—	—	—	·03	—	—	—	16
17	—	·39	·08	—	—	—	—	—	—	—	—	·09	17
18	—	—	·16	—	—	—	—	—	—	—	—	·23	18
19	—	·07	·30	—	—	—	·14	—	—	—	·17	·31	19
20	—	·24	·26	—	—	—	—	—	·08	—	—	·05	20
21	—	·56	·06	—	—	·01	—	·02	—	·02	—	·04	21
22	—	—	—	~~·04~~	S ·44	·06	·22	·02	—	·15	—		22
23	—	—	·06	·01	·13	·12	·02	—	—	·06	—	—	23
24	·01	nil —	·04	—	—	—	·02	—	—	—	·09	— 4·73	24
25	·01	— nil	·24	—	—	—	·01	·15	—	·21	—	·14	25
26	—	— [illegible]	·12	—	—	—	·08	·09	—	·07	·19	·48	26
27	·04	—	—	—	—	—	—	—	—	—	·03	·14	27
28	·01	·02	—	—	·01	—	—	—	—	·09	·47	·87	28
29	·05		·08	—	—	—	—	—	—	·30	·15	—	29
30	—		·02	—	—	—	—	—	—	·04	·42	·25	30
31	01		—		·16		·03	—		—		·04	31
Total	·57	2·87	4·23	·92	1·29	(2·67)	2·02	1·72	·82	1·26	2·76	6·65	YEAR'S TOTAL 27·78
Rain Days.	13	13	26	7	10	11	17	13	7	10	17	25	169

W. 7,500, XI. 12

SURBITO~~N~~

WORTHINGTON RD

SURREY

1919 - 20

3 JAN 20

FORM A. 1. **METEOR** **ORGANIZATION.**

1919.

Kept at 13 Wor g

9 AM

in the County of S Surbiton

Rain Gauge 5 in.

by Mr Step above Ground 1 ft. in.

„ Sea Level ft.

IMPORTANT NO a.m. and the result entered to the previous day. If an Observer prefers this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04									03	04	96	1
2								03	31	08	14	16	2
3									10		04	36	3
4	·09							04			03	18	4
5	·37								08		06	27	5
6												15	6
7											04		7
8													8
9											02		9
10										03	03	02	10
11											02	02	11
12										09	02	01	12
13									02	05			13
14	·06								73			04	14
15											01	35	15
16	·85										10	04	16
17	·60										16	02	17
18	·10							01	05		09		18
19	·19							28	03		06		19
20	·10							10	05				20
21	·44											02	21
22	·24								32		06	31	22
23								05	02			04	23
24								02		20	08		24
25								10				04	25
26	·25							05	08			26	26
27								31			07	06	27
28								62			33	27	28
29								35		30		09	29
30								28		04	25	39	30
31										02		10	31
TOTAL								2·24	1·79	·84	1·65	4·16	YEAR'S TOTAL
Days with ·01 in. or more								13	11	9	20	23	

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOR ORGANIZATION.

9 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at 13 Worthington Road Surbiton
in the County of Surrey
by W Stephens

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Surbiton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04									03	04	96	1
2								03	31	08	14	16	2
3									10		04	36	3
4	·09							04			03	18	4
5	·37								08		06	27	5
6												15	6
7											04		7
8													8
9											02		9
10										03	03	02	10
11											02	02	11
12										09	02	01	12
13									02	05			13
14	·06								73			04	14
15											01	35	15
16	·85										10	04	16
17	·60										16	02	17
18	·10							01	05		09		18
19	·19							28	03		06		19
20	·10							10	05				20
21	·44											02	21
22	·24								32		06	31	22
23								05	02			04	23
24								02		20	08		24
25								10				04	25
26	·25							05	08			26	26
27								31			07	06	27
28								62			33	27	28
29								35		30		09	29
30		✕						28		04	25	39	30
31		✕		✕		✕			✕	02	✕	10	31
TOTAL								2·24	1·79	·84	1·65	4·16	YEAR'S TOTAL
Days with ·01 in. or more								13	11	9	20	23	

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

27 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at 13 Worthington Road, Surbiton

in the County of Surrey

by Mr Stephens

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Surbiton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 82 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06			·28	·05		·29		·04	·62	·02	·28	1
2			·07	·02	·03		·04	·58	·06	·11		·08	2
3		·03		·04			·19			·07		·06	3
4		·09	·03	·12			·58	·02	·02	·12		·04	4
5			·17	·02	·05		·73	·13		·02		·05	5
6			·13	·01	·12		·33					·04	6
7			·01	·13	·08		·20			·04			7
8	·02			·15	·17		·07			·02			8
9	·28	·05		·05			·04	·02					9
10	·48	·08	·06	·02		·23	·12					·05	10
11	·13			·12	·03	·03	·33				·08	·19	11
12	·09	·03		·12		·78	·02			·05			12
13	·23		·14	·18							·03		13
14			·26	·19		·15			·20	·03	·24	·06	14
15	·02	·02	·08	·09					·70	·15	·08		15
16		·03	·02	·18					·17	·01	·06		16
17	·03				·15	·06	·03		·75			·07	17
18	·04			·02	·03		·01	1·02	·22			·06	18
19	·08			·26		·05		·02				·05	19
20	·07	·29		·20		·54			·14				20
21				·04			·70	·03	·46			·05	21
22				·33				·02	·08	·02		·45	22
23	·01	·02		·01			·43	·04				·32	23
24		·04	·08							·01	·03	·02	24
25			·01				·16		·02				25
26	·05		·19	·03			·10				·02	·03	26
27	·21	·09	·05	·26		·13	·05			·03	·69	·07	27
28	·42		·04	·08	·05	·02	·10				·09	·03	28
29	·21		·09	·06			·02				·07	·19	29
30	·04				·09	·02	·19		·35		·27	·12	30
31					·03		·01			·36		·10	31
TOTAL	2·47	·77	1·43	3·01	·88	2·01	4·74	1·88	3·21	1·66	1·68	2·41	YEAR'S TOTAL 26·15
Days with ·01 in. or more	18	11	16	26	12	10	23	9	13	15	12	22	187
Days with ·04 in. or more	14	6	12	19	8	7	18	4	11	8	8	19	134

Sa W.D.

SUTTON
S. W.
1911- 1920

FORM A2.
BRITISH RAINFALL.

5 - JAN 1912

Kept at Sutt ... in.

in the County of – ... und 1 ft. – in.

Level 100·31 ft.

n.

by Sutton Ur ... Sutton (L.B.&S.C.R.) miles

nce 1½ Direction S.W.

IMPORTANT N ... result entered to the previous day. If an ... l rule, he is earnestly requested to add the ... n the space provided for it at the end of ... of rain, the selection and pl ... Rainfall Organization are given ... application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	nil	nil	·08	nil	·03	1·75	nil	nil	nil	nil	nil	nil	1
2	nil	nil	·01	·85	nil	nil	nil	nil	nil	nil	·02	nil	2
3	·15	nil	nil	·30	·14	nil	nil	nil	nil	nil	·20	·06	3
4	·02	·03	nil	nil	·11	nil	nil	nil	nil	nil	·07	·07	4
5	·03	nil	·05	·05	nil	nil	nil	nil	nil	·09	·14	·28	5
6	·02	nil	nil	nil	nil	nil	nil	nil	nil	·17	·05	·09	6
7	·17	nil	·31	nil	nil	nil	nil	nil	nil	·03	nil	·45	7
8	·03	nil	nil	·02	nil	nil	nil	nil	nil	·04	·29	·18	8
9	·09	nil	·14	nil	nil	nil	nil	nil	nil	·01	·30	·40	9
10	·20	nil	·02	·03	nil	nil	nil	nil	nil	nil	nil	·07	10
11	·03	·10	·05	nil	nil	nil	nil	nil	nil	nil	nil	1·12	11
12	·21	nil	nil	nil	·06	nil	nil	nil	nil	nil	·61	·02	12
13	·04	nil	·51	nil	·02	nil	nil	nil	·03	nil	·15	·03	13
14	nil	nil	·08	nil	·15	nil	nil	nil	·32	·33	nil	·28	14
15	·01	·08	·03	nil	·26	nil	nil	nil	nil	nil	nil	·72	15
16	·01	·05	·15	nil	nil	nil	nil	nil	nil	·02	·03	·05	16
17	·01	nil	nil	nil	nil	·60	nil	nil	nil	nil	·35	·05	17
18	·01	nil	·05	nil	nil	·02	nil	nil	nil	nil	·27	·18	18
19	·01	·10	·03	nil	nil	·03	nil	nil	nil	nil	·55	·30	19
20	nil	nil	nil	nil	·01	·20	nil	nil	·36	·11	·16	·12	20
21	·01	·03	·02	nil	nil	nil	nil	·26	nil	·07	nil	·71	21
22	·03	·07	nil	nil	nil	nil	nil	·21	nil	·55	nil	·18	22
23	·04	nil	·22	nil	nil	nil	nil	nil	nil	·03	nil	·47	23
24	nil	·10	·09	nil	nil	·80	nil	nil	·22	nil	·03	·08	24
25	·01	·11	·02	nil	nil	·02	·03	·01	nil	·92	nil	·24	25
26	·01	·03	nil	nil	nil	·01	·09	nil	nil	·02	nil	nil	26
27	nil	·03	·12	·20	·14	·16	·06	nil	nil	·13	·03	·25	27
28	nil	·24	·08	·02	nil	nil	nil	nil	·09	·03	·05	·12	28
29	nil		nil	·19	nil	nil	nil	·09	nil	nil	·03	nil	29
30	nil		nil	·25	nil	·23	·06	nil	nil	·17	·03	nil	30
31	nil		nil		nil		nil	·19		·18		nil	31
	–	·08	–	·03	1·75	–	–	–	–	–	–	–	TOTAL for Year
Total	1·14	~~·97~~ 1·05	~~2·06~~ 1·98	~~1·91~~ 1·94	~~·92~~ 2·64	~~3·82~~ 2·07	·24	·76	1·02	2·90	3·36	6·52	25·62
No. of Rain Days	21	~~12~~ 13	~~19~~ 18	~~9~~ 10	9	~~10~~ 9	4	5	5	17	19	25	155

7,000. X. '09.

W.D.

AINFALL IN 1911

FORM A2.
BRITISH RAINFALL.

5 - JAN 1912

Kept at Sutton Sewage Works
in the County of Surrey 5
by Sutton Urban District Council

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 100·31 ft.

Time of Observation 9. a.m.

Nearest Railway Station
Name Sutton (L.B.&S.C.R.)
Distance 1½ miles Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	nil	nil	·08	nil	·03	1·75	nil	nil	nil	nil	nil	nil	1
2	nil	nil	·01	·85	nil	nil	nil	nil	nil	nil	·02	nil	2
3	·15	nil	nil	·30	·14	nil	nil	nil	nil	nil	·20	·06	3
4	·02	·03	nil	nil	·11	nil	nil	nil	nil	nil	·07	·07	4
5	·03	nil	·05	·05	nil	nil	nil	nil	nil	·09	·14	·28	5
6	·02	nil	nil	nil	nil	nil	nil	nil	nil	·17	·05	·09	6
7	·17	nil	·31	nil	nil	nil	nil	nil	nil	·03	nil	·45	7
8	·03	nil	nil	·02	nil	nil	nil	nil	nil	·04	·29	·18	8
9	·09	nil	·14	nil	nil	nil	nil	nil	nil	·01	·30	·40	9
10	·20	nil	·02	·03	nil	nil	nil	nil	nil	nil	nil	·07	10
11	·03	·10	·05	nil	nil	nil	nil	nil	nil	nil	nil	1·12	11
12	·21	nil	nil	nil	·06	nil	nil	nil	nil	nil	·61	·02	12
13	·04	nil	·51	nil	·02	nil	nil	nil	·03	nil	·15	·03	13
14	nil	nil	·08	nil	·15	nil	nil	nil	·32	·33	nil	·28	14
15	·01	·08	·03	nil	·26	nil	nil	nil	nil	nil	nil	·72	15
16	·01	·05	·15	nil	nil	nil	nil	nil	nil	·02	·03	·05	16
17	·01	nil	nil	nil	nil	·60	nil	nil	nil	nil	·35	·05	17
18	·01	nil	·05	nil	nil	·02	nil	nil	nil	nil	·27	·18	18
19	·01	·10	·03	nil	nil	·03	nil	nil	nil	nil	·55	·30	19
20	nil	nil	nil	nil	·01	·20	nil	nil	·36	·11	·16	·12	20
21	·01	·03	·02	nil	nil	nil	nil	·26	nil	·07	nil	·71	21
22	·03	·07	nil	nil	nil	nil	nil	·21	nil	·55	nil	·18	22
23	·04	nil	·22	nil	nil	nil	nil	nil	nil	·03	nil	·47	23
24	nil	·10	·09	nil	nil	·80	nil	nil	·22	nil	·03	·08	24
25	·01	·11	·02	nil	nil	·02	·03	·01	nil	·92	nil	·24	25
26	·01	·03	nil	nil	nil	·01	·09	nil	nil	·02	nil	nil	26
27	nil	·03	·12	·20	·14	·16	·06	nil	nil	·13	·03	·25	27
28	nil	·24	·08	·02	nil	nil	nil	nil	·09	·03	·05	·12	28
29	nil		nil	·19	nil	nil	nil	·09	nil	nil	·03	nil	29
30	nil		nil	·25	nil	·23	·06	nil	nil	·17	·03	nil	30
31	nil		nil		nil		nil	·19		·18		nil	31
	–	·08	–	·03	1·75	–	–	–	–	–	–	–	TOTAL for Year
Total	1·14	~~·97~~ 1·05	~~2·06~~ 1·98	~~1·91~~ 1·94	~~·92~~ 2·64	~~3·82~~ 2·07	·24	·76	1·02	2·90	3·36	6·52	25·62
No. of Rain Days	21	~~12~~ 13	~~19~~ 18	~~9~~ 10	9	~~10~~ 9	4	5	5	17	19	25	155

7,000. X. '09.

Cor. for W. D. 31·III·13.

Ex MZ

FORM A2.
BRITISH RAINFALL.
15 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Sutton Sewage Works

in the County of Surrey. 5

by Sutton Urban District Council

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 100·31 ft.

Time of Observation 9 am

Nearest Railway Station
Name Sutton
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
Nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	nil	nil	·03	·10	nil	nil	nil	·09	·16	1·58	·03	nil	1
2	·01	nil	·13	nil	·01	·15	·31	nil	·06	·79	nil	·23	2
3	nil	nil	·37	nil	nil	nil	·36	·73	·05	·10	nil	·03	3
4	·03	·04	·09	nil	nil	·08	·03	·29	nil	nil	nil	·07	4
5	·20	nil	·73	nil	·12	·19	nil	nil	nil	nil	·21	nil	5
6	·16	·01	·05	nil	nil	nil	nil	·43	nil	nil	·06	·02	6
7	·40	·06	nil	nil	nil	nil	nil	·20	·03	nil	nil	·04	7
8	nil	nil	·01	nil	·10	1·27	·28	·11	nil	nil	nil	·02	8
9	·35	·42	·20	nil	nil	·03	nil	·66	·01	nil	nil	nil	9
10	nil	·07	nil	·07	nil	·35	nil	·07	nil	nil	nil	·12	10
11	nil	·04	nil	nil	nil	nil	nil	·93	nil	nil	·09	·27	11
12	·04	·20	nil	nil	nil	nil	nil	·12	nil	nil	nil	·22	12
13	·03	·07	·05	nil	·20	·25	nil	nil	nil	nil	nil	nil	13
14	nil	·02	nil	nil	nil	nil	nil	nil	nil	·02	·08	nil	14
15	nil	nil	nil	nil	·04	nil	nil	·02	nil	nil	nil	·04	15
16	nil	·01	·15	nil	·25	·80	nil	nil	nil	nil	·06	·38	16
17	·45	nil	·04	nil	·04	·29	nil	·04	nil	nil	·04	nil	17
18	·40	nil	·16	nil	nil	nil	nil	·05	nil	nil	·03	·05	18
19	·14	nil	·17	nil	nil	nil	nil	·10	nil	·14	·05	·15	19
20	·07	·09	·08	nil	nil	nil	·06	·76	nil	nil	·01	·03	20
21	·02	·02	·34	nil	nil	nil	nil	·08	nil	·55	·03	nil	21
22	·01	·01	·14	nil	·05	nil	nil	·15	nil	·11	·07	nil	22
23	·18	·20	·12	nil	·03	nil	nil	·16	nil	·03	nil	·03	23
24	·34	·45	·29	nil	nil	nil	nil	·50	nil	·10	·23	·23	24
25	·13	·02	nil	nil	nil	·05	nil	·23	nil	nil	nil	·15	25
26	·11	nil	nil	nil	nil	·18	nil	·98	nil	nil	·22	·60	26
27	nil	·07	nil	nil	nil	nil	nil	·53	nil	·29	·43	·40	27
28	nil	nil	nil	nil	nil	·08	·04	nil	nil	·16	nil	·17	28
29	nil	·10	nil	nil	nil	·03	·26	·06	·12	·42	·45	·12	29
30	nil		nil	·02	nil	·27	·22	·11	1·60	·08	·08	·02	30
31	nil		nil		·54		nil	·21		·46		nil	31
	—	·03	·10	—	—	—	·09	·16	1·58	·03	—	—	
Total	~~3·07~~	~~1·90~~	~~3·15~~	~~·19~~	~~1·38~~	~~4·02~~	~~1·56~~	~~7·01~~	~~2·03~~	~~4·83~~	~~2·17~~	~~3·39~~	TOTAL for year 34·70
No. of Rain Days.	18	~~18~~ 19	18	~~3~~ 2	10	14	~~8~~ 9	25	7	14	~~17~~ 16	22	174
	3·07	1·93	3·22	·09	1·38	4·02	1·65	7·08	3·45	3·28	2·14	3·39	34·70

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
8 - JAN 1914

Kept at Sutton Sewage Works
in the County of Surrey
by Wm Hedley Grieves, Surveyor to the Urban District Council

5

Lat. 51° 15' N Long. 15' W
Time of Observation 9 a.m.
Nearest Railway Station Sutton (L.B.&S.C.R.)
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 100·31 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·27	·01	·15	nil	nil	nil	nil	·70	nil	·06	·20	1
2	·06	·16	nil	nil	nil	nil	·12	nil	·02	·21	·05	nil	2
3	·01	nil	·15	·35	·36	nil	nil	nil	nil	nil	·01	·07	3
4	·30	nil	·03	·04	·30	nil	·07	nil	nil	·28	·03	·06	4
5	·46	nil	nil	nil	nil	nil	·09	nil	·38	nil	·03	·06	5
6	·01	·01	·14	nil	·03	·07	·31	nil	nil	·08	·20	·15	6
7	nil	·13	nil	nil	·02	nil	·03	·02	nil	·55	·10	·01	7
8	nil	·04	nil	nil	·16	·06	nil	nil	nil	·03	·01	nil	8
9	nil	·11	nil	nil	·04	·02	nil	nil	·10	nil	·02	·03	9
10	nil	nil	·21	·15	nil	nil	·10	·02	nil	nil	·35	nil	10
11	·45	·03	nil	·38	·05	nil	nil	·02	nil	·75	·24	nil	11
12	nil	nil	nil	nil	·02	nil	nil	nil	nil	·02	·30	nil	12
13	·15	nil	·06	nil	nil	nil	nil	nil	·12	·04	·23	nil	13
14	·12	nil	·11	·09	nil	nil	·91	·10	nil	·15	·08	nil	14
15	·30	·10	·37	·21	nil	nil	·28	nil	·10	nil	nil	nil	15
16	·15	nil	·39	·07	nil	nil	nil	nil	·42	nil	nil	nil	16
17	·05	·07	·06	·05	nil	nil	·17	nil	nil	nil	·01	nil	17
18	·02	nil	·22	·13	nil	nil	nil	nil	nil	nil	·04	nil	18
19	·26	nil	·07	nil	nil	nil	·15	nil	·15	nil	nil	nil	19
20	·29	nil	·40	nil	nil	·10	nil	nil	nil	·45	nil	nil	20
21	·02	nil	·25	·01 ~~nil~~	nil	nil	nil	nil	nil	·35	·80	nil	21
22	·42	nil	·26	nil ~~·01~~	nil	nil	·05	·06	·16	·04	·03	nil	22
23	nil	nil	·03	nil	nil	·03	nil	·33	nil	·02	·02	·45	23
24	·03	nil	·02	nil	nil	nil	nil	·09	nil	·02	nil	nil	24
25	nil	·03	nil	·32 ~~nil~~	nil	nil	nil	nil	nil	nil	nil	·10	25
26	nil	nil	·20	·11 ~~·32~~	nil	nil	nil	·16	nil	·85	·02	·21	26
27	nil	nil	·04	·14	·07	nil	nil	nil	nil	nil	·02	nil	27
28	·32	nil	·32	·16 ~~[illegible]~~	nil	nil	nil	nil	nil	·10	·02	nil	28
29	·07		·06	·52 ~~·16~~	·50	nil	nil	·10 ~~nil~~	nil	·05	nil	nil	29
30	·27		nil	·07	nil	nil	nil	·28 ~~·10~~	nil	·15	nil	nil	30
31	nil		·08		nil		nil	1·12		·05		nil	31
Total	3·79	·95	3·48	2·95	1·55	·28	2·28	2·30	2·15	4·19	2·67	1·34	YEAR'S TOTAL 27·93
Rain Days.	21	10	22	17	10	5	11	11	9	19	22	10	167

W.7,000, XI. 13

Ex LMcC

FORM A.
BRITISH RAINFALL.

5 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Sutton Sewage Works

in the County of Surrey 5

by Sutton U. D. C. per
Wm Hedley Grieves.
Joint Surveyor

Lat. 51° 15' N Long. 15' W.
Time of Observation 9 a m
Nearest Railway Station Sutton
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " Sea Level 100·31 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·03	–	–	–	–	·31	–	–	·02	·03	1
2	·01	–	–	–	–	–	·21	·21	–	–	·62	·~~8~~06	2
3	~~·01~~ –	–	·07	–	·16	–	·09	–	–	–	·02	–	3
4	·04	–	–	·20	·03	–	–	·08	–	–	·20	·42	4
5	·15	–	·05	·24	·13	·10	·19	·39	–	–	·02	–	5
6	–	·14	·02	·15	–	·25	·02	·02	–	–	·15	·11	6
7	·01	·43	·31	·20	·45	·19	·04	·03	–	–	·02	·06	7
8	–	·40	·65	·04	–	·07	·34	·05	–	–	–	·03	8
9	·25	–	·75	·09	–	·04	–	–	·32	–	–	1·4~~0~~1	9
10	–	·10	·05	·07	·05	–	–	–	·05	–	–	·04	10
11	–	·47	·40	–	–	–	–	–	·26	–	·25	·28	11
12	–	·12	·14	–	–	–	·30	–	·17	–	·04	·70	12
13	–	·18	·16	–	–	–	–	–	·16	·05	·02	·62	13
14	–	·10	·20	–	–	·80	–	–	–	·37	·05	·60	14
15	·02	·03	·23	–	–	–	·20	–	–	·01	·75	·06	15
16	–	–	·03	–	–	–	–	–	–	–	–	–	16
17	–	·45	·11	–	–	–	–	–	–	–	–	·17	17
18	–	·04	·17	–	–	–	–	–	–	–	–	·37	18
19	–	·06	·26	–	–	·10	·15	–	–	–	·25	·27	19
20	–	·27	·62	–	–	·04	–	–	·13	–	–	·08	20
21	–	·95	·09	–	–	–	–	–	–	–	–	·06	21
22	–	·02	·02	·02	·25	·05	·27	–	–	·07	–	·02	22
23	–	–	·06	–	·11	·04	–	–	–	·08	–	–	23
24	·04	–	·08	–	–	–	–	–	–	–	·10	–	24
25	·03	–	·33	–	–	–	–	·12	–	·22	–	·12	25
26	–	–	·04	–	–	–	·11	·20	–	·05	·24	·68	26
27	·05	–	–	–	–	–	–	–	–	–	·04	·24	27
28	–	·05	·03	–	–	–	–	–	–	·12	·45	·75	28
29	·04	X	·05	–	–	–	–	–	–	·37	·15	–	29
30	–	X	–	–	–	–	–	–	–	·06	·46	·28	30
31	–	X	–	X	·34	X	·03	–	X	–	X	–	31
Total	·64	3·81	4·95	1·01	1·52	1·68	1·95	1·41	1·09	1·40	3·85	7·40	YEAR'S TOTAL 3080
Rain Days.	10	16	26	8	8	10	12	9	6	10	19	24	158

W. 8,000. X. 14.

Cwd by [illegible] 21.1.16

FORM A.
BRITISH RAINFALL

21 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Sutton Sewage Works

in the County of Surrey 5

by Wm Hedley Greeves, Town Surveyor

Lat. 51°15'N Long. 15'W

Time of Observation 9 a.m.

Nearest Railway Station Sutton (L.B.&S.C.R.)

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 100·31 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·90	·07	–	–	·02	–	–	·01	·12	·04	·36	·45	1
2	·45	·18	·32	·18	·05	·03	–	·94	–	·06	·02	·20	2
3	·44	–	·07	·15	·03	–	–	·22	–	–	–	·55	3
4	·06	–	–	–	–	–	–	–	–	–	–	·22	4
5	·08	·80	–	·02	–	–	–	–	–	·08	·04	·30	5
6	·43	·03	–	·35	–	–	·78	–	–	–	–	·18	6
7	·30	·35	·03	–	–	–	·18	·02	–	–	–	·21	7
8	·10	·65	·03	–	–	–	·03	·31	–	–	·01	–	8
9	·03	·05	–	·26	–	·10	–	·05	–	–	·40	·73	9
10	·25	–	·01	–	–	–	–	–	–	–	–	·22	10
11	·05	–	–	–	–	–	–	–	–	·03	·65	–	11
12	·06	·13	–	·40	·60	–	–	–	–	–	·33	·02	12
13	–	·67	–	–	1·51	–	–	·03	·04	–	–	–	13
14	·03	·06	–	–	–	–	·23	·30	–	–	–	·42	14
15	·07	–	–	–	·05	–	–	·02	–	–	·20	·10	15
16	–	·62	–	–	·11	–	·87	–	–	–	–	·16	16
17	–	·35	–	–	1·31	–	–	–	–	–	–	–	17
18	–	·31	·04	–	·20	–	·04	–	–	–	·06	–	18
19	–	·25	–	–	·03	–	·07	–	–	–	–	–	19
20	·34	–	–	–	–	–	–	–	–	–	–	·26	20
21	·30	–	–	–	–	–	·02	–	–	·02	–	·10	21
22	1·20	·07	·14	–	–	–	·85	–	–	–	–	·08	22
23	–	·22	·06	–	–	–	·21	–	·04	·66	–	·27	23
24	–	–	·04	·02	–	–	·03	–	·29	·31	–	·31	24
25	–	–	·04	·16	–	–	·40	–	–	–	–	·21	25
26	–	·04	–	–	–	·10	·22	–	–	–	–	·54	26
27	–	–	–	–	–	·26	–	–	–	·35	–	·07	27
28	–	·03	–	–	–	·20	–	–	1·90	·14	–	–	28
29	–	X	–	–	–	–	·15	·25	–	–	·22	·01	29
30	·03	X	–	–	–	·04	–	–	–	·19	·50	·02	30
31	·01	X	–	X	–	X	–	–	X	1·15	X	·35	31
Total	5·13	4·88	·78	1·54	3·91	·73	4·08	2·15	2·39	3·03 ✓	2·49	5·98	YEAR'S TOTAL 37·39 ✓
Rain Days.	19	18	10	8	10	6	14	10	5	11 ✓	11	24	146 ✓

W. 8,000. X. 15.

191

FORM A.
BRITISH RAINFALL.
12. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Sutton Sewage Works

in the County of Surrey.

by Sutton Urban District Council

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Sutton

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground 1 ft. .... in.

" " " " Sea Level 100·31 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	nil	·05	nil	·80	nil	nil	nil	·26	·04	·28	nil	1
2	·21	·15	·14	nil	·32	nil	·02	nil	·11	·41	·01	nil	2
3	nil	1·02	·30	nil	nil	nil	nil	nil	·30	·26	·85	nil	3
4	·26	·10	·01	nil	nil	·35	nil	nil	·22	nil	·84	nil	4
5	·03	nil	·02	nil	·22	·18	nil	nil	nil	·04	·90	nil	5
6	·02	·11	·34	·31	nil	·24	·16	nil	nil	·02	·40	nil	6
7	·04	nil	·51	nil	·25	nil	nil	nil	nil	nil	·92	·08	7
8	·01	nil	nil	nil	·30	nil	nil	nil	nil	nil	nil	nil	8
9	·05	nil	nil	nil	·12	nil	nil	nil	nil	·05	nil	·32	9
10	nil	·15	·16	·08	nil	·58	·02	nil	nil	nil	nil	·20	10
11	·02	·16	·03	·14	nil	·51	nil	nil	nil	nil	nil	·12	11
12	·02	·06	nil	·04	·50	·21	nil	·05	nil	·03	nil	nil	12
13	nil	·25	·45	·15	nil	·11	·31	·03	·04	·06	nil	nil	13
14	nil	·41	·03	nil	·10	nil	nil	·35	nil	nil	nil	·05	14
15	nil	·18	·25	nil	nil	nil	nil	·38	nil	nil	nil	nil	15
16	·03	·03	·24	·15	nil	nil	·35	·12	nil	nil	nil	nil	16
17	·06	·14	nil	·04	nil	nil	·02	·56	·40	·52	nil	nil	17
18	·02	·04	·03	·30	nil	nil	nil	·43	·24	·54	·82	·06	18
19	·04	·08	·14	·18	nil	nil	nil	·02	·16	nil	·85	nil	19
20	·18	nil	·30	·04	nil	nil	nil	nil	nil	nil	·05	·41	20
21	·04	nil	·50	·03	nil	nil	·31	nil	nil	nil	nil	·45	21
22	nil	·02	·04	nil	nil	nil	nil	nil	nil	nil	·02	·63	22
23	·05	·35	·02	nil	nil	nil	nil	nil	nil	·04	·05	·14	23
24	nil	nil	nil	nil	·04	nil	nil	nil	nil	·26	·05	·28	24
25	nil	1·02	·14	nil	nil	nil	nil	·39	nil	·05	·08	nil	25
26	nil	·20	·12	nil	nil	nil	nil	·10	nil	·22	nil	nil	26
27	·03	·02	·90	nil	nil	·30	nil	·20	·11	·45	nil	nil	27
28	nil	·36	·50	nil	nil	nil	nil	·02	·04	·05	nil	·18	28
29	nil	·10	nil	nil	nil	·16	nil	1·44	nil	·30	nil	·16	29
30	nil		nil	nil	nil	nil	nil	·26	nil	·35	nil	nil	30
31	nil		nil		nil		nil	·05		·13		·04	31
Total	1·24	4·95	5·31	1·49	2·68	2·64	1·19	4·43	1·94	4·18	6·42	3·48	YEAR'S TOTAL 39·98
Rain Days.	18	21	23	11	9	9	4	15	10	19	14	14	140

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917.

FORM A.
BRITISH RAINFALL.
3. JAN 1918

Kept at Sewage Farm, Sutton
in the County of Surrey
by Sutton Urban District Council

Lat. 50° 15' Long. 15' W.
Time of Observation 9 a.m.
Nearest Railway Station Sutton.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 100·31 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
—

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·03	·08	—	—	—	1·95	—	—	·07	—	1
2	—	—	—	·62	—	—	—	·14	—	—	·20	—	2
3	—	—	—	·05	—	—	·06	·50	—	·20	·03	—	3
4	—	·22	·03	—	—	—	·55	·25	—	·40	—	—	4
5	·25	—	·05	·30	—	—	—	—	1·13	—	·07	—	5
6	—	—	—	·07	—	·07	—	—	·25	·04	·12	—	6
7	·15	—	—	·02	—	—	·20	—	—	·24	—	—	7
8	·14	—	—	·15	—	—	·95	·14	·05	·28	·25	·45	8
9	·15	—	—	·04	—	—	·19	·05	·08	—	·08	·33	9
10	·15	—	·22	·25	—	—	—	—	—	—	—	—	10
11	·13	—	·45	·15	—	—	—	·03	·55	·20	—	·03	11
12	·05	—	·03	·02	—	—	—	·04	·03	·45	·05	—	12
13	·07	—	·12	—	—	—	—	·11	·03	·05	·03	·02	13
14	—	—	—	·17	—	—	—	—	—	·14	—	—	14
15	·04	—	—	—	—	—	·28	·05	—	—	—	·07	15
16	·10	·20	—	·10	·10	—	·19	·02	—	·17	—	·65	16
17	—	—	—	·12	·87	—	·26	·05	·45	·19	—	—	17
18	·05	·02	—	·11	·05	·03	·27	—	·26	·10	—	—	18
19	·02	·10	—	—	·07	—	—	—	·15	—	—	—	19
20	—	·09	—	—	·60	—	·06	—	—	—	·06	—	20
21	·03	—	—	—	—	—	—	—	—	—	·05	—	21
22	·02	—	·02	—	—	—	—	·09	—	·10	·02	—	22
23	—	·15	—	—	·15	·05	—	·07	—	·16	—	·06	23
24	—	—	—	—	—	·03	—	—	—	·05	—	—	24
25	—	·05	·10	—	—	—	—	—	—	·04	·09	—	25
26	—	·02	—	—	—	—	—	·25	·02	·03	·73	—	26
27	—	—	—	—	—	—	—	1·16	—	—	·04	·05	27
28	—	—	—	—	—	1·65	—	·03	—	—	—	·02	28
29	—	X	—	—	·17	·29	·54	—	—	·45	—	·30	29
30	·07	X	·35	—	—	—	1·65	·06	—	·03	—	·05	30
31	·07	X	·05	X	—	X	·65	·02	X	—	X	—	31
Total	1·49	·85	1·45	2·25	2·01	2·12	5·85	5·01	3·00	3·32	1·89	2·03	YEAR'S TOTAL 31·27
Rain Days.	16	8	11	15	7	6	13	19	11	19	15	11	151

W. 8,000, IX. 17.

Ent'd. E.F.E.

107

FORM A.
BRITISH RAINFALL

14. 1 19

REGISTER OF RAINFALL IN 1918.

Kept at Sewage Farm, Sutton,
in the County of Surrey.
by Sutton (Surrey) Urban District Council.

Lat. 51° 15 N Long. 15' W.
Time of Observation 9. 0 a. m.
Nearest Railway Station Sutton.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 93·64 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	·08	-	-	-	·04	-	-	·34	·05	1
2	-	·07	-	-	-	-	-	·07	-	-	·14	·06	2
3	-	-	-	·15	·35	-	-	·30	-	-	·95	·03	3
4	-	·05	·29	-	·02	-	-	·05	·48	-	·70	-	4
5	-	·03	-	-	·12	-	-	·09	2·05	·05	-	-	5
6	·30	·15	-	·35	·05	-	-	-	-	·04	-	·07	6
7	·02	·12	-	·14	·70	-	-	-	-	·05	·03	-	7
8	-	·05	-	-	-	-	-	-	·02	·07	·20	-	8
9	-	-	-	·05	-	·04	·32	-	·33	·12	-	·25	9
10	-	-	-	·30	-	-	·82	-	·03	·04	·03	·23	10
11	-	-	-	·03	-	-	·95	-	·01	·20	·14	·15	11
12	-	-	-	-	·05	-	·42	-	·06	-	-	·01	12
13	·06	-	-	-	·30	-	-	-	·05	-	-	·05	13
14	-	-	·04	·02	-	·50	·04	-	·10	·05	-	·14	14
15	1·75	-	-	·74	-	·06	·25	-	-	-	-	·26	15
16	·05	-	-	·35	-	·07	-	-	·20	-	-	-	16
17	·65	-	-	·12	-	-	1·35	·04	·10	-	-	·09	17
18	·59	-	-	·02	-	·15	·03	-	·70	·36	-	·18	18
19	·03	-	·05	·12	-	·04	·19	-	·04	·15	-	·05	19
20	·07	·04	-	·70	-	-	·14	-	·26	·30	-	-	20
21	·08	-	-	·90	-	-	·08	-	·45	-	-	·01	21
22	·50	-	-	-	·36	-	·20	-	·18	·11	-	·20	22
23	·04	-	-	·05	·10	-	·65	·04	·03	-	-	-	23
24	-	·40	-	-	-	·12	·60	-	·15	-	·05	-	24
25	-	-	-	-	-	-	·35	·20	-	·03	-	-	25
26	-	-	-	-	-	-	·62	·25	-	-	·05	·15	26
27	-	-	-	·22	-	-	·05	·10	-	-	·15	·02	27
28	-	-	·22	·10	-	-	-	-	-	-	·12	·08	28
29	-		-	-	-	-	-	-	1·20	-	·08	-	29
30	-		·36	·03	-	-	-	-	·07	-	-	·19	30
31	-		·03		-		-	-		-		-	31
Total	4·14 ✓	·91 ✓	·99 ✓	4·47 ✓	2·05 ✓	·98 ✓	4·06 ✓	1·18 ✓	6·51 ✓	1·57 ✓	2·98 ✓	2·27 ✓	YEAR'S TOTAL 35·11 ✓
Rain Days.	12 ✓	8 ✓	6 ✓	19 ✓	9 ✓	7 ✓	17 ✓	10	20 ✓	13 ✓	13 ✓	20 ✓	154 ✓

W, 6,500, VII. 15. W W G

EX MJ

175

3 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Sewage Farm, Sutton

in the County of Surrey

by Sutton U. D. C.

Lat. 51°15' N Long. 15' W.

Time of Observation 9.0 a.m.

Nearest Railway Station Sutton (S.B. & S. C. Rly)

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·38	·06	-	-	-	-	·24	-	-	-	·08	·45	1
2	·34	·03	-	-	·06	-	·16	-	·13	-	-	·20	2
3	·30	·05	·45	-	·03	-	·09	-	·03	-	·09	·25	3
4	·15	·08	·45	-	-	·04	·15	·04	-	-	·05	·25	4
5	·03	·15	·05	-	-	-	-	-	·04	-	·02	·29	5
6	·04	-	·05	-	-	-	-	-	-	-	-	·19	6
7	·03	-	·35	-	-	-	-	-	-	-	-	-	7
8	·35	-	·06	-	-	-	-	-	-	-	-	-	8
9	·18	-	-	-	-	-	-	-	-	-	-	-	9
10	·30	-	·04	-	-	-	-	-	-	-	-	·01	10
11	·04	-	·04	·35	-	-	·42	-	-	-	-	-	11
12	·03	-	·05	·04	-	-	-	-	-	·12	-	-	12
13	·05	-	-	·40	-	-	-	-	-	·04	-	-	13
14	·30	-	-	·22	-	-	·10	-	·45	-	-	-	14
15	·22	-	·22	·05	-	-	-	-	-	-	-	·35	15
16	·18	·60	-	-	-	-	-	-	-	-	·16	·02	16
17	·03	·05	·03	-	-	-	-	-	-	-	-	-	17
18	-	·45	·09	-	-	-	-	-	·04	-	·10	·06	18
19	·04	·10	·45	-	-	·20	·42	·40	-	-	·05	·04	19
20	·10	·04	·10	-	-	·85	·35	·18	-	-	-	·03	20
21	·15	·35	·02	-	-	·10	·10	-	-	-	-	·02	21
22	-	·05	-	-	-	-	·31	-	·26	-	·05	·35	22
23	·03	-	-	-	-	·10	-	·03	-	-	·02	·02	23
24	-	-	-	·22	-	·05	·12	·04	-	·15	·04	-	24
25	·03	·03	-	-	-	-	-	·25	-	-	-	·03	25
26	-	·20	·05	·10	-	-	-	·05	·12	-	-	·26	26
27	·36	-	·04	1·02	-	-	-	·05	-	-	·04	-	27
28	·02	-	·26	·05	-	-	-	1·05	-	-	·34	·33	28
29	·05		-	·05	-	-	-	·30	-	·30	-	·06	29
30	·03		-	·28	-	·04	-	·04	-	·06	·09	·50	30
31	·05		-		-		-	-		·10		·10	31
TOTAL	3·84	2·54	3·16	2·48	·09	1·41	2·40	2·49	1·40	·80	1·19	4·31	YEAR'S TOTAL 26·41 ✓
Days with ·01 in. or more	24	14	18	11	2	4	11	11	4	6	13	21	148 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

170

COPY. Extd Cm

1? JAN 1921

Form A.1. Meteorological Office - British Rainfall Organisation.

REGISTER OF RAINFALL IN 1920.

Kept at Sewage Farm, Sutton
in the County of Surrey
by Sutton U. D. C.

Lat. 51° 15' N. Long. 15' W.
Time of Observation 9 a.m.
Nearest Railway Station Sutton (L. B. S. C. Rly)
Dia. of Funnel of Rain Gauge 8 ins.
Height of top of gauge above Ground 1 ft. 0 ins.
Height of top of gauge above Sea Level 93.64 ft.

IMPORTANT NOTE. - Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placinf of rain gauges, and particulars as to the British Rainfall Organisation are given in "Rules for Rainfall Observers" sent post-free on application to The Superintendent, British Rainfall Organisation 62, Camden Square, London, N.W.1.

Jan. 1, following

Records taken in Millimetres should not be entered on this form.

Date.	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	·35	-	-	·30	-	-	·25	-	·26	1
2	-	-	·06	-	-	-	-	·65	-	·02	-	·08	2
3	-	·05	·04	-	-	·05	-	-	·03	·09	-	·03	3
4	-	·04	-	·06	-	-	·46	·04	·02	-	-	·04	4
5	-	-	·15	-	-	-	·65	·04	-	-	-	·06	5
6	-	-	·45	-	·02	-	·24	-	-	-	-	·03	6
7	·06	-	-	·14	-	-	·20	-	-	-	-	·02	7
8	-	-	-	·30	-	-	·30	-	-	-	·02	-	8
9	·30	·08	-	·02	-	-	·14	·03	-	-	-	-	9
10	·38	·05	·05	·04	-	·10	·14	-	-	-	-	-	10
11	·12	-	·04	·05	-	-	·25	·05	-	-	-	·22	11
12	·09	-	-	·34	-	1·05	-	-	-	-	·05	-	12
13	·25	-	·04	·05	-	-	-	-	-	·02	-	-	13
14	-	-	·23	·24	-	·04	-	-	·14	·04	·21	-	14
15	·02	-	·10	-	-	-	-	-	·35	-	·05	-	15
16	·01	-	·01	·04	-	-	-	-	-	-	-	-	16
17	·02	-	-	-	·24	-	-	-	·48	-	·03	·04	17
18	·04	-	-	·04	-	·09	-	1·18	·33	-	-	·03	18
19	-	-	-	·25	-	-	-	-	-	-	-	·02	19
20	·10	·50	-	·21	-	·04	-	-	·03	-	-	·05	20
21	-	-	-	-	-	·56	·42	·04	·60	-	-	-	21
22	·02	-	-	·35	-	-	-	·02	-	-	-	·36	22
23	-	-	-	-	-	-	·45	-	-	-	-	·30	23
24	-	·03	·05	-	-	-	-	-	-	-	-	·03	24
25	-	-	-	-	-	-	·15	-	·03	-	-	-	25
26	-	-	·30	-	-	-	·09	-	-	-	-	·04	26
27	·35	·05	-	·28	-	·14	·08	-	-	-	·95	·03	27
28	·34	·02	·08	·05	-	-	·05	-	-	-	·03	·02	28
29	·38	-	·09	-	-	-	·25	-	-	-	·04	·08	29
30	·03	×	-	·05	·06	-	-	-	·02	-	·29	·03	30
31	-	×	-	×	-	×	-	-	×	·45	×	·04	31
Total	2·54	·85	1·45	2·92	·35	2·10	4·53	2·05	2·03	·84	1·64	1·84	year's total. 23·50
Days with .01 in. or more.	16	8	14	18	3	8	16	8	10	6	9	21	~~134~~
Days with .04 in. or more.	11	6	13	14	2	8	16	6	5	4	6	12	106

59

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

REGI

Camborn

Kept at Hillsboro S

in the County of Surrey

by J. E. Wrig

in.

nd 1 ft. — in.

Level 250 ft. approx:

.m.

Sutton

ce 3/4 Direction N. E.

SUTTON
CAMBORNE RD
SURREY
1911 - 1920

IMPORTANT NOTE.— result entered to the
previous day. If an Observ rule, he is earnestly
requested to add the reading the space provided
for it at the end of this pa of rain,
the selection and placing o Rainfall
Organization are given in "Ru ation to
Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	—	—	·77	—	—	—	·05	—	—	—	—	1
2	·15	—	—	·33	·16	—	—	—	—	—	·22	·07	2
3	·02	·03	—	—	·13	—	—	—	—	—	·07	·02	3
4	·02	·01	·05	·07	—	—	—	—	—	·06	·15	·35	4
5	·01	—	—	·02 snow	—	—	—	—	—	·16	·05	·16	5
6	·27	—	·26	·01	—	—	—	—	—	—	—	·41	6
7	·02	—	—	·01	—	—	—	—	—	·07	·32	·32	7
8	·08	—	·12	—	—	—	—	—	—	—	·30	·42	8
9	·21	—	·03	·02	—	—	—	—	—	—	·01	·11	9
10	—	·10	·07	—	—	—	—	—	—	—	·06	1·00	10
11	·26	—	—	—	·03	—	—	—	—	—	·60	·01	11
12	·04	—	·51 Rain & snow	—	—	—	—	—	—	—	·11	—	12
13	—	—	·08	—	·11	—	—	—	·27	·11	·05	·27	13
14	—	·08	—	—	·40	—	—	—	—	—	—	·74	14
15	—	·05	·18	—	—	—	—	—	—	·03	·04	·04	15
16	—	—	—	—	—	·57	—	—	—	—	·50	·03	16
17	—	—	·05	—	—	·02	—	—	—	—	·25	·20	17
18	—	·18	·01	—	—	·02	—	—	—	—	·59	·40	18
19	—	—	—	—	·03	·37	—	—	·40	·13	·17	·15	19
20	·02	—	·02	—	—	—	—	·14	—	·10	·01	·80	20
21	·01	·08	—	—	—	—	—	·19	—	·75	—	·19	21
22	·04	—	·28	—	—	·02	—	—	—	·07	—	·50	22
23	—	·15	·06	—	—	·85	—	—	·22	—	·03	·12	23
24	—	·11	—	—	—	·02	—	·02	—	1·43	—	·19	24
25	—	·04	—	·03	—	·11	—	—	·05	—	—	—	25
26	—	—	·08	·18	·20	·13	·09	—	·12	·19	·01	·22	26
27	—	·24	·12	·05	·02	—	—	—	—	·03	·08 Snow & rain	·10	27
28	—	·09	—	·21	—	—	—	·15	—	—	·01	—	28
29	—		—	·32	—	·21	·08	—	·11	·18	—	—	29
30	—		—	·02	·02	—	—	·14	·05	·18	—	—	30
31	—		—		2·40		—	—		·01		—	31
Total	1·18	1·16	1·92	2·04	3·50	2·26	·17	·69	1·22	3·50	3·63	6·82	TOTAL for year 28·09
No. of Rain Days	14	12	15	13	10	10	2	6	7	15	21	24	149

9,000, IX. '10.

C9

REGI

FORM A2.
BRITISH RAINFALL.

1 - JAN 1912

Kept at Hillsboro Camborne Road Sutton

in the County of Surrey   5

by J. E. Wright

RAIN GAUGE
Pattern Casella
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 250 ft. approx:

Time of Observation 8.30 a.m.

Nearest Railway Station
Name Sutton
Distance 3/4 Direction N. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	—	—	·77	—	—	—	·05	—	—	—	—	1
2	·15	—	—	·33	·16	—	—	—	—	—	·22	·07	2
3	·02	·03	—	—	·13	—	—	—	—	—	·07	·02	3
4	·02	·01	·05	·07	—	—	—	—	—	·06	·15	·35	4
5	·01	—	—	·02 snow	—	—	—	—	—	·16	·05	·16	5
6	·27	—	·26	·01	—	—	—	—	—	—	—	·41	6
7	·02	—	—	·01	—	—	—	—	—	·07	·32	·32	7
8	·08	—	·12	—	—	—	—	—	—	—	·30	·42	8
9	·21	—	·03	·02	—	—	—	—	—	—	·01	·11	9
10	—	·10	·07	—	—	—	—	—	—	—	·06	1·00	10
11	·26	—	—	—	·03	—	—	—	—	—	·60	·01	11
12	·04	—	·51 Rain & snow	—	—	—	—	—	—	—	·11	—	12
13	—	—	·08	—	·11	—	—	—	·27	·11	·05	·27	13
14	—	·08	—	—	·40	—	—	—	—	—	—	·74	14
15	—	·05	·18	—	—	—	—	—	—	·03	·04	·04	15
16	—	—	—	—	—	·57	—	—	—	—	·50	·03	16
17	—	—	·05	—	—	·02	—	—	—	—	·25	·20	17
18	—	·18	·01	—	—	·02	—	—	—	—	·59	·40	18
19	—	—	—	—	·03	·37	—	—	·40	·13	·17	·15	19
20	·02	—	·02	—	—	—	—	·14	—	·10	·01	·80	20
21	·01	·08	—	—	—	—	—	·19	—	·75	—	·19	21
22	·04	—	·28	—	—	·02	—	—	—	·07	—	·50	22
23	—	·15	·06	—	—	·85	—	—	·22	—	·03	·12	23
24	—	·11	—	—	—	·02	—	·02	—	1·43	—	·19	24
25	—	·04	—	·03	—	·11	—	—	·05	—	—	—	25
26	—	—	·08	·18	·20	·13	·09	—	·12	·19	·01	·22	26
27	—	·24	·12	·05	·02	—	—	—	—	·03	·08 Snow & rain	·10	27
28	—	·09	—	·21	—	—	—	·15	—	—	·01	—	28
29	—		—	·32	—	·21	·08	—	·11	·18	—	—	29
30	—		—	·02	·02	—	—	·14	·05	·18	—	—	30
31	—		—		2·40		—	—		·01		—	31
Total	1·18	1·16	1·92	2·04	3·50	2·26	·17	·69	1·22	3·50	3·63	6·82	TOTAL for year 28·09
No. of Rain Days	14	12	15	13	10	10	2	6	7	15	21	24	149

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
2 JAN 1913

Kept at Hillsboro' Camborne Road Sutton

in the County of Surrey 5

by J. E. Wright

Lat. Long.

Nearest Railway Station Sutton

Time of Observation 8·30 a. m

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " Sea Level 250 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·20	·01	—	·09	·67	—	·05	·67	—	·23	1
2	—	—	·35	—	—	·04	·29	·12	·03	·06	—	—	2
3	·02	melted snow ·06	·05	—	—	·13	·08	·30	—	—	—	·06	3
4	·19	—	·72	—	·12	·19	—	·13	—	—	·16	—	4
5	·13	·05	·07	—	—	—	—	·47	—	—	·08	·02	5
6	·47	·05	—	—	·07	—	—	·17	—	—	—	·04	6
7	—	—	—	—	·08	·78	·31	·12	—	—	—	·03	7
8	·33	·49	·30	—	—	·01	·06	·60	—	—	—	—	8
9	—	·09	—	·05	—	·26	·03	·01	—	—	—	·10	9
10	—	·06	—	—	—	—	—	·59	—	—	·03	·24	10
11	·03	·20	·01	—	—	·02	—	·07	—	—	—	·21	11
12	·02	·11	·03	—	·10	·20	—	·04	—	—	·03	·02	12
13	·01	—	—	—	—	—	—	—	—	—	·05	—	13
14	—	—	·02	—	·04	—	—	·02	—	·05	—	·02	14
15	—	—	·12	—	·26	·71	—	—	—	—	·05	·32	15
16	·39	—	·04	—	·07	·07	—	·08	—	·06	·08	·01	16
17	·43	—	·30	—	—	·02	—	·05	—	—	·03	·09	17
18	·12	—	·12	—	—	—	—	·07	—	·04	·01	·12	18
19	·06	·07	·13	—	—	—	·07	·69	—	—	—	—	19
20	·02	·04	·40	·01	—	—	—	·08	—	·49	·03	—	20
21	—	—	·16	—	·03	—	—	·03	—	·08	·05	—	21
22	·20	·13	·16	—	·05	—	·04	·15	—	—	—	·04	22
23	·35	·37	·25	—	—	—	—	·35	—	·05	·21	·17	23
24	·30	—	—	—	—	·11	·01	·25	—	—	—	·13	24
25	·15	—	—	—	—	·20	—	·63	—	—	·20	·68	25
26	—	·04	—	—	—	—	—	·58	—	·25	·46	·32	26
27	—	—	·01	—	—	·06	—	—	—	·15	—	·16	27
28	—	·05	—	—	—	·02	·19	·08	·14	·40	·50	·12	28
29	—	·02	—	—	—	·12	·27	·13	1·67	·15	·07	—	29
30	—		—	—	·44	·02	·03	·20	1·62	·13	—	—	30
31	—		·06		—		·12	·13		·02		—	31
Total	3·22	1·83	3·50	·07	1·20	3·05	2·17	6·14	3·57	2·60	2·04	3·13	32·46 TOTAL for year
No. of Rain Days.	17	15	20	3	10	18	13	27	5	14	16	21	179

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

wtd 23.11.14 ✓

cord by Obvr 24.11.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
5-JAN 1914

Kept at Hillsboro' Camborne Road Sutton
in the County of Surrey 5
by J. E. Wright

Df. Rd

Lat. Long.
Time of Observation 8·30 a.m
Nearest Railway Station Sutton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·23	·03	·09	—	—	—	—	·96	·03	·04	·14	1
2	·03	·13	—	—	—	—	·11	—	—	·06	·06	—	2
3	—	—	·06	·25	·34	—	—	—	—	—	—	·10	3
4	·33	—	—	·02	·28	—	·07	—	—	·35	—	·04	4
5	·38	—	·01	—	—	·07	·08	—	—	·01	·02	·05	5
6	·03	·03	·15	—	·03	·07	·16	—	·30	·11	·18	·14	6
7	—	·10	·01	—	·03	—	·01	·01	—	·60	·09	·01	7
8	—	·02	sleet ·02	—	·16	·03	—	—	—	·04	·03	—	8
9	—	·11	—	·02	·04	—	—	—	—	—	·02	·04	9
10	—	—	·10	·16	—	—	·15	·02	·11	—	·41	—	10
11	·47	—	—	·34	·02	—	—	—	—	·57	T.S. ·28	—	11
12	—	—	—	—	·02	—	—	—	—	—	·34	—	12
13	·13	—	·04	—	—	—	—	—	—	—	·21	—	13
14	·15	—	·10	·08	—	—	T.S ·96	·09	—	·15	·08	—	14
15	·35	·10	·23	·20	—	—	·57	—	·11	—	—	—	15
16	·15	—	·31	·13	—	—	·01	—	—	—	—	—	16
17	·02	snow ·05	snow&hail T.S: ·04	~~snow&hail~~ ·04	—	—	·18	—	·36	—	—	—	17
18	—	—	·09	·10	·02	—	—	—	—	—	·02	—	18
19	·28	—	·15	·01	—	—	·18	—	—	—	—	—	19
20	·29	—	·40	·06	—	·03	—	—	·14	·49	—	—	20
21	·01	—	T S ·20	·03	—	—	·06	—	—	·23	·82	—	21
22	rain & sleet ·41	—	T.S. ·25	·12	—	—	·01	—	·13	—	—	—	22
23	·01	—	—	—	—	·04	—	—	—	—	—	·43	23
24	·03	—	—	·03	—	—	—	·40	—	—	·02	—	24
25	—	·02	—	·25	—	—	—	—	—	—	—	—	25
26	—	—	·16	·10	—	—	—	·14	—	·77	—	·20	26
27	—	—	—	·15	T.S ·09	—	—	—	—	—	—	—	27
28	·24	—	·35	·09	—	—	—	—	—	·10	—	trace of snow	28
29	·06		·05	T.S ·40	T.S. ·40	—	—	—	—	·11	—	—	29
30	·30		—	·09	—	—	—	—	—	·26	—	—	30
31	—		·05		—		—	·30		·04		—	31
Total	3·68	·79	2·80	2·76	1·43	·24	2·49 2·49	·96	2·11	3·92	2·62	1·15	YEAR'S TOTAL 24·98 24·95
Rain Days.	20	9	21	22	11	5	13	6	7	16	15	9	154 ✓

W.7,000, XI. 13

25 FEB 1914

Enc

HILLSBOROUGH
CAMBORNE ROAD
SUTTON, SURREY

24th Feby 1914

Dear Sir

I beg to acknowledge the receipt of your letter of yesterday's date, and I am extremely sorry for the trouble I have put you to in the matter.

The daily returns I have checked with my original register and they are correct, and the error is in the casting. It is evident that in casting I omitted to bring in ·18 inch for one of the dates –

---

mentioned.

Yours truly,
Fredk. Edw: Wright

Dr H. R. Mill,
British Rainfall
Organization,
62 Camden Square,
N.W.

cont'd by ann. stats 3.11.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Hillsboro' Camborne Road
in the ~~County~~ Sutton of Surrey 5
by Mr F. E. Wright

Lat. Long.
Time of Observation 8·30 a.m
Nearest Railway Station Sutton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	—	—	·27	—	—	·02	·03	1
2	·01	—	—	—	—	·02	·22	·31	—	—	·34	·32	2
3	—	—	·07	—	·15	—	·07	—	—	—	·04	—	3
4	·04	—	·03	·17	—	—	·01	·04	—	—	·21	·33	4
5	·11	—	·04	·20	·17	·07	·19	·39	—	—	·04	—	5
6	—	·12	trace	·11	·01	·25	—	·01	—	—	·19	·18	6
7	—	·50	·25	·13	T.S. ·13	·31	·03	—	—	—	—	·10	7
8	·09	·44	·48	—	·01	·07	·24	·09	—	—	—	·03	8
9	·22	—	·70 snow	} (12)	—	·04	—	—	—	—	—	1·63	9
10	—	·09	·02		·06	—	—	—	·31	—	·01	·04	10
11	—	·53	·35	—	—	·02	—	—	·03	—	·20	·25	11
12	snow ·01	·11	·09	—	·01	—	T.S. ·31	—	·28	—	·01	·67	12
13	·01	·20	·16	—	—	—	—	—	·14	·03	·08	·76	13
14	—	·13	·30	—	—	T.S. ·45	·02	—	·11	·31	·08	·61	14
15	·02	·01	·18	—	—	—	T.S. ·68	·05	—	—	·81	·05	15
16	—	—	·04	—	—	—	—	—	·03	—	—	—	16
17	—	·24	·15	—	—	—	—	—	·02	—	—	·15	17
18	—	·08	·21	—	—	—	—	—	—	—	—	·35	18
19	trace of snow	·05	·26	—	—	—	·21	—	—	—	Rain and sleet ·19	·27	19
20	—	·27	·42	—	—	·03	—	—	·12	—	—	·06	20
21	—	·85	·08	—	—	·07	—	—	—	·04	—	·04	21
22	—	·03	·01	·03	T.S. ·33	·15	·24	·01	—	·15	—	—	22
23	—	—	·10	·01	T.S. ·21	·17	·01	—	—	·05	—	—	23
24	—	—	·13	—	—	—	—	—	—	—	·10	—	24
25	·01	—	·27	—	—	—	·01	·11	—	·25	—	·05	25
26	—	—	·04	—	—	—	·11	·22	—	·06	·20	·65	26
27	·03	—	·01	—	—	—	—	—	—	—	·03	·30	27
28	·01	·01	—	—	—	—	—	—	—	·09	·35	rain & sleet ·68	28
29	·04		·03	—	—	—	—	—	—	·34	·13	—	29
30	·01		·03	—	—	—	—	—	—	·06	·39	·33	30
31	—		—		·30		·02	—		—		·06	31
Total	·61	3·66	4·45	·77 ✓	1·38	1·65	2·37	1·50	1·04	1·38	3·42	7·94	YEAR'S TOTAL 30·17
Rain Days.	13	16	26	8 ✓	10	12	15	10	8	10	19	24	171

W. 8,000. X. 14.

196

Ex MCE

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

3 JAN 1916

Kept at Hillsboro Sutton
in the County of Surrey 5
by Mr. F. E. Wright

Lat. 51·20 N Long. 0·15 W.
Time of Observation 8·30 a m
Nearest Railway Station Sutton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·77	·15	·12	—	·07	—	—	—	·05	·02	·28	·50	1
2	·37	·18	·20	·14	—	—	—	·78	—	·06	—	·05	2
3	·40	—	·09	·16	·03	—	—	·25	·06	—	—	·54	3
4	·05	—	—	—	—	—	—	—	—	—	—	·25	4
5	·04	·71	—	—	—	—	—	·01	—	·08	·01	·31	5
6	·38	·03	·02	·38	LIGHTNING ·07	—	·62	—	—	—	—	·13	6
7	·31	·42	·02	—	—	—	·29	—	—	—	—	·19	7
8	·07	·74	—	T ·04	—	—	·15	·32	—	—	—	·01	8
9	·03	·04	—	·19	—	·07	—	·05	—	·02	·26	·57	9
10	·22	—	—	—	—	—	—	—	—	—	—	·19	10
11	·03	—	·03	—	—	—	—	—	—	—	·63	·08	11
12	·03	·07	—	·36	·43	—	—	·20	—	·01	·35	·01	12
13	·01	·68	—	—	1·25	—	—	—	—	—	—	—	13
14	trace	·06	—	—	—	—	·17	T ·18	·03	—	—	·31	14
15	·14	·03	—	—	·04	—	T&H ·13	T ·03	—	—	rain & snow ·15	·15	15
16	—	·58	—	·01	·01	—	·67	T ·08	—	—	—	·10	16
17	—	·36	—	—	1·05	—	·03	·02	—	—	—	—	17
18	—	·29	snow ·07	—	·15	—	—	—	—	—	·04	—	18
19	—	·32	—	—	·02	—	·05	—	—	·01	—	—	19
20	·30	—	—	·03	—	—	—	—	—	—	—	·22	20
21	·18	·02	—	—	—	—	·04	—	—	·01	—	·06	21
22	snow 1·00	·05	·09	·05	—	—	·62	—	—	—	—	·08	22
23	·03	snow ·22	·04	—	—	·02	·28	—	·05	·38	—	·32	23
24	—	—	·02	·01	—	—	T ·01	—	·27	·28	—	·35	24
25	—	—	·03	·15	—	—	T&H ·49	—	—	—	—	·25	25
26	—	·03	—	trace	—	·16	—	—	—	—	—	·49	26
27	—	·01	—	—	—	T ·20	T ·18	—	—	·23	—	·10	27
28	—	·04	—	—	—	·06	—	—	1·67	·23	—	—	28
29	—	X	—	—	—	·02	T ·12	·18	·01	—	·23	—	29
30	·02	X	—	—	—	·04	—	—	—	·08	·46	·03	30
31	·04	X	—	X	—	X	—	—	X	1·03	X	·31	31
Total	4·42	5·03	·73	1·52	3·12	·57	3·85	2·10	2·14	2·44	2·41	5·54	YEAR'S TOTAL 33·87
Rain Days.	20	21	11	11	10	7	15	11	7	13	9	25	160

W. 8,000. X. 15.

Surrey II Sutton A

3 JAN 1916

Notes on the Year 1915

The heavy rain of January and February of 4.42 inches and 5.03 inches respectively following in immediate continuity the heavy falls in November and December 1914 of 3.42 and 7.94 inches respectively made a total for those 4 months of no less than 20.81 inches and contributed 84 rain days out of a possible 120 and a rain spell from the 30th December 1914 to the 13th January 1915.

During the year 1915 an inch and upwards was recorded on no less than 5 separate days and on 12 other days half an inch and upwards was registered but there was no actual rain spell during the year. The months of May August and December were very wet.giving 3. 12. 3.85and 5·54 inches respectively. There was a severegale on the 27th December corresponding to that of the 28th December in 1914.

There was an absolute drought from the 20th May to the 8th June both days inclusive and ~~between~~ from the 10th June ~~and~~ to the 25th June only .02 of an inch was registered.

There were partial droughts from the 18th May to the 25th June 39 days during which only .26 of an inch was recorded and from the 18th August to the 23rd September 37 days during which period .34 inches was measured.

A heavy fall of snow on the 22nd January gave when melted 1.00 inch and possibly some was blown away from the over banked funnel before measurement.

March and June were very dry giving only .73 and .57 inches respectively.

No very severe thunderstorms occurred during the year and with the exception of that on the6th November no very dense fogs notwithstanding the high barometer in November and to there being no less than 20 days on which frost was recorded during that month

Roses bloomed late in October and spring and summer plants such as Oriental poppies and Canterbury Bells bloomed again a ~~full~~ second crop in October.

Fred: Edw: Wright
Camborne Road
Sutton

1st Jan 1916

186

FORM A.
BRITISH RAINFALL.
2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Hillsboro' Camborne Road Sutton

in the County of Surrey

by Mrs. F. E. Wright

Lat. 51·20 N Long. 0·15 W

Time of Observation 8·30 a.m.

Nearest Railway Station Sutton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10	—	Snow & Rain ·04	—	·70	trace	—	—	·23	·02	·25	—	1
2	·25	·13	Snow & Rain ·10	—	·32	—	·01	—	·05	·34	Thunder ·02	—	2
3	·01	·86	Snow & Rain ·28	—	—	—	·02	—	·24	·25	·80	—	3
4	·17	·16	Snow ·01	·03	—	·22	—	—	·18	·02	·60	—	4
5	·01	—	Snow ·02	·02	·19	·15	—	—	trace	·05	·75	—	5
6	—	·09	Snow ·15	·23	·06	·10	·30	—	—	·03	·76	—	6
7	·06	—	Snow ·70	—	·23	·10	Thunder ·29	—	—	·02	Thunder 1·10	·05	7
8	—	—	Snow ·02	—	·29	trace	—	—	—	—	—	·36	8
9	—	—	Snow ·02	—	·19	·01	—	—	—	·05	—	·06	9
10	—	·18	Snow & Rain ·13	·07	trace	·18	·08	—	—	—	—	·12	10
11	·01	·16	·02	·16	—	·42	trace	—	—	—	—	·09	11
12	·01	·04	·02	·07	·47	·26	·01	·03	·02	·04	—	—	12
13	—	·20	·46	·11	·01	·07	·53	·06	·04	·07	—	—	13
14	—	·52	·01	trace	·07	—	—	·05	—	—	—	Snow ·06	14
15	—	·13	·24	—	trace	—	—	·35	—	·01	—	·01	15
16	·01	·04	·23	·13	—	—	·21	·12	—	·01	—	—	16
17	·08	·11	trace	·03	—	—	·02	·53	·38	·45	—	—	17
18	—	·08	·02	·29	—	—	—	·30	·19	·65	Snow & Rain ·70	Snow ·01	18
19	·08	·05	·18	·19	—	·01	—	trace	·12	—	Snow & Rain ·69	Snow ·05	19
20	·14	—	·20	·04	—	—	—	—	—	—	·09	·60	20
21	·01	—	·38	·02	—	—	·27	—	—	—	—	·46	21
22	—	trace of snow	Snow & Rain ·08	—	—	—	—	—	—	·07	—	·44	22
23	·01	Snow ·38	·03	—	—	—	—	·01	—	·06	·04	·17	23
24	—	Snow ·07	trace	—	·07	·05	—	·03	—	·25	·04	Snow ·28	24
25	—	Snow ·60	·14	—	·03	—	—	·40	—	·07	·07	·01	25
26	—	Snow ·23	Snow & Sleet ·08	—	—	·01	—	·05	—	Thunder ·25	—	—	26
27	·02	Snow ·03	Snow Sleet & R ·92	—	—	·23	—	·32	·09	Thunder ·80	—	—	27
28	—	Snow & Rain ·41	Snow Sleet & R ·20	—	—	—	—	trace	·04	—	—	·10	28
29	—	Snow & Rain ·08	·02	—	—	—	—	1·19	·06	·33	—	·18	29
30	—	X	—	—	—	—	—	·18	—	·42	—	trace	30
31	—	X	—	X	—	X	—	·02	X	·09	X	·07	31
Total	·97	4·55	4·70	1·39	2·63	1·81	1·74	3·64	1·64	4·29	5·91	3·12	YEAR'S TOTAL 36·39
Rain Days.	15	21	27	13	12	13	10	15	12	23	13	18	179

W. 8,000, VIII. 16

192

FORM A.
BRITISH RAINFALL.
-2 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Hillsboro' Camborne Road Sutton

in the County of Surrey

by Mr G. E. Wright

Lat. 51·20 N Long. 0·15 W

Time of Observation 8·30 a.m.

Nearest Railway Station Sutton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	trace of snow	—	Snow ·23	—	—	—	1·85	·04	—	·04	—	1
2	—	trace of snow	—	Snow ·59	—	·02	—	·13	—	—	·16	—	2
3	·01	—	—	Snow ·15	—	—	·13	·35	—	·10	·03	—	3
4	—	Snow ·27	Snow ·05	—	—	—	·31	·23	—	·40	—	—	4
5	·24	Snow ·01	·04	Snow & Rain ·35	—	—	—	·08	Thunder Storm ·48	·18	·06	—	5
6	—	—	·17	Snow ·07	—	·06	—	—	·37	·01	·09	—	6
7	·19	—	trace of snow	—	—	—	·31	—	trace	Thunder Storm ·51	trace	·02	7
8	Snow & Rain ·10	—	trace of snow	Snow hail & Rain ·12	—	—	·90	·14	·07	·25	·19	·23	8
9	·01	—	·04	Snow ·10	trace	—	·10	·08	·04	—	·06	·34	9
10	Snow & Rain ·15	—	·10	Snow ·17	—	trace	trace	·03	—	·19	·02	·06	10
11	·12	·03	·37	Snow & Rain ·21	—	—	—	trace	·75	—	—	—	11
12	Snow & Rain ·05	·02	·03	Snow ·01	—	—	—	·05	—	·45	trace	—	12
13	·07	·01	·09	·03	—	—	—	·07	·03	·13	—	—	13
14	trace of snow	—	·01	·15	—	—	—	Thunder ·12	—	—	—	—	14
15	Snow ·05	—	—	—	—	—	·24	—	trace	·03	—	·03	15
16	Snow ·05	·15	—	T.S. Snow hail & Rain ·11	·03	Thunder trace	·13	—	—	·17	—	Snow & Rain ·63	16
17	trace of snow	—	—	Snow & Rain ·09	·72	—	·18	·12	·36	·15	—	—	17
18	·04	·04	—	·10	·05	Thunder ·03	Thunder ·39	—	·18	·04	—	—	18
19	Snow & Rain ·01	·07	Snow ·02	·01	·02	·04	—	—	·11	—	—	—	19
20	Snow ·01	·12	Snow ·03	—	·52	—	·06	·07	·02	—	·06	—	20
21	Snow ·02	trace	Snow ·03	·01	·07	·04	—	—	—	—	·06	—	21
22	—	·01	Snow ·02	—	—	—	—	·11	—	·09	·01	—	22
23	—	·13	—	—	·14	·04	—	·06	—	·06	—	·03	23
24	trace of snow	·02	—	—	—	·06	·03	·03	—	·12	·03	·10	24
25	—	·04	·03	—	—	·01	trace	·21	—	·04	Hail Sleet Snow & Rain ·07	—	25
26	—	—	Snow ·03	—	—	—	—	·12	·02	·01	·56	—	26
27	—	—	Snow ·01	—	—	·04	—	·99	—	—	—	Snow ·02	27
28	—	·02	—	—	—	Thunder 1·36	—	·03	—	—	—	·07	28
29	—	×	trace of snow	—	·14	·22	·57	—	—	·40	—	·12	29
30	Snow ·01	×	Snow ·23	—	—	trace	1·87	·07	—	·03	trace	—	30
31	Snow ·08	×	Snow ·10	×	—	×	·40	trace	×	trace	×	Snow ·03	31
Total	1·21	·94	1·40	2·50	1·69	1·92	5·56	4·94	2·47	3·36	1·44	1·68	YEAR'S TOTAL 29·11
Rain Days.	17	14	18	17	8	11	14	21	12	20	14	12	178

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

102

FORM A.
BRITISH RAINFALL

2.1.19

REGISTER OF RAINFALL IN 1918

Kept at Hillsboro', Camborne Road, Sutton

in the County of Surrey

by F. E. Wright

Lat. 51.20 N Long. 0.15 W

Time of Observation 8.30 a.m.

Nearest Railway Station Sutton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	.03	—	—	—	.01	—	—	.28	.05	1
2	snow .01	.05	—	.05	—	—	—	.17	—	.01	.19	.14	2
3	—	—	.07	.03	.31	—	—	.09	—	—	.52	.01	3
4	—	.10	.15	—	—	—	—	.03	.25	—	.69	—	4
5	—	.03	.01	.01	.11	—	—	.11	T S 1.10	.05	—	—	5
6	.22	.12	—	.23	.19	—	—	.04	.28	.02	—	.06	6
7	snow .03	.07	—	.19	.42	—	—	—	.18	.03	.07	—	7
8	snow .01	.07	—	—	—	—	—	—	.05	.02	.12	.04	8
9	snow .02	.02	—	.10	—	.09	.21	—	.44	.11	—	.35	9
10	—	—	—	.16	—	—	.34	—	T .66	.02	.01	.30	10
11	.03	.02	—	.03	.02	—	T .82	—	.01	.23	.13	.11	11
12	—	—	—	—	.19	—	.36	—	T .07	trace	—	—	12
13	snow .06	—	—	.01	.19	—	.03	—	.06	—	—	—	13
14	snow & rain .11	—	—	—	—	.41	T.S. .05	—	.08	.08	—	.23	14
15	snow & rain 1.27	—	—	snow & rain .70	—	T .02	T.S. .28	—	—	—	—	.07	15
16	snow .30	—	trace	.19	—	T .04	.01	—	.17	—	—	.01	16
17	snow & rain .31	—	—	.13	—	—	S.T.S. 1.50	.05	—	—	—	.09	17
18	.43	—	—	—	—	T .18	.08	—	.58	.17	—	.12	18
19	.09	—	.04	snow .11	—	.04	.12	—	—	.12	trace	.03	19
20	.07	.13	—	snow .58	—	.03	.16	—	.36	.29	—	—	20
21	.15	.02	—	snow & rain .93	—	—	.02	—	.31	.07	—	.07	21
22	.04	—	—	—	T.S.S .28	—	.10	—	.13	—	—	.16	22
23	.03	—	—	.02	.12	—	.71	.04	.04	—	—	.04	23
24	—	.30	—	—	—	.08	.43	—	.15	—	.04	—	24
25	—	—	—	T.S .11	—	—	T .43	.15	—	.04	.02	—	25
26	—	trace	—	—	—	—	.52	.09	.01	.01	.05	.13	26
27	—	.02	—	.13	—	—	T .03	.13	.06	—	.09	.03	27
28	—	.01	.25	.08	—	—	—	.06	—	—	.20	.08	28
29	—	✕	—	.03	—	—	—	—	1.03	—	.02	—	29
30	—	✕	.32	—	—	—	—	—	.04	.03	—	.14	30
31	—	✕	.02	✕	—	✕	—	—	✕	.07	✕	—	31
Total	3.18	.96	.86	3.85	1.83	.89	6.20	.97	5.46	1.37	2.43	2.20	YEAR'S TOTAL 30.20
Rain Days.	17	13	7	21	9	8	19	12	22	7	14	21	180

W, 6,500, VII. 18. W W C

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Hillsboro Camborne Road Sutton
in the County of Surrey
by Mr. J. E. Wright

Lat. 51·20 N Long. 0·15 W
Time of Observation 9 - a m
Nearest Railway Station Sutton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·28	Snow ·05	—	·01	·03	—	·16	—	—	·02	·14	·91	1
2	·25	—	·07	—	·08	—	·07	—	·11	·11	·10	·19	2
3	·34	—	·50	—	·01	—	·04	—	·04	—	·03	(·42)	3
4	·11	Snow & R ·08	·40	—	—	·07	·20	·03	—	—	·03	·24	4
5	·01	Snow ·22	·64	—	—	—	—	—	·04	—	·02	·26	5
6	·06	Snow ·02	·05	—	—	—	—	—	—	—	·01	·15	6
7	·05	—	·28	—	—	—	—	—	—	—	·06	—	7
8	·37	—	·06	·02	—	—	—	—	—	—	·07	—	8
9	·18	—	·02	·05	·08	—	—	—	—	—	·03	—	9
10	·31	—	·02	—	—	—	—	—	—	·02	Snow ·01	·03	10
11	·02	—	·08	·30	·01	—	·10	—	—	—	—	·03	11
12	·02	—	·04	·02	—	·01	·26	—	—	·05	Snow ·02	—	12
13	·01	·02	—	·41	—	—	·02	—	·02	·05	—	·02	13
14	·22	—	—	·44	—	—	·09	—	·67	—	—	·03	14
15	·22	·02	·22	·08	—	—	—	—	—	—	—	·38	15
16	·10	·46	—	—	—	—	—	—	—	—	·10	·06	16
17	·01	Snow & R ·24	·02	trace	—	—	—	—	—	—	·15	·01	17
18	—	Snow & R ·28	·05	—	—	—	—	—	·05	—	·07	·01	18
19	·07	·09	·56	—	—	·17	·39	·39	·01	—	·04	—	19
20	·19	·14	·08	—	—	·76	·28	·13	·02	—	—	·01	20
21	·18	·40	Snow ·02	—	—	·11	·07	—	—	—	·02	—	21
22	—	·06	—	—	—	—	·21	—	·25	—	·02	·25	22
23	—	—	—	—	—	·02	—	—	·05	—	·01	·07	23
24	—	—	—	·25	—	·01	·15	·08	—	·13	·08	—	24
25	·02	·01	—	—	—	—	—	·17	—	—	—	·02	25
26	·06	(·09)	·09	·07	—	—	·04	·17	·11	—	—	·25	26
27	Snow ·30	·04	R & hail ·04	Snow 1·07	—	—	·01	·27	—	—	·06	·07	27
28	Snow ·02	—	Snow ·27	·11	—	—	·04	·91	—	—	·27	·27	28
29	·04	✕	—	·05	—	—	—	·53	—	·23	·06	·09	29
30	—	✕	Snow ·01	·25	—	·08	—	·48	—	·07	·20	·54	30
31	Snow ·06	✕	Snow ·04	✕	—	✕	·04	—	✕	—	✕	·06	31
Total	3·44	2·32	3·50	3·13	·21	1·23	2·17	3·16	1·37	·68	1·54	4·17	Year's Total 26·92
Days with ·01 in. or more	26	16	22	14	5	8	17	10	11	8	23	24	184

(44,283). Wt.21,958—218, 7500. 10/19. Gp.132. A.&E.W.

Cox 9.11.X

165

8 JAN 192

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Hillsboro' Camborne Road Sutton
in the County of Surrey
by Mr J E Wright

Lat. 51-20 N Long 0-15 W
Time of Observation 9 a.m.
Nearest Railway Station Sutton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	—	—	·25	·03	—	·34	—	—	·17	—	·25	1
2	·01	—	·15	—	·01	—	·03	·49	·07	·02	—	·06	2
3	trace	·04	—	—	—	—	—	—	·03	·09	—	·04	3
4	—	·09	—	·15	—	trace	·58	·06	—	·10	—	·02	4
5	—	trace	·15	trace	·02	—	·58	·10	—	trace	—	·03	5
6	—	—	·60	—	·10	—	·26	—	—	—	—	·03	6
7	·01	—	—	·13	·04	—	·29	—	—	·06	—	—	7
8	—	—	—	·10	·13	—	·11	—	—	—	—	—	8
9	·24	·03	trace	·07	trace	—	—	—	—	·01	—	—	9
10	·37	·05	·08	·05	—	·11	·15	—	—	—	·07	trace snow	10
11	·16	—	·06	·18	—	·02	·35	·16	—	—	—	·25	11
12	·07	—	·01	·17	—	T.S.S ·77	—	—	—	·03	—	—	12
13	·23	—	·12	·07	—	—	—	—	—	—	·02	trace of snow	13
14	—	·03	·27	·17	—	T ·07	—	—	·09	·03	·17	·03 snow	14
15	·02	—	·06	·17	—	—	—	—	·90	·02	·05	·05	15
16	—	—	·02	·05	—	—	—	—	·20	—	·01	trace	16
17	—	—	—	—	·10	—	—	—	·40	—	—	·05	17
18	·03	—	—	·11	·01	—	—	·96	·21	—	—	·05	18
19	·09	—	—	·22	—	·02	—	—	—	—	—	·05	19
20	·07	·33	—	·28	—	·45	—	·03	—	—	—	trace	20
21	trace	trace	—	·04	—	—	·55	·01	·61	—	—	·05	21
22	—	—	—	·34	—	—	—	—	·15	—	—	·37	22
23	—	—	—	—	—	—	·43	—	—	—	—	·30	23
24	·01	·01	·04	trace	—	—	—	—	—	—	—	·02	24
25	—	·02	—	trace	—	—	·19	—	·05	—	—	—	25
26	·07	—	·31	·02	—	trace	·02	—	·01	—	—	·02	26
27	·33	·09	·09	·27	—	·14	·10	—	—	—	·84	·15	27
28	·42	—	·09	·04	·03	trace	·07	—	—	—	·03	·02	28
29	·52	—	—	·01	—	—	—	—	—	—	·08	·12	29
30	·02		·12	·01	—	—	·15	—	·40	—	·35	·09	30
31	trace		—		—		—	—		·37		·08	31
TOTAL	2·74	·69	2·19	2·90	·47	1·58	4·20	1·81	3·12	·90	1·62	2·14	YEAR'S TOTAL 24·34
Days with ·01 in. or more	18	9	15	22	9	7	16	7	12	10	9	22	156
Days with ·04 in. or more	12	5	13	19	3	5	14	5	10	5	6	15	112

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

SUTT~~ON~~

HIGH SCHOOL

SURREY

1912 - 1920

FORM A2.
BRITISH RAINFALL.
8 JAN 1913

Kept at Sutton Cheam

in the County of

by Form

2

ndon

5" in.

Ground 1 ft. – in.

Sea Level 187 ft.

a.m

Name Sutton

Distance 23½ Cheam Direction E.S.E

IMPORTANT … the result entered to the previous day. If a … versal rule, he is earnestly requested to add the … ar in the space provided for it at the end o… ent of rain, the selection and … tish Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·28	–	–	–	·47	–	–	·68	–	·21	1
2	–	–	·27	–	–	·12	·28	·05	–	·05	–	–	2
3	–	–	*	–	–	·10	–	·26	·02	–	–	·05 ~~·05~~	3
4	·16	·04	·34	–	·11	·16	–	·10	–	–	·17	–	4
5	·18	·04	·05	–	–	–	–	·41	–	–	·05	·02	5
6	·35	·03	–	–	·01	–	–	·11	–	–	–	–	6
7	–	–	·01	–	·08	·80	·22	·51	–	–	–	–	7
8	·27	·44	·28	–	–	–	–	–	–	–	–	–	8
9	–	·16	–	·04	–	·29	·03	·03	–	–	–	–	9
10	–	·04	–	–	–	–	–	·78	–	–	·02	·22	10
11	–	·18	–	–	–	·02	–	·06	–	–	–	·19	11
12	–	·07	·03	–	·09	·18	–	·03	–	–	·02	·01	12
13	–	–	–	–	–	–	–	·02	–	–	·04	–	13
14	–	–	·02	–	·02	–	–	·04	–	·03	–	·02	14
15	–	–	·11	–	·31	·71	–	–	–	–	·06	–	15
16	·38	–	·20	–	·03	·10	–	·09	–	·05	·05	–	16
17	·35	–	·08	–	–	–	–	·05	–	–	–	·06	17
18	·09	–	·12	–	–	–	–	·04	–	·03	–	·09	18
19	·04	·06	·09	–	–	–	·05	·72	–	–	–	–	19
20	–	·02	·38	–	·03	–	–	·09	–	·45	·02	–	20
21	–	–	·13	–	·04	–	–	·03	–	·08	·04	·01	21
22	·16	·15	·27	–	·02	–	·04	·25	–	–	–	·02	22
23	·32	·35	·11	–	–	–	–	·40	–	·04	·20	·16	23
24	·23	–	–	–	–	·12	–	·10	–	–	–	·14	24
25	·11	–	–	–	–	·18	–	·69	–	–	·19	·55	25
26	–	·04	·01	–	–	–	–	·56	–	·21	·45	·24	26
27	–	–	–	–	–	·05	–	–	–	·13	–	·15	27
28	–	·05	–	–	–	·12	·20	·16	–	·36	·46	–	28
29	–	–	–	–	–	·01	·25	·01	·03	·14	·05	–	29
30	–	–	–	–	·43	–	–	·16	2·89*	·14	–	–	30
31	–	–	·06	–	–	–	·08	·13		–	–	–	31
Total	2·64	1·67	2·84	·04	1·17	2·96	1·62	5·88	2·94	2·39	1·82	2·14	TOTAL for year
No. of Rain Days	12	14	20	1	11	14	9	27.	4.	13.	14.	16.	28·11 ins 155 days

9,000, IX. '10.

* See note form E

FORM A2.
BRITISH RAINFALL.
9 JAN 1913

2
wdon

Kept at Sutton High School for girls Cheam Road.
in the County of Surrey 5
by Form IV + W. Coupe

RAIN GAUGE { Diameter of top 5" in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 187 ft.

Time of Observation 9 a.m

Nearest Railway Station { Name Sutton
Distance 2 3½ chains Direction E.S.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·28	–	–	–	·47	–	–	·68	–	·21	1
2	–	–	·27	–	–	·12	·28	·05	–	·05	–	–	2
3	–	–	*	–	–	·10	–	·26	·02	–	–	·05 ~~·05~~	3
4	·16	·04	·34	–	·11	·16	–	·10	–	–	·17	–	4
5	·18	·04	·05	–	–	–	–	·41	–	–	·05	·02	5
6	·35	·03	–	–	·01	–	–	·11	–	–	–	–	6
7	–	–	·01	–	·08	·80	·22	·51	–	–	–	–	7
8	·27	·44	·28	–	–	–	–	–	–	–	–	–	8
9	–	·16	–	·04	–	·29	·03	·03	–	–	–	–	9
10	–	·04	–	–	–	–	–	·78	–	–	·02	·22	10
11	–	·18	–	–	–	·02	–	·06	–	–	–	·19	11
12	–	·07	·03	–	·09	·18	–	·03	–	–	·02	·01	12
13	–	–	–	–	–	–	–	·02	–	–	·04	–	13
14	–	–	·02	–	·02	–	–	·04	–	·03	–	·02	14
15	–	–	·11	–	·31	·71	–	–	–	–	·06	–	15
16	·38	–	·20	–	·03	·10	–	·09	–	·05	·05	–	16
17	·35	–	·08	–	–	–	–	·05	–	–	–	·06	17
18	·09	–	·12	–	–	–	–	·04	–	·03	–	·09	18
19	·04	·06	·09	–	–	–	·05	·72	–	–	–	–	19
20	–	·02	·38	–	·03	–	–	·09	–	·45	·02	–	20
21	–	–	·13	–	·04	–	–	·03	–	·08	·04	·01	21
22	·16	·15	·27	–	·02	–	·04	·25	–	–	–	·02	22
23	·32	·35	·11	–	–	–	–	·40	–	·04	·20	·16	23
24	·23	–	–	–	–	·12	–	·10	–	–	–	·14	24
25	·11	–	–	–	–	·18	–	·69	–	–	·19	·55	25
26	–	·04	·01	–	–	–	–	·56	–	·21	·45	·24	26
27	–	–	–	–	–	·05	–	–	–	·13	–	·15	27
28	–	·05	–	–	–	·12	·20	·16	–	·36	·46	–	28
29	–	–	–	–	–	·01	·25	·01	·03	·14	·05	–	29
30	–	–	–	–	·43	–	–	·16	2·89 *	·14	–	–	30
31	–	–	·06	–	–	–	·08	·13		–	–	–	31
Total	2·64	1·67	2·84	·04	1·17	2·96	1·62	5·88	2·94	2·39	1·82	2·14	TOTAL for year
No. of Rain Days	12	14	20	1	11	14	9	27.	4.	13.	14.	16.	28·11 ins 155 days

9,000, IX. '10.

* See note form E

Ex DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
15 JAN 1914

Kept at Sutton High School

in the County of Surrey

5

by Eva Smith

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Sutton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 197 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·20	·02	·13					·68		·04		1
2	·03	·11					·11				·03		2
3			·09	·12	·39							·18	3
4	·31				·38		·06		·02	·30		·06	4
5	·33					·05	·08		·25		·01	·03	5
6		·01	·15		·01		·15				·18	·11	6
7		·09			·03		·01	·02			·09		7
8		·02	·01		·14	·09						·01	8
9		·08	·10						·09		·11	·02	9
10				·13							·38	·01	10
11	·38			·13	·03					·55	·24		11
12	·10				·01						·28		12
13	·12		·03						·06		·20		13
14	·11		·08	·07			1·09	·10		·13	·02		14
15	·30	·17	·20	·20			·44		·07		[illegible]		15
16	·11		·30	·07					·32		·01		16
17		·04	·04	·05			·09						17
18			·08	·08	·02								18
19	·24		·13	·02	·01		·06		·12				19
20	·27		·39	·01		·03				·44	·23		20
21			·17							·22	·73		21
22	·37		·26						·06				22
23						·04		·33				·40	23
24											·02		24
25		·01		·31									25
26			·15	·16				·13		·73		·01	26
27			·01	·02	·07		·01						27
28	·22		·30	·11						·08			28
29	·04			·37	·37			·10		·09			29
30	·22		·01	·09				·28		·20			30
31								·86		·04			31
Total	3·15	·73	2·52	2·07	1·46	·21	2·10	1·82	1·67	2·78	2·57	·83	YEAR'S TOTAL 21·91
Rain Days.	15.	9.	19.	17.	11.	4.	10.	7.	9.	10.	15.	9.	135

W.7,000, XI. 13

Exlince

REGISTER OF RAINFALL IN 19~~15~~ 4

FORM A.
BRITISH RAINFALL.
30 JAN 1915

Kept at Girls' High School Sutton

in the County of Surrey 5

by Margaret Gaskin + Ruth Marsden

Lat. 51° 21' 36" N Long. 0° 11' 53" W

Time of Observation 9 a.m.

Nearest Railway Station Sutton L.B.S.C.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 197 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·28			·04		1
2	·01				·14	·01		·39			·26		2
3			·04				·04				·02		3
4			·03	·15	·13			·03			·18	·24	4
5	·14		·03	·20		·06	·14	·34					5
6		·10	·11	·09		·23	·01				·16	·15	6
7		·47	·08	·14	·19	·30	·03					·09	7
8	·04	·39	·48			·05	·20	·09				·02	8
9	·18		·65	·05		·03			·28			1·47	9
10		·07	·02	·02	·05				·29		·01	·03	10
11		·50	·35								·14	·12	11
12		·09	·08				28		·12		·01	·64	12
13		·15	·16						·10	·02	·08	·60	13
14	·02	·04	·25			52	·01			·30	·08	·54	14
15		·03	·16				·47	·04			·42	·03	15
16			·03										16
17		·26	·14				19		·03				17
18		·07	·17									·39	18
19		·05	·20								·18	·17	19
20		·10	·42						·11			·09	20
21		·76	·07			·06				·02		·03	21
22			·01		·28	·09	·22			·22			22
23		·02			·10	·11	·01			·11			23
24			·09	·03						·04	·08		24
25	·01		26				·01	·03		·20		·07	25
26			·03				·14	·35		·04	·22	·60	26
27	·04											·22	27
28										·08	·35	·61	28
29			·02							·32	·09		29
30	·04	✕	·03							·03	·42	·28	30
31		✕		✕	·03	✕	03		✕	·01	✕	·04	31
Total	·48	3·13	3·94	·68	·92	1·46	1·84	1·58	·93	1·39	3·04	6·46	YEAR'S TOTAL 25·91 ✓
Rain Days.	~~7~~ 8	15	25	7	7	10	14	8	6	12	14	21	~~149~~ 150

W. 8,000. X. 14.

200

FORM A.
BRITISH RAINFALL.
21 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at The High School for Girls Sutton

in the County of Surrey 5

by Form Remove

Lat. 51° 21' 36" N Long. 11' 46" W.

Time of Observation 9 a.m.

Nearest Railway Station Sutton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 197 ft about.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·69	·12	·09						·07		·27	·45	1
2	·34	·15	·19	·16	·06	·01		·67		·04		·08	2
3	·33		·06	·05	·02			·25	·08			·52	3
4	·07											·23	4
5	·05	·64						·01		·06		·26	5
6	·37	·02		·30	·02		·56					·15	6
7	·23	·30	·02				·21				·01	·12	7
8	·06	·64		·05			·07	·46					8
9	·01	·03		·17		·05					·26	·45	9
10	·20									·01		·15	10
11	·03		·01							·01	·53	·05	11
12	·08			·33	·41			·12			·30		12
13		·67			1·09								13
14	·01	·07					·15	·10	·03				14
15	·11	·02			·04		·06	·02			·13	·09	15
16		·47			·02		·56	·02			·01	·08	16
17		·31			1·03		·02						17
18		·27	·06		·14								18
19		·30			·01					·02	·03		19
20	·27			·03			·02					·20	20
21	·22	·01								·01		·24	21
22	·87	·03	·08				·58		·01				22
23	·11	·15	·03			·01	·30		·03	·39		·35	23
24		·01	·01				·47		·08	·26		·35	24
25				·16								·21	25
26	·01	·02					·03					·50	26
27						·31	·11			·20		·01	27
28		·03				·08			1·54	·25			28
29						·01	·13	·13			·20		29
30	·03	X				·20				·08	·44	·02	30
31		X		X		X			X	·90	X	·24	31
Total	4·10	4·26	·55	1·25	2·84	·67	3·27	1·78	1·84	2·23	2·18	4·55	YEAR'S TOTAL 29·52
Rain Days.	20	20	9	8	10	7	14	9.	7	12	10	21	147

W. 8,000. X. 15.

189

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

25 JAN 1917

Kept at Girls' High School Sutton
in the County of Surrey
by Dorothy Lufkin & Cecily Philips.

Lat. 51° 21' 36" N. Long. 11' 46" W.
Time of Observation 9 a.m.
Nearest Railway Station Sutton.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 197 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06		·03		·69	·01			·20	·05	·24		1
2	·17	·09	·09		·30				·21	·30	·02		2
3		·77	·28				·02		·02	·20	·68		3
4	·18	·10	·01	·03		·23			·15		·73		4
5			·02	·01	·16	·16				·04	·52		5
6		·06	·15	·20	·03	·08	·26			·01	·71		6
7	·04		·72		·20	·11	·19			·01	·98	·04	7
8			·05		·25	·01						·11	8
9			·01		·14					·05			9
10	·05	·14	·13	·05		·21	·06						10
11		·12	·07	·14	·01	·48						·08	11
12		·04	·01	·04	·45	·18	·02	·04	·01	·04			12
13		·14	·41	·13		·06	·43	·08	·03	·03			13
14		·41	·01		·08			·39		·03		·04	14
15		·12	·22					·47					15
16		·02	·21	·10			·21	·18					16
17	·07	·01	·19	·03			·01	·30	·34	·41			17
18		·11		·10				·01	·12	·60	·52		18
19	·04			·17		·03			·18	·01	·71		19
20	·12		·19	·04							·06	·46	20
21	·01		·36	·03			·24	·02				·45	21
22			·06					·03		·01		·36	22
23		·42	·01					·36		·05		·75	23
24	·01	·07	·36		·05			·08		·21		·24	24
25		·60	·04		·02					·18	·05		25
26		·23	·07			·08				·04			26
27	·01	·03	·65			·21		·28	·06	·69			27
28		·41	·20					·02		~~·31~~		·09	28
29		·06				·13		1·11		·31		·16	29
30		✕				·02	·16			·33			30
31		✕		✕		✕	·16		✕	·09	✕		31
Total	·76	3·95	4·55	1·07	2·38	2·	1·76	3·37	1·32	3·69	5·22	2·78	YEAR'S TOTAL 32·85
Rain Days.	11	20.	26.	13	12	15	11	14	10	23	11	11	176

W. 8,000, VIII. 16

✓ 183

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

FEB 1918

Kept at Girls' High School, Sutton
in the County of Surrey
by D. Luffkin

Lat. 51° 21' 36" Long. 1' 46" W
Time of Observation 9. a. m.
Nearest Railway Station Sutton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 197 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				(·32)				1·57			·04		1
2				·54		·02		·08			·10		2
3				·11			·10	1·10		·10	·02		3
4	·06	·22	·02				·30	·12		·40			4
5	·21	·06	·03	·30					·50	·35			5
6			·12			·05			·29	·15	·10		6
7	·15						·32					·25	7
8	·08			·15			·79				·17		8
9				·04	·01		·06		·10		·05	·34	9
10	·15		·07	·15							·03	·02	10
11	·08		·35	·20					·73	·15			11
12	·04		·02					·05		·45			12
13	·06		·06	·06						·11			13
14			·01	·17						·01	·01		14
15	·04						·29						15
16	·03	·14		·08	·05		·12			·19			16
17				·12	·69		·19		·32				17
18	·03	·02		·16	·03	·03	·28						18
19		·06	·09		·01	·02							19
20		·06	·02		·49				·01		·04		20
21			·02	·01	·04	·02					·04		21
22	·02		·01				·02			·07			22
23		·10			·11	·04		·07		·05		·03	23
24		·01				·03	·02			·11			24
25			·02							·02	·08		25
26		·03	·02					·27	·01		·52		26
27						·08		·88					27
28						1·30		·02					28
29					·17	·14	·26			·32			29
30	·01	×					1·95	·03		·02		·21	30
31	·07	×		×		×	·43	·02	×		×		31
Total	1·03 ✓	·70 ✓	·86 ✓	2·41 ✓	1·60 ✓	1·73 ✓	5·13 ✓	4·21 ✓	1·96 ✓	2·50 ✓	1·20 ✓	·85 ✓	YEAR'S TOTAL 24·18 ✓
Rain Days.	14 ✓	9 ✓	14 ✓	14 ✓	9 ✓	10 ✓	14 ✓	11 ✓	7 ✓	15 ✓	12 ✓	5 ✓	134 ✓

W. 8,000, IX. 17.

written Sept 25–30 19.V.19 JJSb.

~~W.~~ C.F.E. 1·00 in. added in Sept.

105

FORM A. BRITISH RAINFALL.

8 . 5 . 19

REGISTER OF RAINFALL IN 1918

Kept at Girls' High School Sutton

in the County of Surrey

by Nancy Passmore
for Miss A. D. Hunt

Lat. 51°21'36" Long. 11'46" W.
Time of Observation 9 A.M.
Nearest Railway Station Sutton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 197 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following:

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											·25	·05	1
2								·15		·01	·19	·12	2
3			·05		·35			·11			·51	·02	3
4			·13					·01	·31		·47		4
5		·08			·10			·08	1·15	·04			5
6	·24	·02		·24				·03	·20	·01		·06	6
7		·15		·15	·70				·14	·02	·07		7
8		·05		·10					·06	·15	·13	·02	8
9						·09	·19		·29	·08		·25	9
10		·01		·14			·39		·05	·02	·01		10
11		·01			·01		·83		·01	·13	·09	·10	11
12	·04				·18		·31		·06			·01	12
13					·14				·04				13
14	·14					·57	·02		·08	·06		·19	14
15						·01						·07	15
16	1·11					·02			·17				16
17	·29			·09				·04	·57				17
18	·37					·14	1·35			·20		·12	18
19	·05		·04	·09		·03				·12		·08	19
20	·02	·12		·50			·21		·31	·25			20
21				·64			·03		·33	·06		·01	21
22	·03			·02	·34		·07		·12			·15	22
23		·25		·26	·11		·69	·04	·03		·05	·02	23
24		·29				·09	·36		·12		·02		24
25							·40	·22		·02	·03	·01	25
26							·46			·02	·07	·11	26
27		·02		·19			·02	·04	×		·19	·02	27
28			·05	·02				·11	(1·00)			·08	28
29			·06						×		·03		29
30		×	·24						×	·02	·01	·13	30
31		×		×		×			×	·03	×	·01	2 31 37
Total	2·29	1·00	·57	2·44	1·93	·95	5·33	·83	(5·04) ~~4·04~~	1·24 ✓	2·12 ✓	1·63 ✓	YEAR'S TOTAL ~~24·41~~ ✓
Rain Days.	9	10	6	12	8	7	14	10 ✓	21 ~~18~~ ✓	17 ✓	~~14~~ 15 ✓	21 ✓	~~147~~ ✓ (25·37) 150

105

July 21/19.

GIRLS' PUBLIC DAY SCHOOL TRUST LTD.
THE HIGH SCHOOL,
SUTTON.

H. E. Carter Esq.

Dear Sir,

I greatly regret that your letter to Miss Passmore about the error in our rainfall record has not been answered before this.

I cannot find that any measurements were taken from Sept. 25th to 30th.

There was a change of Mistress superintending & of Girls making the measurements at the beginning of the school year & between them the records seem to have been lost.

With very many apologies for the trouble we have given you,

Yours sincerely A. D. Hunt.

173

31 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Girls' High School Sutton
in the County of Surrey
by D Lufkin A Marsden

Lat. 51° 21' 36" Long. 11' 46" W
Time of Observation 9 A.M.
Nearest Railway Station Sutton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 197 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·24	·02			·25		·12			·01	·12	·78	1
2	·22		·01				·05		·11	·07	·11	·14	2
3	·31		·42		·06		·06		·04		·03	·37	3
4	·10	·06	·27			·07	·15	·03			·01	·15	4
5	~~·04~~	·19	·72						·03		·02	·32	5
6	·04		·03									·03	6
7	·04		·28								·05		7
8	·31		·05	·02									8
9	·17		·03	·02	·04						·02		9
10	·31		·01	·02						·20			10
11			·07	·27	·01		·22					·01	11
12	·02		·03	·05		·05	·11			·06	·02		12
13				·26			·01			·03		·01	13
14	·17			·43			·08	·65				·02	14
15	·19	·03	·19	·06								·03	15
* 16	·13	} ·67	·01								·14	·05	16
17	·01		·01	·01							·12		17
18		·25	·05						·09		·05	·02	18
19	·02	·06	·41			·15	·41	·26			·03	·01	19
20	·12	·10	·06			·72	·21	·43	·02				20
21	·13	·33				·08	·06		·23				21
22		·04	·02				·19		·02		·03	·26	22
23						·02						·01	23
24				·22		·01	·13	·07		·11	·07		24
25		·02			·01		·01	·14				·02	25
26	·05	·16	·11	·07				·12	·17			·21	26
27	·26	·02	·32	1·26				·14			·05	·06	27
28				·06				·89			·25	·23	28
29	·03		·20	·03				·40		·22	·04	·07	29
30		X				·08		·39		·06	·16	·39	30
31	·07	X	·03	X		X	·02		X		X	·05	31
TOTAL	2·94	1·95	3·33	2·78	·37	1·18	1·83	3·52	·71	·76	1·32	3·24	YEAR'S TOTAL 23·93
Days with ·01 in. or more	21	14	22	14	5	8	15	11	8	8	18	22	166

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

* Both rainfalls meas^d together on the 17th. A.M.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

13 JAN 1921

Kept at Girls' High School Sutton

in the County of Surrey

by Audrey & Barbara Marsden.

Lat. 51° 21' 36" Long. 11' 46"

Time of Observation 9 a.m.

Nearest Railway Station Sutton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 197 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05			·23			·26		·01	·15		·20	1
2			·11		·03		·02	·42	·05	·02		·03	2
3		·02				·01			·02	·06		·05	3
4		·07		·11			·56	·03		·09			4
5			·15		·02		·55	·10				·03	5
6			·44		·10		·22					·02	6
7				·13	·10		·23			·03			7
8				·09	·07		·13						8
9	·22	·01		·04			·02						9
10	·36	·03	·06	·04		·09	·11				·05		10
11	·12		·05	·14			·34					·17	11
12	·06		·01	·08		·01				·04			12
13	·21		·10	·11		·69					·20		13
14			·19	·19		·06			·28	·02	·15	·01	14
15		·02	·04	·18		·02			·35	·01	·02	·02	15
16			·01	·03	·09				·35	·01	·01		16
17	·02			·03			·01		·53			·04	17
18				·23				·95	·10			·03	18
19	·07											·05	19
20	·06	·31		·27		·44		·02	·05				20
21		·01		·03			·56		·44			·03	21
22				·27					·12			·26	22
23							·41	·02				·26	23
24		·01	·03						·01	·01		·02	24
25		·02					·14		·04				25
26	·03		·27				·02					·01	26
27	·24		·08	·24		·11					·74	·11	27
28	·37	·05	·07			·01					·02	·09	28
29	·38		·08								·06		29
30	·01	✕			·04				·36		·27	·08	30
31		✕		✕		✕			✕	·32	✕		31
TOTAL	2·20	·55	1·69	2·44	·45	1·44	3·58	1·54	2·71	·76	1·52	1·51	YEAR'S TOTAL 20·39
Days with ·01 in. or more	14	10	15	18	7	9	15	6	14	11	9	19	147
Days with ·04 in. or more	11	3	12	15	5	5	11	3	11	5	6	10	97

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Slip made 3/3/15

TADWORTH
WARREN

TADWORTH
WARREN GATE
SURREY
1914 - 1917

ve Sea level

4 1915

Saunders

NEC

INSTRUMENT MAKERS.

38, HOLBORN VIADUCT, E.C.; 45, CORNHILL, E.C.; & 122, REGENT STREET, W.

Kept by W. J. Saunders
Time of Observation 9. a.m

YEAR
191 4.

At Warren Gate
County Tadworth Surrey

Rules for observing Rainfall will be found on back of this Chart.

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	-	-	-	-	-	-	-	·29	-	-	-	-
2	-	-	.	-	-	·04	·22	·07	-	-	·17	·19
3	-	-	·09	-	·22	-	·10	·12	-	-	-	-
4	·03	-	-	·19	·01	-	·01	·22	-	-	·33	·22
5	·11	-	·08	·28	·26	·10	·22	·63	-	-	·16	-
6	.	·16	.	·12	·01	·21	-	·01	-	-	·02	·24
7	-	·67	·32	·17	·13	·15	·10	-	-	-	-	·19
8	-	·58	·32	-	·03	·02	·09	·18	-	-	-	·01
9	·30	-	·69	-	-	·06	-	.	·18	-	-	2·11
10	·03	·08	·01	·10	·06	-	-	-	·09	-	-	·66
11	.	·54	·39	·05	·04	·01	.	.	·16	-	·05	·32
12	·03	·07	·12	.	.	.	·35	.	·21	-	-	·73
13	·01	·35	·19	.	-	·02	-	-	·11	-	·07	·74
14	-	·18	·15	.	-	·05	-	.	-	-	·07	·64
15	·02	·02	2.36 ·13	.	-	.	·33	·05	-	·39	1·13	·07
16	·01	-	·03	-	-	-	-	-	·02	-	-	-
17	-	·48	·16	-	-	-	-	-	·04	·01	·01	·18
18	-	~~·48~~	·19	-	-	-	·01	-	-	-	-	·46 6·16
19	-	·11	·32	-	-	-	·20	-	-	-	·20	·26
20	-	·29	·38	-	-	·02	.	-	·06	-	.	·10
21	-	·65	3.57 ·09	.	.	·01	.	·03	-	·05	-	·06
22	-	4·18 ·04	-	-	·18	·04	·16	·03	-	·18	-	-
23	-	-	·16	·01	·04	·04	·01	-	-	·02	.	·61
24	-	-	·10	-	·01	-	-	-	-	-	-	-
25	-	-	·29	-		-	·03	·15	-	-	·11	·06
26	·02	-	·11	-		-	·15	·09	-	·39	·26	·72
27	-	-	.	-		-	-	·01	-	·06	·04	·33
28	·05	·02	.	-		-	-	.	-	·14	·36	·73
29	·09	×	·03	-		-	-	.	-	-	·22	~~8·85~~
30		×	·09	-		-	-	.	-	·56	·59	·38
31	·03	×	-	×	16	×	·03	-	×	.		·08
Totals	·73	4·24	4·44	·92	1.15	.83	2·01	1.88	·87	1·80	3·79	8·79
	12	15	23	7	12	13	15	13	8	9	16	24



MONTHLY TOTALS

Rain Days 167

total 31.55

Slip made 3/3/15

TADWORTH WARRE

Sea level

JAN 1915

W J Saunders

N

RAINFALL CHART.

NEGRETTI AND ZAMBRA,

METEOROLOGICAL INSTRUMENT MAKERS.

38, HOLBORN VIADUCT, E.C.; 45, CORNHILL, E.C.; & 122, REGENT STREET, W.

Kept by W. J. Saunders
Time of Observation 9 a.m.

YEAR
1914.

At Warren Gate
County Tadworth
Surrey

Rules for observing Rainfall will be found on back of this Chart.

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	.	-	-	-	-	-	.	·29	-	-	-	-
2	.	.	.	.	-	·04	·22	·07	-	-	·17	·19
3	-	-	·09	-	·22	-	·10	·12	-	-	.	-
4	·03	-	-	·19	·01	-	·01	·22	-	-	·33	·22
5	·11	-	·08	·28	·26	·10	·22	·63	-	-	·16	-
6	-	·16	.	·12	·01	·21	-	·01	-	-	·02	·24
7	-	·67	·32	·17	·13	·15	·10	-	-	-	-	·19
8	-	·58	·32	-	·03	·08	·09	·18	-	-	-	·01
9	·30	-	·69	-	-	·06	-	.	·18	-	-	2·11
10	·03	·08	·01	·10	·06	-	.	.	·09	-	-	·66
11	-	·54	·39	·05	·04	·01	.	.	·16	-	·05	·32
12	·03	·07	·12	.	.	.	·35	.	·21	-	-	·73
13	·01	·35	·19	.	-	·02	-	-	·11	-	·07	·74
14	-	·18	·15	.	-	·05	-	.	-	-	·07	·64
15	·02	·02	2·26 ·13	.	-	-	·33	·05	-	·39	1·13	·07
16	·01	-	·03	.	-	-	.	-	·02	-	-	-
17	-	·48	·16	.	-	-	-	-	·04	·01	·01	·18
18	-	~~·48~~	·19	.	-	-	·01	.	-	-	-	·46 6·16
19	-	·11	·32	.	-	-	·20	-	-	-	·20	·26
20	-	·29	·38	-	-	·02	.	-	·06	-	.	·10
21	-	·65	3·57 ·09	.	.	·01	.	·03	-	·05	.	·06
22	-	4·18 ·04	-	-	·18	·04	·16	·03	-	·18	.	-
23	-	-	·16	·01	·04	·04	·01	-	-	·02	.	·61
24	-	-	·10	-	·01	-	-	-	-	-	-	-
25	-	-	·29	-		-	·03	·15	-	-	·11	·06
26	·02	-	·11	-		-	·15	·09	-	·39	·26	·72
27	-	-	.	-		-	.	·01	-	·06	·04	·33
28	·05	·02	.	-		-	-	-	-	·14	·36	·73
29	·09	×	·03	.		-	-	.	-	-	·22	~~8·43~~
30		×	·09	-		-	-	.	-	·56	·59	·39
31	·03	×	-	×	16	×	·03	-	×	.		·08
Totals	·73	4·24	4·44	·92	1·15	·83	2·01	1·88	·87	1·80	3·79	8·79
	12	15	23	7	12	13	15	13	8	9	16	24



MONTHLY TOTALS

Rain Days 167

total 31.55

esc d 98 186

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

3 JAN 1916

Kept at Warren Gate Tadworth

in the County of Surrey 5

by W. J. Saunders

Lat. 51°17′ Long. 0°13′ W

Time of Observation 9 a.m.

Nearest Railway Station Kingswood

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 577 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	59	13	4		2		2		22			40	1
2	34	23	26	10		1			1	7		8	2
3	36		5	15	4			90	13			48	3
4	19							29				29	4
5	3	49								7		37	5
6	42	6	5	42			60	5			1	7	6
7	62	40					48	11				27	7
8	6	82	3	3			3	1					8
9	2	8		21		9		12		2	34	54	9
10	24		1					3				25	10
11	3	1	2								72	2	11
12	4	8		42	35						49		12
13	1	61			116			20	1	2			13
14		5					5		3			39	14
15	14				3		14	6			Snow 22	~~39~~ 22	15
16		50			2		88	11				14	16
17		64			98		1	4			6		17
18		26	9		16			2					18
19		23					5			3			19
20	26			2	2								20
21	15	9										31	21
22	Snow 110		9	3			96					9	22
23		13	8			6	38		12	45		32	23
24			3	3		1	1		41	24		36	24
25	1		2	6			9					31	25
26		8					17					62	26
27		4				35	2					3	27
28		10				12			178	30			28
29		X				11			3	15	28		29
30	2	X				7	36	13		10	52	2	30
31	5	X		X		X		12	X	110	X	28	31
Total	4.68	5.03	0.77	1.47	2.78	0.82	4.25	2.19	2.74	2.55	2.64	5.86	YEAR'S TOTAL 35.78
Rain Days.	20	20	12	10	9	8	16	14	9	11	8	22	159

W. 8,000. X. 15.

Exd E & E 176

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

2 JAN 1917

Kept at Warren Gate, Tadworth
in the County of Surrey
by W. J. Saunders

Lat. 51° 17′ Long. 0° 13′ W
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 520 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March. snow	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	14	-	03	-	·33	-	-	-	28	10	25	-	1
2	30	15	09	-	·20	-	-	-	20	33	10	-	2
3	01	52	35	-	·01	-	02	-	19	07	72	-	3
4	17	18	03	04		37	-	-	21	40	47	-	4
5	01	01	01	01	·14	13	01	-	·	07	62	-	5
6	-	17	26	18	·01	09	45	-	·	21	68	-	6
7	05	-	85	-	·34	11	21	·	·	03	92	06	7
8	-	-	-	-	·29	-		-	·	-	-	40	8
9	01	-	10	-	·37	-	02	-	·	03	-	05	9
10	-	23	13	08	-	23	10	-	-	01	-	18	10
11	01	13	03	-	·01	18	-	-	-	-	-		11
12	03	05	-	-	·48	27	03	-	01	08	-		12
13	01	31	37	33	·01	08	01	05		09	-		13
14	-	45	01	06	·08	01	-	02		02	-		14
15	-	06	25	-		-	04	24		01	-	11	15
16	01	01	29	13		-	23	38		-	-	03	16
17	13	12	-	07		-	02	18	39	63	-	02	17
18	-	06	02	-		-	-	43	9	65	79	-	18
19	11		18	30		05		06	15	-	66	-	19
20	08		13	-	-	-	-	-	-	-	05	08	20
21	01		48	01			29	-	-	-	01	58	21
22	-	·	07	-		-		-	-	02	-	42	22
5th 23	01	snow 45	05			01	-	02	-	07	05	51	23
24			02	-	29	04	-	-	-	25	09	06	24
8th 25	-	snow 96 +	15	-		-	-	31	-	07	06	35	25
26	-	snow 50?	01		-	18	-	22	-	20	-	-	26
27	03		75	-	-	12	-	29	11	42	-	-	27
28	-	45	30	-	-	06	-	03	06	02	-	10	28
29	-	12	-		-	29	-	62	08	35	-	22	29
30	-	X	-	-	-	-	-	13	-	35	-	-	30
31	-	X	-	X	-	X	-	05	X	09	X	05	31
Total	1·12	4·94	4·96	·91	2·36	2·20	1·43	3·03	1·77	4·77	5·47	3·22	YEAR'S TOTAL 36·18
Rain Days.	17	19	25	10	13	16	12	15	11	25!	14	16	193

W. 8,000. X. 15.

EWRe

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL
3. JAN 1918

Kept at Warren Gate, Tadworth
in the County of Surrey
by W. J. Saunders

Lat. 51° 17' Long. 0° 13' W
Time of Observation 9 am GMT
Nearest Railway Station Kingswood
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 577 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	3		Snow 26	-	-	-	190	8	-	-	1	1
2	-		4	Snow 58	-	-	-	18	-	-	29	-	2
3	-	Snow		Snow 10	-	-	28	56	-	12	2	-	3
4	-	35	9		-	-	22	34	-	37	-	-	4
5	25			rain + snow 46	-	1	-	-	82	26	10	-	5
6	01			3	-	12	-	-	29	01	6	-	6
7	25				-	-	22	-	1	32	-	2	7
8	-			3	-	-	58	17	4	26	24	17	8
9	12		32	6	-	-	30	15	2	-	5	78	9
10	25		21	16	-	-		6	-	-	3	11	10
11	12		38	6	-	17		4	27	18	-	-	11
12	11	4	6	11	-	-		3	-	43	1	1	12
13	10		12	5	-	-		3	1	19	-	-	13
14	-		2	10	-	-		15	-	-	-	-	14
15	6				-	-	4	33	-	4	-	4	15
16	-	13		32	18	-	5		-	57	-	65 Snow	16
17	6	1		10	49	-	22	5	39	22	-	-	17
18	-			10	6	-	20	11	23	10	-	-	18
19	4	25		2	-	3	-		-	-	-	-	19
20		~~2~~		-	59	-	19	4	9	-	5	-	20
21		2	4	1	-	6		3		-	6	-	21
22			2	-	-	1		10		12	1	-	22
23		18		-	15	5		15		6	-	6	23
24	6	6	2	-	-	12				12	-	7	24
25		7	6	-	-	3	4			-	2	-	25
26				-	-	2		30		8	60	-	26
27				-	-	1		113	2	-	-	-	27
28			4	-	-	100		10		-	-	9	28
29	~~4~~		2	-	3	25	34	7		41	-	12	29
30		✕	32	-	-	-	188	7		3		1	30
31	12	✕	4	✕	-	✕	42	5	✕	1	✕	7	31
Total	155 ✓	114 ✓	180 ✓	255 ✓	150 ✓	188 ✓	498 ✓	614 ✓	227	390 ✓	154 ✓	221	YEAR'S TOTAL 31.46
Rain Days.	13 ✓	10	16 ✓	17 ✓	6 ✓	13 ✓	14 ✓	24 ✓	13 ✓	20 ✓	13 ✓	14	173

W. 8,000, VIII. 16

UPPER GATTON

SURREY

1911 - 1918

FORM A2.
BRITISH RAINFALL.
8 JAN 1912

R

Kept at Upper Ga ton in.

und 1 ft. - in.

in the County of S Level 601 ft.

by Francis H Merstham

nce 2 m Direction SE.

IMPORTANT NO result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·04	—	—	0·66	0·01	—	—	0·05	—	—	0·02	0·01	1
2	·17	—	—	·20	·26	—	·15	—	—	—	·14	·21	2
3	—	·04	—	—	·27	—	—	—	—	—	·13	·18	3
4	·06	·02	·06	·12	—	—	—	—	—	·07	·32	·27	4
5	·02	·02	—	·04	—	—	—	—	—	·37	·06	·13	5
6	·33	—	·19	—	—	—	—	—	—	—	—	·39	6
7	·06	—	—	·03	—	—	—	—	—	—	·56	·15	7
8	·11	—	·21	—	—	—	—	—	—	·13	·33	·43	8
9	·24	—	·03	·05	—	—	—	—	—	—	·03	·07	9
10	—	·11	·14	—	·06	—	—	—	—	—	0·03	·68	10
11	·45	—	·04	—	—	—	—	—	—	—	1·02	—	11
12	·01	—	·58	—	—	—	—	—	·04	—	0·16	—	12
13	—	—	·08	—	·19	—	—	—	·29	·05	·02	·25	13
14	—	·09	—	—	·35	—	—	—	—	—	—	·62	14
15	—	·06	·20	—	—	—	—	—	—	·03	·14	·03	15
16	—	—	—	—	—	·69	—	—	—	—	·67	·13	16
17	—	—	—	—	—	·06	—	—	—	—	·51	·29	17
18	—	·11	·01	—	—	—	—	—	—	·35	·74	·46	18
19	—	·03	—	—	·02	·31	—	—	·36	—	·24	·26	19
20	·03	·02	·01	—	—	—	—	·20	—	·22	·01	·90	20
21	·02	·11	—	—	—	—	—	·06	·03	·64	—	·31	21
22	·06	—	·24	—	—	·15	—	—	—	·22	—	·50	22
23	—	·22	·04	—	—	·92	—	—	·32	0·02	·04	·14	23
24	—	·14	—	—	—	·05	·03	·02	—	1·20	—	·28	24
25	—	·02	—	·04	—	·22	·04	·03	·04	—	·01	—	25
26	—	—	·14	·28	·95	·19	·07	—	—	·21	·14	·27	26
27	—	·38	·13	·04	·03	—	—	—	·09	·15	—	·14	27
28	—	·20	—	·36	—	—	—	·11	—	—	·04	—	28
29	—	×	—	·24	—	·17	·14	—	·25	·32	—	—	29
30	—	×	—	·08	—	·03	—	·08	·03	—	—	·01	30
31	—	×	—	×	·54	×	—	—	×	·03	×	—	31
Total	1·60	1·57	2·10	2·14	2·68	2·79	0·43	0·55	1·45	4·01	5·36	7·11	TOTAL for year 31·79
No. of Rain Days.	13	15	15	12	10	10	5	7	9	15	22	25	158

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
8 JAN 1912

F [redacted] ou

Kept at Upper Ga

in the County of S

by Francis Druce

in.

nd 1 ft. - in.

" " " Sea Level 601 ft.

Time of Observation 9. a.m.

Nearest Railway Station { Name Merstham
Distance 2 m Direction SE.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·04	—	—	0·66	0·01	—	—	0·05	—	—	0·02	0·01	1
2	·17	—	—	·20	·26	—	·15	—	—	—	·14	·21	2
3	—	·04	—	—	·27	—	—	—	—	—	·13	·18	3
4	·06	·02	·06	·12	—	—	—	—	—	·07	·32	·27	4
5	·02	·02	—	·04	—	—	—	—	—	·37	·06	·13	5
6	·33	—	·19	—	—	—	—	—	—	—	—	·39	6
7	·06	—	—	·03	—	—	—	—	—	—	·56	·15	7
8	·11	—	·21	—	—	—	—	—	—	·13	·33	·43	8
9	·24	—	·03	·05	—	—	—	—	—	—	·03	·07	9
10	—	·11	·14	—	·06	—	—	—	—	—	0·03	·68	10
11	·45	—	·04	—	—	—	—	—	—	—	1·02	—	11
12	·01	—	·58	—	—	—	—	—	·04	—	0·16	—	12
13	—	—	·08	—	·19	—	—	—	·29	·05	·02	·25	13
14	—	·09	—	—	·35	—	—	—	—	—	—	·62	14
15	—	·06	·20	—	—	—	—	—	—	·03	·14	·03	15
16	—	—	—	—	—	·69	—	—	—	—	·67	·13	16
17	—	—	—	—	—	·06	—	—	—	—	·51	·29	17
18	—	·11	·01	—	—	—	—	—	—	·35	·74	·46	18
19	—	·03	—	—	·02	·31	—	—	·36	—	·24	·26	19
20	·03	·02	·01	—	—	—	—	·20	—	·22	·01	·90	20
21	·02	·11	—	—	—	—	—	·06	·03	·64	—	·31	21
22	·06	—	·24	—	—	·15	—	—	—	·22	—	·50	22
23	—	·22	·04	—	—	·92	—	—	·32	0·02	·04	·14	23
24	—	·14	—	—	—	·05	·03	·02	—	1·20	—	·28	24
25	—	·02	—	·04	—	·22	·04	·03	·04	—	·01	—	25
26	—	—	·14	·28	·95	·19	·07	—	—	·21	·14	·27	26
27	—	·38	·13	·04	·03	—	—	—	·09	·15	—	·14	27
28	—	·20	—	·36	—	—	—	·11	—	—	·04	—	28
29	—	x	—	·24	—	·17	·14	—	·25	·32	—	—	29
30	—	x	—	·08	—	·03	—	·08	·03	—	—	·01	30
31	—	x	—	x	·54	x	—	—	x	·03	x	—	31
Total	1·60	1·57	2·10	2·14	2·68	2·79	0·43	0·55	1·45	4·01	5·36	7·11	TOTAL for year 31·79
No. of Rain Days.	13	15	15	12	10	10	5	7	9	15	22	25	158

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

13 JAN 1913

Kept at Upper Gatton

in the County of Surrey 4

by Francis Druce.

Lat. 51° 16′ N Long. 0° 10′ W.

Time of Observation 9 am

Nearest Railway Station Merstham S.E.CR.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 601 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0·15	—	—	0·11	0·38	—	0·02	0·60	—	0·19	1
2	—	—	·38	—	—	·04	·24	·14	·07	·07	—	·13	2
3	·01	·04	·05	—	—	·22	—	·45	·03	—	—	—	3
4	·20	—	·58	—	·16	·28	·03	·04	—	—	·22	—	4
5	·15	—	·22	—	—	—	—	·61	—	—	·13	·02	5
6	·43	·10	·03	—	·04	—	—	·09	—	—	—	·15	6
7	·01	—	—	—	·17	·42	—	·16	—	—	—	·10	7
8	·29	·50	·22	—	—	·23	—	·24	·02	—	·01	·04	8
9	—	·10	·01	·04	—	—	·02	·04	—	—	—	·13	9
10	—	·09	—	—	—	—	—	·35	—	—	·05	·27	10
11	·05	·33	—	—	—	·02	—	·03	·01	—	—	·29	11
12	·02	·11	·06	—	·07	·15	—	·14	—	·01	·04	·04	12
13	·01	·02	·02	—	—	—	·01	—	·01	—	·17	·02	13
14	—	—	·02	—	·05	—	—	·29		·06	·01	·04	14
15	·01	·01	·04	—	·19	·76	—	—		—	·04	·30	15
16	·25	—	·13	—	·10	·09	—	·17		·09	·05	—	16
17	·28	—	·47	—	—	·07	—	·11		—	·03	·07	17
18	·25	—	·19	—	—	—	—	·21		·04	—	·13	18
19	·06	·14	·14	—	—	—	·09	·51		—	·01	·02	19
20	·03	·06	·66	—	—	—	—	·03		·38	·04	—	20
21	—	·04	·37	—	·02	—	—	·09		·14	·06	—	21
22	·18	·29	·07	—	·03	—	·03	—		·02	—	·03	22
23	·38	·31	—	—	·01	—	—	·52		·08	·29	·15	23
24	·24	·07	·39	—	—	·29	—	·36		—	—	·17	24
25	·13	—	—	—	—	·43	—	·75		·02	·25	·56	25
26	·03	·05	—	—	—	—	—	·45		·48	·53	·27	26
27	—	—	·02	—	—	·06	·04	—		·25	—	·23	27
28	—	·05	—	—	—	·05	·16	·13	0·15	·73	·52	·20	28
29	—	·04	—	—	—	·01	·39	·26	1·58	·10	·06	—	29
30	—	×	—	—	·49	·51	·02	·12	1·57	·10	—	—	30
31	—	×	—	—	—	×	·24	·12	×	·02	×	—	31
Total	3·01	2·35	4·22	0·04	1·33	3·74	1·65	6·41	3·46	3·19	2·51	3·55	YEAR'S TOTAL 35·46
Rain Days.	20	18	21	1	11	17	12	26	9	17	18	23	193

W. 7,500, XI. 12

✓ Ex. D.L.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
10 JAN 19

Kept at Upper Gatton
in the County of Surrey
by Francis Druce.

4

Lat. 51° 16′ N Long. 0° 10′ W.
Time of Observation 9 a.m.
Nearest Railway Station Merstham S.E & C.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 601 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·02	0·35	0·06	0·18	0·57	—	—	—	0·15	—	0·17	0·08	1
2	·01	·12	—	—	·27	—	·14	—	·12	—	·12	·03	2
3	·02	—	·03	·21	—	—	—	—	—	·03	—	·27	3
4	·56	—	·05	—	—	—	·01	—	—	·26	·05	·03	4
5	·47	—	·03	—	—	·06	·13	—	·42	·01	·09	·05	5
6	·17	·17	·13	—	·02	·16	·36	—	—	·22	·11	·15	6
7	—	·27	—	—	·08	·01	·01	—	—	·40	·09	·03	7
8	—	·03	—	—	·16	·07	—	·75	·06	—	·03	—	8
9	—	·14	—	·02	·08	—	·04	—	—	—	·04	·03	9
10	·01	—	·03	·14	—	—	·07	·05	—	·02	·42	—	10
11	·47	—	—	·43	—	—	—	—	—	·65	·23	—	11
12	—	—	—	—	·10	—	—	—	—	·01	·42	—	12
13	—	—	·05	—	—	—	—	·04	·08	—	·26	—	13
14	·17	·11	·17	·08	—	—	1·13	·08	·06	·15	·09	·01	14
15	·42	·08	·17	·33	—	—	0·35	—	·10	—	—	—	15
16	·21	—	·39	·36	—	—	·01	—	·40	—	—	—	16
17	·05	·07	·03	·06	—	—	·26	·01	—	—	·02	—	17
18	—	—	·13	·16	·03	—	—	—	—	—	·08	—	18
19	·25	—	·14	—	·03	—	·14	—	·32	—	—	—	19
20	·23	—	·35	·12	—	—	·01	—	—	·65	—	—	20
21	·04	—	·10	·08	·01	—	·02	—	—	·28	1·07	·01	21
22	·42	—	·19	—	—	—	·02	·03	·16	—	—	·02	22
23	—	—	·08	—	—	·05	·03	·27	·01	—	—	·50	23
24	·04	—	—	·05	—	·06	—	—	—	—	·04	—	24
25	—	·03	—	·25	—	—	—	·28	—	—	—	—	25
26	—	—	·14	·09	—	—	·01	—	—	·76	—	·25	26
27	·26	—	—	·21	·96	—	—	—	—	·02	—	—	27
28	—	—	·37	·07	—	—	—	—	—	·14	—	—	28
29	·06	x	·04	·40	·45	—	—	·11	—	·05	—	—	29
30	·40	x	—	·06	—	—	—	·32	—	—	—	—	30
31	—	x	·09	x	—	x	—	·89	x	·39	x	—	31
Total	4·28	1·37	2·77	3·30	2·76	0·41	2·74	2·83	1·88	4·04	3·33	1·46	YEAR'S TOTAL 31·17
Rain Days.	20	10	21	19	12	6	17	11	11	16	17	13	173

W. 7,500, XI. 12

F. Druce · 9/1/14

✓

REGISTER OF RAINFALL IN 19/4

FORM A.
BRITISH RAINFALL.

11 JAN 1915

Kept at Upper Gatton [illegible]
in the County of Surrey 4
by F. Wince

Lat. 51° 16' N Long. 0° 10' W.
Time of Observation 9. am.
Nearest Railway Station Merstham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 601 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	—	—	—	—	·22	—	—	·01	—	1
2	·02	—	—	—	—	·04	·27	·06	—	—	·39	·25	2
3	—	—	·10	—	·27	—	·10	—	—	—	—	—	3
4	·04	—	·04	·21	·05	—	·02	·09	—	—	·21	·33	4
5	·11	—	·07	·35	·24	·07	·18	·45	—	—	·10	—	5
6	—	·17	·02	·14	·03	·21	—	—	—	—	·01	·35	6
7	—	·63	·40	·12	·04	·10	·16	—	—	—	—	·22	7
8	·11	·79	·43	—	·06	·05	·10	·32	—	—	—	0·18	8
9	·27	—	·76	·15	—	·06	—	·01	·21	—	—	1·85	9
10	·04	·08	—	·07	·12	—	—	—	·16	—	·01	0·05	10
11	—	·62	·43	—	·04	·02	—	—	·17	—	·05	·34	11
12	·02	·07	·11	·02	—	—	·40	—	·26	—	—	·62	12
13	—	·51	·21	—	—	—	—	—	·12	·03	11	·73	13
14	—	·41	·25	—	—	·03	—	—	·01	·33	0·10	·62	14
15	·05	·03	·19	—	—	—	·55	·05	—	—	1·05	·05	15
16	—	·42	·04	—	—	—	—	—	—	—	—	—	16
17	—	—	·13	—	—	—	—	—	·14	—	—	·23	17
18	—	·09	·27	—	—	—	—	—	—	—	—	·47	18
19	·03	—	·35	—	—	—	·29	—	—	·01	·26	·24	19
20	—	·28	·29	—	—	·06	—	—	·06	—	—	·08	20
21	—	·70	·09	—	—	—	—	·04	—	·06	—	·04	21
22	—	·09	—	—	·12	·13	·22	·05	—	·15	—	—	22
23	—	—	·26	—	·09	—	—	—	—	·02	—	·02	23
24	—	—	·15	—	—	—	—	—	—	—	·16	—	24
25	·03	—	·25	—	—	—	·04	—	—	·44	·02	·07	25
26	—	—	·11	—	—	—	·15	·28	—	·10	·38	·52	26
27	·04	—	—	—	—	—	—	·03	—	—	·05	·50	27
28	·02	·04	—	—	—	—	—	—	—	·14	·45	·72	28
29	·17	X	·05	—	—	—	—	—	—	·42	·33	—	29
30	·01	X	·12	—	—	—	—	—	—	·10	·75	·35	30
31	·08	X	—	X	·18	X	·02	—	X	—	X	·03	31
Total	1·04	4·93	5·12	1·06	1·24	0·77	2·50	1·60	1·13	1·80	4·44	8·86	YEAR'S TOTAL 34·49
Rain Days.	15	15	24	7	11	10	13	11	8	11	18	24	167

W. 8,000. X. 14.

F. Wince
10/1/15

/

ELMC

110

FORM A.
BRITISH RAINFALL.

17 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Upper Gatton

in the County of Surrey 4

by F. Wrnce.

Lat. 51° 16N Long. 0°10 W

Time of Observation 9. am

Nearest Railway Station Merstham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 601. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·51	0·17	0·06	—	—	—	0·02	0·04	0·54	0·01	0·10	0·65	1
2	·26	·26	·34	·14	·02	·01	·04	·74	—	·06	—	·15	2
3	·46	—	·06	·14	·04	—	—	·36	·06	—	—	·50	3
4	·04	—	—	—	—	—	—	—	—	—	—	·33	4
5	·03	·50	—	—	·06	—	—	·08	—	·02	·04	·40	5
6	·47	·07	·04	·48	—	—	·55	·12	—	—	—	·09	6
7	·49	·45	·03	—	—	—	·53	—	—	—	—	·34	7
8	·04	·78	—	·03	—	—	·03	·12	—	—	·05	—	8
9	·02	·06	—	·21	—	·06	—	·04	—	—	·02	·64	9
10	·29	—	—	—	—	—	—	—	—	—	—	·33	10
11	·03	—	·03	—	—	—	—	—	—	—	·52	·08	11
12	·05	·09	—	·35	0·44	—	—	·23	—	·02	·50	·01	12
13	—	·58	—	—	1·18	—	—	—	·01	—	—	—	13
14	·03	·06	—	—	—	—	·05	·03	·05	—	—	·47	14
15	·16	—	—	—	·04	—	·12	·17	—	—	·10	·25	15
16	—	·56	—	—	·03	—	·91	·03	—	—	—	·12	16
17	—	·61	·07	—	·90	—	·03	—	—	—	—	—	17
18	—	·11	—	—	·18	—	—	—	—	—	·22	—	18
19	—	·21	—	—	·02	—	·04	—	—	—	—	—	19
20	·31	—	—	·02	—	—	—	—	—	—	—	·27	20
21	·27	—	—	—	—	—	—	—	—	·02	—	·06	21
22	·89	·16	·09	·04	—	—	·89	—	—	—	—	·15	22
23	—	·15	·07	—	—	·04	·32	—	·48	·40	—	·33	23
24	·02	—	·05	—	—	—	—	—	·39	·23	—	·34	24
25	—	—	·02	·12	—	—	·03	—	—	—	—	·23	25
26	—	·07	—	—	—	·06	·18	—	·02	—	—	·70	26
27	—	·06	—	—	—	·31	·06	—	—	·36	—	·08	27
28	—	·09	—	—	—	·21	—	—	—	·16	·02	—	28
29	—	X	—	—	—	·04	·82	·08	1·65	—	·28	—	29
30	·03	X	—	—	—	·07	—	—	—	0·05	·43	·03	30
31	·02	X	—	X	—	X	—	·23	X	1·10	X	·36	31
Total	4·42	5·04	0·86	1·53	2·91	0·80	4·62	2·27	3·20	2·43	2·28	6·91	YEAR'S TOTAL 37·27
Rain Days.	20	19	11	9	10	8	16	13	8	11	11	24	160.

W. 8,000. X. 15.

from ~~M.O.~~ Croydon Tables Exd C.J.E

·101

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Upper Gatton

in the County of Surrey

by F. Druce

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·25	·20			·50				·30	·06	·30		1
2	·32	·10	·09		·26				·20	·22	·08		2
3		·64	·32		·01		·01		·07	·40	·71		3
4	·27	·15	·01		·01	·40			·24	·05	·65		4
5	·03	·06	·02	·04	·05	·10	·08		·30	·32	·68		5
6	·05	·22	·07	·05	·20	·12	·40		·50	·01	·86		6
7	·04	·	·39		·30	·04	·18				1·09	·09	7
8			·10		·35							·39	8
9	·03		·03		·44		·01		·10	·08	·02		9
10		·04	·20	·10		·50	·10		·60	·30		·18	10
11	·02		·07	·09	·05	·25		·01				·10	11
12	·10	·50		·30	·62	·27	·15	·04		·40			12
13	·02	·40	·48	·10	·11	·08	·01	·02	·20	·01			13
14	·04	·60	·02			·01			·30	·10			14
15		·10	·23				·10	·46	·15				15
16	·03		·10	·23			·12	·50					16
17	·50			·07	·02			·14		·75			17
18		·25		·07				·42		·67	·75	·02	18
19	·10		·08	·26	·04	·11			·40		·67	·04	19
20	·02		·04	·03							·09	·59	20
21	·03		·20				·32		·18			·38	21
22			·10		·01			·02	·30		·03		22
23	·04	·50	·04			·03		·03	·50	·20	·11	·10	23
24	·08			·04				·20		·21	·13	·33	24
25		·50	·16			·01		·30		·04	·08		25
26			·03		·06	·28		·50		·24	·01		26
27	·10		·50		·01	·32		·62		·82			27
28		·50	·16			·07		·03	·17	·03	·02	·15	28
29		·16				·33		·50	·30	·44		·29	29
30		X						·35		·41			30
31		X		X		X		·14	X	·15	X	·05	31
Total	2·07 ✓	4·92 ✓	3·44 ✓	1·38 ✓	3·04 ✓	2·92 ✓	1·48 ✓	4·28 ✓	4·81 ✓	5·91 ✓	6·28 ✓	2·71 ✓	YEAR'S TOTAL 43·24 ✓
Rain Days.	19	16 ✓	23 ✓	12 ✓	17 ✓	16 ✓	11 ✓	17 ✓	17 ✓	22 ✓	17 ✓	13 ✓	200 ✓

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Upper Gatton (The Park)
in the County of Surrey
by F Druce

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·02	·20	–	–	–	1·74	·04	–	·14	·02	1
2	–	–	·01	·56	–	–	–	·19	–	–	·22	–	2
3	–	–	–	·33	–	–	·29	·21	–	·07	·03	–	3
4	04	·46	·25	–	–	–	·21	·25	–	·62	–	–	4
5	·10	–	–	65	–	–	–	–	·47	23	·02	–	5
6	·15	–	·20	–	–	·13	–	–	·31	·02	·19	–	6
7	·25	–	–	–	–	–	·20	–	–	·31	–	·05	7
8	·12	–	–	·09	–	–	·75	·40	·05	·36	·30	·27	8
9	–	–	–	·15	–	–	·21	·20	·03	–	·06	·56	9
10	·10	–	30	07	–	·14	–	·14	–	–	·04	06	10
11	·40	–	37	·33	–	–	–	·07	76	·23	–	–	11
12	·11	–	11	·01	–	–	–	·04	–	·55	·08	·03	12
13	·10	–	15	·04	–	–	–	·09	·03	·23	–	–	13
14	–	–	–	19	–	–	–	·02	–	–	–	–	14
15	–	–	–	–	–	–	·08	·22	–	·07	–	04	15
16	–	·22	–	·33	–	–	·07	–	–	·86	–	·27	16
17	–	–	–	13	·67	–	·28	·01	·52	·14	–	–	17
18	16	–	–	12	·05	–	21	·26	·35	·11	–	–	18
19	–	30	·06	–	–	·05	–	–	·07	–	–	–	19
20	–	·08	–	–	59	–	·26	·02	–	–	·05	40	20
21	–	–	–	–	–	·08	–	–	–	–	03	–	21
22	–	–	–	–	–	–	–	·12	–	·13	–	–	22
23	–	·20	–	–	·16	·07	–	17	–	·07	–	–	23
24	–	·10	–	–	–	·16	·01	–	–	16	05	–	24
25	–	09	–	–	–	·03	–	–	–	–	–	–	25
26	–	–	12	–	–	–	–	30	04	–	73	·03	26
27	–	–	–	–	–	–	–	1·54	–	–	–	–	27
28	–	–	–	–	–	1·07	–	36	–	–	–	·02	28
29	–	×	·06	–	·03	·23	·35	·06	–	·42	–	·07	29
30	–	×	–	–	–	–	1·80	·11	–	·02	–	·19	30
31	–	×	–	×	–	×	·41	·03	×	–	×	–	31
Total	1·53	1·45	1·65	3·20	1·50	1·96	5·13	6·55	2·67	4·60	1·94	2·01	YEAR'S TOTAL 34·69
Rain Days.	10	7	11	14	5	9	14	23	11	18	13	13	148

W. 8,000, VIII. 16

20

FORM A.
BRITISH RAINFALL.

30 5 . 18

from F C Bayard list –

REGISTER OF RAINFALL IN 1918

Kept at Upper Gatton The Park

in the County of Surrey

by F Druce F C Bayard

Lat. Long. –

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.25									1
2	.03	.05		.07									2
3			.03	.08	.29								3
4		.39	.07	.04									4
5		.19	.14		.10								5
6	.23	.25		.26	.19								6
7		.10		.36	.28	.02							7
8		.27											8
9				05		.13	.21						9
10	.03			.10			.42						10
11	.04			03	02		.54						11
12	.03	.10			.19		.22						12
13	.02				.15		.05						13
14	.21			.02		25	.08						14
15	1.30			.61		.09	.42						15
16	.03	.09		34		.10	01						16
17	.61		.02	.10	.07		1.19						17
18	.52			.03		.25							18
19	.10		.12	.16	.49	.02	.18						19
20	.06	.22		.26		.02	.19						20
21	.20	.02		.90			.07						21
22	.06				.26		.15						22
23	.09				.04		.79						23
24		.33				.02	.05						24
25				.21			.11						25
26							.61						26
27		.07	.04	.17			.05						27
28			.25	.04									28
29													29
30		×	.45										30
31		×		×		×			×		×		31
Total	3.56	2.08	1.12	4.08	2.08	.90	5.34	#					YEAR'S TOTAL
Rain Days.	16	12	8	20	11	9	18						

W, 6,500, VII. 18. w w c

Se

REG

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

VIRGINIA WATER
HOLLOWAY SANATORIUM
SURREY
1911 - 1920

Kept at S^t Ann's Heath (H
Virgin
in the County of
by Rev. John Peck . M. A

in.
und 1 ft. 1¼ in.
Level about 120 ft.
0 am (Sundays ab^t 11.45 am)
e Virginia Water
nce 150 yards Direction W.

IMPORTANT NOTE.— e result entered to the previous day. If an Obser l rule, he is earnestly requested to add the reading n the space provided for it at the end of this p of rain, the selection and placing c Rainfall Organization are given in "R cation to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·60				·07					1
2	·06 Sleety		·01	·26	·20			·01			·15	·07	2
3		·01			·17						·07	·09	3
4	·02		·07	·05 snow					·02	·11	·15	·30	4
5	·01			·03 Snow						·27	·07		5
6	·22		·15	·01 Snow							·01	·48	6
7	·04			·01 Snow						·10	·28	·02	7
8	·11		·22								·12	·33	8
9	·15		·05 Some hail	·01							·01	·16	9
10	·04	·10	·11	·01							·11	·38	10
11	·26										·76		11
12			·42 Some Snow		·35						·17	·02	12
13			·04		·12				·39	·09		·49	13
14		·05			·18							·37	14
15		·06	·06 Snow sleet rain							·02	·03	·03	15
16						·27					·35	·04	16
17						·16					·55	·20	17
18		·12	·01			·16					·60	·25	18
19						·36			·21	·07	·15	·15	19
20		·06	·01					·04	·12	·02		·58	20
21	·03	·12				·01		·38		·55	·01 Snow (22nd)	·10	21
22	·07		·12			·01				·16		·44	22
23		·17	·04			·41			·13		·05	·17	23
24		·14	·02 Snow again (25th.)			·10		·03		·91		·09	24
25		·01	·01 Snow	·07	·04	·13	·47	·04	·02	·03			25
26		·04	·01	·20	·19	·03	·06			·09		·24	26
27		·29	·05	·05			·02		·11		·02	·17	27
28		·15		·22				·08			·01		28
29				·11		·19	·13		·15	·18			29
30				·09	·01	·06		·44	·02	·17			30
31					·06					·05			31
Total	1·03	1·32	1·40	1·72	1·32	1·89	·68	1·09	1·17	2·82	3·67	5·17	TOTAL for year 23·28
No. of Rain Days	12	13	17	14	9	12	4	8	9	15	20	23	156

9,000, IX. '10.

Sv

REG

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

Kept at S^t Ann's Heath (Holloway Sanatorium)
in the County of Virginia Water Surrey

7

by Rev. John Peck. M.A. (Chaplain)

RAIN GAUGE
Pattern
Diameter of top 8. in.
Height of top above Ground 1 ft. 1¼ in.
" " " Sea Level about 120 ft.

Time of Observation from 9 to 10 am (Sundays ab^t 11.45 am)

Nearest Railway Station
Name Virginia Water
Distance 150 yards Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·60				·07					1
2	·06 Sleety		·01	·26	·20			·01			·15	·07	2
3		·01			·17						·07	·09	3
4	·02		·07	·05 snow					·02	·11	·15	·30	4
5	·01			·03 snow						·27	·07		5
6	·22		·15	·01 snow							·01	·48	6
7	·04			·01 snow						·10	·28	·02	7
8	·11		·22								·12	·33	8
9	·15		·05 Some hail	·01							·01	·16	9
10	·04	·10	·11	·01							·11	·38	10
11	·26										·76		11
12			·42 Some snow		·35						·17	·02	12
13			·04		·12 }				·39	·09		·49	13
14		·05			·18 }							·37	14
15		·06	·06 Snow sleet rain							·02	·03	·03	15
16						·27					·35	·04	16
17						·16					·55	·20	17
18		·12	·01			·16					·60	·25	18
19						·36			·21	·07	·15	·15	19
20		·06	·01					·04	·12	·02		·58	20
21	·03	·12				·01		·38		·55	·01 Snow (22^nd)	·10	21
22	·07		·12			·01				·16		·44	22
23		·17	·04			·41			·13		·05	·17	23
24		·14	·02 Snow again (25^th)			·10		·03		·91		·09	24
25		·01	·01 snow	·07	·04	·13	·47 }	·04	·02	·03			25
26		·04	·01	·20	·19	·03	·06 }			·09		·24	26
27		·29	·05	·05			·02		·11		·02	·17	27
28		·15		·22				·08			·01		28
29				·11		·19	·13		·15	·18			29
30				·09	·01	·06		·44	·02	·17			30
31					·06					·05			31
Total	1·03	1·32	1·40	1·72	1·32	1·89	·68	1·09	1·17	2·82	3·67	5·17	TOTAL for year 23·28
No. of Rain Days	12	13	17	14	9	12	4	8	9	15	20	23	156

9,000, IX. '10.

Exe DL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
-1 JAN 1913

Kept at St Ann's Heath (Holloway Sanatorium) Virginia Water

in the County of Surrey

by Rev. John Peck. M.A. (Chaplain)

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 1¼ in.
" " " Sea Level abt 120 ft.

Time of Observation from 9 to 10 a.m. [Sundays abt 11.45 am

Nearest Railway Station
Name Virginia Water
Distance 150 yards Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·08	·02		·16			·03	·44		·16	1
2		·02 snow	·11				·37	·08		·05			2
3	·01	·02 snow	·05			·11	·01	·27				·08	3
4	·22		·40		·10	·31		·01			·29		4
5	·45	·04 snow	·08					·35			·01	·01	5
6	·18	·01	·02		·02	·13		·16				·01	6
7					·08	1·07	·05	·09				·02	7
8	·42	·27	·21			·14		·29				·01	8
9	·02	·17	·06	·01		·02	·01	·01				·18	9
10		·05				·03		·07			·08	·23	10
11	·06	·23				·04		·05			·03	·23	11
12	·05	·12	·10		·14	·14	·01			—	·02		12
13											·02	·04	13
14			·04		·02		·05	·08		·01		·02	14
15	·01	·02	·10		·12	·54					·01	·29	15
16	·33	·01	·11		·12			·03		·05	·05		16
17	·61 Some Sleet. Snow		·11			·02		·06				·01	17
18	·05		·17					·10				·10	18
19	·07	·09	·03				·17	·30					19
20	·02		·17				·01	·13		·36	·04		20
21		·02	·26		·25			·06		·03	·08		21
22	·18	·15	·11		·01		·01	·15				·02	22
23	·33	·31	·35					·44		·11	·15	·15	23
24	·35	·01				·09		·21				·24	24
25	·22					·26		·44		·06	·26	·45	25
26	—	·03						·30		·35	·33	·31	26
27	—					·02	·02	—		·19		·25	27
28	—	·02				·08	·10	·28	·18	·47	·42	·19	28
29	—	·03				·09	·41	·04	1·42	·40	·02		29
30	—				·22				·89	·12			30
31	-		·22				·16	·15		·01		·04	31
Total	3·58	1·62	2·78	0·03	1·08	3·25	1·38	4·15	2·52	2·65	1·81	3·04	TOTAL for year 27·89
No. of Rain Days.	18	19	20	2	10	17	13	25	4	14	15	22	179

W. 8,000, X. '11.

Ex Bd

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL. FORM A.
1 - JAN 1914

Kept at S^t Ann's Heath (Holloway Sanatorium) Virginia Water
in the County of Surrey
by Rev: John Peck. M.A. Resident Chaplain

Lat. 51·24 N. Long. 0·34 W.
Time of Observation from 9 to 10 a.m. according to opportunity Sundays ab^t 11.45 a.m.
Nearest Railway Station Virginia Water
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 1¼ in.
" " " " Sea Level about 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·23	·05	·09		·05			·57		·08	·12	1
2	·04	·13					·07		·01	·25	·06		2
3	·01		·01	·18	·37							·03	3
4	·21				·10		·01			·14	·03	·06	4
5	·08					·04	·13		·25			·01	5
6		·03	·08		·05	·05	·07		·02	·45	·03	·15	6
7		·14			·12	·04				·27	·08		7
8		·04			·10	·11				·06			8
9		·13			·02		·01	·02	·12		·01	·04	9
10	·03		·18	·09	·04		·01	·02			·31		10
11	·39			·43	·01			·03		·56	·34		11
12		·01 fog			·08					·01	·14		12
13	·02		·02					·02	·07		·24		13
14	·10	·01	·08	·06			·12	·07	·04	·10		·01	14
15	·15	·03	·19	·25			·38		·01		·01		15
16	·09		·29	·06					·19				16
17	·03	·06 snow	·02 some snow	·04			·11					·01	17
18	·01		·19	·19 some hail			·01		·05		·02		18
19	·33					·04	·10		·24				19
20	·11		·10	·05		·21				·54	·01		20
21			·25	·06						·13	·71		21
22	·41 snow etc		·25	·04				·24	·14		·01 fog		22
23								·01				·36	23
24				·02							·02	·01	24
25		·01		·22						·07			25
26		·01	·15	·11				·06		·46		·18	26
27		·01	·06	·04	·22					·01			27
28	·16		·19	·19						·11			28
29	·02		·06	·43	·42			·13		·04	·01		29
30	·25							·10		·18			30
31			·08.					·60	·01	·02			31
Total	2·45	·84	2·25	2·55	1·53	·54	1·02	1·30	1·72	3·40	2·11	·98	YEAR'S TOTAL 20·69
Rain Days.	19	13	18.	18.	11.	7	11	11	13	17.	17	11	166

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

1 - 1 - 1915

7

Kept at S^t Ann's Heath (Holloway Sanatorium) Virginia Water.

in the County of Surrey.

by Rev. John Peck. M.A. Resident Chaplain.

Lat. 51·24 N. Long. 0·34 W.

Time of Observation from 9 to 10 a.m according to opportunity, Sundays at 11·45 am

Nearest Railway Station Virginia Water

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 1¼ in.

" " " " Sea Level about 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·04					·07			·01	·03	1
2						·01	·09	·16			·04	·15 Some hail	2
3			·03	·03	·14		·58	·01			·10	·02	3
4	·13		·01	·20			·03	·02			·28	·30 Some hail	4
5			·07	·14	·07	·03	·22	·92					5
6		·12	·04	·09	·01	·10	·04	·03				·13	6
7		·33	·25	·12	·51	·15	·12	·03				·11	7
8	·05	·29	·75	·01	·06	·09	·07	·09				·01	8
9	·18		·44	·06	·02	·46			·06			1·63	9
10		·11	·04 Some Snow	·02	·04				·21			·01	10
11		·20	·44			·06	·15		·05		·20	·27	11
12	·01 Snow.	·08	·13				·19 }		·16	·02	·01	·42	12
13		·18	·16						·13	·01	·01	·37	13
14		·10	·16			·96	·03			·39	·07 Some Snow	·36	14
15	·05		·10				·35	·06			·42	·01	15
16			·04						·04		·01		16
17		·38	·06									·14	17
18		·01	·20									·32	18
19		·06	·34 Some sleet			·04	·09				·15	·25	19
20		·29	·19 Some Snow						·08 hail			·13	20
21		·57	·06					·04		·06		·04	21
22			·02		·21	·11	·15	·01		·14			22
23		·13	·12		·06	·07	·01			·09			23
24			·02		·03					·03	·11	·01 mist	24
25	·02		·16				·01	·14		·23		·10 sleet	25
26							·09	·01		·06	·14	·53	26
27	·03										·04	·14	27
28		·04	·01		·02					·04	·28	1·03 Some Snow	28
29	·03		·08							·19	·16		29
30			·06							·07	·77	·41	30
31					·11		·02			·04		·02	31
Total	0·50	2·89	4·02	0·67	1·28	2·08	2·24	1·59	0·73	1·37	2·80	6·94	YEAR'S TOTAL 27·11
Rain Days.	8	15	27	8	12	11	17	13	7	13	17	26	174

W. 7,500, XI. 12

ex 95

314

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

3 JAN 1916

Kept at S^t Ann's Heath (Holloway Sanatorium) Virginia Water

in the County of Surrey

by Rev. John Peck. M.A. Resident Chaplain

7

Lat. 51·24 N Long. 0·34 W

Time of Observation from 9 to 10 a.m. according to opportunity, Sundays about 11·45 a.m.

Nearest Railway Station Virginia Water

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 1¼ in.

" " " " Sea Level abt. 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·60	·18	·12 hail, snow &c		·03		·04	·01		·05	·06	·39	1
2	·19	·18	·25	·09		·02		·88	·03	·04		·13	2
3	·53		·07	·08				·55	·02			·42	3
4	·04							·10				·24	4
5	·04	·45						·02		·04		·33	5
6	·34	·08	·01	·23			·67	—				·49	6
7	·20	·21	·02				·28					·76	7
8	·05	·46	·01 Some snow	·01			·01	·08					8
9	·04	·08		·29		·14		·05			·36	·67	9
10	·20		·01					·10				·15	10
11	·05 hail		·02					·01		·01	·77	·03 Some snow	11
12	·04	·13		·31	·55			·55			·23	—	12
13		·50			1·18								13
14	·01						·77	·07	·05			·54	14
15	·07	·04			·06			·08			·11 Some snow	·11	15
16		·35			·23		·71	·04				·05	16
17		·26			1·10								17
18		·16	·07 Snow		·05								18
19					·02		·08			·02			19
20	·27			·03	·04							·16	20
21	·12 Snow	·02			·31		·09			·02		·03	21
22	·88	·06	·22				·68					·12	22
23		·07 Snow	·03			·05	·24		·32	·55		·26	23
24				·02		·01	·05		·58	·15		·41	24
25				·05		·03	·40					·04	25
26		·02				·07	·28					·69	26
27		·01				·20				·33		·01	27
28		·03				·07		·01	1·16	·07 Some hail	·01		28
29						·01	·32	·06			·16	·02	29
30	·06					·14				·27	·38	·02	30
31								·01		1·00		·25	31
Total	3·73	3·29	0·83	1·11	3·57	0·74	4·62	2·62	2·16	2·55	2·08	5·72	YEAR'S TOTAL 33·02
Rain Days.	18.	19	11	9	10	10.	14	16	6	12	8.	24	157

W. 8,000. X. 14.

E4 B1 3'01

FORM A. BRITISH RAINFALL

1 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at S! Ann's Heath (Holloway Sanatorium) Virginia Water.

in the County of Surrey

by Rev. John Peck (Resident Chaplain)

Lat. 51·24 N. Long. 0·34 W.

Time of Observation from 9 to 10 a.m. according to opportunity Sundays about 11·45 a.m.

Nearest Railway Station Virginia Water

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 1¼ in.

" " " " Sea Level about 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03		·02		·30	·01			·33	·12	·37		1
2	·19	·04	·06 sleety		·22				·29	·40	·01		2
3		·59	·03 Some snow		·01	·01	·06		·06	·31	·33		3
4	·19	·05				·19			·19	·01	·59		4
5	·01			·01	·29	·19				·05	·42	·01	5
6		·07	·27 Snow	·14	·02	·15	·22			·02	·40		6
7	·05		·29 Snow		·08	·19 Some hail	·19			·02	·53	·06	7
8			·03 Snow.		·28	·02						·22	8
9					·24					·02		·15 Some sleet or hail	9
10		·25	·07 Snow + rain	·05		·21	·06					·06	10
11	·01	·06	·07	·16		·19					·01	·01	11
12	·01	·03	·05	·02	·23	·10		·21		·05			12
13		·15	·43	·13		·03		·21		·01			13
14		·40 Some snow	·06		·03			·31		·04		·18 Snow	14
15		·20	·21					·18		·04		·01 Snow. sleet	15
16	·02	·03	·41	·15			·27	·33					16
17	·07	·15		·05			·02	·14	·25	·55			17
18	·01	·05	·05	·08				·28	·08	·49	·71 Some snow	·01 Snow. fog	18
19	·10		·16	·42					·22		·40 Some sleet	·01	19
20	·15		·24	·01							·02	·64	20
21	·01		·41								·01	·10	21
22	·01		·02 Some snow			·01				·04		·42	22
23	·03	·16 Snow				·01		·01		·01	·01	·03	23
24		·05 Snow			·13	·06		·04		·19	·04	·30 Some snow	24
25		·64 Snow depth 6½ in.	·17					·10		·02	·06		25
26		·19 mostly snow	·05 hail			·06		·34	·02	·17	·01		26
27	·01		·81 Snow etc			·11		·15	·01	·40 Some hail		·01 rime	27
28		·33 Sleety snow	·08 Snow			·02		·01	·09	·13		·08	28
29		·14				·32		1·05	·07	·22		·16	29
30		X						·05		·38			30
31		X		X		X		·03	X	·17	X	·04	31
Total	0·90	3·58	3·99	1·22	1·83	1·88	0·82	3·44	1·61	3·86	3·92	2·50	YEAR'S TOTAL 29·55 ✓
Rain Days.	16	19	22	11	11	18	6	16	11	24	16	19	189 ✓

W. 8,000. X. 15.

Exc Ind

294

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

1 JAN 1918

Kept at St Ann's Heath (Holloway Sanatorium) Virginia Water

in the County of Surrey

by Rev: John Peck (Resident Chaplain)

Lat. 51·24 N. Long. 0·34 W.

Time of Observation from 9 to 10 a.m. according to opportunity; Sundays about 11·45 a.m.

Nearest Railway Station Virginia Water

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 1¼ in.

" " " " Sea Level about 120. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	·30 Snow.				1·00	·01		·05		1
2				·22 snow.		·03		·02			·10		2
3				·09 Snowy				·38		·32			3
4		·20 Snow { av: depth about 3½ inches	·08				·48	·09		·24		·01	4
5	·27		·03	·28 mostly snow			·27		·11	·23	·07		5
6			·26			·04			·20	·20	·02		6
7	·14						·48			·11		·02	7
8	·20 Some Snow			·13 Some Sleet & Snow			·60	·13	·06	·23	·16	·36	8
9			·02 Snow	·08	·01		·05	·19	·01		·07	·09	9
10	·21 Snow	·01 Rain · snow	·13	·25 Rain & Snow	·02			·07			·02		10
11	·09		·29	·11 Snow					·09	·17			11
12	·06 Sleety		·02	·01 snow				·10		·35		·01	12
13	·02 Slight snow		·22	·02				·39	·01	·10			13
14				·13				·11					14
15	·01 Snow						·06	·13		·04		·01	15
16	·06 snowy	·09		·22 with hail & lightning	·06	·10	·13			·47		·37 Some snow	16
17				·09	·52		·28	·06	·41	·29			17
18	·03	·05		·10	·11	·22	·12	·02	·20	·01			18
19	·01	·17	·05			·03			·15				19
20		·15	·01		·60		·16		·01		·07		20
21						·12				·01	·01	·01 rime	21
22	·02 Snow		·03 snow					·08		·04			22
23		·14	·02 Snow		·08	·01		·11		·05		·01	23
24		·02				·08		·01		·23	·01		24
25		·05	·01							·05 hail	·01		25
26			·01 snow			·01		·41	[illegible] (·03)	·01	·21		26
27					·17	·01		·92				·01	27
28						1·45		·09				·05 Sleety	28
29			·04		·03	·06	·84			·27		·11	29
30		✗	·44 snow				1·82	·05		·01	·01	·01	30
31	·01 snow	✗	·09 snow	✗		✗	·24	·03	✗		✗	·01 snow.	31
Total	1·13	0·88	1·76	2·03	1·60	2·16	5·53	4·39	1·29	3·43	·81	1·08	YEAR'S TOTAL 26·09
Rain Days.	13	9	18	14	9	12	13	21	12	21	13	14	169

W. 8,000, VIII. 16

4·30

205

FORM A. BRITISH RAINFALL.

1.1.19

REGISTER OF RAINFALL IN 1918

Kept at Holloway Sanatorium (S^t Ann's Heath) Virginia Water
in the County of Surrey
by Rev: John Peck (Resident Chaplain)

Lat. 51·24 N. Long. 0·34 W.
Time of Observation from 9 to 10 a.m. according to opportunity Sundays about 11·45 a.m.
Nearest Railway Station Virginia Water
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 1¼ in.
" " " " Sea Level about 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug. *	Sept.	Oct.	Nov.	Dec.	Date.
1		·03		·03 Some hail				·04			·26	·01	1
2		·10		·01				·38		·01	·56	·09	2
3		·02	·04 Sleety	·13	·40 thunder storm at night.			·06	·01		·13	·01	3
4		·05	·11 Some hail					·01	·28		·50		4
5		·04	·01		·09			·08	·03	·06			5
6	·18	·09		·27	·15			·03	·05			·06	6
7	·01 Snow	·08		·19	·43	·01		·04	·13	·07	·11		7
8		·06							·06	·06	·04	·02	8
9		·03		·17		·16	·27		·38	·11		·18	9
10	·01			·15		·01	·53		·06	·06	·02	·53	10
11	·01			·02	·04		·50		·02	·40	·08	·13	11
12		·05			·14		·06		·08				12
13	·01 Snow				·11		·19		·14	·01		·02	13
14	·12 Some snow		·02	·01		·27	·01		·28	·09		·25	14
15	1·20 Rain & Snow			·60 Some snow			·19					·09	15
16	·30 Snow. Depth 3 in.		·01 Sleety	·25 ~~Snow~~ Sleet Rain		·01			·41			·02	16
17	·18 Sleety			·19			·26	·02	·05			·14	17
18	·63					·25	·16		·62	·12		·06	18
19	·07		·07	·06 Snow		·03	·32	·03		·08		·08	19
20	·01	·12		·76 Snow sleet		·03	·07		·14	·13	·01		20
21	·21	·01		·47					·48	·05		·01	21
22	·10				·70 (abt.)		·25		·12			·17	22
23	·02				·11		·47	·04	·13			·02	23
24		·26				·04	·50		·07		·07		24
25							·24	·20		·02		·01 part rime	25
26							·32 Some hail	·05	·01	·05	·12	·11	26
27		·02	·01	·05			·05	·18	·06		·13		27
28	·01 fog	·09 snow	·30	·01				·01	·05		·09	·14	28
29									1·14				29
30			·44						·05		·07	·10	30
31			·01							·09			31
Total	3·07	1·05	1·02	3·37	2·17	·81	4·39	*1·17	4·85	1·41	2·19	2·25	YEAR'S TOTAL 27·75
Rain Days.	16	15	10	17	9	9	17	14	25	16	14	22	184

W. 8,000, IX. 17.

* During absence of usual Recorder in August the readings were unreliably taken. The readings recorded were established from different neighbours.

273

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Hollowway Sanatorium (S^t Ann's Heath) Virginia Water.
in the County of Surrey
by Rev. John Peck. (Resident Chaplain)

Lat. 51·24 N Long. 0·34 W
Time of Observation from 9 to 10 a.m according to [illegible] Sundays about 11.45 a.m.
Nearest Railway Station Virginia Water
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 1¼ in.
" " " " Sea Level about 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·30	·01 snow	·01	·01	·01		·13			·02	·02	1·03	1
2	·32				·07		·05		·06	·07	·07	·12	2
3	·32		·37		·01		·17		·02		·01	·44	3
4	·06	·03	·47			·07	·09	·02	·04		·02	·16 some hail	4
5		·31 snow	·64				1·53		·26		·06	·24	5
6	·08		·03	·01								·14 some hail	6
7	·05		·35								·01		7
8	·12		·06	·02									8
9	·10		·01	·04	·03						·02		9
10	·46		·08							·02	·01	·08	10
11	·05		·09	·21	·02		·34				·01 snow	·01	11
12	·01 fog		·02	·01		·04	·05			·09			12
13	·01	·01 part rime		·31 some hail					·01	·05		·02	13
14	·21			·26			·07		·67			·02	14
15	·23	·06	·09	·10						·01 some hail		·49	15
16	·03	·68		·02							·10 sleety	·01	16
17		·33 some snow									·18	·01	17
18		·09 sleety	·17						·03		·06	·01	18
19	·09	·12	·87 rain & snow			·21	·70	·13		·01 fog	·05		19
20	·13	·06	·30 sleet snow			·58	·11	·11	·01		·01 hail	·01	20
21	·22	·27	·01 snow			·02	·04				·01	·03	21
22	·01 rime	·07					·20		·08		·01	·36	22
23						·01		·04	·07	·02	·02	·01	23
24				·09		·01	·09			·26	·05	·05	24
25	·03 little snow	·02 snow			·05	·03		·17			·01 rime		25
26	·07	·16	·12 some hail	·11 some hail				·03	·08			·28	26
27	·67 snow lay 3 inches depth	·02	·01 hail	·72 snow &c				·55			·01 snow	·03	27
28			·28 snow	·01				·58			·29 some snow	·30	28
29	·02 sleety			·10 hail &c				·21		·10	·03	·02	29
30		✕	·01 snow	·21		·11		·16		·01	·41	·35	30
31	·01 snow.	✕	·07 snow	✕		✕	·03		✕	·02	✕	·07	31
Total	3·60	2·24	4·06	2·23	0·19	1·08	3·60	2·00	1·33	0·68	1·47	4·29	YEAR'S TOTAL 26·77
Rain Days.	24	15	21	16	6	9	14	10	11	12	23	25	186

W. 8,000, IX. 17.

Exd 970

254

8 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Holloway Sanatorium (St Ann's Heath) Virginia Water.
in the County of Surrey
by Rev. John Peck (Resident Chaplain

Lat. 51·24 N. Long. 0·34 W
Time of Observation from 9 to 10 a.m according to opportunity Sundays about 11·45 a.m.
Nearest Railway Station Virginia Water.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft 1¼ in.
„ „ „ „ Sea Level about 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05			·33	·08		·20		·03	·39	·01	·19	1
2			·03	·01			·13	·70	·04	·01		·06	2
3		·06		·09		·01	·32			·03		·01	3
4	·01 Some sleet	·03		·09			·35	·05		·26		·01 sleety	4
5			·05	·02	·01		·83	·03				·01	5
6			·20		·08		·35					·03	6
7	·01	·01	·03 hail-snow	·12	·23		·08						7
8		·01		·11	·06		·18	·04					8
9	·28			·02									9
10	·46	·06	·04	·01		·02	·06				·01	·01	10
11	·10		·06	·23	·04	·04	·21					·07 abt. 1in. of snow	11
12	·05			·12		·62				·01			12
13	·11		·12 Some snow	·16							·05		13
14		·01	·35 Some snow	·23		·08			·11	·06	·30	·02 sleety	14
15	·01	·03	·04	·24			·05		·57	·13	·07		15
16			·01	·10	·03	·28			·03	·01	·01		16
17	·01				·14	·03	·02		·34			·02	17
18	·05				·01			·54	·11			·03	18
19	·05			·19		·19 }						·01	19
20	·04	·02		·29		·36 }						·01	20
21				·01			·90	·02	·43			·06	21
22	·01			·30				·01	·01			·56	22
23							·37	·03				·32	23
24	·01	·01 mist	·05	·01								·04	24
25		·01	·02				·18						25
26	·05		·09	·01			·25					·03	26
27	·23	·03		·32		·10	·10				·28	·13	27
28	·30		·22	·04 Some hail	·14		·11				·12	·01	28
29	·29		·09	·05							·06	·11	29
30	·02				·08	·03	·13		·22	·01	·20	·15	30
31										·71		·07	31
TOTAL	2·14	·28	1·40	3·10	0·90	1·76	4·82	1·42	1·89	1·62	1·11	1·96	YEAR'S TOTAL 22·49
Days with ·01 in. or more	20	11	15	24	11	11	19	8	10	10	10	23	172
	13	2	11	11	8	7	18	4	7	5	7	11	110

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

20 FEB 1912

WALLINGTON

SURREY

1911 - 1914

So

Kept at Walling

in the County of S

by F. Campbe

in.

nd 4 ft. 1 in.

evel 140 ft.

ce Direction

IMPORTANT N result entered to the previous day. If an rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·89				·08			·02		1
2	·15			·23	·18		·05				·18	·07	2
3	·02	·03			·13						·07	·07	3
4	·03	·02	·06	·04					·02	·07	·13	·36	4
5	·02	·01		·01						·20	·05	·12	5
6	·28		·24							·01		·46	6
7	·02		·01	·02						·12	·34	·21	7
8	·09		·12							·01	·30	·40	8
9	·22		·02	·04							·01	·09	9
10	·01	·10	·09	·01							·04	·88	10
11	·26				·07						·59	·02	11
12	·03		·50						·08		·16	·01	12
13		·01	·10		·20				·27	·12	·01	·21	13
14		·12			·25							·65	14
15	·01	·05	·22							·02	·04	·04	15
16	·01					·60					·52	·04	16
17			·07			·02				·01	·31	·22	17
18		·14	·02			·02					·52	·35	18
19					·03	·28			·33	·22	·17	·13	19
20	·02	·01	·02			·03		·17		·07	·01	·71	20
21	·02	·08						·21	·06	·89		·15	21
22	·04		·21			·04				·08		·43	22
23		·15	·06			·85			·25		·03	·11	23
24		·12				·01	·03	·02		1·38		·18	24
25		·03		·05		·12	·22	·02	·04	·02		·01	25
26		·02	·11	·17	·09	·25	·04			·19		·22	26
27		·20	·11	·05					·12	·02	·08	·10	27
28		·09		·25				·12			·01	·01	28
29				·29		·23	·07		·11	·17	·01		29
30			·02	·02				·22	·03	·18			30
31					·15					·01			31
Total	1·26	1·18	1·98	2·07	1·10	2·45	·41	·84	1·31	3·79	3·60	6·25	TOTAL for year 26·24
No. of Rain Days	17	16	17	13	8	11	5	7	10	19	22	27	172

9,000, IX. '10

So

ORM A2.
ITISH RAINFALL.

20 FEB 1912

Kept at Wallington, Maldon Road
in the County of Surrey COTSWOLD. 4
by F. Campbell Bayard

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 4 ft. 1 in.
" " " Sea Level 140 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·89				·08			·02		1
2	·15			·23	·18		·05				·18	·07	2
3	·02	·03			·13						·07	·07	3
4	·03	·02	·06	·04					·02	·07	·13	·36	4
5	·02	·01		·01						·20	·05	·12	5
6	·28		·24							·01		·46	6
7	·02		·01	·02						·12	·34	·21	7
8	·09		·12							·01	·30	·40	8
9	·22		·02	·04							·01	·09	9
10	·01	·10	·09	·01							·04	·88	10
11	·26				·07						·59	·02	11
12	·03		·50						·08		·16	·01	12
13		·01	·10		·20				·27	·12	·01	·21	13
14		·12			·25							·65	14
15	·01	·05	·22							·02	·04	·04	15
16	·01					·60					·52	·04	16
17			·07			·02				·01	·31	·22	17
18		·14	·02			·02					·52	·35	18
19					·03	·28			·33	·22	·17	·13	19
20	·02	·01	·02			·03		·17		·07	·01	·71	20
21	·02	·08						·21	·06	·89		·15	21
22	·04		·21			·04				·08		·43	22
23		·15	·06			·85			·25		·03	·11	23
24		·12				·01	·03	·02		1·38		·18	24
25		·03		·05		·12	·22	·02	·04	·02		·01	25
26		·02	·11	·17	·09	·25	·04			·19		·22	26
27		·20	·11	·05					·12	·02	·08	·10	27
28		·09		·25				·12			·01	·01	28
29				·29		·23	·07		·11	·17	·01		29
30			·02	·02				·22	·03	·18			30
31					·15					·01			31
Total	1·26	1·18	1·98	2·07	1·10	2·45	·41	·84	1·31	3·79	3·60	6·25	TOTAL for Year 26·24
No. of Rain Days	17	16	17	13	8	11	5	7	10	19	22	27	172

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
12 FEB 1913

REGISTER OF RAINFALL IN 1912

Kept at Wallington Maldon Road 4 COTSWOLD

in the County of Surrey

by F. C. Bayard

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 4 ft. 1 in.
" " " Sea Level 140 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.17	.01		.12	.30		.08	.73		.24	1
2			.41			.03	.30	.02	.02	.05			2
3	.03	.06	.10			.14	.07	.36				.06	3
4	.19		.64		.11	.18		.04			.18	.01	4
5	.17	.03	.06					.27			.08	.02	5
6	.35	.05			.02			.16	.02		.01	.09	6
7			.03		.10	.72	.26	.16				.03	7
8	.27	.40	.27	.01		.01	.01	.39	.01	.01		.01	8
9	.01	.07	.01	.05		.26	.03	.02		.01	.01	.09	9
10		.05		.01				.81		.01	.04	.25	10
11	.03	.22	.01			.02		.08	.01	.02	.01	.22	11
12	.03	.10	.05		.17	.19		.02		.02	.03	.03	12
13	.01	.01	.01								.06		13
14			.02		.03			.02		.05	.02	.02	14
15	.01	.01	.15		.30	.72		.01		.01	.04	.31	15
16	.38		.04		.04	.21		.09		.05	.09	.01	16
17	.41		.39			.02		.06		.01	.03	.11	17
18	.03		.17					.08		.05	.02	.12	18
19	.07	.07	.10			.01	.05	.36			.01	.01	19
20	.01	.02	.38					.09		.47	.02		20
21	.01	.02	.19		.03			.05		.11	.04		21
22	.20	.14	.16		.04		.05	.14		.01		.04	22
23	.34	.34	.26		.01			.38		.05	.20	.16	23
24	.37	.01	.01			.14	.03	.20		.01	.01	.14	24
25	.15					.23		.80		.01	.19	.57	25
26	.01	.05						.45		.23	.47	.30	26
27			.01			.04	.01	.01		.14		.15	27
28		.06				.07	.13	.05	.13	.41	.60	.14	28
29		.03		.01		.06	.33	.16	1.55	.13	.04		29
30					.42	.01	.03	.20	1.59	.17			30
31	.01		.06		.02		.13	.14		.01			31
Total	3.09	1.74	3.70	.09	1.29	3.18	1.73	5.62	3.41	2.77	2.20	3.13	TOTAL for year 31.95
No. of Rain Days.	22	19	24	5	12	19	14	29	8	24	22	24	222

W. 8,000, X. '11.

I-made ✓

REGISTER OF RAINFALL IN 1913

N

FORM A.
BRITISH RAINFALL.

6 - JAN 1914

COTTWOOD

4 M

4

8"

Kept at Wallington

in the County of Surrey

by F. Campbell-Bayard

Lat. 51.22 N Long. 0.9 W

Time of Observation 9 a.m

Nearest Railway Station Wallington

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 141 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·24	·04	·11	—	—	—	—	·59	·03	·05	·17	1
2	·02	·14	—	—	—	—	·11	—	—	·01	·08	·01	2
3	—	—	·10	·29	·33	—	—	—	—	·02	—	·10	3
4	·33	—	·01	·03	·26	—	·05	—	·02	·24	·01	·07	4
5	·37	—	·01	—	—	·07	·08	—	·38	—	·02	·05	5
6	·03	·02	·17	—	·01	·06	·23	—	·01	·28	·14	·11	6
7	—	·13	·01	—	·03	—	—	·06	—	·64	·09	·01	7
8	—	·02	·01	—	·14	·06	—	—	—	·03	·01	—	8
9	·01	·13	—	·01	·04	·01	—	—	·09	—	·03	·03	9
10	·01	—	·12	·14	—	—	·02	·02	—	—	·48	—	10
11	·37	—	·01	·34	·04	—	—	·01	—	·59	·28	—	11
12	[illegible]	·02	·01	—	·01	—	—	—	—	·01	·45	—	12
13	·12	—	·05	—	—	—	—	·01	·05	·01	·23	—	13
14	·13	·01	·10	·08	—	—	1·94	·10	·03	·15	·06	—	14
15	·42	·06	·24	·28	—	—	·22	—	·04	—	·01	—	15
16	·17	—	·35	·12	—	—	·01	—	·35	—	—	—	16
17	·02	·04	·07	·06	—	—	·20	—	·01	—	·01	—	17
18	·01	·01	·11	·11	—	—	—	—	—	—	·02	—	18
19	·26	—	·14	·01	—	—	·15	—	·13	—	—	—	19
20	·28	—	·42	·05	—	·08	—	—	—	·55	·01	—	20
21	—	—	·26	·03	—	—	·07	—	—	·22	·82	·01	21
22	·33	—	·27	·05	—	—	—	·09	·13	·01	—	·01	22
23	—	—	·01	—	—	·04	—	·26	·01	·01	·02	·42	23
24	·03	—	·01	·02	—	·01	—	·02	—	·01	·04	—	24
25	—	·01	·01	·25	—	—	—	—	—	·01	—	·01	25
26	—	·01	·16	·11	—	—	·01	·18	—	·79	—	·21	26
27	—	—	·02	·21	·03	—	—	—	—	·02	—	—	27
28	·28	—	·31	·11	—	—	—	—	·01	·15	·01	—	28
29	·06	×	·05	·42	·45	—	—	·06	—	·05	—	—	29
30	·31	×	—	·07	—	—	—	·28	—	·17	—	—	30
31	—	×	·05	×	—	×	—	1.12	×	·07	×	—	31
Total	3·57	0.84	3.12	2.90	1.34	0.33	3.09	2.21	1.85	4·07	2·87	1·21	YEAR'S TOTAL 27·40
Rain Days.	21	13	28	22	10	7	12	12	14	23	21	13	196

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

2 MAR 1914

Kept at Wallington Maldon Rd
in the County of Surrey COTSWOLD 4
by F C Bayard

Lat. ...... Long. ......
Time of Observation ......
Nearest Railway Station ......
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 1 in.
" " " " Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.23	.04	.11					.49	.03	.05	.17	1
2	.02	14					.11		.01	.01	.08	.01	2
3			.10	.29	.33					.02		.09	3
4	.33		.01	.03	.27		.06		.02	.24	.01	.07	4
5	.37		.01			.08	.08		.36	.01	.02	.05	5
6	.04	.02	.17		.02	.07	23		.01	.28	.13	.11	6
7		.11	.01		.03			.07		.65	.09	.01	7
8		.02	.01		.14	.06				.08	.03		8
9		.13		.02	.05	.01			.09		.03	.03	9
10	.02		.12	.15			.03	.02			.48		10
11	.37			.34	.04			.02		.59	.27		11
12		.02	.01	.01	02					.01	.45		12
13	.11		.04					.02	.05	.01	.23		13
14	.12	02	.09	.08			2.03	.11	.03	.14	.06		14
15	.42	06	.24	.27			.23		.05	.01	.01		15
16	.17		.35	.12			.02		.37				16
17	.02	.04	.07	.06			.19		.01				17
18	.01	.01	.10	.10			.01				.02		18
19	.25		.14	.02			.15		13				19
20	.28		.41	.05		.08				.55			20
21			.25	.03			.07			.22	.82		21
22	.32		.26	.05			.01	.09	13	.01			22
23			.01			.04		.26	.01	.01	.02	.42	23
24	.03		.01	.02		02		.02		.01	.04	.01	24
25		.02		.25						.01	.01	.01	25
26		.01	.16	.10			.02	.18		.79		.19	26
27			.02	.20	.04					.02		.01	27
28	.29		.32	.11					01	.14			28
29	.06		.05	.42	.41			.06		.05			29
30	.30			.07				.26		.17			30
31			.05					.97		.07			31
Total	3.54	.83	3.05	2.90	1.35	36	3.24	2.08	1.77	4.08	2.85	1.18	YEAR'S TOTAL 27.23
Rain Days.	20	13	26	23	10	7	14	12	15	25	19	13	197

W.7,000, XI. 13

√ Copied from PT Ex U/c

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
9 - MAR 1915

Kept at Wallington (Maldon Road)

in the County of Surrey 4

by F Campbell-Bayard.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 1 in.

" " " " Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·01	-	-	-	-	·26	-	-	·02	·03	1
2	·01	-	-	-	-	·01	·31	·30	-	-	·25	·22	2
3	-	-	·06	·01	·15	-	·09	·01	-	-	·01	-	3
4	·06	-	·03	·18	-	-	-	·03	-	-	·20	·34	4
5	·12	-	·04	·22	·15	·05	·19	·22	-	-	·05	·01	5
6	-	·11	·03	·12	·01	·23	-	·01	-	-	·13	·19	6
7	·01	·56	·22	·16	·21	·16	·09	-	-	-	·01	·10	7
8	·06	·45	·47	·02	·04	·07	·14	·07	-	-	·01	·04	8
9	·23	·01	·73	·11	-	·05	-	-	·14	-	-	1·82	9
10	·01	·10	·04	·03	·08	-	-	-	·17	-	·01	·04	10
11	-	·54	·35	-	·03	·02	-	-	·11	-	·17	·29	11
12	·01	·12	·09	-	·01	-	·31	-	·14	-	·02	·56	12
13	·02	·22	·23	-	-	-	-	-	·14	·04	·08	·75	13
14	-	·10	·24	-	-	·30	·01	-	-	·29	·11	·60	14
15	·02	·02	·18	-	-	-	·33	·04	-	·01	·90	·04	15
16	-	-	·04	-	-	-	-	-	·05	-	-	-	16
17	-	·28	·16	-	-	-	-	-	·03	-	-	·20	17
18	-	·07	·22	-	-	-	-	-	-	-	-	·38	18
19	-	·06	·22	-	-	-	·13	-	-	-	·23	·30	19
20	-	·24	·31	-	-	·09	-	-	·07	-	-	·05	20
21	-	·80	·10	-	-	·03	-	-	-	·03	-	·05	21
22	-	·05	-	·03	·27	·11	·24	-	-	·09	-	-	22
23	-	-	·09	·01	·20	·10	·02	-	-	·04	-	·02	23
24	·01	-	·13	·01	·02	-	·01	-	-	-	·10	-	24
25	·01	-	·24	-	-	-	·02	·10	-	·26	·01	·10	25
26	·01	·01	·04	-	-	-	·14	·20	-	·05	·22	·69	26
27	·03	·01	·01	-	-	-	-	·03	-	-	·04	·29	27
28	·01	·01	-	-	-	-	-	-	-	·07	·36	·76	28
29	·04		·04	-	-	-	-	-	-	·39	·17	·01	29
30	-	X	·04	-	-	-	-	-	-	·05	·44	·29	30
31	·01	X	-	X	·23	X	·03	-	X	·01	X	·05	31
													YEAR'S TOTAL
Total	·67	3·76	4·36	·90	1·40	1·22	2·06	1·27	·85	1·33	3·54	8·22	29·58 √
Rain Days.	17	19	27	11	12	12	15	11	8	12	22	27	193 √

W. 8,000. X. 14.

135

FORM A.
BRITISH RAINFALL.

14 MAR 1916

REGIS

WALLINGTON
ALCESTER RD
SURREY
1915 - 1920

Kept at Wallington

in the County of Surr

by F. C. Bayard Esq

5 in.

d 4 ft. 1 in.

evel 140 ft.

IMPORTANT NOTE esult entered to the previous day. If an Obs rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.68	.14	.05		.07			.02	.09	.02	.27	.45	1
2	.32	.21	.22	.14	.01	.01		.76	.01	.05		.10	2
3	.36	.01	.07	.16	.03			.24	.05		.01	.53	3
4	.06			—				.02				.25	4
5	.05	.65						.02		.08	.01	.30	5
6	.40	.04	.02	.38	.04		.57					.13	6
7	.28	.39	.05				.24	.03				.17	7
8	.09	.86		.06			.13	.43				.01	8
9		.05		.15		.10		.04		.02	.30	.53	9
10	.23		.03								.01	.20	10
11	.03		.02							.01	.60	.06	11
12	.06	.08		.34	.43			.26		.02	.27	.02	12
13		.68		.01	1.16								13
14	.01	.06					.18	.27	.03			.36	14
15	.15	.02			.05		.04	.04	—		.14	.15	15
16		.64		.01			.66				.01	.10	16
17		.40			1.15		.03	.07				.01	17
18		.25	.09		.18						.05		18
19		.26			.02		.05			.02	.01		19
20	.30			.03								.22	20
21	.28	.02					.04			.01		.06	21
22	1.09	.05	.10	.06			.62					.08	22
23	.02	.25	.06	.01		.02	.22		.10	.43		.36	23
24			.02	.03		.01	.02		.15	.24		.39	24
25			05	.16			.30					.25	25
26	.02	.06				.04	.02				.01	.46	26
27		.02				.23	.21			.27		.11	27
28		.03				.05			1.62	.17	.01		28
29						.10	.16	.16	01		.22	·	29
30	.03	X				.04		.02		.09	.46	02	30
31	02	X		X		X			X	1.02	X	.36	31
Total	4.48	5.17	.78	1.54	3.14	.60	3.49	2.38	2.06	2.45	2.38	5.68	YEAR'S TOTAL 34.15
Rain Days.	20	22	12	13	10	9	16	14	8	14	15	26	179

W. 8,000. X. 15.

REGIS

FORM A.
BRITISH RAINFALL.

1916

Kept at Wallington Alcester Road

in the County of Surrey

by F. C. Bayard Esq

4

Lat.
Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 1 in.
" " " " Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.68	.14	.05	—	.07			.02	.09	.02	.27	.45	1
2	.32	.21	.22	.14	.01	.01		.76	.01	.05		.10	2
3	.36	.01	.07	.16	.03			.24	.05		.01	.53	3
4	.06							.02				.25	4
5	.05	.65						.02		.08	.01	.30	5
6	.40	.04	.02	.38	.04		.57					.13	6
7	.28	.39	.05				.24	.03				.17	7
8	.09	.86		.06			.13	.43				.01	8
9		.05		.15		.10		.04		.02	.30	.53	9
10	.23		.03			—					.01	.20	10
11	.03		.02							.01	.60	.06	11
12	.06	.08	—	.34	.43			.26		.02	.27	.02	12
13		.68		.01	1.16								13
14	.01	.06					.18	.27	.03			.36	14
15	.15	.02			.05		.04	.04			.14	.15	15
16		.64		.01			.66				.01	.10	16
17		.40			1.15		.03	.07				.01	17
18		.25	.09		.18						.05		18
19		.26			.02		.05			.02	.01		19
20	.30			.03								.22	20
21	.28	.02	—				.04			.01		.06	21
22	1.09	.05	.10	.06			.62					.08	22
23	.02	.25	.06	.01		.02	.22		.10	.43		.36	23
24			.02	.03		.01	.02		.15	.24		.39	24
25			05	.16			.30					.25	25
26	.02	.06				.04	.02				.01	.46	26
27		.02				.23	.21			.27		.11	27
28		.03				.05			1.62	.17	.01		28
29						.10	.16	.16	01		.22		29
30	.03	X				.04		.02		.09	.46	02	30
31	02	X		X		X			X	1.02	X	.36	31
Total	4.48	5.17	.78	1.54	3.14	.60	3.49	2.38	2.06	2.45	2.38	5.68	YEAR'S TOTAL 34.15
Rain Days.	20	22	12	13	10	9	16	14	8	14	15	26	179

W. 8,000. X. 15.

Exe Dl

127

FORM A.
BRITISH RAINFALL.
13 MAR 1917

REGISTER OF RAINFALL IN 1916

Kept at Wallington, Alcester Road

in the County of Surrey

by F. C. Bayard

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 1 in.

" " " " Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·11		·03		·65	·01			·21	·04	·24		1
2	·23	·13	·13		·31		·02		·07	·34	·07		2
3		·95	·28				·01	—	·14	·23	·78		3
4	·20	·19	·01	·02	·01	·22			·16		·51		4
5	·02	·01	·01	·02	·26	·21	·01			·04	·82		5
6		·08	·21	·26	·01	·08	·39			·02	·77		6
7	·07		·73	·01	·20	·16	·32				1·00	·04	7
8			·05		·32							·34	8
9					·20		·01			·04		·04	9
10		·18	·11	·06	—	·66	·04	—	—			·13	10
11	·02	·14	·02	·15		·48		—				·01	11
12	·03	·04	·01	·04	·46	·20		·03	·01	·07			12
13	·01	·20	·37	·19	·01	·11	·28	·07	·07	·04			13
14		·45	·02	·01	·08	—	·01	·05				·06	14
15		·14	·21	·01		—	·08	·35				·04	15
16	·02	·04	·21	·14			·17	·31					16
17	·08	·12		·02			·03	·08	·35	·50		·01	17
18		·08	·03	·27				·26	·17	·43	·65	·01	18
19	·07	·08	·16	·19		·01			·14		·70	·05	19
20	·14		·19	·05							·08	·57	20
21	·01		·38	·02			·32					·38	21
22	·01		·05		·04							·39	22
23	·02	·47	·04			·03		·02		·03	·04	·15	23
24		·10			·07	·02		·03		·22	·06	·29	24
25		·65	·13					·28		·06	·07	·01	25
26		·24	·09			·10		·05		·18			26
27	·02	·01	·93			·32		·33	·09	·59			27
28		·42	·21					·05	·06			·10	28
29		·11	·01			·15		1·00	·04	·32		·17	29
30		×						·22		·35			30
31		×		×		×		·03	×	·09	×	·05	31
Total	1·06	4·83	4·62	1·46	2·62	2·76	1·69	3·16	1·51	3·59	5·79	2·84	YEAR'S TOTAL 35·93
Rain Days.	16	22	26	16	13	15	13	16	12	18	13	19	199

W. 8,000. X. 15.

Encd 4/10

123

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

14 JAN 1918

Kept at Alcester Rd Wallington

in the County of Surrey

by F. Campbell-Bayard

Lat. 51° 22′ N Long. 0° 9′ W
Time of Observation 9 a.m.
Nearest Railway Station Wallington
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·01	01	·17	–	–	–	1.59	·05	–	·06	–	1
2	–	–	–	·41	–	·02	–	·13	–	–	·16	–	2
3	·01	–	–	·14	–	–	·11	·30	–	·13	·02	–	3
4	–	·21	·05	–	–	–	·49	·12	–	·39	–	–	4
5	·22	–	·06	·32	–	–	–	·01	·73	·15	·06	–	5
6	–	–	·11	·04	–	·05	–	–	·25	·01	·07	–	6
7	·19	–	·01	–	–	–	·24	–	–	·30	–	·02	7
8	·10	–	–	·10	–	–	·79	·11	·07	·25	·19	·21	8
9	·01	–	·02	·05	·01	–	·04	·06	·02	–	·08	·38	9
10	·16	–	·09	·19	–	·01	–	·04	–	–	·01	·03	10
11	·07	·01	·47	·13	–	–	–	·01	·24	·21	–	–	11
12	·05	–	·05	·02	–	–	–	·03	–	·45	·01	·01	12
13	·04	–	·08	·04	–	–	–	·03	·02	·16	–	·01	13
14	–	–	·01	·16	–	–	–	·12	–	·02	–	–	14
15	·03	–	–	·01	–	–	·32	·21	–	·02	–	·03	15
16	·06	·14	–	·09	·12	–	·10	–	–	·18	–	·45	16
17	–	–	–	·09	·70	–	·20	·10	·34	·11	–	–	17
18	·03	·03	–	·07	·03	·01	·34	·01	·17	·06	–	–	18
19	·01	·09	·03	·01	·02	·04	–	–	·10	–	–	–	19
20	·02	·08	·06	–	·54	–	·02	·03	·01	–	·05	–	20
21	·01	·01	·05	·01	–	·03	–	–	–	·01	·03	·03	21
22	·02	–	·01	–	–	–	–	·10	–	·09	·01	–	22
23	–	·13	–	–	·13	·03	–	·09	–	·18	–	·02	23
24	–	·02	–	–	–	·08	·02	·02	–	·12	·02	·04	24
25	–	·04	·03	–	–	–	–	–	–	·03	·06	–	25
26	–	·01	·03	–	–	–	–	·26	·02	–	·62	–	26
27	–	–	·01	–	–	·05	–	·95	–	–	–	·02	27
28	–	·02	–	–	–	1.34	–	·02	–	·01	–	·07	28
29	–	X	·01	–	·06	·22	·45	·01	–	·40	–	·11	29
30	·01	X	·22	–	–	–	1.90	·07	–	·02	–	·03	30
31	·08	X	·07	X	–	X	·55	·01	X	·01	X	·02	31
Total	1.12	0.80	1.48	2.05	1.61	1.88	5.57	4.43	2.02	3.31	1.45	1.48	YEAR'S TOTAL 27·20
Rain Days.	–	1.92	3.40	5.45	7.06	8.94	14.51	18.94	20.96	24.27	25.72	27·20	194
	18	13	21	18	8	11	14	25	12	23	15	16	

W. 8,000, VIII. 16

Exd C & E

45

From M.S.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
10 4. 19

Kept at Wallington Alcester Rd.
in the County of Surrey
by F Campbell-Bayard

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 1 in.
" " " " Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02		·04				·02			·26	·05	1
2	·01	·05		·07				·15			·16	·14	2
3		·01	·08	·06	·33			·03			·56	·02	3
4		·13	·12					·03	·28		·74		4
5		·04	·01		·11			·10	·56	·04	·01	·01	5
6	·24	·14		·26	·29			·03	·20	·02		·06	6
7	·03	·05		·10	·31				·17	·04	·08	·01	7
8		·06							·04	·03	·11	·05	8
9	·02	·01		·11		·06	·25		·40	·09		·30	9
10				·16			·25		·04	·02	·02	·40	10
11	·02			·03	·03		1·01		·02	·22	·12	·12	11
12		·03			·22		·36		·04			·02	12
13	·04			·02	·13		·03		·07				13
14	·11	·01	·02	·01		·44	·04		·07	·08		·20	14
15	1·28			·75		·03	·41					·10	15
16	·40		·01	·15		·03			·10		·02	·02	16
17	·30		·01	·11			1·30	·04				·10	17
18	·47			·15		·15	·03		·49	·19		·16	18
19	·09		·05	·74	·04	·16	·12			·13	·01	·05	19
20	·06	·14		·74		·03	·18		·36	·34	·01	·02	20
21	·15	·02					·02		·29	·10	·02	·01	21
22	·03			·02	·24		·30		·13	·01	·01	·19	22
23	·02				·14		·55	·06	·03			·04	23
24		·31		·10		·15	·46		·13	·01	·03		24
25							·37	·26		·03	·02		25
26				·14			·56	·12		·02	·06	·11	26
27		·03		·11			·06	·13	·07		·09	·03	27
28	·01	·02	·26	·03				·04			·20	·09	28
29	·01		·01						·99	·01	·02		29
30		×	·34						·03	·04	·02	·18	30
31		×	·04	×		×			×	·06	×	·01	31
Total	3·29 ✓	1·07 ✓	·95 ✓	3·90 ✓	1·84 ✓	1·05 ✓	6·30 ✓	1·01 ✓	4·51 ✓	1·48 ✓	2·57 ✓	2·49 ✓	YEAR'S TOTAL 30·46 ✓
Rain Days.	18 ✓	16 ✓	11 ✓	21 ✓	10 ✓	8 ✓	18 ✓	12 ✓	21 ✓	19 ✓	21 ✓	26 ✓	201 ✓

W, 6,500, VII. 18. w w c

9/21 RR

715

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Wallington, Alcester Road

in the County of Surrey

by F. Campbell-Bayard, per Bayard

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft 1 in.

" " " " Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
	Wallington	Wallington	Wallington	Wallington	Wallington	Wallington	Wallington	Wallington	Wallington	Wallington	Wallington	Wallington	
	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	
1	·31	·04	..	..	·01	·04	·12	..	..	·01	·14	·94	1
2	·22	..	·01	..	·07	..	·10	..	·07	·18	·11	·15	2
3	·34	..	·55	..	·01	..	·08	..	·04	..	·04	·37	3
4	·10	·08	·43	..	..	·07	·15	·03	..	..	·03	·15	4
5	..	·19	·59	..	..	..	..	..	·04	..	·02	·24	5
6	·05	..	·05	..	..	..	..	..	..	..	..	·24	6
7	·04	..	·28	..	..	..	..	..	..	..	·05	..	7
8	·34	..	·06	·04	..	..	..	..	..	..	·01	..	8
9	·26	..	·03	·05	..	..	..	..	..	..	·04	..	9
10	·29	..	·02	..	..	..	..	..	..	·04	..	·02	10
11	·03	..	·11	·30	·01	..	·28	..	..	..	..	·02	11
12	·03	..	·08	·02	..	·02	·09	..	..	·08	..	..	12
13	·02	·01	..	·54	..	..	..	..	·01	·06	..	·02	13
14	·22	·01	..	·33	..	..	·09	..	·57	..	..	·04	14
15	·23	·03	·22	·05	..	..	..	..	..	..	..	·24	15
16	·11	·46	..	..	..	..	..	..	..	..	·10	·05	16
17	·03	·36	·05	·01	..	..	..	..	..	..	·14	·02	17
18	..	·31	·06	..	..	..	..	..	·07	..	·07	·03	18
19	·02	·08	·47	..	..	·22	·41	·31	·01	..	·06	·02	19
20	·14	·09	·06	..	..	·69	·27	·11	·01	..	·02	·01	20
21	·18	·37	·01	..	..	·04	·10	..	..	..	·03	·02	21
22	..	·05	·01	..	..	..	·20	..	·26	..	·02	·28	22
23	..	..	..	..	..	·06	..	·05	·03	..	·02	·03	23
24	..	..	..	·20	..	·02	·10	·02	..	·14	·09	·01	24
25	·03	·02	..	·03	..	..	..	·20	..	..	..	·03	25
26	·05	·22	·11	·10	..	..	·02	·16	·09	..	..	·25	26
27	·28	·07	·03	1·08	..	..	·02	·36	..	..	·04	·06	27
28	..	..	·26	·03	..	..	·03	·76	..	..	·24	·24	28
29	·05		·02	·06	..	..	..	·48	..	·27	·03	·09	29
30	..		·02	·25	..	·11	..	·42	..	·09	·20	·57	30
31	·06		·03		..		·03	..		..		·10	31
TOTAL	3·43	2·39	3·56	3·09	·10	1·27	2·09	2·90	1·20	·87	1·50	4·24	YEAR'S TOTAL
	..	5·82	9·38	12·47	12·57	13·84	15·93	18·83	20·03	20·90	22·40	26·64	26·64
Days with ·01 in. or more	24	16	24	15	4	9	16	11	11	8	21	27	186

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

G R

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

22 MAR 20

Kept at Wallington [M.O.]
in the County of Surrey
by F. C. Bayard Esq.

Lat. 51° 22' Long. 0° 9' W.
Time of Observation 9h G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 4 ft. 0 in.
" " " " Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	7·87	1·02	-	-	0·25	1·02	3·05	-	-	0·25	3·56	23·88	1
2	5·59	-	0·25	-	1·78	-	2·54	-	1·78	4·57	2·79	3·81	2
3	8·64	-	13·97	-	0·25	-	2·03	-	1·02	-	1·02	9·40	3
4	2·54	2·03	10·92	-	-	1·78	3·81	0·76	-	-	0·76	3·81	4
5	-	4·83	14·99	-	-	-	-	-	1·02	-	0·51	6·10	5
6	1·27	-	1·27	-	-	-	-	-	-	-	-	6·10	6
7	1·02	-	7·11	-	-	-	-	-	-	-	1·27	-	7
8	8·64	-	1·52	1·02	-	-	-	-	-	-	0·25	-	8
9	6·60	-	0·76	1·27	-	-	-	-	-	-	1·02	-	9
10	7·37	-	0·51	-	-	-	-	-	-	1·02	-	0·51	10
11	0·76	-	2·79	7·62	0·25	-	7·11	-	-	-	-	0·51	11
12	0·76	-	0·76	0·51	-	0·51	2·29	-	-	2·03	-	-	12
13	0·51	0·25	-	13·72	-	-	-	-	0·25	1·52	-	0·51	13
14	5·59	0·25	-	8·38	-	-	2·29	-	14·48	-	-	1·02	14
15	5·84	0·76	5·59	1·27	-	-	-	-	-	-	-	6·10	15
16	2·79	11·68	-	-	-	-	-	-	-	-	2·54	1·27	16
17	0·76	9·14	1·27	0·25	-	-	-	-	-	-	3·56	0·51	17
18	-	7·87	1·52	-	-	-	-	-	1·78	-	1·78	0·76	18
19	0·51	2·03	11·94	-	-	5·59	10·41	7·87	0·25	-	1·52	0·51	19
20	3·56	2·29	1·52	-	-	17·53	6·86	2·79	0·25	-	0·51	0·25	20
21	4·57	9·40	0·25	-	-	1·02	2·54	-	-	-	0·76	0·51	21
22	-	1·27	0·25	-	-	-	5·08	-	6·60	-	0·51	7·11	22
23	-	-	-	-	-	1·52	-	1·27	0·76	-	0·51	0·76	23
24	-	-	-	5·08	-	0·51	2·54	0·51	-	3·56	2·29	0·25	24
25	0·76	0·51	-	0·51	-	-	-	5·08	-	-	-	0·76	25
26	1·27	5·59	2·79	2·54	-	-	0·51	4·06	2·29	-	-	6·35	26
27	7·11	1·78	0·76	27·43	-	-	0·51	9·14	-	-	1·02	1·52	27
28	-	-	6·60	0·76	-	-	0·76	19·30	-	-	6·10	6·10	28
29	-		0·51	1·52	-	-	-	12·19	-	6·86	0·76	2·29	29
30	-		0·51	6·35	-	2·79	-	10·67	-	2·29	5·08	14·48	30
31	1·52		0·76		-		0·76	-		-		2·54	31
TOTAL	85·85 ✓	60·70 ✓	89·12 ✓	78·23 ✓	2·53 ✓	32·27 ✓	53·09 ✓	73·64 ✓	30·48 ✓	22·10 ✓	38·12 ✓	107·72 ✓	YEAR'S TOTAL 673·85 ✓
Days with 0·2 mm. or more	23 ✓	16 ✓	24 ✓	15 ✓	4 ✓	9 ✓	16 ✓	11 ✓	11 ✓	8 ✓	21 ✓	27 ✓	185 ✓

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M.O. Form 3203.

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Wallington (M.O)
in the County of Surrey
by F. C Bayard Esq.

Lat 51°22 Long 0°9' W
Time of Observation 9h G.M.T
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 4 ft. 0 in.
" " " " Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	1·27	-	-	7·11	0·51	-	9·65	0·25	-	5·33	0·25	6·60	1
2	-	-	4·57	-	0·25	-	-	10·16	1·52	1·78	-	1·52	2
3	0·25	1·0	-	0·25	-	0·51	-	-	0·76	1·78	-	1·27	3
4	-	1·8	0·25	4·06	-	-	10·67	1·52	-	2·79	0·25	0·51	4
5	-	0·3	2·54	-	0·76	-	14·73	1·27	0·76	0·25	-	1·02	5
6	-	-	11·68	-	2·79	-	6·10	-	-	-	-	0·76	6
7	0·25	0·3	-	3·05	1·52	-	4·32	-	-	0·76	-	-	7
8	-	0·3	-	2·54	3·05	-	2·03	-	-	0·25	-	-	8
9	5·86	0·4	-	0·25	-	-	-	0·25	-	-	-	-	9
10	10·16	1·8	1·78	0·51	-	3·05	3·56	-	-	-	1·78	0·51	10
11	3·54	-	1·78	3·81	0·25	0·51	9·40	0·51	-	0·25	-	4·83	11
12	1·78	-	0·25	4·32	-	27·69	-	-	-	1·02	0·25	-	12
13	5·84	-	3·30	1·27	-	0·25	-	-	-	-	0·76	0·25	13
14	-	0·5	7·37	6·10	-	2·79	-	-	3·30	1·02	4·57	0·51	14
15	0·25	0·3	1·27	4·32	-	-	-	-	26·67	0·76	1·52	0·51	15
16	-	-	0·25	1·52	-	0·25	-	-	2·54	0·25	0·76	-	16
17	0·25	-	-	-	2·79	-	-	-	8·38	-	0·25	1·27	17
18	0·76	-	-	0·76	0·25	-	-	25·91	4·06	-	0·25	1·27	18
19	2·79	-	-	5·08	-	1·02	-	-	-	-	-	1·52	19
20	1·52	5·8	-	6·35	-	11·43	-	1·52	3·30	-	-	-	20
21	-	-	-	0·51	-	-	13·46	0·51	12·19	-	-	1·52	21
22	-	-	-	7·87	-	-	-	0·25	4·57	0·25	-	8·13	22
23	-	0·5	-	0·25	-	-	10·41	0·25	-	0·25	-	6·86	23
24	-	0·5	1·27	-	-	-	-	-	0·51	-	0·51	0·25	24
25	-	0·5	-	0·25	-	-	4·83	-	1·27	0·25	0·51	-	25
26	1·78	-	8·13	0·51	-	-	3·05	-	-	0·25	-	0·51	26
27	7·87	1·78	1·52	5·08	-	4·32	0·76	-	0·25	0·25	17·27	3·56	27
28	9·40	-	2·79	0·76	1·27	-	1·78	-	-	0·25	0·51	0·76	28
29	14·22	-	2·54	0·51	-	-	0·51	-	-	0·25	2·03	3·30	29
30	0·76		-	-	0·25	0·25	2·79	-	10·16	0·25	7·11	3·05	30
31	-		-		0·51		-	-		9·65		1·78	31
TOTAL	68·55	16·0	51·29	67·04	14·20	52·07	98·05	42·40	80·24	27·89	38·58	52·07	YEAR'S TOTAL 608·38
Days with 0·2 mm. or more	18	14	16	24	12	11	16	11	15	21	16	24	198
	12	5	3	4	5	6	14	5	11	7	6	15	11·3

(44,284). Wt.21058—215. 500. 10/19. Gp.132. A.&E.W.

copied from M.O Form 3205

Cf CW 114

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

MAY 1921

Kept at Vanbrugh Alcester Rd. Wallington

in the County of Surrey

by Francis Campbell Bayard

Lat. 51° 22′ N Long. 0° 9′ W

Time of Observation 9 a.m. G.M.T.

Nearest Railway Station Wallington

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	—	—	·27	·02	—	·37	·01	—	·21	—	·24	1
2	·01	—	·17	—	·01	—	—	·40	·05	·06	—	·05	2
3	—	·03	—	—	—	·01	—	—	·02	·07	—	·04	3
4	·01	·07	·01	·15	—	—	·42	·06	·01	·11	·01	·02	4
5	—	·01	·10	—	·03	—	·56	·04	·02	·01	—	·04	5
6	—	—	·47	—	·12	—	·24	—	—	—	—	·02	6
7	·01	·01	—	·12	·05	—	·16	—	—	·02	—	—	7
8	—	·01	—	·10	·12	—	·08	—	—	·01	—	—	8
9	·23	·03	—	·01	—	—	—	—	—	—	—	—	9
10	·43	·07	·06	·02	—	·11	·13	—	—	—	·06	·01	10
11	·14	—	·06	·14	·01	·02	·36	·01	—	—	—	·19	11
12	·06	—	·01	·15	—	1.02	—	—	—	·03	·01	—	12
13	·23	·01	·13	·04	—	—	—	—	—	—	·03	·01	13
14	—	·01	·28	·23	—	·10	—	—	·13	·03	·17	·01	14
15	·01	·01	·04	·16	—	—	—	—	1.10	·02	·05	·02	15
16	—	—	·01	·06	—	·01	—	—	·10	—	·02	—	16
17	·01	—	—	—	·11	—	—	—	·34	—	·01	·04	17
18	·03	—	—	·02	·01	—	—	·94	·15	—	·01	·05	18
19	·10	—	—	·20	—	·03	—	—	—	—	—	·05	19
20	·05	·22	—	·25	—	·45	—	·05	·13	—	—	—	20
21	—	—	—	·01	—	—	·53	·01	·47	—	—	·05	21
22	—	—	—	·30	—	—	—	·01	·18	—	—	·30	22
23	—	·01	—	—	—	—	·39	·01	—	·01	—	·26	23
24	—	·01	·04	—	—	—	—	—	·01	—	·02	·01	24
25	—	·01	—	·01	—	—	·18	—	·05	·01	·01	—	25
26	·06	—	·33	·02	—	—	·10	—	—	·01	—	·02	26
27	·30	·06	·05	·18	—	·17	·02	—	—	—	·66	·12	27
28	·35	—	·10	·02	·05	—	·08	—	—	—	·02	·02	28
29	·58	—	·09	·01	—	—	·01	—	—	·01	·07	·13	29
30	·02	✕	—	—	·01	·01	·11	—	·40	·01	·26	·12	30
31	—	✕	—	✕	·01	✕	—	—	✕	·37	✕	·06	31
TOTAL	2.67	0.57	1.95	2.47	0.55	1.93	3.74	1.54	3.16	0.99	1.41	1.88	YEAR'S TOTAL 22·86
Days with ·01 in. or more	19	15 13	16 ~~8~~	22 ~~8~~	12 ~~7~~	10 ~~5~~	16	10 5	15 ~~4~~	16	15	24	190 ~~81~~
Days with ·04 in. or more	12	4	13	14	5	5	14	5	11	5	6	15	109

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

WALTON ON THE HILL

THE MANOR

SURREY

1911 - 1915, 17 - 20

Ja made

FORM A2. BRITISH RAINFALL.

3 JAN 1912

RE

Kept at Walton Man

in the County of Surr

by John Milli

tti & Zambra

in.

round 1 ft. in.

a Level 600 ft.

.M.

me Tadworth

tance 1 M. Direction N.E.

IMPORTANT NOTE. he result entered to the previous day. If an Obse sal rule, he is earnestly requested to add the readin in the space provided for it at the end of this of rain, the selection and placing Rainfall Organization are given in " application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·53	·02		·06	·04			·02		1
2	snow ·16	·04	·01	·22	·24		·09	·02			·12	·18	2
3		·63		snow ·01	·18						·11	·65	3
4	·05	·03	·07	snow ·18					·02	·08	·29	·26	4
5	·03			snow ·04						·35	·07	·14	5
6	·42		·26	snow ·01								·36	6
7	·05		·01	snow ·04						·08	·37	·24	7
8	·11		·18								·33	·43	8
9	·25		·03	·03							·02	·09	9
10		·15	·15	·01							·02	·82	10
11	·45		·02		·26						·95		11
12	·03		snow ·61		·03				·04		·11		12
13			snow ·09		·21				·14	·12		·24	13
14		·04			·35							·58	14
15		·05	·11							·03	·09	·03	15
16						·64					·65	·15	16
17			·02			·06					·39	·33	17
18		·15	·02			·03					·65	·56	18
19		·05			·03	·24			·24	·22	·21	·19	19
20	·03	·03	·01					·04		·15		·79	20
21	·03	·09						·04		·44		·24	21
22	·06		·19			·15		·01		·14		·52	22
23		·21	·02			1·04		·02	·27	·02	·03	·21	23
24		·12				·05	·05			1·52		·24	24
25		·02		·03	·01	·15	·08	·01					25
26		·01	·14	·21	·64	·14	·11			·26	snow ·02	·26	26
27		·32	·14	·11	·06		·04		·15	·08	snow ·14	·15	27
28		·18		·24				·12				·01	28
29			·02	·33		·16	·15		·19	·24			29
30			·01	·08		·02		·58		·29	·03		30
31					·86					·03			31
Total	1·70	1·54	2·09	2·07	2·92	2·74	·58	·91	1·05	4·38	4·62	7·10	TOTAL for year 31·70
No. of Rain Days	13	16	20	15	12	11	7	9	7	16	20	24	170

9,000, IX. '10.

Ga made

RE

FORM A2.
BRITISH RAINFALL.
3 JAN 1912

Kept at Walton Manor Nr Epsom

5

in the County of Surrey

by John Millichamp

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 600 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Tadworth
Distance 1 M. Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·53	·02		·06	·04			·02		1
2	Snow ·16	·04	·01	·22	·27		·09	·02			·12	·18	2
3		·03		Snow ·01	·18						·11	·55	3
4	·05	·03	·07	Snow ·18					·02	·08	·29	·26	4
5	·03			Snow ·04						·35	·07	·14	5
6	·42		·26	Snow ·01								·36	6
7	·05		·01	Snow ·04						·08	·37	·24	7
8	·11		·18								·33	·43	8
9	·25		·03	·03							·02	·09	9
10		·15	·15	·01							·02	·82	10
11	·45		·02		·26						·95		11
12	·03		Snow ·61		·03				·04		·11		12
13			Snow ·09		·21				·14	·12		·24	13
14		·04			·35							·58	14
15		·05	·11							·03	·09	·03	15
16						·64					·65	·15	16
17			·02			·06					·39	·33	17
18		·15	·02			·03					·65	·56	18
19		·05			·03	·24			·24	·22	·21	·19	19
20	·03	·03	·01					·04		·15		·79	20
21	·03	·09						·04		·44		·24	21
22	·06		·19			·15		·01		·14		·52	22
23		·21	·02			1·04		·02	·27	·02	·03	·21	23
24		·12				·05	·05			1·52		·24	24
25		·02		·03	·01	·15	·08	·01					25
26		·01	·14	·21	·64	·14	·11			·26	Snow ·02	·26	26
27		·32	·14	·11	·06		·04		·15	·08	Snow ·14	·15	27
28		·18		·24				·12				·01	28
29			·02	·33		·16	·15		·19	·24			29
30			·01	·08		·02		·58		·29	·03		30
31					·86					·03			31
Total	1·70	1·54	2·09	2·07	2·92	2·74	·58	·91	1·05	4·38	4·62	7·10	TOTAL for year 31·70
No. of Rain Days	13	16	20	15	12	11	7	9	7	16	20	24	170

9,000, IX. '10.

cwd 8.11.13

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

9-JAN 1913

Kept at Walton Manor Nr Epsom

5

in the County of Surrey

by John Millichamp

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
„ „ „ Sea Level 600 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Tadworth
Distance 1 mile Direction N.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01		·24			·12	·39		·06	·58		·19	1
2			·43			·04	·36	·19		·08			2
3	·01	snow ·07	·07			·15	·03	·32	·02			·12	3
4	·14		·74		·11	·27		·11			·25		4
5	·21	snow ·08	·13	·01				·51			·09	·05	5
6	·42	·08	·02		·03			·12				·17	6
7	·01				·14	·51		·14				·09	7
8	·33	·55	·25			·04	·01	·33				·01	8
9		·11	·02	·02		·18	·02	·02				·01	9
10		·09						·44			·06	·26	10
11		·33				·02		·02	·03			·33	11
12	·05	·11	·06		·10	·16		·11			·03	·01	12
13		·02	·01								·09	·02	13
14			·04		·03			·26		·04		·29	14
15	·02	·02	·09		·21	·75		·01			·06		15
16	·31		·14		·16	·18		·14		·05	·07		16
17	·21		·43			·05		·12				·16	17
18	·39		·21					·16		·03	·03	·09	18
19	·06	·13	·12	·01			·11	·75				·02	19
20		·02	snow ·62		·05			·19		·39	·04		20
21	·02	·15	·35		·04			·12		·12	·07		21
22	·19	·25	·08				·02	·25		·03		·03	22
23	·44	·31	·35					·43		·07	·28	·12	23
24	·33	·05						·29			~~·08~~	·16	24
25	·19					·22		·76		·02	·21	·48	25
26	snow ·02	·05				·54		·42		·38	·54	·31	26
27			·02			·02	·01			·25		·17	27
28		·08				·08	·25	·18	·15	·65	·42	·27	28
29		·05		·01		·11	·34	·21	1·71	·13	·06		29
30					·51	·02	·01	[illegible]	1·95	·33			30
31			·08				·24	·11		·02			31
Total	3·39	2·45	4·50	·05	1·38	3·49	1·79	6·79	3·92	3·17	2·30	3·46	TOTAL for year
No. of Rain Days.	19	19	22	4	10	18	12	28	6	16	15	22	36·69

made ✓

cord by own stats. & for arith 21.1.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

2 - JAN 1914

Kept at Walton Manor Nr Epsom

in the County of Surrey 5 ~~34~~ BR

by John Millichamp

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Tadworth

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·32	·07	·15	·01					·02	·12	·15	1
2	·03	·12					·14		·43	·04	·15	·61	2
3	·02		·03	·22	·52				·05	·04		·14	3
4	·50		·03	·04	·32		·02			·29	·04	·03	4
5	·44		·03			·06	·10		·41	·02	·06	·04	5
6	(·07)	·11	·11		·04	·12	·28		·04	·23	·16	·18	6
7		·25			·05	·02				·61	·14		7
8		·03			·17	·04		·77		·11		·02	8
9		·14		·02	·10		·01		·08		·04	·02	9
10			·02	·09			·14	·06			·36		10
11	·55			·45	·12					·63	·23		11
12					·12						·44		12
13	snow ·13								·14		·23		13
14	·18		·17	·06			1·06	·12		·15	·08		14
15	·32	·15	·22	·33			·39		·06				15
16	·22		·41	·06 ·04			·02		·43				16
17	·02	snow ·04	·01	·09			·28						17
18			·15				·14				·07		18
19	·25		·15			·02	·02		·19				19
20	·25		·48	·13		·03				·54			20
21	·03		·14	·05			·02			·31	·94		21
22	·42		·14				·02	·12	·16				22
23			·01				·03	·31				·52	23
24	·04		·16	·06		·06					·04		24
25		·02	·04	·22									25
26				·13				·09		·89		·16	26
27				·15	·45		·02			·03			27
28	·22		·34	·08	·38					·23			28
29	·05		·06	·47				·14		·07		snow ·61	29
30	·42			·05				·23		·25			30
31			·13					·93		·07			31
Total	4·21 ✓	1·19	2·96 2·96	2·89 ✓	2·28	·35	2·72 2·32	2·77	1·99 2·99	4·53	3·13	1·28	YEAR'S TOTAL 30·29
Rain Days.	20 ✓	9	21 ✓	~~19~~ 20	11	7	16	9	10	18	15	11	30·29

W. 7,500, XI. ·12

16·7

Slip made 3/3/15

copy ... stats 3.11.15 LMC

REGISTER OF RAINFALL IN 1914

FORM A2. BRITISH RAINFALL. 2 - JAN 1915

Kept at Walton Manor Nr Epsom

in the County of Surrey 5

by John Millichamp

RAIN GAUGE { Pattern Round N-8
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 600 ft.

Time of Observation 9 A.M.

Nearest Railway Station { Name Tadworth
Distance 1 Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·30			·03		1
2						·03	·23	·11			·39	·26	2
3			·09	·01	·23		·12	·07					3
4	·05		·02	·21	·01			·09			·22	·25	4
5	·10		·08	·32	·03	·09	·19	·50			·05		5
6		·14		·13	·28	·26		·01			·07	·30	6
7		·72	·35	·01	·15	·18	·18	·19				·15	7
8	·10	·72	·36	·01	·03	·06	·06					·08	8
9	·24		([illegible]) ·04	·15		·06			·18			2·15	9
10	·03	·11	·41	·06	·07				·17		·02	·03	10
11		·52	·11	·02	·03	·02			·12		·04	·37	11
12	snow ·04	·08	·22		·01		·33		·23		·03	·62	12
13		·43	·22			·03			·11	·03	·06	·42	13
14		·21	·15			·09	·02			·38	·19	·65	14
15	snow ·02	·02	·02				1·24	·04			1·03	·05	15
16	snow ·02		·14				·01		·05				16
17		·47	snow ·22						·09			·22	17
18		·04	snow ·38									·47	18
19		·38	sleet ·47				·21				·23	·29	19
20		·12	·08			·02			·03			·12	20
21		·69	·01			·03		·02		·08		·05	21
22		·02	·17		·32	·05	·19	·03		·15			22
23			·12		·03	·04				·03			23
24			·26	·01									24
25			·04				·03	·14		·39		·06	25
26							·10	·21		·05	·26	·74	26
27	·06										·05	·38	27
28		·03			·01					·11	·44	·68	28
29	·12		·04							·51	·28		29
30			·10							·09	·68	·41	30
31	·03				·16		·04					·04	31
Total	·81	4·73	4·82	·93	1·36	·96	1·98	1·71	·98	1·62	4·07	9·09	TOTAL for year
No. of Rain Days.	11	16	25	10	13	13	14	12	8	10	17	23	142

W. 8,000, X. '11.

33·26

Cod by Bayard 21.11.16

183

FORM A.
BRITISH RAINFALL.
3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Walton Manor Nr Epsom

in the County of Surrey 5

by John Millichamp

Lat. .... Long. ....

Time of Observation 9 A.M.

Nearest Railway Station Tadworth

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ...... in.

" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·58	·15	·04		·03	·02	·05		·25		·24	·40	1
2	·44	·31	·25	·12				·92				·16	2
3	Snow 51 ·57	·01	·05	·14	·03			·21	·12			·38	3
4	·02											·32	4
5	·04	·44						·07		·04		·38	5
6	·52	·09	·08				·85	·15				·16	6
7	·49	·52	·03	·42			·53	·02				·28	7
8	·05	·84					·04	·15		-			8
9	·03	·10		·04		·08		·04		·01	35	54	9
10	·23			·19				—			~~·35~~	·26	10
11	·03		·05							·01	·74	·06	11
12	·05	·11		·39	·38			·11			·50	Snow ·02	12
13	·01	·62			1·18				·01				13
14		·04					·07	·09	·03			·48	14
15	·16	·02			·04		·26	·10			Snow ·21	·24	15
16	·01	·70			·16		1·02	·08				·15	16
17		·54			·92		·01	·03			Sleet		17
18		·25	Snow ·08		·18						·07		18
19		·24			·02		·06						19
20	25			·02	·01							·24	20
21	Snow ·32	·04										·04	21
22	Snow ·75	·08	·09	·03			·93					·11	22
23		Snow ·12	·05			·03	·50		·04	·49		·32	23
24			·03				·01		·42	·26		·45	24
25				·11			·12					·28	25
26		·09				·12	·11					·62	26
27		·05				·30	·02		·01	·32		·09	27
28		·10				·13			1·68	·16			28
29						·04	·24	·12			·35		29
30		X				·07				·14	·54	·04	30
31	·08	X		X		X		·10	X	1·05	X	·33	31
Total	4·57	5·46	·75	1·46	2·95	·82	4·55	2·19	2·56	2·51	3·03	6·41 6·41	YEAR'S TOTAL 37·56 34·56
Rain Days.	19	22	10	9	10	7	16	14	8	9	8	24	156

W. 500, X. 14.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Walton-on-the-Hill, Walton Manor

in the County of Surrey

by F. C. Bayard, E. Whitehead

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·03	·15				1·81	·08		·11	·01	1
2				·65				·15			·23		2
3	·01			·12			·28	·47		·15	·01		3
4		·38	·13				·24	·35		·37			4
5	·25		·07	·37					·46	·29	·10		5
6			·24	·06		·13			·32	·01	·06		6
7	·27						·13			·35		·03	7
8	·11			·04			·62	·09	·04	·27	·23	·20	8
9			·07	·10			·30	·10	·02		·04	·60	9
10	·25		·22	·14	·01	·15		·05			·02	·06	10
11	·13	·02	·39	·24				·03	·43	·19			11
12	·05		·07	·03				·04		·44	·01		12
13	·09		·12	·07				·06	·03	·24			13
14			·02	·10				·12					14
15	·04						·02	·60		·03		·05	15
16	·05	·13		·30	·08	·02	·02			·47		·77	16
17		·01		·12	·55		·24	·04	·47	·21			17
18	·07			·10	·07	·03	·22	·12	·26	·08			18
19	·03	·14	·04	·01		·01			·10				19
20	·01	·10	·02		·68	·03	·17	·03	·01		·03		20
21			·02					·05			·09		21
22						·01		·10		·10	·01		22
23		·16			·17	·04		·18		·06		·05	23
24		·06				·10	·04			·12		·03	24
25		·06	·06			·04	·02			·08	·04		25
26			·03			·02		·35	·03		·56		26
27			·01					1·29				·03	27
28			·01			·95		·11				·07	28
29			·02		·03	·25	·25	·08		·47		·12	29
30	·03	X	·27				1·75	·12		·03			30
31	·10	X	·07	X		X	·38	·03	X	·01	X	·08	31
													YEAR'S TOTAL
Total	1·49	1·07	1·91	2·60	1·59	1·78	4·68	6·37	2·25	3·97	1·54	2·10	31·35
Rain Days.	15	10	20	16	7	13	15	24	12	20	14	13	179

from M.S.

Exd C+E

89

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
10 4 19

Kept at Walton-on-the Hill. Walton Mam.

in the County of Surrey.

by E. Whitehead per F. C. Bayard

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·02	·01			·02			·28	·07	1
2	·02			·05				·20		·02	·21	·12	2
3			·09	·08	·38			·06			·52	·03	3
4			·15					·03	·20		·86	·03	4
5			·02		·11			·18	·45	·07		·02	5
6	·20			·20	·17			·03		·03		·08	6
7	·04			·11	·33				·21	·06	·09	·01	7
8	·01			·01				·02	·10	·03	·12	·10	8
9				·06		·19	·42		·69	·17		·44	9
10				·10		·01	·30		·07	·04	·02	·35	10
11				·02			·73		·01	·24	·10	·11	11
12					·18		·11		·07			·01	12
13	·15			·02	·15		·02		·13				13
14	·15		·03			·20	·11		·13	·20		·23	14
15	1·27			·75		·12	·53					·15	15
16	·32		·01	·31		·07			·21				16
17	·32			·09	·03		1·10	·08				·18	17
18	·53					·28	·03		·60	·07		·06	18
19	·10		·11	·15	·03	·05	·17		·03	·12		·03	19
20	·07			·63		·04	·17		·42	·32			20
21	·15			·84		·01	·05		·32	·12		·02	21
22	·07				·60		·12		·16		·02	·18	22
23	·05			·02	·06		·75	·06	·05			·03	23
24							·10		·16	·01	·07		24
25				·09			·11	·25		·05	·01		25
26							·57		·02	·04	·17	·13	26
27			·01	·18			·06	·20	·08		·11	·02	27
28			·21	·06				·12			·19	·08	28
29				·02					1·02		·05		29
30		X	·42						·16	·04	·05	·11	30
31		X	·07	X		X			X	·10	X	·01	31
Total	3·45 ✓	1·52	1·12 ✓	3·81 ✓	1·95 ✓	·97 ✓	5·45 ✓	1·25 ✓	5·29 ✓	1·73 ✓	2·87 ✓	2·60 ✓	YEAR'S TOTAL 32·01 ✓
Rain Days.	15 ✓	13	10 ✓	21 ✓	11 ✓	9 ✓	18 ✓	12 ✓	22 ✓	18 ✓	16 ✓	25 ✓	190

W. 6,500, VII. 18. W W G

B made

W DL and [illegible]

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

2 JAN 20

Kept at Walton Manor. Tadworth

in the County of Surrey

by John Millichamp

Lat. .... Long. ....

Time of Observation 9 A.M.

Nearest Railway Station Tadworth

Diameter of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. ...... in.

" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·40	8 ·05	·02	·01	·07		·11			·03	·08	1·02	1
2	·26		·01		·02		·14	~~·16~~	·16	·09	·12	·12	2
3	·30		·55				·03		·06		8 ·05	·36	3
4	·15	·05	·35		·02	·08	·22		·03		·02	13 ·29	4
5		·40	·53						·03		·03	·08	5
6	·10		·05							·01			6
7	·05		·33								·06		7
8	·31		·11								·02		8
9	·26		·03	·05	·03						·12		9
10	·42		·05	·02						·02	·02	·06	10
11	·15		·11	·29			·25				Snow	·05	11
12	·07		·03	·04		·01	·11			·14	·08	·01	12
13	·02	·03		·47					·03	·02		·06	13
14	·48		·19	·44			·15		·93	·04		·06	14
15	·19	·02	·12	·15						·01		·61	15
16	·07	·53					·02				8 ·08	·04	16
17		8 ·28		·04							·17	·01	17
18		·26	·08					·01	·03		·07	·02	18
19	·03	·21	·64			·17	·42	·14	·01		·06	·01	19
20	·29	·11	·17			·67	·27	·18	·01			·01	20
21	·12	·46	8 ·03				·05				·02	·02	21
22			8 ·02			·03	·25		·38		·02	·29	22
23						·02			·10		·01	·04	23
24				·22		·04	·10	·04		·15	·10	·01	24
25	·03	·03			·01			·22			·01	·03	25
26	·06	·1[illegible]	·13	·12				·03	·14		·01 8	·33	26
27	8 ·45	·04	·01	Sw 1·35				·31			·12 8	·04	27
28			8 ·28	·02			·04	·93			·30 8	·35	28
29	·10			·03				·34		·32	·04	·07	29
30		✕	·01 8	·27		·10		·38		·06	·27	·65	30
31	·10	✕	·08 8	✕		✕	·07		✕		✕	·04	31
Total	4·41	2·63	4·04	3·52	·15	1·12	2·23	2·58	1·91	·79	1·88	4·81	YEAR'S TOTAL 30·07
Rain Days.	23	14	23	15	5	8	15	10	12	11	24	28	188

W. 8,000. X. 14.

Exd

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Walton-on-the-Hill, Walton Manor

in the County of

by per Bayard, J Millichamp

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	..	..	·35	·07	..	·48	..	·01	·31	..	·29	1
2	..	..	·10	·01	·03	..	·03	·30	·15	·02	..	·09	2
3	..	·02	..	·02	·03	·01	..	..	·01	·13	..	·09	3
4	..	·08	..	·19	..	..	1·65	·18	..	·24	..	·02	4
5	..	..	·08	·02	·02	..	·62	·08	..	..	..	·02	5
6	..	..	·52	..	·09	..	·36	..	..	..	..	·03	6
7	·03	..	..	·16	·08	..	·44	..	..	..	..	·01	7
8	..	·01	..	·06	·18	..	·28	..	..	..	..	..	8
9	·25	·02	..	·03	·02	..	·04	·03	..	..	..	..	9
10	·57	·06	·08	·05	..	·02	·20	..	..	..	·03	..	10
11	·28	..	·09	·18	..	·05	·34	·03	..	..	..	·25	11
12	·06	·02	·01	·20	..	·75	·01	..	..	·02	·02	..	12
13	·22	..	·19	·06	..	..	..	..	..	..	·05	..	13
14	..	·03	·30	·32	..	·03	..	..	·06	·04	·31	..	14
15	·02	·01	·08	·27	..	..	..	..	·71	·06	·11	·05	15
16	..	·01	·02	·17	..	·40	..	..	·52	..	..	·01	16
17	·01	..	..	..	·11	..	·01	..	·45	..	..	·11	17
18	·05	..	·03	·04	·03	..	..	·98	·12	..	..	·09	18
19	·14	..	..	·23	..	·04	..	·08	..	..	..	·03	19
20	·06	·29	..	·28	..	·54	..	..	·04	..	..	·02	20
21	..	..	..	·02	..	..	·57	·01	·58	..	..	·11	21
22	·02	..	..	·39	..	..	·01	·01	·32	..	..	·35	22
23	·01	..	..	..	..	..	·39	·02	..	..	..	·36	23
24	..	·04	·06	..	..	..	..	..	..	..	..	·03	24
25	..	..	·01	·01	..	..	·38	..	·03	..	..	..	25
26	·09	..	·36	·02	..	·01	·02	..	..	..	..	·05	26
27	·36	·08	·03	·24	..	·11	·07	..	..	..	·87	·21	27
28	·39	·01	·07	·10	·06	..	·11	..	..	..	·10	·03	28
29	·53	..	·09	·07	..	..	..	..	..	..	·16	·24	29
30	·03		..	·02	·05	·01	·11	..	·35	..	·34	·16	30
31	·01		..		·01		..	..		·45		·18	31
Total	3·22	·68	2·12	3·51	·78	1·97	6·12	1·72	3·35	1·27	1·99	2·83	Year's Total
	..	3·90	6·02	9·53	10·31	12·28	18·40	20·12	23·47	24·74	26·73	29·56	29·56
Days with ·01 in. or more	20	13	17	26	13	11	20	10	13	8	9	24	184
Days with ·04 in. or more	13	5	12	18	7	6	15	5	10	6	7	15	119

Walton-on-the-Hill

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

153

FORM A.
BRITISH RAINFALL.
9 JAN 1921

cont. mth

REGISTER OF RAINFALL IN 1920

Kept at Walton Manor Nr Tadworth
in the County of Surrey
by John Millichamp

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Tadworth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 610 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09			·35	·07		·48		·01	·31		·29	1
2			·10	·01	·03		·03	·30	·15	·02		·09	2
3		·02		·02	·03	·01			·01	·13		·09	3
4		·08		·19			1·65	·18		·24		·02	4
5			·08	·02	·02		·62	·08				·02	5
6			·52		·09		·36					·03	6
7	·03			·16	·08		·44					·01	7
8		·01		·06	·18		·28						8
9	·25	·02		·03	·02		·64	·03					9
10	·57	·06	·08	·05		·02	·20				·03	Snow	10
11	·28		·09	·18		·05	·34	·03				·25	11
12	·06	·02	·01	·20		·75	·01			·02	·02		12
13	·22		·19	·06							·05		13
14		·03	·30	·32		·03			·06	·04	·31	Snow	14
15	·02	·01	·08	·27					·71	·06	·11	·05	15
16		·01	·02	·17		·40			·52			·01	16
17	·01				·11		·01		·45			Sleet ·11	17
18	·05		·03	·04	·03			·98	·12			·09	18
19	·14			·23		·04		·08				·03	19
20	·06	·29		·28		·54			·04			·02	20
21				·02			·57	·01	·58			·11	21
22	·02			·39			·01	·02	·32			·35	22
23	·01						·39	·01				·36	23
24		·04	·06									·03	24
25			·01	·01			·38		·03				25
26	·09		·36	·02		·01	·02					·05	26
27	·36	·08	·03	·24		·11	·07				·87	·21	27
28	·39	·01	·07	·10	·06		·11				·10	·03	28
29	·53		·09	·07							·16	·24	29
30	·03	╳		·02	·05	·07	·11		·35		·34	·16	30
31	·01	╳		╳	·01	╳			╳	·45	╳	·18	31
Total	3·22	·68	2·12	3·51	·78	1·97	6.12 ~~6·22~~	1·72	3·35	1·27	1·99	2·53	YEAR'S TOTAL 29.56 ~~29·95~~
Rain Days	20	13	16	26	13	11	20	10	13	8	9	24	184
	13	5	12	18	7	6	15	5	11	6	7	15	120

W, 6,500, VII. 18. W W 6

E. made

FORM A. 2. METEOROLO ... NIZATION.

REC

WALTON ~~-~~ON HILL
M.O.
SURREY
1919 - 20

15′ W

22 MAR 20

Kept at Walton -on ... M.T.

in the County of ...

by ...

Gauge 8 in.

Ground 1 ft. 0 in.

Sea Level 570 ft.

IMPORTANT NOTE.- ... ered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

First Return August 1919

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1								-	-	0·8	1·6	27·3	1
2								-	3·7	2·4	2·7	3·6	2
3								-	1·2	-	1·0	8·5	3
4								0·3	0·7	-	0·5	3·6	4
5								-	0·7	-	0·8	7·6	5
6								-	-	0·1	0·4	1·7	6
7								-	-	-	1·2	-	7
8								-	-	-	0·2	-	8
9								-	0·1	-	4·4	-	9
10								-	-	0·7	0·5	2·0	10
11								-	-	-	-	1·3	11
12								-	-	1·4	1·6	0·4	12
13								-	0·4	0·5	-	1·6	13
14								-	20·6	1·2	-	1·9	14
15								-	-	-	-	17·3	15
16								-	-	-	2·5	0·5	16
17								-	-	-	4·4	0·5	17
18								0·5	0·8	-	2·4	1·1	18
19								5·2	0·2	0·3	1·8	0·2	19
20								5·3	-	-	-	0·5	20
21								-	-	0·1	0·5	0·8	21
22								-	9·3	-	0·5	7·9	22
23								-	5·5	-	0·5	0·6	23
24								0·9	-	3·7	1·7	0·3	24
25								4·7	-	-	0·5	0·8	25
26								1·0	3·3	-	0·3	9·4	26
27								8·0	-	-	3·5	0·5	27
28								23·0	-	-	7·5	9·8	28
29								7·6	-	8·6	1·0	2·1	29
30								10·4	-	1·3	7·8	19·4	30
31								-		0·1		1·0	31
TOTAL								66·9 ✓	46·5 ✓	21·2 ✓	49·8 ✓	132·2 ✓	YEAR'S TOTAL
Days with 0·2 mm. or more								11 ✓	11 ✓	10 ✓	25 ✓	28 ✓	

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M.O. Form 3202.

N. made

FORM A. 2. METEOROLO [redacted] NIZATION.

REGISTER OF RAINFALL IN 1919.

22 MAR 26

Kept at Walton-on-Hill [M.O.]

in the County of Surrey

by

Lat. 51° 16′ Long. 0° 15′ W

Time of Observation 8h G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 570 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

First Return August 1919

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1								-	-	0·8	1·6	27·3	1
2								-	3·7	2·4	2·7	3·6	2
3								-	1·2	-	1·0	8·5	3
4								0·3	0·7	-	0·5	3·6	4
5								-	0·7	-	0·8	7·6	5
6								-	-	0·1	0·4	1·7	6
7								-	-	-	1·2	-	7
8								-	-	-	0·2	-	8
9								-	0·1	-	4·4	-	9
10								-	-	0·7	0·5	2·0	10
11								-	-	-	-	1·3	11
12								-	-	1·4	1·6	0·4	12
13								-	0·4	0·5	-	1·6	13
14								-	20·6	1·2	-	1·9	14
15								-	-	-	-	17·3	15
16								-	-	-	2·5	0·5	16
17								-	-	-	4·4	0·5	17
18								0·5	0·8	-	2·4	1·1	18
19								5·2	0·2	0·3	1·8	0·2	19
20								5·3	-	-	-	0·5	20
21								-	-	0·1	0·5	0·8	21
22								-	9·3	-	0·5	7·9	22
23								-	5·5	-	0·5	0·6	23
24								0·9	-	3·7	1·7	0·3	24
25								4·7	-	-	0·5	0·8	25
26								1·0	3·3	-	0·3	9·4	26
27								8·0	-	-	3·5	0·5	27
28								23·0	-	-	7·5	9·8	28
29								7·6	-	8·6	1·0	2·1	29
30		✕						10·4	-	1·3	7·8	19·4	30
31		✕		✕		✕		-	✕	0·1	✕	1·0	31
TOTAL								66·9 ✓	46·5 ✓	21·2 ✓	49·8 ✓	132·2 ✓	YEAR'S TOTAL
Days with 0·2 mm. or more								11 ✓	11 ✓	10 ✓	25 ✓	28 ✓	

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M.O. Form 3202.

FORM A.2) METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Walton-on-Hill (M.O)
in the County of Surrey
by G. R. Crompton

Lat. 51° 16′ Long. 0° 15′ W
Time of Observation 8h G.M.T
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 570 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	2.0	-	-	8.4									1
2	0.1	-	2.5	0.1									2
3	-	0.5	0.1	0.8									3
4	-	2.2	0.1	4.8									4
5	-	-	2.7	0.3									5
6	-	-	14.5	-									6
7	1.3	0.2	-	3.9									7
8	-	0.4	-	1.9									8
9	6.6	0.5	-	0.8									9
10	16.5	2.5	3.0	1.6									10
11	8.4	-	2.3	4.6									11
12	1.7	0.5	0.4	5.1									12
13	5.1	-	3.2	1.9									13
14	-	1.0	7.3	9.2									14
15	0.8	0.5	2.6	8.7									15
16	0.1	0.3	0.5	4.6									16
17	0.4	-	-	-									17
18	1.5	-	-	0.8									18
19	3.5	0.1	-	6.2									19
20	1.7	7.2	-	6.7									20
21	-	-	-	0.3									21
22	0.8	0.2	-	9.4									22
23	0.2	0.2	-	-									23
24	0.3	0.8	2.2	-									24
25	-	0.4	0.2	0.2									25
26	2.0	-	9.8	0.5									26
27	11.4	1.2	0.6	5.6									27
28	9.3	0.2	1.8	3.1									28
29	17.8	-	2.3	1.2									29
30	1.0		-	-									30
31	0.4		0.4										31
TOTAL	92.9	18.9	56.5	90.7									YEAR'S TOTAL
Days with 0·2 mm. or more	21	17	17	24									

Station stopped

(44,284). W[illegible],958—2[illegible]. 500. [illegible] Gp.13[illegible]. [illegible].&E.W.
15 5 12 17
Copied from M.O Form 3202

DL
2p5a

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

39

WALTON ON ~~THE~~ HILL
SHIRLEY
SURREY
1911

Kept at Shirley,

in the County of

by E. P.

in.

Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT the result entered to the previous day. If ersal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·55	·01		·05	·05			·03		1
2	·15		·02	22	·29		·09				·11		2
3		·05			·18			·02			·14		3
4	·05	·02	·07	·07					·01	·05	·32		4
5		·02		·11						·34	·08		5
6	·41		·23										6
7	·05									·07	·39		7
8	·11		·20								·32		8
9	·24		·01	·05							·03		9
10		·14	·17	·01									10
11	·50		·01		·22						1·11		11
12	·03		·56		·01				·04		·08		12
13			·11		·16				·10	·09	·02		13
14		·07			·32								14
15		·05	·12							·02	·09		15
16						·63					·73		16
17			·02			·04					·44		17
18		·14	·02			·01					·69		18
19		·04			·04	·24			·24	·25	·21		19
20			01					·04		·18			20
21	·02	·14				·13		·06		·79			21
22	07		·19			1·10				·14			22
23		·26	·02						·28	·02			23
24		·15				·11	·05	·02		1·58	·02		24
25		·02		·05	·01	·10	·04		·03				25
26			·15	·22	·62	·13	·09			·28	·04		26
27		·36	·10	·08	·10		·02		·11	·09	·11		27
28		·23		·25				·09					28
29				·32		·05	·15		·21	·26			29
30			·01	·08		·11		·64		·30			30
31					·50					·03			31
Total	1·63	1·69	2·02	2·01	2·46	2·65	·49	·92	1·02	4·49	4·96		TOTAL for year
No. of Rain Days	10	14	18	12	12	11	7	7	8	16	19		

9,000, IX. '10.

DL

39

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

Kept at Shirley, Walton-on-the Hill

in the County of S E Surrey 5

by E. P. Hawthorn

RAIN GAUGE
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation ....

Nearest Railway Station
Name ....
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·55	·01		·05	·05			·03		1
2	·15		·02	·22	·29		·09				·11		2
3		·05			·18			·02			·14		3
4	·05	·02	·07	·07					·01	·05	·32		4
5		·02		·11						·34	·08		5
6	·41		·23										6
7	·05									·07	·39		7
8	·11		·20								·32		8
9	·24		·01	·05							·03		9
10		·14	·17	·01									10
11	·50		·01		·22						1·11		11
12	·03		·56		·01				·04		·08		12
13			·11		·16				·10	·09	·02		13
14		·07			·32								14
15		·05	·12							·02	·09		15
16						·63					·73		16
17			·02			·04					·44		17
18		·14	·02			·01					·69		18
19		·04			·04	·24			·24	·25	·21		19
20			·01					·04		·18			20
21	·02	·14				·13		·06		·79			21
22	·07		·19			1·10				·14			22
23		·26	·02						·28	·02			23
24		·15				·11	·05	·02		1·58	·02		24
25		·02		·05	·01	·10	·04		·03				25
26			·15	·22	·62	·13	·09			·28	·04		26
27		·36	·10	·08	·10		·02		·11	·09	·11		27
28		·23		·25				·09					28
29				·32		·05	·15		·21	·26			29
30			·01	·08		·11		·64		·30			30
31					·50					·03			31
Total	1·63	1·69	2·02	2·01	2·46	2·65	·49	·92	1·02	4·49	4·96		TOTAL for year
No. of Rain Days	10	14	18	12	12	11	7	7	8	16	19		

9,000, IX. '10.

Sn

FORM A2.
BRITISH RAINFALL.

1 - JAN 1912

WALTON ON ~~THE~~ HILL
HEDGECROFT
SURREY
1911- 1914

Kept at Hedgecrof ... on

... in.

... und 1 ft. — in.

in the County of ... Level 570 ft.

by G. R. Crom ... Tadworth

... nce 2 miles Direction N.E.

IMPORTANT N... e result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·03	—	—	0·57	0·01	—	0·01	0·05	—	—	0·02	—	1
2	0·15	—	0·01	0·23	0·29	—	0·03	—	—	—	0·11	0·20	2
3	—	0·04	—	—	0·19	—	—	0·02	—	—	0·17	0·04	3
4	0·05	0·02	0·06	0·16	—	—	—	—	0·01	0·04	0·32	0·24	4
5	0·03	0·02	—	0·02	—	—	—	—	—	0·38	0·07	0·20	5
6	0·31	—	0·22	—	—	—	—	—	—	—	—	0·32	6
7	0·06	—	—	0·05	—	—	—	—	—	0·08	0·42	0·35	7
8	0·10	—	0·13	—	—	—	—	—	—	—	0·32	0·39	8
9	0·27	—	0·06	0·03	—	—	—	—	—	—	0·02	0·06	9
10	—	0·16	0·13	0·02	—	—	—	—	—	—	0·01	0·99	10
11	0·51	—	0·03	—	0·26	—	—	—	—	—	1·07	0·01	11
12	0·02	—	0·54	—	0·01	—	—	—	0·04	—	0·08	—	12
13	—	—	0·07	—	0·07	—	—	—	0·13	0·10	0·05	0·28	13
14	—	0·08	—	—	0·43	—	—	—	—	—	—	0·64	14
15	0·01	0·05	0·12	—	—	—	—	—	—	0·02	0·12	0·04	15
16	0·01	—	—	—	—	0·70	—	—	—	—	0·80	0·16	16
17	—	—	0·02	—	—	0·04	—	—	—	—	0·35	0·36	17
18	—	0·13	0·01	—	—	0·01	—	—	—	—	0·72	0·58	18
19	—	0·03	—	—	0·04	0·24	—	—	0·26	0·14	0·21	0·18	19
20	0·02	—	0·01	—	—	—	—	0·03	—	0·30	—	0·82	20
21	0·02	0·15	—	—	—	—	—	0·07	—	0·78	—	0·28	21
22	0·07	—	0·20	—	—	0·17	—	—	—	0·24	—	0·45	22
23	—	0·28	0·01	—	—	1·06	—	—	0·30	0·03	0·03	0·23	23
24	—	0·15	—	—	—	0·06	0·05	0·02	—	1·61	—	0·27	24
25	—	0·02	—	0·05	0·01	0·19	0·09	—	0·03	—	—	0·01	25
26	—	—	0·12	0·25	0·48	0·12	0·12	—	—	0·30	0·01	0·27	26
27	—	0·34	0·17	0·09	0·06	—	0·05	—	0·10	0·10	0·16	0·16	27
28	—	0·25	—	0·26	—	—	—	0·12	—	—	0·02	0·01	28
29	—		—	0·27	—	0·16	0·13	—	0·22	0·29	0·01	—	29
30	—		0·01	0·10	—	0·02	—	0·55	0·03	0·34	—	0·01	30
31	—		—		0·79		—	—		0·02		—	31
Total	1·66	1·72	1·92	2·10	2·64	2·77	0·48	0·86	1·12	4·77	5·09	7·55	TOTAL for year 32·68
No. of Rain Days	15	14	18	13	12	11	7	7	9	16	22	27	171

9,000, IX. '10.

Sa

on

FORM A2.
BRITISH RAINFALL.

1 - JAN 1912

Kept at Hedgecroft, Walton-on-the-Hill, Epsom

in the County of Surrey 5

by G. R. Crompton.

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 570 ft.

Time of Observation 8 a.m.

Nearest Railway Station
Name Tadworth
Distance 2 miles Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·03	—	—	0·57	0·01	—	0·01	0·05	—	—	0·02	—	1
2	0·15	—	0·01	0·23	0·29	—	0·03	—	—	—	0·11	0·20	2
3	—	0·04	—	—	0·19	—	—	0·02	—	—	0·17	0·04	3
4	0·05	0·02	0·06	0·16	—	—	—	—	0·01	0·04	0·32	0·24	4
5	0·03	0·02	—	0·02	—	—	—	—	—	0·38	0·07	0·20	5
6	0·31	—	0·22	—	—	—	—	—	—	—	—	0·32	6
7	0·06	—	—	0·05	—	—	—	—	—	0·08	0·42	0·35	7
8	0·10	—	0·13	—	—	—	—	—	—	—	0·32	0·39	8
9	0·27	—	0·06	0·03	—	—	—	—	—	—	0·02	0·06	9
10	—	0·16	0·13	0·02	—	—	—	—	—	—	0·01	0·99	10
11	0·51	—	0·03	—	0·26	—	—	—	—	—	1·07	0·01	11
12	0·02	—	0·54	—	0·01	—	—	—	0·04	—	0·08	—	12
13	—	—	0·07	—	0·07	—	—	—	0·13	0·10	0·05	0·28	13
14	—	0·08	—	—	0·43	—	—	—	—	—	—	0·64	14
15	0·01	0·05	0·12	—	—	—	—	—	—	0·02	0·12	0·04	15
16	0·01	—	—	—	—	0·70	—	—	—	—	0·80	0·16	16
17	—	—	0·02	—	—	0·04	—	—	—	—	0·35	0·36	17
18	—	0·13	0·01	—	—	0·01	—	—	—	—	0·72	0·58	18
19	—	0·03	—	—	0·04	0·24	—	—	0·26	0·14	0·21	0·18	19
20	0·02	—	0·01	—	—	—	—	0·03	—	0·30	—	0·82	20
21	0·02	0·15	—	—	—	—	—	0·07	—	0·78	—	0·28	21
22	0·07	—	0·20	—	—	0·17	—	—	—	0·24	—	0·45	22
23	—	0·28	0·01	—	—	1·06	—	—	0·30	0·03	0·03	0·23	23
24	—	0·15	—	—	—	0·06	0·05	0·02	—	1·61	—	0·27	24
25	—	0·02	—	0·05	0·01	0·19	0·09	—	0·03	—	—	0·01	25
26	—	—	0·12	0·25	0·48	0·12	0·12	—	—	0·30	0·01	0·27	26
27	—	0·34	0·17	0·09	0·06	—	0·05	—	0·10	0·10	0·16	0·16	27
28	—	0·25	—	0·26	—	—	—	0·12	—	—	0·02	0·01	28
29	—		—	0·27	—	0·16	0·13	—	0·22	0·29	0·01	—	29
30	—		0·01	0·10	—	0·02	—	0·55	0·03	0·34	—	0·01	30
31	—		—		0·79		—	—		0·02		—	31
Total	1·66	1·72	1·92	2·10	2·64	2·77	0·48	0·86	1·12	4·77	5·09	7·55	TOTAL for year 32·68 ✓
No. of Rain Days	15	14	18	13	12	11	7	7	9	16	22	27	171 ✓

9,000, IX. '10.

Ex DL

FORM A2.
BRITISH RAINFALL.
11 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Hedgecroft, Walton-on-the-Hill

in the County of Surrey 5

by G. R. Crompton

RAIN GAUGE Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 570 ft.

Time of Observation 8 a.m.

Nearest Railway Station Name Tadworth
Distance 2 miles Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	—	·24	·01	—	·05	·16	—	·01	·58	—	·19	1
2	—	·02	·50	—	—	·09	·34	·25	·04	·05	—	—	2
3	·01	·04	·06	—	—	·14	·04	·31	·01	—	—	·12	3
4	·17	·02	·77	—	·10	·26	—	·11	—	—	·17	—	4
5	·13	·04	·13	—	—	—	—	·51	—	—	·19	·03	5
6	·54	·10	·03	—	·03	—	—	·11	·01	—	—	·16	6
7	·01	·01	—	—	·14	·40	—	·16	—	—	—	·09	7
8	·32	·56	·27	—	—	·10	·03	·24	·01	—	·01	·01	8
9	·01	·10	·02	·02	—	·15	·02	—	—	—	—	·13	9
10	·01	·10	—	—	—	—	—	·71	—	—	·05	·26	10
11	·03	·34	·01	—	—	·01	—	·06	·02	·01	—	·37	11
12	·02	·15	·05	—	·11	·15	—	·13	—	·01	·04	·02	12
13	·01	·02	·03	—	—	—	—	—	—	—	·12	·03	13
14	—	—	·05	—	·03	—	—	·25	—	·05	—	·06	14
15	·02	·01	·10	—	·18	·79	—	—	—	—	·05	·29	15
16	·24	·02	·13	—	·22	·13	—	·17	—	·07	·04	—	16
17	·40	—	·44	—	—	·04	—	·14	—	—	·02	·17	17
18	·18	—	·23	—	—	—	—	·15	—	·02	·01	·11	18
19	·05	·10	·15	·02	—	—	·09	·71	—	—	—	·03	19
20	·03	·05	·63	—	—	·01	—	·10	—	·41	·05	—	20
21	·02	·05	·38	—	·01	—	—	·08	—	·14	·06	—	21
22	·17	·32	·10	—	·08	—	·02	·21	—	·08	—	·03	22
23	·39	·34	·37	—	·01	—	—	·42	—	·09	·26	·12	23
24	·34	·06	—	—	—	·26	—	·36	—	—	—	·21	24
25	·15	·02	—	—	—	·50	—	·71	—	·02	·22	·37	25
26	·02	·04	—	—	—	—	—	·35	—	·43	·65	·48	26
27	—	—	·01	—	—	·07	·01	—	—	·26	—	·24	27
28	—	·06	—	—	—	·06	·28	·10	·12	·74	·41	·28	28
29	—	·02	—	—	—	·05	·35	·30	1·69	·14	·06	—	29
30	—		—	—	·50	·02	·03	·08	1·96	·33	—	—	30
31	—		·07		—		·24	·10		·01		—	31
Total	3·28	2·59	4·77	0·05	1·41	3·28	1·61	6·82	3·87	3·44	2·41	3·80	TOTAL for Year 37·33
No. of Rain Days.	24	24	23	3	11	19	12	26	9	18	17	23	209

W. 8,000, X. '11.

Lat. 51° 16′ ·12″
Long. 0° 15′ 3″ ✓

Exc DL

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL.
6 - JAN 1914

Kept at Hedgecroft, Walton-on-the-Hill

in the County of Surrey 5

by G. R. Crompton

Rain Gauge
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 570 ft.

Time of Observation 8 a.m

Nearest Railway Station
Name Tadworth
Distance 2 miles Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·32	·02	·16	·01	—	—	—	·38	·01	·14	·17	1
2	·02	·11	—	—	—	—	·15	—	·08	·05	·14	·01	2
3	·02	·01	·04	·18	·54	—	—	—	—	·06	—	·22	3
4	·57	—	·06	·02	·31	—	·01	—	—	·32	·03	·03	4
5	·48	—	·03	—	·03	·07	·09	—	·33	·02	·05	·03	5
6	·15	·14	·13	—	—	·12	·31	—	—	·05	·16	·16	6
7	—	·32	—	—	·04	·06	—	—	—	·71	·08	·01	7
8	—	·04	—	—	·17	·02	—	·21	—	·21	·05	·02	8
9	—	·14	—	·02	·11	·01	·05	—	·09	—	·03	·02	9
10	·01	—	·02	·09	—	—	·16	·06	—	—	·37	—	10
11	·53	—	—	·42	·19	—	—	—	—	·70	·22	—	11
12	—	·01	—	—	·12	—	—	—	—	·01	·47	—	12
13	·13	—	·04	—	—	—	—	·01	·15	—	·19	—	13
14	·14	·01	·15	·06	—	—	1·17	·10	—	·15	·13	·01	14
15	·35	·12	·23	·32	—	—	·41	—	·06	—	—	—	15
16	·20	—	·48	·32	—	—	·01	—	·41	—	—	—	16
17	·03	·03	·04	·03	—	—	·29	—	—	—	·01	—	17
18	·01	—	·15	·16	—	—	·06	—	·03	—	·08	—	18
19	·24	—	·17	—	·16	·02	·15	—	·23	—	—	—	19
20	·31	—	·47	·14	—	·03	—	—	—	·52	·05	—	20
21	·04	—	·11	·04	—	—	—	—	—	·35	·93	—	21
22	·42	—	·21	—	—	—	·02	—	·15	—	·01	·01	22
23	·01	—	—	—	—	·03	·03	·39	·02	—	—	·50	23
24	·05	—	—	·07	—	·02	—	—	—	—	·04	—	24
25	—	·02	·01	·22	—	—	—	—	—	—	—	—	25
26	—	—	·15	·13	—	—	·01	·09	—	·80	—	·23	26
27	—	·06	·02	·15	·22	—	—	—	—	·02	—	—	27
28	·22	—	·40	·07	—	—	—	—	—	·21	—	—	28
29	·06		·06	·50	·35	—	—	·14	·01	·09	—	—	29
30	·49		—	·06	—	—	—	·21	—	·25	—	—	30
31	—		·11		—		—	·78		·06		—	31
Total	4·51	1·33	3·10	3·16	2·25	·38	2·92	1·99	1·94	4·59	3·18	1·42	TOTAL for year 30·77 ✓
No. of Rain Days.	23	13	22	20	12	9	15	9	12	19	19	13	186 ✓

W. 8,000, X. '11.

Copied from D. J. [illegible]

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
8 - MAR 1915

Kept at Walton-on-the Hill [illegible]

in the County of Surrey 5

by G R Crompton J Campbell-Bayard

Lat. Long.
Time of Observation 9 am
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 570 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	·01	-	-	-	·32					1
2	·01	-	-	-	-	·04	·19	·07					2
3	-	·01	·07	·01	·29	-	·14	·04					3
4	-	-	·02	·25	·03	-	·01	·20					4
5	·14	·17	·07	·37	·29	·09	·17	·58					5
6	-	·77	-	·14	·03	·25	-	·01					6
7	-	·89	·40	·17	·10	·15	·13	-					7
8	·10	-	·38	-	·05	·06	·10	·23					8
9	·29	·06	·70	·19	-	·05	-	·01					9
10	·04	·64	·03	·06	·08	-	-	-					10
11	-	·10	·40	·02	·04	·02	-	-					11
12	·02	·56	·09	-	-	-	·33	-					12
13	·01	·33	·28	-	-	·03	-	-					13
14	-	·05	·24	-	-	-	·02	-					14
15	·01	-	·17	-	-	-	·18	·04					15
16	·01	·30	·05	-	-	-	-	-					16
17	-	·19	·13	-	-	-	-	-					17
18	-	·15	·21	-	-	-	-	-					18
19	-	·39	·32	-	-	-	·17	-					19
20	-	·76	·50	-	-	·03	-	-					20
21	-	·03	·10	-	-	·02	-	·04					21
22	-	-	·01	-	·29	·11	·19	·03					22
23	-	-	·22	·01	·03	·03	-	-					23
24	-	-	·12	-	-	-	-	-					24
25	·03	-	·26	-	-	-	·04	·12					25
26	-	-	·03	-	-	-	·14	·25					26
27	·04	·01	-	-	-	-	-	·01					27
28	·02	·03	-	-	·01	-	-	-					28
29	·17		·04	-	-	-	-	-					29
30	·02	X	·15	-	-	-	-	-					30
31	·06	X	-	X	·17	X	·04	-	X		X		31
Total	·97	5·44	4·99	1·23	1·41	·88	1·85	1·95					YEAR'S TOTAL
Rain Days.	15	18	25	10	12	12	14	14					

W. 8,000. X. 14.

WALTON ON THAMES and

REG

WALTON ON THAMES
ASHDOWN
SURREY
1915

H

205

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

Kept at Ashdown

a.m.

Walton on Thames

in the County of Surrey

Gauge 5 in.

by R. Hope Spencer

ve Ground ft. 4 in.

Sea Level ft.

IMPORTANT NOT … the result entered to the previous day. If an Ob… versal rule, he is earnestly requested to add the read… year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2	·63	·18	·04		·05		·10		·01	·05		·38	2
3	·48	·16	·26	·20				·75	·01	·05		·30	3
4	·44		·08	·02				·55				·34	4
5	·02											·22	5
6	·04	·50	·10							·05	·30	·30	6
7	·45	·15		·28			·69	·04				·30	7
8	·18	·22	·02				·19					·25	8
9	·05	·61		·06			·02	·09				~~·72~~	9
10	·04	·08		·17		·08		·02				·72	10
11	·19							·90			·73	·22	11
12	·05		·04								·20	·04	12
13	·08	·44		·38	·48			·02		·04			13
14	–	·34			1·23		·26	·08				}	14
15	·02							·08	·04			·45	15
16	·07				·04			·10			·10		16
17		·41			·19		·48	·04				·09	17
18		·31			·96						·05	·	18
19		·39	·06		·14					·02			19
20		·06			·02								20
21	·27			·04								·18	21
22	}·94	·21					·07			·03		·03	22
23			·15				·69					·11	23
24	[illegible]	·08	·02				·33		·35	·77		·32	24
25			·02						·36	·25		·48	25
26	·41	·03		·11			·15					·06	26
27		·05				·15	·37			~~·77~~		·69	27
28						·34				·42			28
29						·05			1·33				29
30						·12		·15			·58	·28	30
31							·19			1·11			31
Total	4.36	4.22	·79	1·26	3·11	·15 ·89	3.54	2·82	2 10	2·79	1·96	5·76	YEAR'S TOTAL 33·60
Rain Days.	18	17	10	8	8	5	12	12	6	10	6	21	133

W. 8,000. X. 15.

Walton on Thames and

205

H

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Ashdown

in the County of Surrey

5

by R. Hope Spens.

Lat. Long.

Time of Observation 10 a m

Nearest Railway Station Walton on Thames

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 4 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2	·63	·18	·04		·05		·10		·01	·05		·38	2
3	·48	·16	·26	·20				·75	·01	·05		·30	3
4	·44		·08	·02				·55				·34	4
5	·02											·22	5
6	·04	·50	·10							·05	·30	·30	6
7	·45	·15		·28			·69	·04				·30	7
8	·18	·22	·02				·19					·25	8
9	·05	·61		·06			·02	·09				~~·72~~	9
10	·04	·08		·17		·08		·02				·72	10
11	·19							·90			·73	·22	11
12	·05		·04								·20	·04	12
13	·08	·44		·38	·48			·02		·04			13
14	–	·34			1·23		·26	·08				}	14
15	·02							·08	·04			·45	15
16	·07				·04			·10			·10		16
17		·41			·19		·48	·04				·09	17
18		·31			·96						·05		18
19		·39	·06		·14					·02			19
20		·06			·02								20
21	·27			·04								·18	21
22	}·94	·21					·07			·03		·03	22
23			·15				·69					·11	23
24	·[illegible]	·08	·02				·33		·35	·77		·32	24
25			·02						·36	·25		·48	25
26	·41	·03		·11			·15					·06	26
27		·05				·15	·37			~~·77~~		·69	27
28						·34				·42			28
29						·05			1·33				29
30		X				·12		·15			·58	·28	30
31		X		X		X	·19		X	1·11	X		31
Total	4.36	4.22	·79	1·26	3·11	·15 ·89	3.54	2.82	2 10	2·79	1·96	5·76	YEAR'S TOTAL 33·60
Rain Days.	18	17	10	8	8	5	12	12	6	10	6	21	133

W. 8,000. X. 15.

WAN~~BOROUGH~~
SCHOOL

SURREY
1919

FORM A. 1. METEOROLO… GANIZATION.

RE… 19.

Kept at Wanborou… 20 p.m.

in the County of S… Wanborough

by Master an… ain Gauge 3 ~~5~~ 3 in.

…bove Ground ft. 3 in.

„ Sea Level 215 ft.

IMPORTANT NOTE.— … entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL										·38		5·32	YEAR'S TOTAL 24·55
Days with ·01 in. or more													

FORM A. 1. METEOROLO GANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Wanborough Cl. School

in the County of Surrey

by Master and Pupils

Lat. Long.

Time of Observation 2-20 p.m.

Nearest Railway Station Wanborough

Diameter of Funnel of Rain Gauge 3 ~~3/8~~ in.

Height of top of Gauge above Ground ft 3 in.

" " " " Sea Level 215 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL										·38		5·32	YEAR'S TOTAL
Days with ·01 in. or more													24·55

5a

WARLINGHAM
THE LARCHES
SURREY
1911- 1918

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

Kept at The La ... ~~...~~ in.
... ound 1 ft. in.
in the County of ... Level 615 ft.
... 1.
by Mr Beri ... ne Upper-Warlingham
... tance 5/8 mile Direction West.

IMPORTANT ... he result entered to the previous day. If an Observer prefers not to conform ... sal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	—	—	·83	01	—	—	·04	—	—	·01	—	1
2	·21	—	—	·21	·29	—	—	—	—	—	·18	·27	2
3	—	·03	—	—	·22	—	—	—	—	—	·18	·20	3
4	·08	·02	·08	·15	—	—	—	—	·02	·11	·44	·43	4
5	·02	·02	—	·18	—	—	—	—	—	·43	·06	·14	5
6	·41	—	·17	·01	—	—	—	—	—	·01	—	·46	6
7	·11	—	—	·02	—	—	—	—	—	·16	·44	·38	7
8	·10	—	·20	—	—	—	—	—	—	·01	·37	·52	8
9	·25	—	·02	·03	—	—	—	—	—	—	·02	·10	9
10	·01	·10	·19	·01	—	—	—	—	—	—	·03	1·01	10
11	·55	—	·03	—	·12	—	—	—	—	·01	1·06	·01	11
12	·01	—	·60	—	—	·03	—	—	·02	—	·21	—	12
13	—	—	·10	—	·22	—	—	—	·35	·10	·02	·23	13
14	—	·08	·01	—	·22	—	—	—	—	—	—	·72	14
15	—	·05	·26	—	—	—	—	—	—	·05	·15	·05	15
16	—	—	·01	—	—	·39	—	—	—	—	·76	·16	16
17	—	—	·04	—	—	·05	—	—	—	—	·57	·24	17
18	—	·17	·03	·01	—	—	—	—	—	—	·74	·41	18
19	·01	·02	—	—	·01	·19	—	—	·42	·32	·20	·15	19
20	·03	·02	·01	—	—	·01	—	·21	·02	·26	·02	·98	20
21	·02	·18	—	—	—	—	—	·07	·02	·93	—	·27	21
22	·05	—	·25	—	—	·16	—	—	—	·25	—	·57	22
23	·01	·33	·60	—	—	·77	—	—	·31	·02	·04	·28	23
24	—	·12	—	—	—	·08	·03	—	—	1·38	—	·30	24
25	—	·05	·01	·06	—	·22	—	—	·04	·09	—	·01	25
26	—	·02	·17	·30	·41	·27	—	—	—	·19	·03	·31	26
27	—	·40	·16	·12	—	—	—	—	·10	·20	·08	·12	27
28	·01	·25	·01	·25	—	—	—	·08	—	—	·03	·01	28
29	—		—	·22	—	·18	·24	—	·17	·37	·01	—	29
30	—		·01	·03	—	·01	—	·11	·05	·39	—	·02	30
31	—		·01		·65		—	—		·03		—	31
Total	1·92	1·86	2·97	2·43	2·15	2·36	·27	·51	1·52	5·31	5·65	8·35	TOTAL for year 35·30
No. of Rain Days	17	16	22	15	9	12	2	5	11	20	23	27	179

9,000, IX. '10.

50

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

Kept at The Larches. Warlingham

in the County of Surrey 4

by Mr Bernard F Harris.

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 615 ft.

Time of Observation 9. a.m.

Nearest Railway Station Name Upper Warlingham
Distance 5/8 mile Direction West.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	—	—	·83	01	—	—	·04	—	—	·01	—	1
2	·21	—	—	·21	·29	—	—	—	—	—	·18	·27	2
3	—	·03	—	—	·22	—	—	—	—	—	·18	·20	3
4	·08	·02	·08	·15	—	—	—	—	·02	·11	·44	·43	4
5	·02	·02	—	·18	—	—	—	—	—	·43	·06	·14	5
6	·41	—	·17	·01	—	—	—	—	—	·01	—	·46	6
7	·11	—	—	·02	—	—	—	—	—	·16	·44	·38	7
8	·10	—	·20	—	—	—	—	—	—	·01	·37	·52	8
9	·25	—	·02	·03	—	—	—	—	—	—	·02	·10	9
10	·01	·10	·19	·01	—	—	—	—	—	—	·03	1·01	10
11	·55	—	·03	—	·12	—	—	—	—	·01	1·06	·01	11
12	·01	—	·60	—	—	·03	—	—	·02	—	·21	—	12
13	—	—	·10	—	·22	—	—	—	·35	·10	·02	·23	13
14	—	·08	·01	—	·22	—	—	—	—	—	—	·72	14
15	—	·05	·26	—	—	—	—	—	—	·05	·15	·05	15
16	—	—	·01	—	—	·39	—	—	—	—	·76	·16	16
17	—	—	·04	—	—	·05	—	—	—	—	·57	·24	17
18	—	·17	·03	·01	—	—	—	—	—	—	·74	·41	18
19	·01	·02	—	—	·01	·19	—	—	·42	·32	·20	·15	19
20	·03	·02	·01	—	—	·01	—	·21	·02	·26	·02	·98	20
21	·02	·18	—	—	—	—	—	·07	·02	·93	—	·27	21
22	·05	—	·25	—	—	·16	—	—	—	·25	—	·57	22
23	·01	·33	·60	—	—	·77	—	—	·31	·02	·04	·28	23
24	—	·12	—	—	—	·08	·03	—	—	1·38	—	·30	24
25	—	·05	·01	·06	—	·22	—	—	·04	·09	—	·01	25
26	—	·02	·17	·30	·41	·27	—	—	—	·19	·03	·31	26
27	—	·40	·16	·12	—	—	—	—	·10	·20	·08	·12	27
28	·01	·25	·01	·25	—	—	—	·08	—	—	·03	·01	28
29	—		—	·22	—	·18	·24	—	·17	·37	·01	—	29
30	—		·01	·03	—	·01	—	·11	·05	·39	—	·02	30
31	—		·01		·65		—	—		·03		—	31
Total	1·92	1·86	2·97	2·43	2·15	2·36	·27	·51	1·52	5·31	5·65	8·35	TOTAL for year 35·30
No. of Rain Days	17	16	22	15	9	12	2	5	11	20	23	27	179

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

1 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at The Larches Warlingham

in the County of Surrey 4

by Mr B. F Harris

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 615 ft.

Time of Observation 9. a.m.

Nearest Railway Station
Name Upper Warlingham
Distance 5/8 Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	—	·19	—	—	·14	·45	—	·07	·61	—	·25	1
2	—	·04	·37	—	—	—	·25	·02	·01	·10	—	—	2
3	·05	—	·07	—	—	·26	·03	·40	·03	—	—	·12	3
4	·23	·11	·57	—	·17	·31	—	·06	—	—	·24	·01	4
5	·20	·04	·25	—	·01	—	—	·36	—	—	·15	·03	5
6	·56	·07	—	—	·03	—	—	·13	·02	—	·01	·30	6
7	—	—	—	—	·14	·55	·05	·15	·01	—	—	·10	7
8	·38	·47	·30	—	—	·03	·01	·44	—	—	·01	·03	8
9	·02	·12	·01	·08	—	·29	—	·03	·01	—	—	·13	9
10	—	·08	—	—	—	—	—	·33	·05	—	·06	·29	10
11	·04	·42	—	—	—	·02	—	·01	—	—	—	·32	11
12	·03	·13	·08	—	·06	·10	—	·11	—	·02	·03	·02	12
13	—	·07	·03	—	—	—	—	—	—	—	·17	·04	13
14	—	—	·03	—	·04	·75	—	·17	—	·10	·02	·04	14
15	·02	·02	·25	—	·22	·09	—	·01	—	—	·05	·32	15
16	·38	·01	·10	—	·06	·05	—	·15	—	·11	·07	—	16
17	·40	·01	·52	—	—	—	—	·07	—	—	·03	·09	17
18	·05	—	·22	—	—	·02	—	·33	—	·05	·02	·12	18
19	·09	·15	·18	—	—	·03	·08	·39	—	—	—	·02	19
20	·01	·04	·67	—	—	—	—	·07	—	·48	·04	—	20
21	·04	·06	·42	—	·02	—	—	·11	—	·16	·05	—	21
22	·10	·37	·15	—	·04	—	·03	·23	—	·04	·01	·04	22
23	·40	·38	·42	—	·05	·21	—	·57	—	·10	·26	·12	23
24	·13	·07	—	—	—	·40	·03	·31	—	—	·01	·18	24
25	·11	·02	—	—	—	—	—	·84	—	·03	·30	·58	25
26	·03	·05	—	—	—	·01	—	·50	—	·40	·61	·38	26
27	—	·09	—	—	—	·02	·03	—	—	·22	—	·25	27
28	—	·05	—	—	—	·02	·14	·12	·15	·69	·68	·21	28
29	—	·05	—	—	—	·18	·33	·22	1·84	·26	·06	—	29
30	—		—	—	·44	·27	·03	·02	1·16	·33	—	—	30
31	—		·10		—		·24	·13		·02		—	31
Total	3·28	2·92	4·93	·08	1·28	3·75	1·70	6·28	3·35	3·72	2·88	3·99	TOTAL for year 38·16
No. of Rain Days	21	24	20	1	12	20	13	28	10	17	21	24	211

9,000, IX. '10.

cord for auth 23.1.14

1- JAN 1914

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1913.

Kept at The Larches . Warlingham 4

in the County of Surrey

by Mrs B. F. Harris .

Lat. Long.

Time of Observation 9 . am .

Nearest Railway Station Upper Warlingham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 615 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·03	·35	·08	·17	·01	—	—	—	·11	·03	·15	·10	1
2	·06	·16	·01	—	—	—	·12	—	·04	·05	·15	·01	2
3	·02	—	·05	·37	·36	—	—	—	—	·02	—	·26	3
4	·46	—	·09	·04	·15	—	·05	—	—	·08	·04	·05	4
5	1·04	—	·03	—	—	·05	·10	—	·36	—	·06	·09	5
6	·17	·15	·14	—	·02	·11	·29	—	·02	·15	·09	·11	6
7	—	·28	·02	—	·18	·04	—	·04	—	·61	·09	·01	7
8	—	·03	·01	—	·18	·11	—	—	—	·11	·08	·02	8
9	·01	·12	—	·04	·07	·02	·01	—	·07	—	·04	·03	9
10	—	—	·05	·14	—	—	—	·04	—	—	·47	—	10
11	·70	—	—	·38	·01	—	—	—	—	·69	·18	—	11
12	—	·02	—	—	·09	—	—	·01	—	·01	·55	·01	12
13	·13	—	·07	—	—	—	—	·01	·02	·01	·23	—	13
14	·16	·01	·21	·07	—	—	·70	·09	·12	·15	·09	·01	14
15	·37	·06	·23	·35	—	—	·30	—	·03	—	·02	—	15
16	·24	·02	·49	·34	—	—	·02	—	·27	—	—	—	16
17	·04	·07	·04	·04	—	—	·25	·02	·01	—	·01	·02	17
18	—	—	·16	·16	—	—	—	—	—	—	·12	—	18
19	·35	—	·19	·01	—	·05	·17	—	·21	—	—	·01	19
20	·35	—	·56	·12	·01	·01	—	—	—	·77	·05	—	20
21	·03	—	·37	·06	—	—	·05	—	—	·28	1·04	—	21
22	·38	—	·26	·13	—	—	·01	·02	·15	—	·01	·01	22
23	·01	—	·14	—	—	·03	·02	·28	·01	·01	—	·43	23
24	·06	—	·01	·05	—	·02	—	·08	—	·01	~~·05~~	—	24
25	—	—	—	·28	—	·01	—	—	—	·80	·01	·01	25
26	—	·01	·15	·05	—	—	·02	·29	—	·01	—	·33	26
27	—	·01	·08	·19	·27	—	—	—	—	·03	—	—	27
28	·19	—	·27	·06	—	—	—	—	—	·19	·01	·01	28
29	·06		·05	·42	·37	—	—	·12	—	·06	·01	·01	29
30	·46		—	·11	—	—	—	·20	—	·20	—	—	30
31	—		·06		—		—	·88		·69		·01	31
Total	5·32	1·29	3·82	3·58	1·72	·45	2·11	2·08	1·42	4·36 4·36	3·55	1·54	YEAR'S TOTAL 31·24 31·24
Rain Days.	22	13	26	22	12	10	14	13	13	22	23	20	208 210

W. 7,500, XI. 12

ex 1nce

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
4 JAN 1915

Kept at The Larches Warlingham
in the County of Surrey 4
by Mrs B. F. Harris.

Lat. ____ Long. ____
Time of Observation 9. am
Nearest Railway Station Upper Warlingham
Diameter of Rain Gauge Five in.
Height of top of Gauge above Ground 1 ft. ____ in.
" " " " Sea Level 615 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·01	—	—	—	·25	—	—	·03	·63	1
2	·01	—	—	—	—	·03	·09	·06	—	—	·18	·16	2
3	·01	·01	·08	·06	·25	—	·10	·02	—	—	·01	—	3
4	·02	·01	·03	·20	·03	—	—	·04	—	—	·25	·30	4
5	·09	·01	·06	·32	·30	·08	·20	·47	—	—	·05	—	5
6	·01	·16	·02	·13	·02	·19	·01	·02	—	—	·02	·40	6
7	—	·59	·30	·12	·11	·46	·11	—	—	—	—	·25	7
8	·11	·75	·58	·03	·02	·08	·07	·26	—	—	—	·15	8
9	·24	—	·88	·26	—	·08	—	·01	·08	—	—	2·20	9
10	·01	·07	·05	·07	·10	—	—	·01	·07	—	·02	·08	10
11	—	·80	·54	·01	·04	·02	—	—	·25	—	·23	·20	11
12	·03	·06	·09	—	·01	—	·34	—	·21	·01	·02	·80	12
13	·02	·51	·24	—	—	·05	—	—	·16	·06	·13	1·11	13
14	—	·46	·33	—	—	—	·28	—	·01	·39	·10	·60	14
15	·04	·03	·21	—	—	—	·60	·04	—	—	·52	·06	15
16	·03	—	·06	·01	—	—	—	—	·07	—	·01	—	16
17	—	·44	·27	—	—	—	—	—	·10	·01	—	·21	17
18	—	·09	·20	—	—	—	—	—	—	—	·02	·33	18
19	—	·08	·51	—	—	—	·17	—	—	·03	·40	·30	19
20	—	·21	·40	—	—	·05	·01	—	·02	·03	—	·10	20
21	—	·82	·11	—	—	·04	—	·09	—	·03	—	·05	21
22	—	·07	—	—	·35	·05	·15	·04	—	·20	—	·03	22
23	·01	·01	·15	·01	·19	·07	·05	—	·01	·04	—	·06	23
24	·01	—	·15	·01	—	—	·02	—	—	—	·13	—	24
25	·02	—	·31	—	—	—	·02	·10	—	·50	·02	·05	25
26	·01	—	·05	—	—	—	·12	·38	—	·11	·28	·64	26
27	·04	—	·01	—	—	—	—	·02	—	·01	·09	·45	27
28	·02	·62	—	—	·01	—	—	—	—	·12	·47	·69	28
29	·14		·05	—	·02	—	—	—	—	·48	·34	·02	29
30	·01		·10	—	—	—	—	—	—	·10	·79	·39	30
31	·07		—		·19		·01	—		·02		·06	31
Total	·95	5·20	5·78	1·24	1·64	1·20	2·35	1·81	·98	2·14	4·11	9·72	YEAR'S TOTAL 37·12 ✓
Rain Days.	21	20	26	13	14	12	17	15	10	16	22	27	213 ✓

W.7,000, XI. 13

Ex LMcC

118

FORM A.
BRITISH RAINFALL.
3 - JAN 19

REGISTER OF RAINFALL IN 1915

Kept at The Larches Warlingham
in the County of Surrey 4
by Mary Harris.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Upper Warl[illegible]
Diameter of Rain Gauge Five in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 615 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·80	·19	·08	—	·02	—	—	—	·26	·01	·43	·62	1
2	·18	·26	·32	·16	—	·02	—	·80	·02	·05	—	·09	2
3	·44	—	·06	·18	·06	—	—	·38	·09	—	·01	·48	3
4	·06	—	—	—	—	—	—	·01	—	—	—	·41	4
5	·03	·64	—	—	—	—	—	·04	—	·07	·01	·39	5
6	·48	·09	·02	·61	—	—	·47	·04	—	—	—	·25	6
7	·59	·56	·06	—	—	·01	·50	·02	—	—	·01	·24	7
8	·09	·88	—	·06	—	—	·09	·11	—	—	—	—	8
9	·01	·07	—	·18	—	·16	—	·04	·01	·02	·41	·55	9
10	·35	—	—	—	—	·02	—	—	—	·01	—	·31	10
11	·03	—	·02	—	—	—	—	—	—	—	·67	·03	11
12	·09	·11	—	·45	·38	—	—	·49	—	·06	·58	·02	12
13	·01	·86	—	—	1·17	—	—	—	—	—	·01	—	13
14	·02	·09	·01	—	—	—	·06	·06	·05	—	—	·58	14
15	·22	·01	—	—	·05	—	·13	·08	—	—	·25	·26	15
16	—	·69	—	·01	·03	—	·92	·15	—	—	—	·56	16
17	—	·55	—	—	1·02	—	·06	1·44	—	—	—	—	17
18	·01	·15	·08	—	·22	—	—	—	—	—	·09	—	18
19	—	·25	—	—	·02	—	·05	—	—	·04	—	—	19
20	·31	—	—	·06	·01	—	—	—	—	—	—	·27	20
21	·26	·04	—	—	—	—	—	—	—	·06	—	·08	21
22	1·06	·10	·07	·01	—	—	·96	—	—	·01	—	·15	22
23	·02	·25	·05	·02	—	·04	·36	—	·01	·36	·01	·34	23
24	·01	·01	·02	—	—	·01	·12	—	·16	·25	—	·36	24
25	—	—	·03	·16	—	—	·26	—	·01	—	·01	·36	25
26	—	·09	—	—	—	·13	·06	—	—	—	—	·69	26
27	—	·07	—	—	—	·31	·15	—	—	·41	—	·08	27
28	—	·07	—	—	—	·12	—	—	1·78	·16	·02	—	28
29	·01	╳	—	—	—	·08	·44	·11	—	—	·28	·01	29
30	·04	╳	—	—	—	·03	—	—	—	·13	·72	·03	30
31	·03	╳	—	╳	—	╳	—	·18	╳	1·13	╳	·39	31
Total	5·15	6·03	·82	1·90	2·98	·93	4·63	3·95 (5)	2·39	2·77	3·51	7·58	YEAR'S TOTAL 42·61 ✓
Rain Days.	24	22	12	11	10	11	15	15	9	15	15	25	184 ✓

W. 8,000. X. 14.

corr pr auth

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

3 JAN 1917

Kept at The Larches - Warlingham

in the County of Surrey

by Mrs B. F Harris.

Lat. .... Long. ....

Time of Observation 9. am

Nearest Railway Station Upper Warlingham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 615 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·16	·02	·02	—	·66	·01	—	—	·25	·03	·41	—	1
2	·47	·17	·18	—	·36	—	·02	—	·05	·38	·07	—	2
3	·01	·76	·34	—	—	—	·02	—	·17	·46	·80	—	3
4	·33	·21	—	·04	—	·45	—	—	·18	·01	·58	—	4
5	·01	—	—	·02	·25	·09	·02	—	—	·13	·72	—	5
6	·01	·26	·27	·33	·05	·08	·36	—	·01	·37	·82	·03	6
7	·07	—	·89	—	·34	·04	·23	—	—	·02	1·36	·03	7
8	·01	—	·03	—	·37	—	—	—	—	·01	—	·50	8
9	·01	—	·14	—	·55	—	·01	—	—	·05	—	·14	9
10	—	·24	·02	·09	—	·47	·17	—	—	—	·01	·09	10
11	·04	·14	—	·15	—	·50	—	—	·01	—	—	·02	11
12	·02	·08	·35	·08	·01	·29	·07	·03	—	·08	·01	—	12
13	·01	·33	·02	·12	·03	·04	·23	·02	·06	·09	—	—	13
14	—	·57	·23	·01	·10	—	—	·04	—	·07	—	·07	14
15	—	·16	·03	—	—	—	—	·46	—	·02	—	·08	15
16	·02	·01	·15	·20	—	—	·24	·21	—	—	—	—	16
17	·22	·12	—	·07	—	—	·03	·71	·40	·85	—	—	17
18	·05	·10	·02	·26	—	—	—	·20	·20	·66	·70	·04	18
19	·26	·09	·13	·33	—	·06	—	—	·12	—	·81	·07	19
20	·12	—	·10	·01	—	—	—	—	—	—	·15	·64	20
21	·02	—	·48	—	—	—	·06	—	—	—	·01	·33	21
22	·03	·03	·14	—	—	—	—	—	—	·01	·01	·55	22
23	·03	·39	·05	—	—	·07	·01	·01	—	·13	·12	·15	23
24	—	·05	·13	—	·03	·12	—	·02	—	·28	·11	·40	24
25	—	·63	·28	—	·03	—	—	·28	—	·17	·07	—	25
26	—	·23	·04	—	—	·29	—	·11	·01	·21	—	—	26
27	·04	—	·88	—	—	·90	—	·32	·07	1·03	—	·02	27
28	—	·40	·25	—	—	—	—	·02	·06	·63	·02	·17	28
29	·01	·17	—	—	—	·37	—	·68	·03	·45	—	·20	29
30	—	✕	—	—	·24	·01	—	·25	—	·40	—	—	30
31	—	✕	—	✕	—	✕	—	·05	✕	·14	✕	·06	31
Total	1·95	5·16	5·17	1·71	3·62 3·62	3·79	1·47	3·41	1·62	6·08	6·78	3·59	YEAR'S TOTAL 44·35 44·35
Rain Days.	22	22	24	13	13	16	13	16	14	25	18	19	215

W. 8,000. X. 15.

106

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at The Larches Warlingham

in the County of Surrey

by Mr B. F. Harris.

Lat. Long.

Time of Observation 9. a.m.

Nearest Railway Station Upper Warlingham 12 JAN 1918

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 615 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·04	·01	·30	—	—	—	1·77	·09	—	·11	·03	1
2	—	—	—	·57	—	—	—	·36	—	—	·08	—	2
3	·02	—	—	·10	—	·01	·12	·60	—	·16	·08	—	3
4	—	·16	·15	—	—	—	·38	·19	—	·46	—	—	4
5	·27	·01	·03	·50	—	—	—	—	1·08	·18	·16	—	5
6	·01	—	·13	·08	—	·10	—	—	·29	·02	·06	—	6
7	·28	—	—	—	—	—	·23	—	—	·54	—	·08	7
8	·12	—	—	·08	—	—	·75	·28	·03	·32	·39	·26	8
9	·02	—	·06	·10	—	—	·27	·15	·01	—	·08	·81	9
10	·25	—	·18	·08	—	·03	—	·10	—	—	·02	·05	10
11	·16	·03	·28	·32	—	—	—	·02	·31	·34	—	—	11
12	·05	—	·07	·01	—	—	—	·05	—	·34	·02	—	12
13	·11	—	·13	·05	—	—	—	·03	·02	·30	—	—	13
14	—	—	·02	·16	—	—	—	—	—	—	·01	·08	14
15	·06	—	—	—	—	—	·02	·25	—	·11	—	1·02	15
16	·06	·14	—	·23	·09	—	·06	—	—	·75	—	—	16
17	—	·01	—	·10	·73	—	·24	·02	·49	·14	·01	—	17
18	·08	—	—	·13	·05	—	·18	·21	·30	·06	—	—	18
19	—	·16	·07	—	·02	·06	—	—	·12	—	—	—	19
20	—	·13	·06	—	1·68	—	·16	·05	·01	—	·06	·03	20
21	·06	—	·06	·03	·04	·05	—	·01	—	—	·06	—	21
22	—	—	—	—	·25	·01	—	·19	—	·15	—	·03	22
23	—	·18	—	—	—	·03	—	·15	—	·08	—	·05	23
24	—	·08	·01	—	—	·14	·01	—	—	·16	·01	—	24
25	—	·04	·04	—	—	·01	·02	—	—	—	·06	—	25
26	—	—	·03	—	—	—	—	·41	·03	·05	·67	·01	26
27	—	—	·01	—	—	—	—	1·37	—	—	—	—	27
28	—	·02	—	—	—	1·16	—	·29	—	—	—	·09	28
29	—	X	·03	—	·19	·27	·11	·05	—	·38	—	·14	29
30	·03	X	·34	—	—	·01	1·80	·11	—	·04	—	·05	30
31	·10	X	·02	X	—	X	·51	·04	X	·02	X	·03	31
Total	1·68	1·00	1·73	2·84	2·96	1·88	~~3~~4·86	6·70	2·78	4·60	1·88	2·76	YEAR'S TOTAL 35·67 35.67
Rain Days.	16	12	20	16	8	12	15	23	12	20	16	15	185

W. 8,000, VIII. 16

28

FORM A.
BRITISH RAINFALL

2. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at The Larches Warlingham
in the County of Surrey
by Mrs B. F. Harris.

Lat. .... Long. ....
Time of Observation 9 · am
Nearest Railway Station Upper Warlingham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 615 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·01	—	—	·01	—	—	·02	—	—	·23	·24	1
2	—	·04	—	·02	—	—	—	·19	—	—	·23	·02	2
3	—	—	·13	·08	·37	—	—	·06	—	·02	·41	·02	3
4	·01	·32	·15	·01	—	—	—	·04	·38	—	·73	·03	4
5	—	·04	·01	—	·16	—	—	·11	·58	·10	—	·04	5
6	·20	·23	—	·30	·21	—	—	·06	·17	·06	—	·08	6
7	·03	·12	—	·17	·31	·01	—	·02	·13	·10	·07	·05	7
8	—	·38	—	·01	—	—	—	—	·07	—	·11	·12	8
9	·02	·02	—	·12	—	·03	·23	—	·53	·03	·01	·39	9
10	—	—	—	·16	—	·02	·75	—	·10	·18	·02	·38	10
11	·02	—	—	·02	·02	—	·01	—	·02	·27	·10	·11	11
12	—	·08	—	—	·23	—	·10	—	·08	—	—	·03	12
13	·08	·02	—	·03	·20	—	·10	—	·11	—	—	·01	13
14	·18	·01	·01	·02	·01	·26	·05	—	·18	·19	—	·16	14
15	1·39	—	—	·84	—	·15	·07	—	·01	·02	—	·28	15
16	·45	—	·01	·23	—	·07	·01	—	·11	—	·01	·01	16
17	·28	—	—	·10	·07	—	·80	·08	—	·01	—	·28	17
18	·64	—	—	·01	—	·20	·07	—	·73	·21	—	·10	18
19	·10	—	·08	·10	·28	·03	·19	—	·18	·15	·01	·04	19
20	·04	·21	—	·65	—	·03	·24	—	·28	·52	·02	·02	20
21	·17	·01	—	·95	—	—	·06	—	·29	·16	·01	·02	21
22	·07	—	—	—	·25	—	·14	—	·24	—	·01	·20	22
23	·09	—	—	·02	·11	—	·78	—	·03	·01	—	·03	23
24	—	·31	ST.	—	—	·09	·10	·10	·25	·01	·06	—	24
25	·01	—	—	·68	—	·01	·09	·26	—	·03	·02	—	25
26	—	—	—	—	—	—	·75	·03	·02	·01	·15	·18	26
27	—	·06	·02	·19	—	—	·08	·21	·11	·15	·11	·02	27
28	·01	·01	·27	·06	—	—	—	·03	—	—	·25	·09	28
29	·01		—	—	—	—	—	—	1·11	·01	·03	—	29
30	—	✕	·44	—	—	—	—	—	·05	·08	·12	·19	30
31	—	✕	·09	✕	—	✕	—	—	✕	·10	✕	·02	31
Total	3·80	1·87	1·21 1·21	4·77	2·23	·90	5·23	1·21	5·76	2·42	2·71	3·16	YEAR'S TOTAL 35·26 35·26
Rain Days.	19	16	10	22	13	11	19	13	24	22	21	28	218

W. 8 000, IX. 17.

50

RE

WARLINGHAM
REDVERS RD.
SURREY
1911- 1919

FORM A2.
BRITISH RAINFALL.
16 JAN 1912

Kept at Warli ice

1 ft. – in.

in the County of Su 610 ft. 810 on B

by R. H. Cu er Warlingham

Direction West.

IMPORTANT NOT lt entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·04	0·00	0·00	0·87	0·07	0·00	0·01	0·04	0·00	0·00	0·01	0·00	1
2	·18	–	–	·22	·29	–	–	–	–	–	·16	·28	2
3	·01	·04	–	–	·22	–	–	–	–	–	·18	·20	3
4	·06	·02	·09	·14	–	–	–	–	·02	·12	·39	·44	4
5	·01	·02	–	·08	–	–	–	–	–	·41	·04	·14	5
6	·40	–	·17	–	–	–	–	–	–	–	–	·42	6
7	·12	–	–	·03	–	–	–	–	–	·19	·43	·38	7
8	·10	–	·19	–	–	–	–	–	–	trace	·32	·52	8
9	·25	–	·01	·03	–	–	–	–	–	–	·01	·09	9
10	·01	·09	·18	–	–	–	–	–	–	–	·04	·93	10
11	·53	–	·02	–	·08	–	–	–	–	–	1·03	trace	11
12	·01	–	·53	–	–	·04	–	–	·02	–	·23	–	12
13	–	–	·08	–	·22	–	–	–	·38	·09	·03	·25	13
14	–	·08	·01	–	·20	–	–	–	–	–	–	·71	14
15	·01	·05	·28	–	–	–	–	–	–	·04	·12	·05	15
16	–	–	–	–	–	·43	–	–	–	–	·75	·12	16
17	–	–	·03	–	–	·04	–	–	–	–	·54	·23	17
18	–	·18	·03	·01	–	–	–	–	–	–	·76	·39	18
19	–	·03	–	–	·01	·20	–	–	·36	·30	·24	·15	19
20	·02	·01	·02	–	–	trace	–	·17	–	·24	·02	·93	20
21	·02	·17	–	–	–	–	–	·07	–	·89	–	·25	21
22	·04	–	·25	–	–	·15	–	–	–	·23	–	·56	22
23	–	·31	·05	–	–	·73	–	–	·31	·01	·03	·25	23
24	·01	·16	–	–	–	·07	·03	–	–	1·37	–	·30	24
25	–	·05	·16	·06	–	·20	–	–	·04	·04	*·01	trace	25
26	–	–	–	·31	·34	·28	–	–	–	·18	*·02	·28	26
27	–	·39	·18	·11	–	–	–	–	·10	·18	·05	·11	27
28	–	0·25	·01	·25	–	–	–	·07	–	trace	·02	–	28
29	–		–	·24	–	·17	·20	–	·15	·34	trace	·01	29
30	–		·01	0·02	–	0·02	–	·13	0·05	·39	0·00	·01	30
31	0·00		0·00		0·40		0·00	0·00		0·02		0·00	31
Total	1·82	1·85	2·30	2·37	1·77	2·33	0·24	0·48	1·43	5·04	5·43	8·00	TOTAL for year 33·06
No. of Rain Days	17	15	19	13	9	11	3	5	9	17	23	25	166

9,000, IX. '10.

50

FORM A2.
BRITISH RAINFALL.
16 JAN 1912

REGISTER

Kept at Warlingham,

in the County of Surrey. RETVERS (F) 4

by R. H. Curtis

RAIN GAUGE
Pattern Met. Office
Diameter of top 8 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 610 ft. 810 on B

Time of Observation 9 am.

Nearest Railway Station
Name Upper Warlingham
Distance 1¼ m Direction West.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·04	0·00	0·00	0·87	0·07	0·00	0·01	0·04	0·00	0·00	0·01	0·00	1
2	·18	–	–	·22	·29	–	–	–	–	–	·16	·28	2
3	·01	·04	–	–	·22	–	–	–	–	–	·18	·20	3
4	·06	·02	·09	·14	–	–	–	–	·02	·12	·39	·44	4
5	·01	·02	–	·08	–	–	–	–	–	·41	·04	·14	5
6	·40	–	·17	–	–	–	–	–	–	–	–	·42	6
7	·12	–	–	·03	–	–	–	–	–	·19	·43	·38	7
8	·10	–	·19	–	–	–	–	–	–	trace	·32	·52	8
9	·25	–	·01	·03	–	–	–	–	–	–	·01	·09	9
10	·01	·09	·18	–	–	–	–	–	–	–	·04	·93	10
11	·53	–	·02	–	·08	–	–	–	–	–	1·03	trace	11
12	·01	–	·53	–	–	·04	–	–	·02	–	·23	–	12
13	–	–	·08	–	·22	–	–	–	·38	·09	·03	·25	13
14	–	·08	·01	–	·20	–	–	–	–	–	–	·71	14
15	·01	·05	·28	–	–	–	–	–	–	·04	·12	·05	15
16	–	–	–	–	–	·43	–	–	–	–	·75	·12	16
17	–	–	·03	–	–	·04	–	–	–	–	·54	·23	17
18	–	·18	·03	·01	–	–	–	–	–	–	·76	·39	18
19	–	·03	–	–	·01	·20	–	–	·36	·30	·24	·15	19
20	·02	·01	·02	–	–	trace	–	·17	–	·24	·02	·93	20
21	·02	·17	–	–	–	–	–	·07	–	·89	–	·25	21
22	·04	–	·25	–	–	·15	–	–	–	·23	–	·56	22
23	–	·31	·05	–	–	·73	–	–	·31	·01	·03	·25	23
24	·01	·16	–	–	–	·07	·03	–	–	1·37	–	·30	24
25	–	·05	·16	·06	–	·20	–	–	·04	·04	*·01	trace	25
26	–	–	–	·31	·34	·28	–	–	–	·18	*·02	·28	26
27	–	·39	·18	·11	–	–	–	–	·10	·18	·05	·11	27
28	–	025	·01	·25	–	–	–	·07	–	trace	·02	–	28
29	–		–	·24	–	·17	·20	–	·15	·34	trace	·01	29
30	–		·01	0·02	–	0·02	–	·13	0·05	·39	0·00	·01	30
31	0·00		0·00		0·40		0·00	0·00		0·02		0·00	31
Total	1·82	1·85	2·30	2·37	1·77	2·33	0·24	0·48	1·43	5·04	5·43	8·00	TOTAL for year 33·06
No. of Rain Days	17	15	19	13	9	11	3	5	9	17	23	25	166

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912.

FORM A.
BRITISH RAINFALL.

2 JAN 1913

Kept at Warlingham (ROTNERS RD)

in the County of Surrey 4

by R. H. Curtis

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Upper Warlingham

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground one ft. — in.

" " " " Sea Level 610 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	trace	0·00	0·15	0·00	0·00	0·13	0·42	0·00	0·07	0·60	0·00	0·26	1
2	–	*·02	·36	trace	–	·01	·28	·01	·02	·06	–	–	2
3	·04	*·09	·07	–	–	·26	·04	·38	·03	–	–	·11	3
4	·21	–	·57	–	·15	·27	–	·05	–	–	·25	–	4
5	·16	·05	·23	–	–	–	–	·42	–	–	·12	·03	5
6	·57	·09	–	–	·03	trace	–	·08	·01	–	trace	·29	6
7	–	–	trace	–	·13	·56	·17	·12	–	–	–	·10	7
8	·36	·48	·30	–	–	·03	·02	·44	·02	–	–	·03	8
9	trace	·13	·01	·04	–	·30	·03	·02	–	–	·01	·16	9
10	·01	·07	·01	–	–	trace	–	·45	·01	–	·03	·27	10
11	·04	·40	·01	–	–	·01	–	·01	·04	–	–	·33	11
12	·03	·12	·06	–	·06	·09	–	·12	–	·01	·03	trace	12
13	–	·01	·03	–	–	–	–	–	trace	trace	·16	·04	13
14	·01	–	·02	–	·04	–	–	·15	–	·08	·01	·03	14
15	·02	–	·22	–	·21	·82	–	·01	–	trace	·06	·31	15
16	·24	trace	·09	–	·05	·09	–	·14	–	·10	·07	–	16
17	·23	–	·64	–	–	·05	–	·07	–	–	·03	·10	17
18	·30	–	·18	–	–	–	–	·28	–	·06	·02	·12	18
19	·09	·14	·15	–	–	·02	·07	·26	–	–	–	·02	19
20	·01	·04	·64	–	–	·01	–	·06	–	·48	·04	–	20
21	·02	·04	·46	–	·01	–	–	·10	–	·16	·05	–	21
22	·12	·35	·08	–	·03	–	·03	·20	–	·04	trace	·05	22
23	·40	·37	·40	–	·03	trace	–	·63	–	·09	·26	·12	23
24	·14	·07	–	–	–	·19	·03	·29	–	–	–	·17	24
25	·12	·01	–	–	–	·39	trace	·85	–	·02	·32	·64	25
26	·05	·05	–	–	–	–	–	·54	–	·38	·57	·36	26
27	·01	·01	·01	–	–	·01	~~·04~~	–	–	·20	trace	·24	27
28	–	·08	–	–	–	·01	·13	·11	·14	·69	·66	·20	28
29	–	0·04	–	·01	–	·26	·28	·22	1·80	·15	·06	–	29
30	–		–	0·00	·45	0·21	·03	·03	1·71	·32	0·00	–	30
31	0·00		0·10		0·00		0·23	0·11		0·02		0·00	31
Total	3·18	2·66	4·69	0·05	1·19	3·72	1·80	6·15	3·85	3·46	2·75	3·98	YEAR'S TOTAL 37·48
Rain Days.	22	21	23	2	11	20	14	28	10	17	18	22	208

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.
3 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Warlingham 4
in the County of Surrey
by R. H. Curtis

Lat. 51·19 Long. 0·2·30 W
Time of Observation 9 am
Nearest Railway Station Upper Warlingham
Diameter of Rain Gauge 8 ins
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 610 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·03	0·34	0·08	0·17	0·00	trace	0·00	0·00	0·10	0·03	0·12	0·10	1
2	·06	·16	trace	-	-	-	·13	-	·02	·05	·14	·01	2
3	·01	trace	·08	·36	·36	-	-	-	-	·02	-	·28	3
4	·43	-	·08	·04	·13	-	·05	-	-	·09	·03	·05	4
5	·45	·01	·02	-	-	·07	·08	-	·40	-	·05	·05	5
6	·18	·15	·14	-	·02	·10	·25	-	·02	·15	·09	·10	6
7	trace	·26	-	-	·18	·01	trace	·03	-	·59	·11	·01	7
8	-	·03	trace	-	·16	·11	-	-	-	·13	·07	·02	8
9	-	·12	-	·04	·06	·03	·01	-	·08	-	·02	·03	9
10	-	-	·05	·12	-	-	-	·05	-	-	·44	-	10
11	·65	-	-	·39	-	-	-	-	-	·70	·15	-	11
12	·01	-	-	-	·08	-	-	·01	-	dew ·01	·55	-	12
13	·12	-	·06	-	-	-	-	·01	·01	-	·23	-	13
14	·16	-	·20	·07	-	-	·59	·09	·10	·15	·07	·01	14
15	·41	·08	·22	·34	-	-	·28	-	·04	-	·01	-	15
16	·22	-	·50	·36	-	-	·01	-	·25	-	-	-	16
17	·05	·13	·03	·07	-	-	·26	·02	-	-	·01	·01	17
18	trace	-	·20	·14	·01	-	·05	-		-	·08	-	18
19	·41	-	·15	·01	·01	·03	·12	-	·23	-	-	trace	19
20	·26	-	·55	·11	-	-	-	-	-	·68	·05	-	20
21	·02	-	·35	·05	-	-	·04	-	-	·27	1·02	-	21
22	* pm ·40	-	·26	·09	-	-	·02	·03	·14	-	trace	·01	22
23	trace	-	·15	-	-	·03	·02	·24	trace	-	-	·45	23
24	·06	-	·01	·04	-	·01	-	·07	-	·01	·05	·01	24
25	-	-	trace	·30	-	·01	-	-	-	-	-	-	25
26	-	-	·14	·04	-	-	·02	·27	-	·85	-	·31	26
27	trace	·01	·12	·18	·10	-	-	-	-	·04	-	-	27
28	·19	0·00	·28	·04	-	-	-	-	·01	·18	-	* ·01	28
29	·05		·03	·43	·39	-	-	·11	-	·04	dew trace	-	29
30	·47		-	0·11	-	0·00	-	·21	0·00	·18	0·00	-	30
31	0·00		0·05		0·00		0·00	0·82		0·09		0·00	31
Total	4·64	1·29	3·75	3·50	1·50	0·40	1·93	1·96	1·40	4·26	3·29	1·46	YEAR'S TOTAL 29·38
Rain Days.	21	10	23	22	11	9	15	13	12	19	19	16	190

W.7,000, XI. 13

Eric DL

REGISTER OF RAINFALL IN 1914.

FORM A. BRITISH RAINFALL.

- JAN 15

Kept at Warlingham REDVERS RD

in the County of Surrey 4

by R. H. Curtis

Lat. 51·19' Long. 0·2·30" W.

Time of Observation 9 am

Nearest Railway Station Upper Warlingham

Diameter of Rain Gauge 8 ins

Height of top of Gauge above Ground one ft. – in.

" " " " Sea Level 610 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·00	0·00	0·00	trace	0·00	0·00	0·00	0·29	0·00	0·00	0·03	0·02	1
2	trace	–	–	–	–	·02	·10	·06	–	–	·12	·16	2
3	·02	trace	·09	·08	·24	–	·11	·02	–	–	·01	–	3
4	·04	·01	·02	·25	·03	–	·00	·04	–	–	·26	·32	4
5	·08	–	·06	·31	·28	·09	·21	·47	–	–	·05	–	5
6	–	·16	·03	·13	·02	·16	–	·01	–	–	·01	·40	6
7	–	·61	·29	·15	·14	·39	·11	–	–	–	–	·24	7
8	·13	·74	·60	·02	·02	·08	·06	·20	–	–	–	·14	8
9	·24	–	·87	·25	–	·08	–	–	·07	–	–	2·18	9
10	·01	·10	·04	·07	·09	–	–	–	·14	–	·01	·03	10
11	–	·81	·54	·01	·04	·02	–	–	·15	–	·23	·40	11
12	* ·04	·06	·09	–	–	–	·31	–	·21	–	·07	·86	12
13	trace	·52	·24	–	–	·07	–	–	·15	·06	·10	1·14	13
14	–	·42	·36	–	–	–	·35	–	·01	·41	·13	·56	14
15	·04	·02	·23	–	–	–	·48	·05	–	–	1·01	·05	15
16	·02	–	·07	–	–	–	–	–	·08	–	–	–	16
17	–	·53	·25	–	–	–	–	–	·08	–	–	·26	17
18	–	·04	·22	–	–	–	–	–	–	–	·02	·48	18
19	–	·08	·54	–	–	–	·13	–	trace	·03	* ·21	·29	19
20	–	·20	·40	–	–	·05	·01	–	·04	·03	–	·11	20
21	–	·84	·10	–	–	·09	–	·16	–	·02	–	·06	21
22	–	·09	·01	–	·31	·05	·18	·03	–	·20	–	trace	22
23	–	–	·15	–	·23	·10	·03	–	trace dew	·05	–	·06	23
24	trace	–	·14	·01	–	trace	–	–	–	–	·12	·01	24
25	·03	–	·29	–	–	–	·04	·10	–	·50	·03	·09	25
26	·01	–	·05	–	–	–	·10	·26	–	·11	·28	·68	26
27	·02	·01	trace	–	–	–	–	·02	–	–	·08	·43	27
28	·02	0·03	–	–	·01	–	–	–	–	·11	·46	·69	28
29	·14		·05	–	–	–	–	–	–	·50	·37	·02	29
30	·01		·11	0·00	·01	0·00	–	–	0·00	·09	0·77	·38	30
31	0·07		0·00		0·19		Trace	0·00		0·01		0·04	31
Total	0·92	5·27	5·84	1·28	1·61	1·20	2·22	1·71	0·93	2·12	4·37	10·10	YEAR'S TOTAL 37·57
Rain Days.	16	18	26	10	13	12	14	13	9	13	21	27	192

W. 8,000. X. 14.

Eed. d. N.

119

FORM A.
BRITISH RAINFALL.

11. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Warlingham RANSORE RD

in the County of Surrey

by R. H. Curtis

4

Lat. 51°19'N. Long. 0°2'30"W

Time of Observation 9 am

Nearest Railway Station Upper Warlingham

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground one ft. — in.

" " " " Sea Level 610 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.76	0.19	0.05	0.00	0.03	0.00	0.00	0.01	0.26	0.01	0.45	0.50	1
2	.19	.25	.29	.15	–	.01	–	.82	–	.04	.01	.07	2
3	.48	.01	.06	.18	.06	trace	–	.31	.07	–	–	.52	3
4	.03	–	–	–	–	–	–	–	–	–	–	.40	4
5	.02	.65	–	–	–	–	–	.04	–	.07	.01	.38	5
6	.48	.08	.02	.59	–	trace	.44	.03	–	–	–	.28	6
7	.62	.55	.05	–	–	.03	.49	.02	–	–	–	.22	7
8	.09	.88	.01	.09	–	–	.08	.11	–	–	–	–	8
9	.01	.05	–	.13	–	.17	–	.04	–	.01	.40	.59	9
10	34	.01	–	–	–	.01	–	trace	–	–	–	.32	10
11	.03	–	.01	–	–	–	–	–	–	.01	.77	.04	11
12	.08	.19	–	.43	.45	–	–	.51	–	.05	.48	.02	12
13	–	.81	–	–	1.21	–	–	–	–	–	–	–	13
14	.02	.07	trace	–	–	–	.05	.07	.05	–	–	.64	14
15	.24	.01	–	–	.05	–	.23	.04	–	–	.26	.24	15
16	–	.69	–	.01	.17	–	.94	.23	–	–	.01	.60	16
17	–	.55	–	–	1.02	–	.04	.22	–	–	–	trace	17
18	.01	.13	.09	–	.15	–	–	–	–	–	.10	–	18
19	trace	.21	–	–	.02	–	.06	–	–	.05	–	–	19
20	.33	trace	–	.06	.01	–	–	–	–	–	–	.25	20
21	.39	.05	–	–	–	–	.02	–	–	.04	–	.08	21
22	.78	.08	.06	.01	–	–	.93	–	–	–	–	.16	22
23	.03	.31	.04	.02	–	.05	.35	–	trace	.37	–	.33	23
24	.01	.01	.01	.05	–	trace	.15	–	.17	.20	–	.47	24
25	trace	–	.04	.11	–	–	.25	–	–	–	.01	.27	25
26	–	.10	–	–	–	.24	.12	–	–	–	–	.75	26
27	–	.06	–	–	–	.27	.08	–	–	.55	–	.02	27
28	–	0.06	–	–	–	.09	–	–	1.76	.06	.01	–	28
29	trace	X	–	–	–	.06	.30	.13	–	–	.29	trace	29
30	.04	X	–	0.00	–	0.83	–	.01	0.00	.04	0.86	.04	30
31	0.02	X	0.00	X	0.00	X	0.00	0.16	X	1.25	X	0.46	31
Total	5.00	6.00	0.73	1.83	3.17	0.96	4.53	2.75	2.31	2.75	3.66	7.65	YEAR'S TOTAL 41.34
Rain Days.	22	24	12	12	10	10	16	16	5	14	13	24	178

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

4 JAN 19

Kept at Warlingham

in the County of Surrey

by R. H. Curtis.

Lat. 51·19 N. Long. 0°2'30" W.

Time of Observation 9am

Nearest Railway Station Upper Warlingham

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground one ft. – in.

„ „ „ „ Sea Level 610 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·13	0·01	0·01	0·00	0·64	0·01	0·00	0·00	0·22	0·03	0·37	0·00	1
2	·47	·19	*·19	–	·33	–	·02	–	·07	·33	·07	–	2
3	·02	·74	*·38	–	–	trace	·01	–	·20	·47	80	–	3
4	·34	·17	trace	–	–	·43	–	–	·18	·01	·58	–	4
5	·01	·05	–	·07	·24	·09	·01	–	trace	·13	·72	·03	5
6	·01	·22	*·37	·32	·03	·10	·34	–	–	·36	·83	–	6
7	·07	–	*1·01	·01	·33	·03	·23	–	–	·03	1·49	·03	7
8	·02	–	·02	–	·37	–	–	–	–	–	–	·63	8
9	·01	–	trace	–	·53	–	·01	–	–	·05	–	·05	9
10	–	·27	·16	·12	–	·53	·15	–	–	–	·02	·09	10
11	·03	·09	·04	·18	trace	·58	–	=	·01	–	·01	·01	11
12	·02	·08	trace	·04	·62	·31	·06	·02	trace	·14	·01	trace	12
13	trace	·32	·35	·14	·02	·01	·29	·02	·05	·07	·01	–	13
14	–	·56	·04	·01	·10	–	–	·05	–	·07	–	*·08	14
15	–	·12	·22	·01	–	–	·09	·41	trace	·02	–	*·09	15
16	·02	·01	·14	·20	–	–	·17	·23	–	trace	–	·01	16
17	·22	·13	–	·06	–	–	·03	·62	·40	·85	trace	trace	17
18	·04	·08	·02	·25	–	–	–	·27	·20	·62	·77	*·10	18
19	·24	·10	·14	·30	–	·05	–	–	·11	trace	·80	·05	19
20	·17	–	·12	·01	–	–	–	–	–	–	·14	·92	20
21	·02	–	·54	–	–	–	·12	–	–	–	·01	·11	21
22	·02	*·02	*·10	–	trace	–	–	–	–	·02	trace	·67	22
23	·03	*·82	*·05	–	~~trace~~	·07	·01	·01	–	·13	·13	·08	23
24	–	–	trace	–	·07	·09	–	·02	–	·32	·08	*·42	24
25	–	*·85	·26	–	–	–	–	·30	–	·04	·07	trace	25
26	–	*·27	·04	–	–	·30	–	·09	trace	·22	*·01	·01	26
27	·04	–	·96	–	–	·91	–	·27	·07	·86	–	·01	27
28	–	*·47	·27	–	–	–	–	·05	·08	·05	·02	·18	28
29	·01	*0·19	·01	–	–	·36	–	81	·02	·40	–	·23	29
30	–	X	–	0·00	·21	0·00	–	·15	0·00	·39	0·00	trace	30
31	0·00	X	0·00	X	0·00	X	0·00	0·07	X	0·18	X	0·05	31
Total	1·94	5·76	5·44	1·72	3·49	3·87	1·54	3·39	1·61	5·79	6·94	3·85	YEAR'S TOTAL 45·34
Rain Days.	21	22	23	14	12	15	14	16	12	24	20	21	214

W. 8,000, VIII. 16

[illegible]

REGISTER OF RAINFALL IN 1917

Kept at Warlingham

in the County of Surrey

by R. H. Curtis

Lat. 51·19 N. Long. 0° 2' 30" W.

Time of Observation 9 am

Nearest Railway Station Upper Warlingham

Diameter of Funnel of Rain Gauge Eight ins.

Height of top of Gauge above Ground one ft. 5 in.

" " " " Sea Level 610 ft.

FORM A. BRITISH RAINFALL. 8 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	trace	0·03	0·00	0·36	0·00	0·00	0·00	1·68	0·08	0·00	0·09	0·02	1
2	–	trace	–	·50	–	·02	–	·32	–	–	·13	–	2
3	0·02	–	–	·13	–	–	·13	·66	trace	·30	·07	–	3
4	–	·28	·15	–	–	–	·30	·07	–	·37	–	–	4
5	·26	–	·02	·61	–	–	–	–	82	·18	·17	–	5
6	–	–	·11	·01	–	·10	–	trace	·30	·03	·06	–	6
7	·35	–	·01	–	–	–	·42	–	–	·54	–	·07	7
8	·13	–	–	·09	–	–	·60	·38	·03	·32	·40	·38	8
9	·01	–	·07	·09	–	–	·20	·05	trace	–	·03	·80	9
10	·28	–	·18	·18	–	·02	–	·10	–	–	·02	·01	10
11	·14	·02	·29	·25	–	–	–	·01	·28	·36	–	·01	11
12	·07	·01	·03	trace	–	–	–	·06	–	·41	·02	trace	12
13	·12	–	·13	·06	–	–	–	·03	·03	·28	–	·01	13
14	·01	–	·02	·16	–	–	–	trace	–	–	·01	–	14
15	·08	–	trace	–	–	–	–	·26	–	·14	–	·05	15
16	·06	·14	–	·22	·24	–	·03	–	–	·76	·01	·83	16
17	trace	·01	–	·14	·61	–	·24	·21	·49	·14	–	–	17
18	·08	·05	–	·13	·04	·03	·19	·02	·30	·08	–	–	18
19	·03	·13	·08	trace	·03	·06	–	–	·13	–	–	–	19
20	·61	·11	·05	–	·66	–	·14	·02	trace	–	·06	–	20
21	–	·01	·05	·03	–	·04	–	–	–	–	·06	–	21
22	·01	–	·02	–	–	·01	–	·18	–	·15	–	·01	22
23	trace	·17	·01	–	·25	·03	–	·15	–	·09	–	·01	23
24	–	·08	–	–	–	·16	·01	·01	–	·15	·01	·05	24
25	–	·05	·05	–	–	–	trace	–	–	·01	·07	–	25
26	–	–	·04	–	–	–	–	·44	·03	·05	·71	·01	26
27	–	–	·01	–	–	–	–	1·46	trace	–	–	·01	27
28	–	0·02	trace	–	–	1·24	–	·21	–	trace	–	·08	28
29	trace		·04	–	·13	·23	·10	·05	–	·43	–	·17	29
30	·08		·34	0·00	0·00	0·00	1·94	·11	0·00	·01	0·01	·05	30
31	0·10		0·03				0·61	0·05		0·02		0·05	31
Total	1·84	1·11	1·73	2·96	1·96	1·94	4·91	6·53	2·49	4·82	1·93	2·62	YEAR'S TOTAL 34·84
Rain Days.	18	14	21	15	7	11	13	23	10	21	17	18	188

W. 8,000, IX. 17.

5.31

Jl

29
2/1

FORM A.
BRITISH RAINFALL.

23. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Warlingham, Redvers Road
in the County of Surrey
by R. H. Curtis

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·02			·01			·02			·23	·10	1
2		·04						·17			·28	·24	2
3	·01		·15	·07	·38			·06		·01	·40		3
4		·33	·16	·01	·02			·04	·27		·76	·04	4
5		·04	·01		·13			·14	·48	·14		·04	5
6	·22	·24		·32	·33			·05	·13	·05		·09	6
7	·05	·14		·14	·22			·02	·17	·08	·12	·05	7
8	·01	·26							·22	·10	·08	·13	8
9	·01	·01		·02		·03	·27		·52	·17	·01	·41	9
10	·04			·27		·02	·70		·09	·15	·02	·36	
11				·01	·11		·59		·01	·26	·13	·12	1
12		·07			·25		·18		·15	·01		·02	12
13	·10	·02		·03	·12		·13		·10			·02	13
14	·18		·02	·01		·26	·04		·17	·19		·18	14
15	1·20			·98		·11	·07					·25	15
16	·40			·24		·12			·11	·01			16
17	·28			·10	·07		1·02	·08	·10			·27	17
18	·66					·21	·07		·68	·25		·10	18
19	·10		·10	·11	·17	·04	·16		·05	·20	·01	·04	19
20	·03	·21		·84		·03	·24	·01	·27	·54	·01		20
21	·16	·01		·89			·08		·32	·17		·01	21
22	·07				·28		·40		·23			·18	22
23	·08			·01	·12	·05	·51	·11	·03		·01	·03	23
24		·31		·01		·04	·09		·25	·01	·08		24
25	·01			·51			·08	·24		·01	·01		25
26							·78	·04	·02	·01	·17	·20	26
27		·05	·04	·20			·07	·24	·11		·13	·01	27
28		·01	·27	·06				·01			·24	·09	28
29	·01								1·18		·03		29
30		×	·43	·01					·03	·09		·17	30
31		×	·09	×		×			×	·07	×		31
Total	3·62	1·76	1·27	4·84	2·21	·91	5·48	1·23	5·69	2·52	2·72	3·15	YEAR'S TOTAL 35·40
Rain Days.	19	15	9	21	13	10	18	14	24	20	16	24	205

W. 8,000, VIII. 16

100 FORM A. BRITISH RAINFALL.

Apr. from Bayard

REGISTER OF RAINFALL IN 1919

Kept at Warlingham

in the County of Surrey

by R. H. Curtis

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·45	·08	·01	·01									1
2	·30		·01	·01									2
3	·43		·52										3
4	·17	·09	·54										4
5	·01	·29	·81										5
6	·10		·09										6
7	·03		·47	·02									7
8	·31		·02										8
9	·36		·10	·04									9
10	·22		·16	·02									10
11	·12		·21	·30									11
12	·05		·07	·11									12
13	·05		·02	·65									13
14	·62		·01	·58									14
15	·19	·05	·18	·15									15
16	·03	·56	·01	·01									16
17	·02	·36	·07	·02									17
18		·36	·25										18
19	·06	·23	·35	·01									19
20	·25	·14	·17										20
21	·09	·47	·05										21
22		·10	·02										22
23			·01										23
24			·02	·21									24
25	·03	·36	·01	·01									25
26	·06	·02	·12	·08									26
27	·49	·10	·05	1·42									27
28			·36	·03									28
29	·08		·01	·01									29
30	·03		·02	·25									30
31	·10		·12										31
Total	4.65	3·21	4.86	3·94									YEAR'S TOTAL
Rain Days.	26	14	31	20									

W. 8,000, IX. 17.

5ᵃ

Egremont.

WARLINGHAM

EGREMONT

SURREY

1911- 1912

FORM A2.
BRITISH RAINFALL.

8 - JAN 1912

Kept at Warlin

in the County of

by Henry R

d 1 ft. " in.

evel 614 ft.

Upper Warlingham.

e: 3/4 mile Direction N. W.

IMPORTANT NO result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	—	—	.84	n.m.	—	n.m	.04	—	—	n.m.	n.m.	1
2	.20	—	—	.18	.31	—	—	—	—	—	.19	.28	2
3	—	.04	—	—	.23	—	—	—	—	—	.19	.19	3
4	.06	.03	.09	.12	—	—	—	—	.02	.11	.45	.42	4
5	.02	.03	—	.9	—	—	—	—	—	.41	.05	.12	5
6	.39	—	.16	n.m	—	—	—	—	—	n.m	n.m.	.44	6
7	.12	—	n.m	.04	—	—	—	—	—	.17	.45	.37	7
8	.10	—	.19	—	—	—	—	—	—	n.m.	.37	.52	8
9	.25	—	.02	.03	—	—	—	—	—	—	.02	.12	9
10	n.m	.10	.18	—	—	—	—	—	—	—	.04	.90	10
11	.57	—	.03	—	.11	—	—	—	—	—	1.06	n.m.	11
12	—	n.m	.50	—	—	.03	—	—	.02	—	.21	n.m.	12
13	—	—	.10	—	.23	—	—	—	.35	.10	.02	.24	13
14	—	.08	n.m	—	.20	—	—	—	—	n.m.	—	.71	14
15	n.m.	.06	.27	—	—	—	—	—	—	.04	.15	.04	15
16	—	—	n.m.	—	—	.38	—	—	—	n.m.	.78	.13	16
17	n.m	n.m	.04	—	—	.04	—	—	—	n.m.	.56	.23	17
18	—	.18	.04	—	—	n.m.	—	—	—	—	.76	.39	18
19	n.m	.02	—	.01	n.m	.19	—	—	.42	.33.	.27	.14	19
20	.03	.03	n.m.	—	—	.02	—	.79	.01	.23	.02	.97	20
21	.02	.18	—	—	—	—	—	.08	.01	.95	—	.27	21
22	.05	n.m	.26	—	—	.16	—	n.m	n.m.	.25	—	.58	22
23	—	.35	.04	—	—	.76	—	n.m	.32	.02	.04	.20	23
24	n.m	.17	—	—	—	.07	.03	n.m	n.m.	1.38	—	.31	24
25	n.m	.06	n.m.	.10	—	.22	n.m	.02	.05	.10	n.m.	n.m.	25
26	—	.02	.15	.28	.42	.26	—	—	n.m.	.18	.03	.30	26
27	—	.40	.17	.13	—	—	—	~~.07~~	.11	.19	.07	.12	27
28	—	.25	n.m.	.25	—	—	—	.07	—	n.m.	.03	.01	28
29	—		—	.23	—	.18	—	n.m	.18	.35	n.m	—	29
30	—		.01	.02	—	.03	.25	.11	.05	.38	n.m	n.m.	30
31	—		n.m.		.68		—	—		.04		n.m.	31
Total	1.87	2.00	2.25	2.32	2.18	2.34	.28	.51	1.54	5.23	5.76	8.00	TOTAL for year 34.28
No. of Rain Days	12	16	16	13	7	12	2	6	11	17	21	24	157 ✓

9,000, IX. '10.

5a

Egremont.

FORM A2.
BRITISH RAINFALL.

8 - JAN 1912

Kept at Warlingham

in the County of Surrey. 4

by Henry Rogers

RAIN GAUGE Height of top above Ground 1 ft. " in.
" " " Sea Level 614 ft.

Time of Observation 9. a. m.

Nearest Railway Station Name Upper Warlingham. Distance $\frac{3}{4}$ mile Direction N. W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	—	—	.84	n.m.	—	n.m	.04	—	—	n.m.	n.m.	1
2	.20	—	—	.18	.31	—	—	—	—	—	.19	.28	2
3	—	.04	—	—	.23	—	—	—	—	—	.19	.19	3
4	.06	.03	.09	.12	—	—	—	—	.02	.11	.45	.42	4
5	.02	.03	—	.9	—	—	—	—	—	.41	.05	.12	5
6	.39	—	.16	n.m	—	—	—	—	—	n.m	n.m.	.44	6
7	.12	—	n.m	.04	—	—	—	—	—	.17	.45	.37	7
8	.10	—	.19	—	—	—	—	—	—	n.m.	.37	.52	8
9	.25	—	.02	.03	—	—	—	—	—	—	.02	.12	9
10	n.m	.10	.18	—	—	—	—	—	—	—	.04	.90	10
11	.57	—	.03	—	.11	—	—	—	—	—	1.06	n.m.	11
12	—	n.m	.50	—	—	.03	—	—	.02	—	.21	n.m.	12
13	—	—	.10	—	.23	—	—	—	.35	.10	.02	.24	13
14	—	.08	n.m	—	.20	—	—	—	—	n.m.	—	.71	14
15	n.m.	.06	.27	—	—	—	—	—	—	.04	.15	.04	15
16	—	—	n.m.	—	—	.38	—	—	—	n.m.	.78	.13	16
17	n.m	n.m	.04	—	—	.04	—	—	—	n.m.	.56	.23	17
18	—	.18	.04	—	—	n.m.	—	—	—	—	.76	.39	18
19	n.m	.02	—	.01	n.m	.19	—	—	.42	.33.	.27	.14	19
20	.03	.03	n.m.	—	—	.02	—	.79	.01	.23	.02	.97	20
21	.02	.18	—	—	—	—	—	.08	.01	.95	—	.27	21
22	.05	n.m	.26	—	—	.16	—	n.m	n.m.	.25	—	.58	22
23	—	.35	.04	—	—	.76	—	n.m	.32	.02	.04	.20	23
24	n.m	.17	—	—	—	.07	.03	n.m	n.m.	1.38	—	.31	24
25	n.m	.06	n.m.	.10	—	.22	n.m	.02	.05	.10	n.m.	n.m.	25
26	—	.02	.15	.28	.42	.26	—	—	n.m.	.18	.03	.30	26
27	—	.40	.17	.13	—	—	—	.07	.11	.19	.07	.12	27
28	—	.25	n.m.	.25	—	—	—	.07	—	n.m.	.03	.01	28
29	—		—	.23	—	.18	—	n.m	.18	.35	n.m	—	29
30	—		.01	.02	—	.03	.25	.11	.05	.38	n.m	n.m.	30
31	—		n.m.		.68		—	—		.04		n.m.	31
Total	1.87	2.00	2.25	2.32	2.18	2.34	.28	.51	1.54	5.23	5.76	8.00	TOTAL for year 34.28
No. of Rain Days	12	16	16	13	7	12	2	6	11	17	21	24	157 ✓

9,000, IX. '10.

FORM A.
BRITISH RAINFALL

6 JAN 1913

E22 88

REGISTER OF RAINFALL IN 1912

Kept at Egremont. Warlingham

in the County of Surrey 4

by Florence S. Rogers (Miss)

Lat. 51.18 N. Long. 0.03 W.

Time of Observation 9. a. m

Nearest Railway Station Upper Warlingham

Diameter of Rain Gauge ~~ft 0~~ in. 5. in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 614 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	~~May.~~ June	~~June.~~ May	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	n.m	–	.14	–	.13	–	.45	–	.06	.62	–	.24	1
2	.02	01	.38	–	n.m	–	.25	n.m	.03	.07	–	–	2
3	.04	.10	.05	n.m	.27	n.m.	.03	.41	.03	n.m	–	.12	3
4	.22	–	.56	–	.33	.15	–	.06	–	n.m	.25	–	4
5	.20	.04	.24	–	n.m.	–	–	.38	–	–	.13	.02	5
6	.57	.08	–	–	n.m.	.03	–	.10	.02	–	n.m.	.30	6
7	–	n.m	–	–	.57	.14	–	.15	–	–	–	.10	7
8	.35	.46	.30	–	.03	–	.04	.41	.01	–	.02	.02	8
9	n.m	.11	n.m.	.08 hail	.31	–	n.m	.12	–	–	n.m.	.18	9
10	.01	.08	n.m	–	–	–	.04	34	.01	–	.05	.29	10
11	.04	.45	n.m	–	.02	–	–	.11	.05	n.m	n.m	.33	11
12	.03	.12	.08	–	.10	.06	–	.03	–	n.m	.03	n.m.	12
13	n.m	.02	.03	–	–	–	–	–	n.m	.01	.17	.04	13
14	n.m	–	.03	–	–	04	–	.17	n.m	.07	.01	.04	14
15	.02	n.m	.24	–	.80	.21	–	.01	–	n.m.	.06	.33	15
16	.25	.02	.10	–	.08	.05	–	15	–	.11	.07	–	16
17	.24	–	.52	–	.05	–	–	.06	–	–	.03	.09	17
18	.24	–	.22	–	–	–	–	.33	–	.05	.02	.11 snow	18
19	.09	.14	.17 snow	–	.02	–	.06	.37	–	–	n.m.	.02	19
20	n.m	.04	.64 snow Hail	–	.25	–	–	.07	–	.52	.04	–	20
21	n.m	.04	.43 snow	–	–	.02	–	.10	–	.16	.05	–	21
22	.13	.37	.15	–	–	.04	.03	.18	–	.04	n.m.	.04	22
23	.39	.38	.42	–	–	.04	n.m	.64	–	.09	.27	.12	23
24	.13	.08	–	–	.20	–	.03	.26	–	–	–	.17	24
25	.12	n.m	–	–	.41	–	–	.83	–	.02	.33	.58	25
26	.03 snow	.05	–	–	–	–	–	.51	–	.40	.59	.37	26
27	–	–	.02	–	n.m.	–	.02	[illegible]	–	.20	–	.26	27
28	–	.08	–	.02	.02	–	.13	.11	.19	.68	.68	.20	28
29	–	.05	–	–	.19	–	.30	.19	1.90	.18	.06	–	29
30	–		–	–	.27	.44	.03	.02	1.67	.33	–	–	30
31	.02		.10			–	.25	.13		.02		–	31
Total	3.14	2.72	4.82	.10	4.05	1.22	1.66	6.24	3.97	3.57	2.86	3.97	YEAR'S TOTAL 38.32
Rain Days.	20	20	20	2	18	11	13	27	10	17	18	22	198

W. 7,500, XI. '12

Est 1911 Oct from Bayard

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 31

22 JAN 1914

Kept at Warlingham, Egremont

in the County of Surrey

by F. S. Rogers

4

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.35	.09	.17					.11	.03			1
2	.06	.17					.11		.03	.05			2
3	.02		.06	.37	.35					.01			3
4	.45		.09	.05	.15		.05			.08			4
5	.55		.02			.03	.10		.36	-			5
6	.12	.15	.14		.02	.11	.28		.03	.15			6
7		.27			.18	.01		.03		.60			7
8		.04			.19	.13				.11			8
9		.13		.03	.07	.01	.01		.07				9
10			.06	.14				.04					10
11	.71			.38						.68			11
12					.09					-			12
13	.14		.06						.02	-			13
14	.15		.23	.08			.68	.10	.12	.16			14
15	.40	.08	.23	.34			.29		.03	-			15
16	.24		.48	.30			.02		.26	-			16
17	.04	.07	.03	.04			.25	.01		-			17
18			.17	.15						-			18
19	.35		.20			.05	.17		.22	-			19
20	.32		.55	.13	.01					.75			20
21	.02		.34	.06			.04			.27			21
22	.39		.27	.12			.01	.02	.14	-			22
23			.15			.03	.02	.28		-			23
24	.06			.05		.01		.09		-			24
25				.29		.01				-			25
26			.15	.04			.02	.32		.85			26
27			.09	.18	.09					.04			27
28	.19		.31	.05						.18			28
29	.06		.05	.41	.42			.12		.05			29
30	.45			.11				.21		.19			30
31			.05					.81		.09			31
Total	4.75	1.26	3.82	3.49	1.57	.39	2.05	2.03	1.39	4.29			YEAR'S TOTAL
Rain Days.	20	8	22	21	10	9	14	11	11	17			

W. 7,500, XI. 12

81

REGIS

WARLINGHAM

C. E. SCH

SURREY

1919 - 1920

FORM A.
BRITISH RAINFALL.

MAR 2

Kept at Warlingham

in the County of Surrey

by M. Norris

Gauge ______ in.

Ground ______ ft. ______ in.

Sea Level ______ ft.

IMPORTANT NOTI … he result entered to the previous day. If an Obs … rsal rule, he is earnestly requested to add the readi … in the space provided for it at the end of this … ent of rain, the selection and placing … ish Rainfall Organization are given in … pplication to Dr. H. R. Mill, 62, Camc

Jan. 1, following.

Date	Jan.	Feb.	March.								Nov.	Dec.	Date.
1											·06	·90	1
2											·12	·20	2
3											·03	·46	3
4											·04	·14	4
5											·05	·30	5
6											·03	·13	6
7				·02							·06		7
8											·02		8
9				·04							·08		9
10				·02						·03		·03	10
11				·30								·05	11
12				·11						·09	·04	·05	12
13				·65						·05			13
14				·58								·05	14
15				·15								·30	15
16				·01							·07	·04	16
17				·02							·22	·02	17
18											·09	·03	18
19				·01							·14	·01	19
20												·03	20
21											·03	·01	21
22											·03	·25	22
23											·01	·06	23
24				·21						·12	·06		24
25				·01								·02	25
26				·08								·49	26
27				1·42							·06	·05	27
28				·03							·30	·37	28
29				·01						·40		·14	29
30		X		·25						·10	·27	·64	30
31		X		X		X			X	·02	X	·06	31
Total				3·94						·98	1·81 ~~1·51~~	4·83	YEAR'S TOTAL
Rain Days.				20						9	21	26	

W. 8,000, IX. 17.

81

~~418~~

REGI

FORM A. BRITISH RAINFALL.

11 MAR

Kept at Warlingham

in the County of Surrey

by M. Norris

ong.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·01						·07	·06	·90	1
2				·01						·10	·12	·20	2
3											·03	·46	3
4											·04	·14	4
5											·05	·30	5
6											·03	·13	6
7				·02							·06		7
8											·02		8
9				·04							·08		9
10				·02						·03		·03	10
11				·50								·05	11
12				·11						·09	·04	·05	12
13				·65						·05			13
14				·58								·05	14
15				·15								·30	15
16				·01							·07	·04	16
17				·02							·22	·02	17
18											·09	·03	18
19				·01							·14	·01	19
20												·03	20
21											·03	·01	21
22											·03	·25	22
23											·01	·06	23
24				·21						·12	·06		24
25				·01								·02	25
26				·08								·49	26
27				1·22							·06	·05	27
28				·03							·30	·37	28
29				·01						·40		·14	29
30		X		·25						·10	·27	·64	30
31		X		X		X			X	·02	X	·06	31
Total				3·94						·98	1·81 ~~1·51~~	4·83	YEAR'S TOTAL
Rain Days.				20						9	21	26	

W. 8,000, IX. 17.

28 A

REGISTER OF RAINFALL IN 1920

FORM A.
BRITISH RAINFALL

Kept at Warlingham, Westerham Road

in the County of Surrey

by R. W. Peacock

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.07			.28	.07		.35			.45		.16	1
2			.06		.02			.23	.05	.12		.08	2
3	.03	.03		.03		.02				.06			3
4		.08		.16			.69	.10		.13		.06	4
5			.13		.05		.60	.32	.05				5
6			.20		.15		.26					.02	6
7	.05			.22	.04		.46			.04			7
8		.02		.09	.16		.40			.01			8
9	.28	.05	.08	.04	.01		.06	.05					9
10	.72	.07	.07	.03		.10	.18				.04		10
11	.16			.23			.18						11
12	.06	.03		.20		.79					.02	.04	12
13	.25		.17	.15		.05							13
14			.43	.25					.09	.51	.47		14
15	.04	.02	.04	.31					.78	.08	.07		15
16			.01	.20					.52				16
17	.03			.02	.16				.85			.08	17
18	.05		.01		.05			.97	.19			.04	18
19	.13			.32									19
20	.08	.18		.46				.05	.10				20
21				.03		.50	.73	.02	.55			.15	21
22	.02			.44					.10			.16	22
23							.32					.32	23
24		.02	.07						.02			.03	24
25		.03		.02			.31		.05				25
26	.04		.12	.04								.05	26
27	.36	.05	.02	.20		.15	.03				.25	.11	27
28	.56	.03	.18	.04	.09	.08	.11				.03	.04	28
29	.63		.14	.04			.02				.04	.31	29
30	.03	X			.01	.35	.12		.19		.17		30
31	.05	X		X	.03	X			X	.23	X	.17	31
Total	3.64	.61	~~1.63~~ 1.73	3.80	.84	2.04	4.82	1.74	3.54	1.63	1.09	1.82	YEAR'S TOTAL ~~27.10~~ 27.30
Rain Days.	20	12	15	23	12	8	16	7	13	9	8	16	159
.04"	16	5	12	18	8	7	14	6	12	8	6	14	126

W, 6,500, W. 18.

WEST BYFLEET
KILMEENA
SURREY
1912 - 1920

FORM A2.
BRITISH RAINFALL.
6 JAN 1913

R 12.

Kept at Kilmeena, of Zambra copper
ive in.
in the County of Sur e Ground one ft. – in.
Sea Level abt 100 ft.
a.m.
by Lederic Little Name Byfleet, L.&S.W. Ry.
Distance 5/8 m. Direction N.N.E.

IMPORTANT NOT the result entered to the previous day. If an Ob ersal rule, he is earnestly requested to add the rea ear in the space provided for it at the end of thi ment of rain, the selection and placin itish Rainfall Organization are given in Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·14	·04	–	·06	·08	–	– ·03	·55	–	·18	1
2	–	·01	·19	–	–	·09	·35	·08	–	·06	–	–	2
3	–	–	·14	–	–	·14	·01	·23	–	–	–	·06	3
4	·14	·03	·44	–	·09	·23	–	·10	–	–	·24	·01	4
5	·15	·07	·07	–	–	–	–	·37	–	–	·04	–	5
6	·42	·02	·03	–	·01	–	–	·24	–	–	–	·03	6
7	–	–	·01	–	·11	1·09	·01	·16	–	–	–	·02	7
8	·25	·38	·23	–	–	·08	–	·10	–	·01	–	·01	8
9	–	·12	·03	·01	–	·02	·01	·09	–	–	–	·17	9
10	–	·06	–	–	–	–	–	·12	–	–	·07	·26	10
11	·04	·15	–	–	–	·02	–	–	–	–	·02	·24	11
12	·03	·09	·09	–	·17	·15	·02	–	–	·02	·01	·01	12
13	–	·01	–	–	–	–	–	–	–	–	·02	·03	13
14	–	–	·02	–	·03	–	–	·05	–	·02	–	·03	14
15	·01	–	·09	–	·08	·55	–	–	–	–	·01	·22	15
16	·38	·01	·08	–	·18	·05	–	·05	–	·05	·03	–	16
17	·55	–	·19	–	–	·02	–	·06	–	–	–	·01	17
18	·08	–	·14	–	–	–	–	·16	–	–	·07	·08	18
19	·06	·06	·03	–	–	–	·15	·38	–	–	–	–	19
20	·03	·01	·16	–	–	·01	·01	·08	–	·30	·03	–	20
21	·01	·01	·10	–	·20	–	–	·06	–	·09	·13	–	21
22	·17	·15	·08	–	·04	–	·02	·16	–	·02	–	·06	22
23	·43	·46	·31	–	–	–	·02	·40	–	·09	·17	·17	23
24	·28	·03	–	–	–	·03	·01	·28	–	–	–	·19	24
25	·10	–	–	–	–	·19	–	·50	–	–	·19	·61	25
26	–	·07	–	–	–	–	–	·30	–	·31	·38	·29	26
27	–	–	–	–	–	·04	–	–	–	·23	–	·17	27
28	–	·06	–	–	–	·18	·26	·02	·21	·35	·54	·14	28
29	–	·01	–	–	–	·16	·19	·27	1·46	·33	·02	–	29
30	–		–	–	·24	·02	–	–	1·18	·13	–	–	30
31	–		·28		–		·14	·05		·01		·01	31
Total	3·13	1·81	2·85	·05	1·15	3·13	1·28	4·31	2·88	2·57	1·91	3·00	TOTAL for year 28·07
No. of Rain Days.	17	20	21	2	10	19	14	24	4	16	16	23	186

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
6 JAN 1913

R [illegible] 12.

Kept at Kilmeena, West Byfleet,

in the County of Surrey. 6

by Frederic Littleboy

RAIN GAUGE
Pattern Negretti & Zambra copper
Diameter of top five in.
Height of top above Ground one ft. – in.
„ „ „ Sea Level abt 100 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Byfleet, L.&S.W. Ry.
Distance 5/8 m. Direction N.N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·14	·04	–	·06	·08	–	– ·03	·55	–	·18	1
2	–	·01	·19	–	–	·09	·35	·08	–	·06	–	–	2
3	–	–	·14	–	–	·14	·01	·23	–	–	–	·06	3
4	·14	·03	·44	–	·09	·23	–	·10	–	–	·24	·01	4
5	·15	·07	·07	–	–	–	–	·37	–	–	·04	–	5
6	·42	·02	·03	–	·01	–	–	·24	–	–	–	·03	6
7	–	–	·01	–	·11	1·09	·01	·16	–	–	–	·02	7
8	·25	·38	·23	–	–	·08	–	·10	–	·01	–	·01	8
9	–	·12	·03	·01	–	·02	·01	·09	–	–	–	·17	9
10	–	·06	–	–	–	–	–	·12	–	–	·07	·26	10
11	·04	·15	–	–	–	·02	–	–	–	–	·02	·24	11
12	·03	·09	·09	–	·17	·15	·02	–	–	·02	·01	·01	12
13	–	·01	–	–	–	–	–	–	–	–	·02	·03	13
14	–	–	·02	–	·03	–	–	·05	–	·02	–	·03	14
15	·01	–	·09	–	·08	·55	–	–	–	–	·01	·22	15
16	·38	·01	·08	–	·18	·05	–	·05	–	·05	·03	–	16
17	·55	–	·19	–	–	·02	–	·06	–	–	–	·01	17
18	·08	–	·14	–	–	–	–	·16	–	–	·01	·08	18
19	·06	·06	·03	–	–	–	·15	·38	–	–	–	–	19
20	·03	·01	·16	–	–	·01	·01	·08	–	·30	·03	–	20
21	·01	·01	·10	–	·20	–	–	·06	–	·09	·13	–	21
22	·17	·15	·08	–	·04	–	·02	·16	–	·02	–	·06	22
23	·43	·46	·31	–	–	–	·02	·40	–	·09	·17	·17	23
24	·28	·03	–	–	–	·03	·01	·28	–	–	–	·19	24
25	·10	–	–	–	–	·19	–	·50	–	–	·19	·61	25
26	–	·07	–	–	–	–	–	·30	–	·31	·28	·29	26
27	–	–	–	–	–	·04	–	–	–	·23	–	·17	27
28	–	·06	–	–	–	·18	·26	·02	·21	·35	·54	·14	28
29	–	·01	–	–	–	·16	·19	·27	1·46	·33	·02	–	29
30	–		–	–	·24	·02	–	–	1·18	·13	–	–	30
31	–		·28		–		·14	·05		·01		·01	31
Total	3·13	1·81	2·85	·05	1·15	3·13	1·28	4·31	2·88	2·57	1·91	3·00	TOTAL for year 28·07
No. of Rain Days.	17	20	21	2	10	19	14	24	4	16	16	23	186

W. 8,000, X. '11.

Ex. H.E.b.

REGISTER OF RAINFALL IN 19*13*.

FORM A.
BRITISH RAINFALL.
4 - JAN 1914

Kept at Kilmeena, West Byfleet.

in the County of Surrey 6

by Frederic Littleboy

Lat. abt 51·3 N. Long. abt 0·5 W.
Time of Observation 9 a.m.
Nearest Railway Station Byfleet. L.S.W.Ry
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground one ft. – in.
" " " " Sea Level abt 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·24	·05	·10	–	·03	–	–	·87	–	·05	·17	1
2	·02	·10	·01	·01	–	–	·12	–	·01	·16	·09	·01	2
3	·01	–	·04	·14	·42	–	–	–	·02	·02	–	·07	3
4	·24	–	·01	·01	·35	–	–	–	–	·25	·01	·04	4
5	·15	·01	–	–	·01	·10	·05	–	·21	·01	–	·03	5
6	·01	·03	·14	–	·02	·05	·06	–	–	·52	·07	·20	6
7	–	·15	–	–	·09	·01	–	–	–	·29	·10	–	7
8	–	·03	–	·01	·07	·03	–	–	–	·06	–	–	8
9	–	·14	–	–	·01	–	·02	–	·16	–	·01	·02	9
10	–	–	·06	·08	–	–	·11	·07	–	–	·35	–	10
11	·27	·01	–	·42	·01	–	–	–	–	·62	·23	–	11
12	–	·01	–	–	·04	–	–	–	–	·01	·18	–	12
13	·03	–	·02	–	–	–	–	·02	·11	–	·22	–	13
14	·12	·01	·10	·06	–	–	·29	·05	·03	·09	·05	·01	14
15	·19	·04	·31	·22	–	–	·34	–	·06	–	·01	–	15
16	·12	–	·34	·05	–	–	–	–	·22	–	–	–	16
17	·02	·07	·01	·01	–	–	·27	–	–	–	–	·02	17
18	–	–	·19	·06	–	–	–	–	–	–	·01	–	18
19	·27	–	·05	–	·01	–	·08	–	·25	–	–	–	19
20	·10	–	·40	·04	·01	·18	–	–	–	·48	–	–	20
21	·01	–	·15	·04	–	–	·01	–	–	·15	·71	–	21
22	·34	–	·27	–	–	–	·03	·08	·13	·01	·01	–	22
23	–	–	·01	–	–	·01	–	·12	·01	–	–	·45	23
24	–	–	–	·04	–	–	–	–	–	–	–	–	24
25	–	·01	–	·23	–	–	–	–	–	–	–	·01	25
26	–	–	·19	·11	–	–	–	·06	–	·64	–	·15	26
27	–	·01	·05	·04	–	–	–	–	–	·04	–	–	27
28	·16	–	·27	·07	–	–	–	–	–	·19	–	–	28
29	·04		·05	·43	·55	–	–	·14	–	·11	–	·01	29
30	·26		–	·01	–	–	–	·21	–	·15	–	–	30
31	–		·08		–		–	·73		·02		–	31
Total	2·36	·86	2·80	2·18	1·59	·41	1·38	1·48	2·08	3·82	2·10	1·19	YEAR'S TOTAL 22·25 ✓
Rain Days.	18	14	22	21	12	7	11	9	12	19	15	13	173 ✓

W.7,000, XI. 13

REGISTER OF RAINFALL IN 19*14*

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Esc. M9

Kept at Kilmeena, West Byfleet,
in the County of Surrey 6
by Frederic Littleboy

Lat. abt 51·3 N. Long. abt 0·5 W.
Time of Observation 9 a.m.
Nearest Railway Station Byfleet,
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground one ft. - in.
" " " " Sea Level abt 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ✓

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·02	-	-	-	-	·05	-	-	·03	·04	1
2	·02	-	-	-	-	-	·11	·05	-	-	·04	·15	2
3	-	-	·03	·03	·19	-	·07	·02	-	-	·04	·01	3
4	·04	-	·02	·18	-	-	-	·22	-	-	·31	·33	4
5	·06	-	·06	·22	·17	·04	·24	·72	-	-	-	-	5
6	-	·13	·02	·13	·01	·12	·11	·01	-	-	·07	·11	6
7	-	·37	·27	·25	·27	·16	·23	-	-	-	-	·08	7
8	·07	·36	·76	-	-	·13	·06	·12	-	-	-	·03	8
9	·22	-	·59	·29	-	·14	-	-	·06	-	-	1·88	9
10	·01	·14	·04	·03	·07	-	-	-	·15	-	-	·01	10
11	-	·28	·37	-	-	·03	-	-	·14	-	·04	·33	11
12	-	·09	·11	-	-	-	·52	-	·20	·02	·01	·38	12
13	-	·19	·24	-	-	-	-	-	·09	·02	·03	·48	13
14	-	·13	·14	-	-	·10	·11	-	-	·47	·08	·43	14
15	·03	-	·13	-	-	-	·25	·04	-	·02	·75	·01	15
16	-	-	·06	-	-	-	-	-	·02	-	·07	-	16
17	-	·32	·10	-	-	-	-	-	-	-	-	·11	17
18	-	·02	·16	-	-	-	-	-	-	-	-	·37	18
19	-	·07	·28	-	-	-	·16	-	-	-	·16	·22	19
20	-	·27	·29	-	-	-	-	-	·07	-	-	·13	20
21	-	·56	·12	-	-	-	-	-	-	·05	-	·01	21
22	-	-	·04	·01	·11	·07	·15	·03	-	·23	-	-	22
23	-	·16	·15	·01	·07	·02	·01	-	-	·08	-	-	23
24	-	-	·09	-	-	-	-	-	-	-	·08	-	24
25	-	-	·17	-	-	-	-	·11	-	·23	·02	·08	25
26	-	-	·01	-	-	-	·04	·04	-	·05	·22	·58	26
27	·04	-	-	-	-	-	-	-	-	-	-	·14	27
28	-	·02	-	-	-	-	-	-	-	·08	·52	·91	28
29	·06		·05	-	-	-	-	-	-	·24	·17	-	29
30	-		·06	-	-	-	-	-	-	·08	·54	·51	30
31	·01		-		·12		·02	-		·01		·03	31
Total	·56	3·11	4·38	1·15	1·01	·81	2·08	1·41	·73	1·58	3·18	7·36	YEAR'S TOTAL 27·36
Rain Days.	10	15	27	9	8	9	14	11	7	13	18	25	166

W. 8,000. X. 14.

ExLMcl

293

REGISTER OF RAINFALL IN 1915.

FORM A.
BRITISH RAINFALL.

3 JAN

Kept at Kilmeena, West Byfleet.
in the County of Surrey 6
by Frederic Littleboy

Lat. abt 51·3 N. Long. abt 0·5 W.
Time of Observation 9 a.m.
Nearest Railway Station Byfleet, L. & S.W. Ry.
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground one ft. – in.
" " " " Sea Level abt 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·66	·16	·13	–	·06	–	·03	–	·16	·04	·12	·52	1
2	·36	·17	·25	·08	–	·03	–	·59	–	·04	–	·25	2
3	·48	–	·09	·10	–	–	–	·40	–	–	–	·36	3
4	·02	–	–	–	–	–	–	·06	–	–	–	·22	4
5	·04	·52	–	–	–	–	–	·02	–	·06	–	·34	5
6	·41	·16	·01	·27	–	–	·62	·02	–	–	–	·27	6
7	·18	·26	·01	–	–	–	·21	·01	–	–	–	·21	7
8	·05	·52	·03	·02	–	–	·04	·08	–	–	–	–	8
9	·03	·05	–	·25	–	·06	–	·04	–	–	·31	·70	9
10	·17	·04	·02	–	–	–	–	·61	–	–	–	·18	10
11	·01	–	·03	–	–	–	–	·02	–	·04	·58	·06	11
12	·03	·10	–	·41	·46	–	–	·01	–	–	·32	·01	12
13	·01	·61	–	–	1·32	–	–	·03	·01	–	–	–	13
14	–	·02	–	–	–	–	·17	·29	·04	–	–	·36	14
15	·07	·03	–	–	·04	–	·09	·22	–	–	·15	·13	15
16	·01	·36	–	–	·06	–	·57	·17	–	–	–	·02	16
17	–	·44	–	–	1·17	–	–	–	–	–	–	–	17
18	–	·23	·07	–	·16	–	–	–	–	–	·01	–	18
19	–	·12	–	–	·02	–	·07	–	–	·02	·01	–	19
20	·23	–	–	·02	·02	–	–	–	–	–	–	·17	20
21	·11	·01	–	–	·03	–	–	–	–	·02	–	·03	21
22	1·32	·10	·18	·02	–	–	·75	–	–	–	–	·18	22
23	·01	·10	·03	–	–	·05	·07	–	·34	·62	–	·19	23
24	–	–	–	–	–	–	·01	–	·45	·40	–	·45	24
25	–	–	–	·08	–	·08	·14	–	–	–	–	·09	25
26	–	·02	–	–	–	·07	·44	–	–	–	–	·63	26
27	–	·01	–	–	–	·11	·02	–	–	·25	–	·08	27
28	–	·09	–	–	–	·04	–	–	1·38	·12	–	–	28
29	–		–	–	–	·07	·22	·10	–	·01	·18	·02	29
30	·02		–	–	–	·77	–	–	–	·16	·37	·01	30
31	·05		–		–		–	–		1·09		·25	31
Total	4·27	4·12	·85	1·25	3·34	1·28	3·45	2·67	2·38	2·87	2·05	5·66	YEAR'S TOTAL 34·19
Rain Days.	21	22	11	9	10	9	15	16	6	13	9	25	166

W. 8,000. X. 15.

281

FORM A. BRITISH RAINFALL.

19 FEB 1917

REGISTER OF RAINFALL IN 1916-

Kept at Kimeena, West Byfleet.

in the County of Surrey

by Ludovic Littleboy

Lat. abt 51·2 N. Long. abt 0·5 W.

Time of Observation 9 a.m.

Nearest Railway Station Byfleet. L. & S. W.

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground one ft. - in.

" " " " Sea Level abt 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07	·02	·04	-	·14	-	-	-	·32	·03	·32	-	1
2	·18	·04	·10	-	·29	-	-	-	·17	·57	·10	-	2
3	-	·74	·15	-	·01	-	·03	-	·15	·33	·42	-	3
4	·12	·06	-	-	-	·26	-	-	·19	-	·54	-	4
5	·02	-	-	·01	·28	·15	-	-	-	·03	·76	-	5
6	-	·07	·15	·11	-	·19	·27	-	-	·03	·47	-	6
7	·08	-	·60	-	·14	·06	·44	-	-	·02	·48	·05	7
8	-	-	·02	-	·26	·05	-	-	-	-	-	·21	8
9	-	-	-	-	·13	-	-	-	-	·12	-	·15	9
10	-	·21	·10	·04	·01	·10	·02	-	-	-	-	·07	10
11	-	·15	·05	·15	-	·19	-	-	-	-	-	·02	11
12	·04	·04	-	·02	·46	·10	-	-	·01	·06	-	-	12
13	-	·17	·60	·09	-	·05	-	·10	-	·05	-	-	13
14	-	·37	·10	-	·08	-	·01	·23	-	·02	-	·09	14
15	-	·16	·21	·01	-	-	-	·34	-	·07	-	-	15
16	-	·03	·40	·16	-	-	·24	·30	-	-	-	-	16
17	·11	·16	-	·09	-	-	·02	·10	·27	·53	-	·01	17
18	-	·08	·03	·09	-	-	-	·34	·08	·38	·69	·02	18
19	·15	-	·17	·22	-	-	-	·05	·18	-	·59	-	19
20	·10	-	·22	-	-	-	-	-	-	-	·02	·45	20
21	-	-	·43	-	-	-	-	-	-	-	-	·26	21
22	-	·01	·04	·02	·01	-	-	-	-	·04	-	·40	22
23	·01	·27	-	-	-	-	-	-	-	·06	·02	·05	23
24	-	·08	-	-	·10	·06	-	·03	-	·20	·05	·30	24
25	-	·72	·17	-	-	-	-	·10	-	·04	·06	-	25
26	-	·21	·11	-	-	·04	-	·15	·03	·26	-	-	26
27	·01	·01	·90	-	-	·01	-	·88	·01	·57	-	-	27
28	-	·38	·17	-	-	·08	-	·03	·03	·01	-	·11	28
29	-	·12	-	-	-	·14	-	·65	·05	·25	-	·14	29
30	-	X	-	-	-	-	-	·24	-	·41	-	-	30
31	-	X	-	X	-	X	-	·04	X	·21	X	·01	31
Total	·89	4·10	4·76	1·01	1·91	1·48	1·03	3·58	1·49	4·29	4·52	2·34	YEAR'S TOTAL 31·40
Rain Days.	11	22	21	12	12	14	7	15	12	23	13	16	178

W. 8,000, VIII. 16

✓ Esm D.L 274

REGISTER OF RAINFALL IN 1917.

2 JAN 1918 BRITISH RAINFALL FORM A.

Kept at Kilmeena - West Byfleet -
in the County of Surrey
by Frederic Littleboy

Lat. abt 51·3 N. Long. abt ·05 W.
Time of Observation 9 a.m. Summer Time
9 a.m. Greenwich Time in Winter
Nearest Railway Station Byfleet. L.S.W.R.
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground one ft. – in.
" " " " Sea Level abt 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	·02	·21	-	-	-	1·37	·02	-	·08	·02	1
2	-	-	-	·27	-	·11	-	·04	-	-	·08	-	2
3	·01	-	-	·08	-	-	·57	·31	-	·11	·01	-	3
4	-	·25	·09	-	-	-	·22	·15	-	·40	-	-	4
5	·28	-	·02	·21	-	-	-	-	·15	·31	·11	-	5
6	-	-	·40	-	-	·24	-	-	·28	-	·06	-	6
7	·16	-	-	-	-	-	·15	-	-	·50	-	·02	7
8	·17	-	-	·06	-	-	·86	·05	·08	·23	·17	·32	8
9	·02	-	·05	·04	·02	-	·06	·09	·04	-	·08	·26	9
10	·21	-	·10	·21	-	-	-	·11	-	-	·02	·01	10
11	·09	-	·35	·18	-	·06	-	·01	·21	·12	-	-	11
12	·06	-	·07	·02	-	·03	-	·11	-	·46	-	-	12
13	·04	-	·13	·05	-	-	-	·08	·01	·14	-	-	13
14	-	-	-	·13	-	-	-	·12	-	-	-	-	14
15	-	-	-	-	-	-	·18	-	-	·02	-	·01	15
16	·06	·09	-	·16	·04	·02	·12	·04	-	·47	-	·59	16
17	-	-	-	·08	·51	-	·32	·04	·38	·22	-	-	17
18	·04	·03	-	·08	·10	·57	·20	·08	·26	·01	-	-	18
19	·01	·17	·07	-	-	-	-	·01	·10	-	-	-	19
20	-	·06	·02	-	·62	-	·09	·01	·01	-	·06	-	20
21	-	-	-	-	-	·06	-	-	-	-	·03	-	21
22	-	-	·04	-	-	·01	-	·09	-	·05	·01	-	22
23	-	·12	·01	-	·09	·05	-	·14	-	·21	-	·02	23
24	-	·01	-	-	-	·15	·04	·03	-	-	-	-	24
25	-	·05	·02	-	-	-	-	-	-	-	-	-	25
26	-	-	·04	-	-	-	-	·32	·05	-	·29	-	26
27	-	-	-	-	·12	-	-	·73	-	-	-	-	27
28	-	-	·02	-	-	1·28	-	·03	-	-	-	·06	28
29	-	×	·01	-	·39	·14	·17	·02	-	·25	-	·10	29
30	-	×	·35	-	-	-	1·87	·04	-	-	-	·02	30
31	·02	×	·04	×	-	×	·32	·01	×	-	×	·03	31
Total	1·17	·78	1·85	1·78	1·89	2·52	5·17	4·03	1·59	3·50	1·00	1·46	YEAR'S TOTAL 26·74
Rain Days.	13	8	19	14	8	12	14	25	12	15	12	12	164

W. 8,000, IX. 17.

188

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918.

Kept at Kilmena - West Byfleet

in the County of Surrey

by Frederic Littleboy

Lat. abt 51·3 N. Long. abt. ·05 W. 6

Time of Observation Summer - 9 a.m. Summer Time / Winter 9 a.m. Greenwich Time

Nearest Railway Station Byfleet - L. & S. W. Ry. 1 9

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground one ft. - in.

" " " " Sea Level abt 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·01	-	·05	-	-	-	·03	-	-	·33	·07	1
2	-	·06	-	·10	-	-	-	·27	-	·02	·19	·10	2
3	-	-	·04	·10	·47	-	-	·09	-	-	·39	-	3
4	-	·08	·16	-	-	-	-	·01	·10	-	·57	-	4
5	-	·04	·01	-	·06	-	-	·06	·21	·10	-	-	5
6	·21	·08	-	·33	·19	-	-	-	·06	·01	-	·04	6
7	·01	·10	-	·27	·35	·01	-	-	·14	·03	·08	-	7
8	-	·08	-	-	-	-	-	-	·10	·05	·16	-	8
9	·01	·03	-	·21	-	·15	·14	-	·31	·12	-	·31	9
10	·01	-	-	·12	-	·01	·58	-	·06	·01	·01	·28	10
11	·01	-	-	·02	-	-	1·60	-	·05	·36	·10	·12	11
12	-	·04	-	-	·14	-	·20	-	·06	-	-	·01	12
13	·05	-	-	-	·12	-	·13	-	·10	-	-	·02	13
14	·14	-	·03	-	-	·35	·02	-	·14	·11	-	·23	14
15	1·38	-	-	·66	-	·02	·04	-	·06	-	-	·10	15
16	·32	-	-	·25	-	·14	-	-	·20	-	-	·02	16
17	·28	-	-	·17	-	-	·07	·03	-	-	-	·09	17
18	·44	-	-	-	-	·15	·10	-	1·20	·13	-	·15	18
19	·06	-	·08	·08	-	·03	·22	·01	·05	·11	·01	·07	19
20	·05	·11	-	·69	-	·03	·12	-	·23	·14	·01	-	20
21	·17	·01	[illegible]	·60	-	-	·04	-	·08	·02	-	·01	21
22	·07	-	-	-	·52	-	·13	-	·15	-	-	·21	22
23	·03	-	-	·01	·10	-	·66	·02	·09	-	-	·02	23
24	-	·35	-	-	-	·04	·48	-	·08	-	·07	-	24
25	-	-	-	-	-	-	·34	·21	-	·02	-	-	25
26	-	-	-	-	-	-	·72	-	·01	·03	·08	·14	26
27	-	·03	·02	·05	-	-	·08	·16	·07	-	·13	-	27
28	-	·08	·21	-	-	-	-	·05	-	-	·10	·07	28
29	-		-	-	-	-	-	-	1·15	-	·01	-	29
30	-		·45	-	-	-	-	-	·07	-	·03	·08	30
31	-		·02		-		-	-		·10		-	31
Total	3·24 ✓	1·10 ✓	1·02 ✓	3·71 ✓	1·95 ✓	·93 ✓	5·67 ✓	·94 ✓	5·37 ✓	1·36 ✓	2·47 ✓	2·14 ✓	YEAR'S TOTAL 29·90 ✓
Rain Days.	16 ✓	14 ✓	9 ✓	16 ✓	8 ✓	10 ✓	18 ✓	11 ✓	24 ✓	16 ✓	16 ✓	20 ✓	178 ✓

W. 8,000, IX. 17.

256

Cx ML

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Kilmeena, West Byfleet
in the County of Surrey
by Frederic Littleboy

Lat. abt 51°3 N. Long. abt 0°5 W.
Time of Observation 9 a.m. Summer time & 9 a.m Greenwich T. in winter
Nearest Railway Station Byfleet L.&S.W. Ry
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground one ft. – in.
" " " " Sea Level abt 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·31	·02	·01	·04	·04	–	·27	–	–	·02	·01	1·10	1
2	·46	–	–	–	·03	–	·19	–	·08	·03	·08	·11	2
3	·31	–	·38	–	·01	–	·01	–	·01	–	·03	·39	3
4	·08	·03	·41	–	–	·07	·15	·01	–	–	·01	·25	4
5	–	·31	·55	·01	–	–	·16	–	·20	–	·09	·28	5
6	·16	–	·03	–	–	–	–	–	–	–	·02	·11	6
7	·03	–	·33	–	–	–	–	–	–	–	–	–	7
8	·15	–	·09	·04	–	–	–	–	–	–	–	–	8
9	·09	–	·01	·14	·03	–	–	–	–	–	·05	–	9
10	·83	–	·06	·01	–	–	–	–	–	·02	·05	·03	10
11	·02	–	·09	·27	·04	–	·22	–	–	–	–	–	11
12	–	–	·02	·01	–	·02	·17	–	–	·08	·04	·01	12
13	·01	–	–	·30	–	–	–	–	·02	·04	–	·02	13
14	·20	–	–	·24	–	–	·10	–	1·13	–	–	·01	14
15	·20	–	·08	·07	–	–	–	–	–	·05	–	·39	15
16	·07	·59	–	·01	–	–	–	–	–	–	·10	·03	16
17	–	·29	–	–	–	–	–	–	–	–	·18	–	17
18	–	·20	·14	–	–	–	–	–	–	–	·07	·04	18
19	–	·08	·54	–	–	·24	·79	·27	·02	–	·05	–	19
20	·13	·06	·24	–	–	·68	·17	·10	–	–	–	·01	20
21	·15	·28	·03	–	–	·05	·04	–	–	–	·01	·09	21
22	–	·03	–	–	–	–	·25	–	·15	–	–	·30	22
23	–	–	–	–	–	·01	–	–	·04	–	–	·04	23
24	–	–	–	·07	–	·02	·07	·03	–	·24	·05	·03	24
25	·03	–	–	–	·10	–	–	·13	–	–	–	·01	25
26	·06	·18	·10	·11	–	–	–	·04	·06	–	–	·29	26
27	·20	·04	–	·80	–	–	–	·37	–	–	·01	·03	27
28	·33	–	·36	·04	–	–	·01	·73	–	–	·37	·34	28
29	·03		–	·13	–	·01	–	·27	–	·14	·02	·03	29
30	–		·03	·26	–	·10	–	·28	–	·03	·28	·43	30
31	·03		·04		–		·10	–		·01		·06	31
TOTAL	3·88	2·11	3·54	2·55	·25	1·20	2·70	2·23	1·71	·66	1·52	4·43	YEAR'S TOTAL 26·78
Days with ·01 in. or more	22	12	20	17	6	9	15	10	9	10	19	25	174

7 JAN 192

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Kilmeena, West Byfleet.
in the County of Surrey
by Frederic Littleboy

Lat. abt 51·3 N. Long. abt 0·5 W.
Time of Observation 9 a.m. by the clock throughout.
Nearest Railway Station Byfleet - L.S.W. Ry -
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground one ft. – in.
" " " " Sea Level abt 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

moved 47 yrs

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	–	·01	·42	·08	–	·24	–	–	·28	·01	·22	1
2	–	–	·07	·01	·01	–	·02	·52	·10	·04	–	·07	2
3	–	·04	–	·02	–	–	·02	–	·01	·04	–	·02	3
4	–	·07	·01	·11	–	–	·79	–	–	·23	–	·12	4
5	–	–	·11	·04	·01	–	·96	·06	–	–	–	·05	5
6	–	–	·19	–	·07	–	·50	–	–	–	–	·02	6
7	·02	–	·03	·12	·05	–	·12	–	–	–	–	–	7
8	–	–	–	·08	·12	–	·19	–	–	·01	–	–	8
9	·25	–	·01	·04	–	–	·01	–	–	–	–	–	9
10	·44	·05	·04	–	–	·01	·07	–	–	–	·02	–	10
11	·18	–	·08	·23	·02	·03	·23	–	–	–	–	·14	11
12	·03	–	·02	·11	–	·89	–	–	–	–	·01	–	12
13	·19	–	·10	·18	–	–	–	–	–	–	·02	–	13
14	–	·01	·23	·29	–	·20	–	–	·09	·05	·23	·02	14
15	·01	·02	·08	·33	·01	–	–	–	·48	·04	·07	·01	15
16	–	–	·01	·19	–	–	–	–	·27	–	–	–	16
17	·02	–	–	·01	·10	–	·01	–	·32	–	–	·04	17
18	·04	–	–	–	·02	–	–	·86	·16	–	–	·04	18
19	·10	–	–	·19	–	·06	–	–	–	–	–	·03	19
20	·08	·09	–	·19	–	·57	–	–	–	–	–	–	20
21	–	–	–	·03	–	–	·67	·05	·44	–	–	·08	21
22	–	–	–	·26	–	–	–	·06	·04	–	–	·41	22
23	–	·01	–	–	–	–	·43	·10	–	–	–	·30	23
24	·01	·01	·06	–	–	–	–	–	–	–	·01	·02	24
25	–	·01	·01	–	–	–	·23	–	–	–	–	–	25
26	·06	–	·08	·01	–	–	·18	–	–	·01	–	·02	26
27	·26	·02	·02	·27	–	·08	·04	–	–	·01	·31	·09	27
28	·38	–	·25	·19	·02	–	·08	–	–	–	·07	·02	28
29	·29	–	·05	·01	–	–	–	–	–	–	·05	·13	29
30	·01		–	–	·07	–	·11	–	·18	–	·21	·15	30
31	–		–		·01		–	–		·89		·08	31
													YEAR'S TOTAL
TOTAL	2·45	·33	1·46	3·33	·59	1·84	4·90	1·65	2·09	1·60	1·01	2·08	23·33 ✓
Days with ·01 in. or more	18	10	20	23	13	7	19	6	10	10	11	22	169 ✓
Days with ·04 in. or more	12	4	12	17	6	5	15	6	9	7	6	14	113 ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Sw

WEST BYFLEET
"HOLLYWOOD"
SURREY
1911 - ~~13, 1915~~ - 1919.

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at Hollywoo
We
in the County of Su
by Allan

d 1 ft. in.
evel 100 ft. approx:
Byfleet
nce ½ m. Direction N·E

IMPORTANT N… result entered to the previous day. If an… rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04	—	—	.51	—	—	.02	.02	—	—	—	—	1
2	.10	—	.01	.29	.20	—	.06	—	—	—	.18	.06	2
3	.02	.01	—	—	.14	—	—	—	—	—	.07	.08	3
4	.02	.01	.05	.10	—	—	—	—	.01	.05	.19	.33	4
5	.01	—	—	.01	—	—	—	—	—	.20	.06	.02	5
6	.19	—	.15	—	—	—	—	—	—	—	.01	.45	6
7	.05	—	—	.01	—	—	—	—	—	.11	.27	.15	7
8	.11	—	.23	—	—	—	—	—	—	—	.16	.34	8
9	.17	—	.07	—	—	—	—	—	—	—	—	.75	9
10	.01	.14	.09	—	—	—	—	—	—	—	.02	.01	10
11	.37	—	—	—	—	—	—	—	—	—	.64	—	11
12	.02	—	.47	—	—	—	—	—	—	—	.25	—	12
13	—	—	.06	—	.06	—	—	—	.30	.13	—	.45	13
14	—	.05	.01	—	.37	—	—	—	—	—	—	.44	14
15	—	.05	.06	—	—	—	—	—	—	.01	.04	.02	15
16	—	—	—	—	—	.44	—	—	—	—	.38	.05	16
17	—	—	—	—	—	.05	—	—	—	—	.35	.21	17
18	—	.18	—	—	—	.07	—	—	—	—	.56	.31	18
19	—	—	—	—	—	.29	—	—	.19	.08	.11	.14	19
20	.01	.04	.01	—	—	—	—	.18	.13	.05	—	.54	20
21	.01	.08	—	—	—	—	—	.18	—	.62	—	.18	21
22	.08	—	.17	—	—	.02	—	—	—	.08	—	.45	22
23	—	.10	—	—	—	.51	—	—	.07	—	.04	.08	23
24	—	.13	.02	—	.03	.10	—	.02	—	1.20	—	.27	24
25	—	.01	—	.04	—	.14	.89	.03	—	—	—	—	25
26	—	—	.03	.18	.06	.03	.06	—	—	.11	.04	.24	26
27	—	.29	.09	.05	—	—	.04	—	.08	.02	.01	.18	27
28	—	.13	—	.24	—	—	—	.14	—	—	.01	—	28
29	—		—	.23	—	.23	.10	—	.15	.18	—	—	29
30	—		—	.02	—	.01	—	.08	.05	.19	—	—	30
31	—		—		.04		—	—		.03		—	31
Total	1·21	1·22	1·52	1·68	·90	1·89	1·17	·65	·98	3·06	3·39	5·75	TOTAL for year 29.42
No. of Rain Days.	15	13	15	11	7	11	6	7	8	15	19	23	150

W. 8,000, X. '11.

Sn

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at Hollywood West Byfleet

in the County of Surrey 6

by Allanson Bailey

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 100 ft. approx:

Time of Observation 9 a.m.

Nearest Railway Station
Name Byfleet
Distance 1/2 m. Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04	—	—	.51	—	—	.02	.02	—	—	—	—	1
2	.10	—	.01	.29	.20	—	.06	—	—	—	.18	.06	2
3	.02	.01	—	—	.14	—	—	—	—	—	.07	.08	3
4	.02	.01	.05	.10	—	—	—	—	.01	.05	.19	.33	4
5	.01	—	—	.01	—	—	—	—	—	.20	.06	.02	5
6	.19	—	.15	—	—	—	—	—	—	—	.01	.45	6
7	.05	—	—	.01	—	—	—	—	—	.11	.27	.15	7
8	.11	—	.23	—	—	—	—	—	—	—	.16	.34	8
9	.17	—	.07	—	—	—	—	—	—	—	—	.75	9
10	.01	.14	.09	—	—	—	—	—	—	—	.02	.01	10
11	.37	—	—	—	—	—	—	—	—	—	.64	—	11
12	.02	—	.47	—	—	—	—	—	—	—	.25	—	12
13	—	—	.06	—	.06	—	—	—	.30	.13	—	.45	13
14	—	.05	.01	—	.37	—	—	—	—	—	—	.44	14
15	—	.05	.06	—	—	—	—	—	—	.01	.04	.02	15
16	—	—	—	—	—	.44	—	—	—	—	.38	.05	16
17	—	—	—	—	—	.05	—	—	—	—	.35	.21	17
18	—	.18	—	—	—	.07	—	—	—	—	.56	.31	18
19	—	—	—	—	—	.29	—	—	.19	.08	.11	.14	19
20	.01	.04	.01	—	—	—	—	.18	.13	.05	—	.54	20
21	.01	.08	—	—	—	—	—	.18	—	.62	—	.18	21
22	.08	—	.17	—	—	.02	—	—	—	.08	—	.45	22
23	—	.10	—	—	—	.51	—	—	.07	—	.04	.08	23
24	—	.13	.02	—	.03	.10	—	.02	—	1.20	—	.27	24
25	—	.01	—	.04	—	.14	.89	.03	—	—	—	—	25
26	—	—	.03	.18	.06	.03	.06	—	—	.11	.04	.24	26
27	—	.29	.09	.05	—	—	.04	—	.08	.02	.01	.18	27
28	—	.13	—	.24	—	—	—	.14	—	—	.01	—	28
29	—		—	.23	—	.23	.10	—	.15	.18	—	—	29
30	—		—	.02	—	.01	—	.08	.05	.19	—	—	30
31	—		—		.04		—	—		.03		—	31
Total	1·21	1·22	1·52	1·68	·90	1·89	1·17	·65	·98	3·06	3·39	5·75	TOTAL for year 29.42
No. of Rain Days.	15	13	15	11	7	11	6	7	8	15	19	23	150

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
16 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Hollywood W. Byfleet 6

in the County of Surrey

by Allanson Bailey

Lat. Long.

Time of Observation 9. a. m

Nearest Railway Station Byfleet

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	—	—	·11	·03	—	·05	·05	—	·04	·54	—	·18	1
2	—	·01	·18	—	—	·10	·34	·07	—	·06	—	—	2
3	—	s·03	·15	—	—	·12	·01	·22	—	—	—	·06	3
4	·14	—	·44	—	·08	·23	—	·12	—	—	·26	—	4
5	·14	s·04	·06	—	—	—	—	·38	—	—	·02	·01	5
6	·43	·04	·03	—	—	—	—	·22	—	—	—	·03	6
7	·01	—	·01	—	·10	1·09	·01	·16	—	—	—	·02	7
8	·26	·37	·22	—	—	·08	—	·09	—	·01	—	—	8
9	—	·12	·04	·01	—	·01	·01	·09	—	—	—	·16	9
10	—	·06	·01	—	—	—	—	·12	—	—	·06	·26	10
11	·04	·15	—	—	—	·02	—	—	—	·01	·02	·24	11
12	·03	·09	·08	—	·16	·15	·01	—	—	·01	·01	·01	12
13	—	·01	·01	—	—	—	—	—	—	—	·02	·03	13
14	—	—	·02	—	·03	—	—	·05	—	·02	—	·03	14
15	—	·01	·08	—	·08	·55	—	—	—	—	·01	·21	15
16	·36	·01	·08	—	·18	·03	—	·04	—	·05	·03	—	16
17	·52	—	·19	—	—	·02	—	·06	—	—	—	—	17
18	·10	—	·14	—	—	—	—	·16	—	·01	·01	·08	18
19	·06	·06	·02	—	—	—	·14	·40	—	—	—	·01	19
20	·03	·01	·16	—	—	·01	·01	·08	—	·31	·03	—	20
21	·01	·01	·10	—	·18	—	—	·07	—	·08	·13	—	21
22	·17	·14	·12	—	·04	—	·02	·16	—	·02	—	·05	22
23	·41	·45	·30	—	—	—	·01	·38	—	·08	·16	·17	23
24	·31	·02	—	—	—	·02	—	·28	—	—	—	·19	24
25	·11	—	—	—	—	·19	—	·51	—	—	·20	·58	25
26	—	·07	—	—	—	—	—	·30	—	·30	·39	·30	26
27	—	—	—	—	—	—	—	—	—	·22	—	·17	27
28	—	·06	—	—	—	·23	·28	·09	·22	·37	·51	·13	28
29	—	·03	—	—	—	·13	·20	·21	1·43	·34	·02	—	29
30	—		—	—	·23	·01	—	—	1·11	·13	—	—	30
31	—		·28		·01		·13	·06		·01		·01	31
Total	3.13	1·79	2·83	·04	1·09	3·04	1·22	4·32	2·80	2·57	1·88	2·93	YEAR'S TOTAL 27·64
Rain Days.	17	21	23	2	10	18	13	24	4	18	16	22	188

W. 7,500, XI. 12

√

FORM A.
BRITISH RAINFALL.

6 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at "Hollywood" West Byfleet

in the County of Surrey 6

by Allanson Bailey

Lat. Long.

Time of Observation 9. a.m

Nearest Railway Station Byfleet

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. -- in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·01	·25	·04	·10	.	·01	.	.	·89	.	·05	·15	1
2	·03	·10	·01	.	.	.	·11	.	·01	·17	·09	·01	2
3	·01	.	·05	·14	·40	.	.	.	·03	·02	.	·07	3
4	·25	.	·02	·01	·34	.	.	.	.	·24	·01	·05	4
5	·15	.	.	.	.	·08	·04	.	·21	·01	.	·03	5
6	·01	·04	·15	.	·02	·05	·06	.	.	·48	·07	·20	6
7	.	·16	.	.	·07	.	.	.	.	·31	·10	.	7
8	.	·02	.	·01	·08	·04	.	.	.	·06	.	.	8
9	.	·14	.	.	·01	.	·02	.	·15	.	.	·02	9
10	.	.	·06	·06	.	.	·06	·06	.	.	·32	.	10
11	·26	·01	.	·39	.	.	.	.	.	·62	·22	.	11
12	.	·01	.	.	·04	.	.	.	.	.	·19	.	12
13	·03	.	·01	.	.	.	.	·02	·12	.	·24	.	13
14	·10	·01	·10	·06	.	.	T.S. ·34	·04	.	·10	·05	·01	14
15	·21	·04	·33	·21	.	.	·28	.	·08	.	·01	.	15
16	·11	·01	·33	·06	.	.	.	.	·22	.	.	.	16
17	·02	·05	·01	·01	.	.	·26	.	.	.	·01	·02	17
18	.	.	·19	·06	.	.	.	.	.	.	·01	.	18
19	·28	.	·05	.	·01	·02	·08	.	·27	.	.	.	19
20	·11	.	·40	·04	·01	T.S ·17	.	.	.	·49	.	.	20
21	.	.	·15	·03	.	.	·01	.	.	·16	·71	.	21
22	·34	.	·28	.	.	.	.	·07	·14	.	.	.	22
23	.	.	.	.	.	·01	·02	·12	.	.	.	·46	23
24	.	.	.	·04	.	.	.	.	.	Fog ·01	.	.	24
25	.	.	.	·26	.	.	.	.	.	.	.	.	25
26	.	.	·17	·11	.	.	.	·05	.	·63	·01	·14	26
27	.	·01	·03	·04	.	.	.	.	.	·05	.	·01	27
28	15	.	·28	·06	.	.	.	.	.	·19	.	.	28
29	·04	.	·05	·43	T.S. ·54	.	.	·14	.	·10	.	S. ·01	29
30	·27	.	.	·01	.	.	.	·20	.	·16	.	.	30
31	.	.	·09		.	.	.	·74	.	·03	.	.	31
Total	2.38	·85	2.80	2.13	1.52	·38	1·28	1·44	2·12	3·83	2·09	1·18	YEAR'S TOTAL 22.00
Rain Days.	18	13	21	20	10	7	11	9	10	18	15	13	165

4 JAN 1915

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1914

Kept at Hollywood, West Byfleet

in the County of Surrey 6

by Allanson Bailey

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Byfleet (L & S.W.R.)

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·02	—	—	—	—	—	—	—	·03	·04	1
2	·01	—	—	—	—	·01	·13	·04	—	—	·04	·15	2
3	·01	·01	·03	·03	·19	—	·07	·02	—	—	·05	·02	3
4	·04	—	·01	·18	·01	—	—	·21	—	—	·32	·34	4
5	·06	—	·06	·23	·16	·04	·24	·68	—	—	—	·07	5
6	—	·13	·03	·13	—	·12	·09	—	—	—	·07	·10	6
7	—	·39	·27	·26	·26	·16	·24	·02	—	—		·08	7
8	·06	·37	·76	—	—	·14	·05	·11	—	—		03	8
9	·21	—	·58	·28	—	·12	—	—	·05	—		1·84	9
10	—	·15	·04	·03	·05	—	—	—	·21	—		·01	10
11	—	·29	·39	—	·03	·02	—	—	·09	—	·04	·33	11
12	·01	·09	·11	—	—	—	T.S. ·58	—	·20	·01	·01	·38	12
13	—	·19	·17	—	—	—	—	—	·10	·04	·03	·50	13
14	—	·13	·20	—	—	·10	·10	—	—	·48	·06	·43	14
15	·03	·01	·12	—	—	—	·20	·03	—	·01	·77	—	15
16	—	—	·06	—	—	—	—	—	·02	—	·06	—	16
17	—	·33	·10	—	—	—	—	—	—	—	—	·12	17
18	—	·02	·17	—	—	—	—	—	—	—	—	·33	18
19	—	·08	·25	—	—	—	·16	—	—	—	·17	·26	19
20	—	·27	·32	—	—	—	—	—	·06	—	—	·15	20
21	—	·56	·13	—	—	—	—	—	nil	·05	—	·01	21
22	—	—	·05	·01	T.S. ·13	·06	·15	—	—	·25	—	—	22
23	—	·15	·14	—	·07	·02	·01	·02	—	·08	—	—	23
24	·01	—	·07	—	—	—	—	—	—	—	·10	—	24
25	·01	—	·18	—	—	—	—	·12	—	·23	·01	·06	25
26	·01	—	·01	—	—	—	·03	·02	—	·05	·21	·61	26
27	·04	—	—	—	—	—	—	—	—	—	·03	·14	27
28	—	·03	—	—	·02	—	—	—	—	·09	·49	·92	28
29	·06		·05	—	—	—	—	—	—	·25	·16	—	29
30	—		·05	—	—	—	·02	—	—	·08	·54	·49	30
31	·01		—		·11		·06	—		·01		·05	31
Total	·57	3·20	4·37	1·15	1·03	·79	2·13	1·27	·73	1·63	3·19	7·40	YEAR'S TOTAL 27·46
Rain Days.	14	17	27	8	10	10	15	10	7	13	19	25	175

W. 8,000. X. 14.

escd JG

294

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL

Kept at Hollywood, West Byfleet
in the County of Surrey 6
by Allanson Bailey

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Byfleet – L.&S.W.R.
Diameter of Funnel of Rain Gauge five ~~12~~ in. 5"
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	·16	·12		·06		·06		·17	·04	·11	·57	1
2	·35	·17	·26	·07		·03		·54	·01	·04		·20	2
3	·47		·08	·10				T.S. ·39				·42	3
4	·03							·04				·24	4
5	·04	·54						·01		·06		·35	5
6	·42	·16	·01	·24			·61	·02				·28	6
7	·19	·26	·01				·21	·01				·20	7
8	·05	·52	·02	·02			·03	·08					8
9	·03	·07		·25		·05		·03			·32	·69	9
10	·18	·03	·02					·67				·17	10
11	·01		·03					·02		·02	·64	·06	11
12	·04	·12		·41	·40			·01			·25	·01	12
13	·01	·63			1·26			T.S ·04					13
14	·01	·02					·16	T.S. ·30	·04			·26	14
15	·07	·02			·03		·07	·20			s. ·14	·12	15
16	·01	·40			·10		·59	T.S. ·19				·03	16
17		·40			1·09								17
18		·28	s ·06		·13								18
19		·10			·02		·07			·02	·02		19
20	·23			·02	·01							·17	20
21	s ·13	·01			·02							·03	21
22	s 1·31	·10	·17	·01			·70			·02		·10	22
23		s ·10	·03			·04	·07		·34	·61		·20	23
24							·01		·46	·40		·45	24
25				·07		·07	T.S ·13					·10	25
26		·02				·05	·41					·64	26
27		·01				T.S ·12	·01			·25		·06	27
28		·09				·03			1·37	T.S ·12			28
29						·05	T.S ·22	·10		·01	·18	·01	29
30	·02					T.S ·71				·16	·36	·01	30
31	·05									1·06		·25	31
Total	4·33	4·21	·81	1·19	3·18	1·15	3·32	2·65	2·39	2·81	2·02	5·62	YEAR'S TOTAL 33·68
Rain Days.	21	22	11	9	10	9	15	16	6	13	8	25	165

W. 8,000. X. 15.

✓ Exd CSE 282

FORM A.
BRITISH RAINFALL.

6 JAN

REGISTER OF RAINFALL IN 1916

Kept at Hollywood, West Byfleet

in the County of Surrey

by Allanson Bailey

Lat. Long.

Time of Observation 9. a.m.

Nearest Railway Station Byfleet L.S.W.Ry

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	·02	·04	—	·13	—	—	—	·35	·07	·34	—	1
2	·18	·05	·13	—	·29	—	—	—	·15	·54	·10	—	2
3	—	·77	·12	—	·01	—	·03	—	·15	·35	·45	·01	3
4	·12	·05	—	—	—	·28	—	—	·19	—	·54	—	4
5	·02	—	—	—	·31	·14	—	—	—	·04	·73	—	5
6	—	·07	·19	·11	·01	·21	·43	—	·01	·05	·48	·01	6
7	·07	—	·53	—	·14	·06	·30	—	—	·03	·52	·05	7
8	—	—	·03	—	·27	·03	—	—	—	—	—	·20	8
9	—	—	·02	—	·12	—	—	—	—	·12	—	·14	9
10	—	·23	·10	·04	·01	·08	·02	—	—	·01	—	·07	10
11	—	·13	·04	·15	—	·22	—	—	—	—	—	·02	11
12	·04	·03	—	·03	·47	·10	—	·01	·01	·07	—	—	12
13	—	·17	·56	·09	—	·04	—	·10	—	·03	—	—	13
14	—	·38	·10	—	·07	—	·01	·31	—	·02	—	s ·04	14
15	—	·17	·20	—	—	—	·07	T.S. ·39	—	·06	—	·03	15
16	·01	·03	·40	·15	—	—	·19	·37	—	—	—	·03	16
17	·10	·16	—	·09	—	—	·02	·31	·28	·52	—	—	17
18	·01	·06	·03	·08	—	—	—	·39	·07	·39	·70	·01	18
19	·19	—	·16	·20	—	—	—	·04	·17	—	·60	—	19
20	·10	—	·22	—	—	—	—	—	—	—	·02	·51	20
21	—	—	·42	—	—	—	—	—	—	—	—	·22	21
22	—	s ·01	·03	·02	·03	—	—	—	—	·04	—	·42	22
23	·01	s ·29	—	—	—	·04	—	·02	—	·06	—	·05	23
24	—	s ·06	—	—	·11	·02	—	·83	—	·23	05	s ·30	24
25	—	s ·72	·15	—	—	—	—	·11	·01	·03	·05	—	25
26	—	s ·19	·12	—	—	·04	—	·16	·03	·27	—	—	26
27	·01	·03	·89	—	—	·01	—	·82	·02	·59	—	—	27
28	—	·40	·15	—	—	·08	—	·06	·04	·02	—	·11	28
29	—	·11	—	—	—	·14	—	·82	·05	·24	—	·14	29
30	—	×	—	—	—	—	—	·06	—	·41	—	—	30
31	—	×	—	×	—	×	—	·06	×	·20	×	·02	31
Total	·91	4·13	4·63	·96	1·97	1·49	1·07	4·06	1·53	4·39	4·58	2·38	YEAR'S TOTAL 32·10
Rain Days.	19	22	22	10	13	15	8	17	14	24	12	19	189

W. 8,000, VIII. 16

V Exp 3 275

FORM A. BRITISH RAINFALL.

7. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Hollywood, West Byfleet

in the County of Surrey

by Allanson Bailey

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Byfleet

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·02	S. ·20	—	—	—	1·26	·02	—	·08	·01	1
2	—	—	—	S. ·32	—	·11	nil	·04	—	—	·08	—	2
3	·01	—	—	S. ·08	—	—	·58	·32	—	·13	—	—	3
4	—	S. ·28	·06	—	—	—	·20	·11	—	·38	—	—	4
5	·28	—	·04	Part. ·23	—	—	—	—	·19	·33	·10	—	5
6	—	—	·40	—	—	·04	—	—	·25	·01	·06	—	6
7	·16	—	—	—	—	—	·31	—	·01	T.S. ·51	—	·02	7
8	·16	—	—	·05	—	—	·11	·04	·08	·25	·17	·34	8
9	·02	—	·05	·04	·02	—	·04	·10	·04	—	·07	·22	9
10	·20	—	·09	S. ·22	—	—	—	·10	—	—	·02	·03	10
11	·10	·02	·33	S. ·21	—	T.S. ·06	—	·01	·18	·13	—	—	11
12	·05	·02	·10	·03	—	T.S. ·01	—	·10	—	·49	—	—	12
13	S. ·04	nil ~~·02~~	·12	·08	—	—	—	·08	·02	·13	—	·01	13
14	—	—	—	·14	—	—	—	·10	—	—	—	—	14
15	S. ·02	—	—	—	—	—	T. ·20	—	—	·02	—	·01	15
16	S. ·05	·09	—	·20	·09	T.S. ·01	·11	·04	—	·48	—	S. ·57	16
17	—	·01	—	·09	·46	—	·34	·09	·37	·23	—	—	17
18	·04	·03	—	·08	·10	·56	·20	·03	·25	·02	—	—	18
19	·01	·15	·07	—	·01	—	—	—	·11	—	—	·01	19
20	·01	·08	·02	—	T.S. ·63	—	·09	·01	—	—	·05	—	20
21	nil	—	·01	—	—	·04	—	—	—	·01	·03	—	21
22	·01	—	S. ·04	—	—	·01	—	·09	—	·05	·01	—	22
23	—	·12	S. ·01	—	·09	·06	—	·13	—	—	—	·02	23
24	—	·01	—	—	—	·16	·04	·03	—	·22	—	—	24
25	—	·05	·02	—	—	—	—	—	—	—	—	—	25
26	—	—	S. ·05	—	—	—	—	·29	·05	—	·30	—	26
27	—	—	—	—	T.S. ·14	·01	—	·72	—	—	—	·01	27
28	—	—	·02	—	—	T.S. 1·34	—	·03	—	—	—	·05	28
29	—	X	·02	—	T.S. ·46	·10	T. ·19	·02	—	·26	—	·10	29
30	S. ·01	X	S. ·39	—	—	—	1·81	·04	—	·01	—	·02	30
31	S. ·02	X	S. ·03	X	—	X	·40	·01	X	·01	X	·03	31
Total	1·19	·86	1·89	1·97	2·00	2·51	5·22	3·79	1·57	3·67	·97	1·45	YEAR'S TOTAL 27·09
Rain Days.	17	11	20	14	9	13	14	24	12	19	11	15	179

W. 8,000, IX. 17.

Exe 3 g

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

8 19

Kept at Hollywood, West Byfleet
in the County of Surrey
by Allanson Bailey

Lat. Long.
Time of Observation 9 a.m. (Greenwich Time throughout the year)
Nearest Railway Station Byfleet
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·02	—	·04	—	—	—	·04	—	—	·33	·05	1
2	—	·05	—	·09	—	—	—	·27	—	·02	·31	·08	2
3	—	·01	·04	·10	T.S. ·47	—	—	·09	—	—	·46	·01	3
4	—	·07	·15	—	—	—	—	·02	·11	—	·55	—	4
5	—	·03	·01	—	·05	—	—	·05	T.S. ·20	·10	—	—	5
6	·23	·06	—	·31	·20	—	—	—	·03	·01	—	·04	6
7	·01	·10	—	·33	·32	·01	—	—	·14	·03	·07	—	7
8	—	·07	—	·01	—	—	—	—	·10	·05	·15	—	8
9	·01	·03	—	·19	—	·15	·21	—	·30	·11	—	·33	9
10	·03	—	—	·11	—	·01	·75	—	·01	·01	·02	·27	10
11	·01	—	—	·02	—	—	T. 1·35	—	·04	·36	·10	·11	11
12	—	·04	—	—	·15	—	·20	—	·05	—	—	·01	12
13	·05	—	—	—	·10	—	·14	—	·12	—	—	·02	13
14	·16	—	·03	—	—	·35	·02	—	·11	·11	—	·23	14
15	1·32	—	—	·68	—	T. ·01	·03	—	·02	—	·01	·07	15
16	·43	—	·01	·22	—	T.S. ·13	·01	—	·19	—	—	·02	16
17	·30	—	—	·17	—	—	·06	·03	·01	—	—	·09	17
18	·43	—	—	—	—	·16	T. ·10	—	1·21	·14	—	·15	18
19	·06	·01	·07	·08	—	·02	·22	·01	·01	·11	—	·06	19
20	·06	·10	—	·75	—	·03	T. ·13	—	·21	·18	—	—	20
21	·16	·02	—	·54	—	—	·03	—	·67	·02	·02	·01	21
22	·07	—	—	—	T.S. ·54	—	·34	—	·17	—	—	·21	22
23	·03	—	—	·01	T. ·40	—	·41	·03	·05	—	—	·02	23
24	—	·34	—	—	—	·05	·53	—	·08	—	·07	—	24
25	—	—	—	—	—	—	·33	·21	—	·02	—	—	25
26	—	—	—	—	—	—	T. ·72	—	·02	·03	·08	·13	26
27	—	·03	·02	·04	—	—	T. ·08	·16	·06	—	·13	·01	27
28	—	·09	·18	—	—	—	—	·06	—	—	·09	·07	28
29	—	✕	—	—	—	—	—	—	1·16	—	—	—	29
30	·01	✕	·44	—	—	—	—	—	·07	—	·04	·07	30
31	—	✕	·02	✕	—	✕	—	—	✕	·10	✕	—	31
Total	3·37	1·07	·97	3·69	1·93	·92	5·66	·97	5·14	1·35	2·43	2·06	YEAR'S TOTAL 29·56
Rain Days.	17	16	10	17	8	10	19	11	25	16	15	22	186

W, 6,500, VII. 18. W W C

17 MAR 20

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at West Byfleet, Hollywood

in the County of Surrey

by J. B. Allenson-Bailey, per Bayard

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
	West Byfleet IN.	West Byfleet IN.	West Byfleet IN.	West Byfleet IN.	West Byfleet IN.	West Byfleet IN.	West Byfleet IN.	West Byfleet IN.	West Byfleet IN.	West Byfleet IN.	West Byfleet IN.	West Byfleet IN.	
1	·30	·03	·02	·04	·05	..	·35	..	..	·03	·01	1·10	1
2	·45	..	·01	..	·03	..	·22	..	·08	·03	·08	·11	2
3	·30	..	·37	..	·02	..	·02	..	·03	..	·03	·39	3
4	·09	·03	·40	..	..	·07	·15	·01	·01	..	·01	·25	4
5	·01	·31	·54	·01	..	..	·08	..	·20	..	·09	·28	5
6	·16	..	·03	..	..	..	..	..	..	..	·02	·11	6
7	·04	..	·33	..	..	..	..	..	..	..	..	..	7
8	·15	..	·09	·03	..	..	..	..	..	..	..	..	8
9	·08	..	·02	·14	·03	..	..	..	..	..	·05	..	9
10	·85	..	·03	·01	..	..	..	..	..	·02	·05	·03	10
11	·02	..	·09	·27	·04	..	·32	..	..	..	..	..	11
12	·01	..	·01	·01	..	·02	·05	..	..	·08	·04	·01	12
13	..	·03	..	·33	..	..	..	..	·03	·04	..	·02	13
14	·20	..	..	·20	..	..	·10	..	1·15	..	..	·01	14
15	·19	·02	·08	·07	..	..	..	..	..	·04	..	·39	15
16	·06	·56	..	·01	..	..	..	..	..	..	·10	·03	16
17	..	·25	..	·01	..	..	..	..	..	..	·18	..	17
18	..	·24	·15	..	..	..	..	..	·02	..	·07	·04	18
19	·01	·08	·55	..	..	·29	·91	·27	..	·01	·05	..	19
20	·13	·05	·25	..	..	·63	·09	·10	·01	..	..	·01	20
21	·14	·27	·02	..	..	·03	·06	..	..	..	·01	·09	21
22	..	·03	..	..	..	..	·23	..	·18	..	..	·30	22
23	..	..	..	..	..	..	..	·03	·01	..	..	·04	23
24	..	..	..	·06	..	·02	·07	..	..	·24	·05	·03	24
25	·03	·04	..	·07	·10	..	..	·14	..	..	..	·01	25
26	·06	·15	·11	·02	..	..	..	·05	·05	..	..	·29	26
27	·59	·04	..	·73	..	..	..	·44	..	..	·01	·03	27
28	·05	..	·35	·03	..	..	·01	·66	..	..	·37	·34	28
29	·03		..	·12	..	..	..	·27	..	·14	·02	·03	29
30	..		·03	·26	..	·10	..	·29	..	·04	·28	·43	30
31	·02		·03		..		·10	..		·01		·06	31
	3·97	2·13	3·51	2·42	·27	1·16	2·76	2·26	1·77	·68	1·52	4·43	YEAR'S TOTAL
TOTAL	..	6·10	9·61	12·03	12·30	13·46	16·22	18·48	20·25	20·93	22·45	26·88	26·88
Days with ·01 in. or more	24	15	21	19	6	7	15	10	11	11	19	25	183

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

REC

235

—

CHOBHAM . WEST END
MANOR HSE
1912 - 20

FORM A.
BRITISH RAINFALL.
14 JAN 1913

Kept at Manor House ... S.M.
... Brookwood
in the County of S ... 5 in.
by F. A. Wa ... Ground 1 ft. — in.
Sea Level ft.

IMPORTANT NO ... the result entered to the previous day. If an C ... ersal rule, he is earnestly requested to add the re ... r in the space provided for it at the end of th ... ment of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0·05

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0.18	0.09			0.09	0.02	0.06	1.12		0.19	1
2			.02			0.11	.14	.04	.03	.26		.01	2
3			.25				.18	.04					3
4	0.03		.38		0.11	.20		.25					4
5	.20		.07		.02	.67		.09			0.27	.05	5
6	.58	0.10	.07			.01		.59	.02			.04	6
7	.13				.11	.50		.17				.03	7
8	.27	.24	.25			.26	.03	.19					8
9	.08	.28	.03			.02			.02			.02	9
10		~~.07~~	.04			.09	.02	.12				.45	10
11	.07	.07		.02							.10		11
12		.30			.03	.18		.07	.01		.07	.26	12
13	.06	.07	.11		.12		.10	.01				.03	13
14	.~~[illegible]~~							.09		.04	.02	.02	14
15	.02	.02	.23		.02							.13	15
16	.11	.02	.02		.27	.60				.02		.19	16
17	.52		.18		.01	.02		.07			.05		17
18	.44		.14					.12				.13	18
19	.05	.06	.13			.01	.22	.42		.02		.01	19
20	.04	.08	.02				.03	.24		.01			20
21	.02	.01	.29					.04		.33	.07		21
22		.45	.11		.24		.02	.02		.02			22
23	.16	.04	.15				.03	.30				.05	23
24	.72	.33	.18			.05		.55		.10	.22	.31	24
25	.18	.02				.26				.35	.15	.31	25
26		.06				.05		.52			.48	.57	26
27								.10		.03	.04	.21	27
28			.03			.06	.01			.42		.05	28
29		.05				.20	.34	.29	.35	.22	.48	.16	29
30							.02	.01	1.66	.44			30
31			.25		.31		.17			.08			31
Total	3.68	1.90	3.13	0.11	1.24	3.29	1.40	4.36	2.15	3.46	1.95	3.22	YEAR'S TOTAL 29.89
Rain Days.	18	17	22	2	10	17	14	24	7	15	11	21	178

W. 7,500, XI. 12

REC

Kept at Manor House, ~~West~~ ^Chobham
in the County of Surrey
by F. A. Walter

7

Long.
Time of Observation 8 p.m.
Nearest Railway Station Brookwood
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level ft.

FORM A.
BRITISH RAINFALL
14 JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·05

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			0·18	0.09			0.09	0.02	0·06	1·12		0·19	1
2			·02			0·11	·14	·04	·03	·26		·01	2
3			·25				·18	·04					3
4	0·03		·38		0·11	·20		·25					4
5	·20		·07		·02	·67		·09			0·27	·05	5
6	·58	0·10	·07			·01		·59	·02			·04	6
7	·13				·11	·50		·17				·03	7
8	·27	·24	·25			·26	·03	·19					8
9	·08	·28	·03			·02			·02			·02	9
10		~~·07~~	·04			·09	·02	·12				·45	10
11	·07	·07		·02							·10		11
12		·30			·03	·18		·07	·01		·07	·26	12
13	·06	·07	·11		·12		·10	·01				·03	13
14	~~[illegible]~~							·09		·04	·02	·02	14
15	·02	·02	·23		·02							·13	15
16	·11	·02	·02		·27	·60				·02		·19	16
17	·52		·18		·01	·02		·07			·05		17
18	·44		·14					·12				·13	18
19	·05	·06	·13			·01	·22	·42		·02		·01	19
20	·04	·08	·02				·03	·24		·01			20
21	·02	·01	·29					·04		·33	·07		21
22		·15	·11		·24		·02	·02		·02			22
23	·16	·04	·15				·03	·30				·05	23
24	·72	·33	·18			·05		·55		·10	·22	·31	24
25	·18	·02				·26				·35	·15	·31	25
26		·06				·05		·52			·48	·57	26
27								·10		·03	·04	·21	27
28			·03			·06	·01			·42		·05	28
29		·05				·20	·34	·29	·35	·22	·48	·16	29
30							·02	·01	1·66	·44			30
31			·25		·31		·17			·08			31
Total	3·68	1·90	3·13	0·11	1·24	3·29	1·40	4·36	2·15	3·46	1·95	3·22	YEAR'S TOTAL 29·89
Rain Days.	18	17	22	2	10	17	14	24	7	15	11	21	178

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

13 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at The Manor House, West End (Chobham)
in the County of Surrey
by Mr. F. A. Walter

Lat. 51° 20' Long. 0° 38' (about)
Time of Observation 8. p.m.
Nearest Railway Station Brookwood
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. none

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.05*	.26	.	.17	.	.	.		.56	.	.02	.07	1
2	.	.11	.06	.	.	.05	.05		.30	.06	.09	.17	2
3	.04	.	.06	.05	.	.	.04		.	.10	.09	.01	3
4	.07	.	.04	.12	.45	.	.		.	.	.	.09	4
5	.22	.	.01	.01	.10	.03	.		.14	.16	.04	.05	5
6	.11	.05	.	.	.05	.06	.28		.15	.	.	.27	6
7	.	.20	.13	.	.07	.07	.02		.	.70	.04	.	7
8	.	.	.02	.	.15	.15	.		.	.22	.09	.	8
9	.01	.16	.	.	.01	.	.		.20	.	.	.05	9
10	.	.	.09	.04	.03	.	.13	.01	.03	.	.10	.	10
11	.46	.	.	.35	.03	.	.	.06	.	.57	.41	.	11
12	.03	.	.	.03	.14	.	.	.	.	.	.32	.	12
13	.02	.	.	.	.03	.	.	.02	.	.	.20	.	13
14	.04	.	.09	.05	.	.	.	.	.08	.	.23	.	14
15	.27	.07	.04	.01	.	.	.40	.08	.17	.11	.	.	15
16	.09	.	.40	.30	.	.	.02	.	.15	.	.04	-	16
17	.10	.	.27	.05	.	.	.	.	.	.	.01	.05	17
18	.	Snow .13	.	.04	.	.	.24	.	.	.	.03	.	18
19	.33	.	.29	.03	.	.	.10	.	.	.	.	.	19
20	.09	.	.07	.	.	.34	.	.	.23	.25	.	.	20
21	.	.	.40	.14	.	.	.	.	.	.30	.72	.	21
22	.35	.	.22	.	.	.	.02	.	.04	.01	.05	.	22
23	.	.	.05	.	.	.01	.02	.36	.10	.	.	.40	23
24	.	.	.	.	.		.	. ~~.36~~		.	.03	.08	24
25	.	.02	.	.18	.		.	.		.		.	25
26	.	.01	.	.07	.		.01	.		.62		.	26
27	.	.	.15	.20	.			.15		.03		.15	27
28	.15	.	.30	.12	.			.		.03			28
29	.03		.10	.	.			.10		.13			29
30	.27		.	.56	.50			.05		.10			30
31	.		.					.72		.20			31
Total	2.73	1.01	2.79	2.52	1.56	0.71	1.33	1.55	2.15	3.59	2.51	1.39	YEAR'S TOTAL 23.84
Rain Days.	19	9	19	19	11	7	12	9	12	16	17	11	161

* This measurement should be deducted from the total as it was included in last years (1912) rainfall, having fallen before 9.0 a.m. on the 1st Jany

EX ML

REGISTER OF RAINFALL IN 1914 (1914)

FORM A. BRITISH RAINFALL

2 - MAR 1915

Kept at The Manor House, West End
in the County of Surrey 7
by Mr. F. A. Walter

Lat. Long.
Time of Observation 8 a.m.
Nearest Railway Station Brookwood or Bagshot L.S.W. Rly
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nothing to add

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	.07	.	.	.02	.	.04	.	.	.03	.14	1
2	.	.	.	.	.	.	.	.15	.	.	.12	.06	2
3	.	.	.	.	.	.02	.25	.	.	.	.03	.23	3
4	.	.	.11	.09	.15	.	.	.05	.	.	.04	.32	4
5	.13	.	.06	.21	.17	.	.12	1.03	.	.	.30	.06	5
6	~~.07~~	.	.01	.29	.02	.05	.19	.02	.	.	.	.10	6
7	.	.23	.19	.35	.18	.23	.01	.	.	.	.	.15	7
8	.04	.59	.25	.01	.02	.06	.20	.12	.	.	.	.03	8
9	.	.	1.15	.06	.	.	.	.03	.07	.	.	.30	9
10	.24	.05 ~~.06~~	.05	.07	.12	.17	.	.	.	.	.	1.85	10
11	.	.22	.	.04	.07	.02	.	.	.27	.	.06	.25	11
12	.	.16	.40		.01	.01	.83	.	.20	.	.	.16	12
13	.	.14	.17		.	.	.	.	.03	.05	.03	.51	13
14	Snow .02	.21	.30		.	.11	.	.	.12	.44	.~~22~~	.29	14
15	.02	.12	.07		.	.	.25	.07	.	.21	.14	.67	15
16	.05	.	.05		.	.	.	.	.05	.	.52		16
17	.	.	.		.	.	.	.	.	.	.~~15~~	.02	17
18	.	.34	.12		.	.	.	.	.	.	.	.31	18
19	.	.06	~~Snow~~ .19 ~~Rain~~ .14		.	.17	.	.	.	.	.15	.41	19
20	.	.26	~~Snow~~ .46		.	.	.13	.	.01	.	.	.	20
21	.	.42	.07		.	.02	.	.		.	.02	.16	21
22	.	.38	.08		.	.	.11	.		.17	.	.03	22
23	.	.15	.12		.32	.10	.	.04		.11	.	.	23
24	.	.05	.04		.03		.	.01		.10	.	.	24
25	.	.	.11		.		.02	.		.23	.17	.	25
26	.02	.	.11		.		.06	.21		.04	.04	.38	26
27	.	.	.		.		.01	.		.10	.20	.39	27
28	.04	.	.		.07		.	.		.	.32	.87	28
29	.02	×	.07		.		.	.		.06	.02	.18	29
30	.05	×	.07		.		.	.		.26	.72	.	30
31		×	.	×	.10	×	.02	.	×	.07	×	.57	31
Total	.63	3.38	4.46	1.12	1.26	.98	2.20	1.77	.75	1.84	2.91	8.44	YEAR'S TOTAL 29.74
Rain Days.	10	15	24	8	12	12	13	11	7	12	17	25	166

W. 8,000. X. 14. 5

508

FORM A2.
BRITISH RAINFALL.

1 - MAR 1916

REGISTER OF RAINFALL IN 1915

Kept at The Manor House, West End

in the County of Surrey 7

by (Mr.) F. A. Walter

RAIN GAUGE
Pattern Symonds
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 150 ft.

Time of Observation 8.0 p.m

Nearest Railway Station Name Brookwood
Distance 3½ miles Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. x .06

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.61		.15				.05	.20	.04		.95	.76	1
2	.16	.37	...	.02	.04		...	.10	...	.11		...	2
3	.42	.02	.35	.17	...	.04	...	.86	.05	...		.37	3
4	.25	...	.06	...	.01	...	...	.03		...		.47	4
5	.05	...	[illegible]	...	...	...	...	.02		...		.13	5
6	.01	.58	.07	.08	...	...	...	.04		.05		.88	6
7	.56	.16	.01	.19	...	...	.88	.02		...		.04	7
8	...	.37	.04	.02	...	...	.10	...		...		.12	8
9	.09	.39	...	.05	...	.15	...	.09		...		.73	9
10	.15	.02	...	.15	...		...	.18		...	.37	.03	10
11	.03	...	.04	.05	...		...	.03		.01	.22	.16	11
12	...	.63	...	.30	...		...	.25		.03	.63	.01	12
13	.05	.18	...	...	1.20		...	.06			.14	...	13
14	...	...	...	...	.55		.38	.25	.05		...	.09	14
15	.02	...	...	...	...		.14	.03			...	.40	15
16	.07	...	...	...	.06		.56	.14			13	.12	16
17	...	.65	...	...	.25		.12	.10				...	17
18	...	.23	.10	...	1.06		...					...	18
19	...	.16	.02	...	...		...					...	19
20	.06	...	...	.05	.03		.04					...	20
21	.27	...	...	...	.33		...			.05		.13	21
22	1.25	.10	.15	...			.62			...		.04	22
23	.06	.07	.09	...			.61		.02	.07		.13	23
24	.01	.15		...		.15	.18		1.06	.64		.61	24
25	...	...		.12		.01	.15		...	.03		.24	25
26	...	...				.18	...		...	...		.12	26
27	...	.03				.50	.43		...	...		.65	27
28	...	.01				.06	...		.42	.51		.02	28
29	...					.10	.16	.11	.68	...	.11	...	29
30	...					.19				...	.23	.03	30
31	.12									.77		*{21 06	31
Total	4.24	4.12	1.08	1.20	3.53	1.38	4.42	2.51	2.32	2.27	2.78	6.55	TOTAL for year 36.40
No. of Rain Days.	19	17	11	11	9	9	14	17	7	10	8	24	156

W. 8,000, X. '11.

Ed C75

295

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at The Manor House (on Ordnance Map "Malt House") West End

in the County of Surrey

by Fredk. A. Walter

Lat. 51° 20′ N Long. 0° 38′ W

Time of Observation 8.0. p.m

Nearest Railway Station Brookwood

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			~~Snow~~ .10						.05		.53		1
2	.04	.05			.45				.46	.36	.05		2
3	.10	.17	~~Snow~~ .21		.02		.04		.08	.25	.18		3
4	.11	.62				.13			.24	.30	.30		4
5	.11	.05			.13	.17			.12		.88		5
6	.04	.07	~~Snow~~ .05	.01	.09	.22			.32	.06	.01		6
7	.09		~~Snow~~ .37	.10	.08	.09	.55		.02	.04	.55		7
8			~~Snow~~ .26		.13						.50	.06	8
9					.22							.27	9
10						.16	.03			.09	.01	.17	10
11	.02	.36	.11	.07	.03	.03						.11	11
12			.08	.13		.21	.03	.10				.02	12
13	.04	.04*	.57	.07	.32	.15	.02	.25		.10			13
14		.17	.14	.05				.27		.04			14
15		.38	.29		.13			.18		.09		~~Snow~~ .17	15
16		.18	.46	.10	.01		.20	.10					16
17	.09	.01	.14	.16				.60	.08	.45			17
18	.04	.23	.07	.07			.03	.33	.20	.08	.18		18
19	.02	.01		.22				.14	.43	.23	~~Snow~~ .67	~~Snow~~ .03	19
20			.23	.10							~~Snow~~ .34	.05	20
21	.18		.38									.73	21
22	.02		.18		.02	.01	.04					.02	22
23		.06	.02			.03		.03		.06	.03	.45	23
24		.23				.05	.04				.02		24
25		.40						.13		.27	.13	.31	25
26		.37	.34		.18	.02		.19	.06		.01		26
27	.04	.18	~~Snow~~ .30			.09		.40	.04	.37			27
28	.01	.18	~~Snow~~ .17 ~~Rain~~ 51			.25		.01	.02	.23		.06	28
29	.01	.23	.03			.13		.35	.18	.20		.04	29
30		X	10			.10		.67	6	.23		.16	30
31		X		X		X		5	X	.31	X	.04	31
Total	0.96	3.99	5.01	1.08	1.81	1.84	0.98	3.75	2.30	3.76	4.39	2.69	YEAR'S TOTAL 32.56
Rain Days.	~~16~~	~~20~~	~~21~~	~~11~~	~~13~~	~~16~~	~~9~~	~~15~~	~~14~~	~~19~~	~~16~~	~~16~~	186

W. 8,000, VIII. 16

Note * of the '57 '45 ~~fell~~ in 40 minutes F. A. Walter

2nd 032 288

FORM A. BRITISH RAINFALL 25 FEB 1919

REGISTER OF RAINFALL IN 1917

Kept at The Manor House, West End,
in the County of Surrey (post Town) Woking
by Fredk. A. Walter

Lat. 51.20 Long. W 0.38
Time of Observation 8.0. p.m
Nearest Railway Station Brookwood L.S.W.Rly
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level say 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0.02

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				0.01				0.97	0.06		0.07		1
2		~~Snow~~ 0.01	0.03	~~Snow~~ 0.35		0.03		0.17			0.03		2
3				~~Snow~~ 0.25				0.09			0.07		3
4	—	~~Snow~~ 0.07		~~Snow~~ 0.04	—		0.95	0.52		0.54			4
5	0.21	0.15	~~Pt Snow~~ 0.12				0.06	0.09	0.10			0.03	5
6			0.05	~~Snow~~ 0.25		0.04			0.11	0.29	0.08		6
7	0.14		0.23			0.03			0.05	0.51	0.05	0.01	7
8	0.19						0.65	0.08		0.20	0.19	0.01	8
9	0.10		~~Snow~~ 0.08	0.10			0.30	0.31	0.10	0.01	0.03	0.44	9
10			0.09	~~Snow~~ 0.02	0.05			0.11			0.08	0.05	10
11	~~Pt Snow~~ 0.29	0.01	0.31	~~Snow~~ 0.31				0.06	0.40				11
12	0.05	0.01	0.06	~~Snow~~ 0.06					0.04	0.60			12
13	0.08		0.09	0.05				0.17	0.03	0.07			13
14	0.02		0.11	0.15				0.31					14
15							0.26	0.26					15
16	~~Snow~~ 0.07	0.07		0.15		0.23	0.42			0.16		~~Lat Snow~~ 0.30	16
17		0.06		0.03	0.46					0.63		~~Pt Snow~~ 0.09	17
18	0.01			0.11	0.02	0.39	0.37	0.16	0.63	0.01			18
19	0.05	0.06	0.01	0.07	0.09	0.10			0.18				19
20	0.03	0.25	0.04		0.08		0.10		0.02		0.01		20
21		0.02			0.60	0.19					0.07		21
22			~~Snow~~ 0.08			0.03					0.01		22
23		0.11	~~Snow~~ 0.01			0.13		0.88		0.06			23
24		0.04			0.11			0.13		0.14		0.05	24
25		0.07				0.08	0.03						25
26		0.03	~~Snow~~ 0.03					0.40	0.06	0.10	0.20		26
27								0.40			0.03		27
28					0.05	0.17		0.72				0.03	28
29		X	0.07		—	1.11	0.89	0.06		0.01		0.04	29
30		X	0.02		0.03	0.03	0.24	0.04		0.30		0.09	30
31	~~Snow~~ 0.03	X	~~Snow~~ 0.44	X		X	1.50	0.04	X		X		31
Total	1.27	0.96	1.87	1.95	1.49	2.56	5.77	5.97	1.78	3.63	0.92	Jan 1st/18 1.14	YEAR'S TOTAL 29.33 29.31
Rain Days.	13	14	18	15	9	13	12	21	12	15	13	11	166

W. 8,000, IX. 17.

The Rainfall at Manor House, West End, Chobham,

measured on the morning of January 1st, 1921

was Nil

Signed H. Walker

This form should be folded so as to bring the printed address outside and returned to the Superintendent. The communication should contain nothing of the nature of a letter.

FORM A.
BRITISH RAINFALL

15

REGISTER OF RAINFALL IN 1918

Kept at The Manor House, West End, Woking
in the County of Surrey
by Fredk. A. Walter

Lat. 51.20 Long. 0.38
Time of Observation 8. p.m
Nearest Railway Station Brookwood R. L&S.W. Rly
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following. nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.04				.03			.11	.13	1
2		.07		.03				.30		.03	.37	.01	2
3		.02	.06					.10	.04		.68	.09	3
4		.06		.28	.47						.16		4
5		.07	.16		.03			.06	.34	.04	.43		5
6	.18	.03		.28	.05			.10	.14	.06		.03	6
7		.07		.08	.53	.01			.03	.06		.05	7
8	.04	.14		.04				.04	.20		.19	.03	8
9	.02	.07				.02			.20	.21		.04	9
10		.05		.22		.21	.42		.26	.06		.40	10
11	.01			.05			1.22		.02	.26	.11	.23	11
12		.01			.02		.24		.14	.10		.11	12
13		.05			.25		.05						13
14	Snow .04		.03			.24	.15		.20	.13		.04	14
15	.61			.06			.01		.20	.04		.27	15
16	Pt Snow .92			pt Snow .81		.32	.25					.11	16
17	Snow .60		.02	.19			.15	.03	.54			.18	17
18	.05			.09		.04	.14		.07				18
19	.48		.04	.	.15	.33	.29	.02	.57	.16		.03	19
20	.14	.10		pt Snow .15		.02	.09		.07	.19		.03	20
21				Snow 58 rain .40		.01	.04		.11	.04			21
22	.30	.04					.08		.62	.02		.15	22
23	.01			.02	.66		.71	.05	.13			.12	23
24		.05			.05	.05	.16				.03		24
25		.30					.47	.15	.08		.08		25
26	.02			.01			.44	.07	.02	.02	.08		26
27		.03					.09	.11			.02	.13	27
28		.01	.20	.07				.08	.06		.22	.02	28
29			.06						.82		.07	.05	29
30			.29						.56				30
31			.10							.05		.14	31
Total	3.42	1.17	.96	3.40	2.21	1.25	5.0	1.14	5.42	1.47	2.55	2.39	YEAR'S TOTAL 30.38
Rain Days.	14	17	9	17	9	10	18	13	23	16	13	22	181

W, 6,500, VII. 18. w w c

267

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1929

Kept at The Manor House, West End Chobham
in the County of Surrey
by Fredk. A. Walter

Lat. 51° 20' N Long. 0° 38' W.
Time of Observation 8 p.m
Nearest Railway Station Brookwood
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0.05

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.25			0.04	0.21		0.50	0.09		0.03	0.06	0.76	1
2	0.07	0.03	0.03		0.03		0.06			0.07	0.02	0.88	2
3	0.40	...	0.02		.		0.05		0.06		0.15	0.38	3
4	0.26	...	0.71		0.02	0.06	0.06		0.07		0.04	0.25	4
5	0.03	S. 0.40	0.55				0.71	0.02	0.05		0.06	0.24	5
6	...	S. 0.01	0.36						0.19		0.02	0.08	6
7	0.22		0.35	0.01							0.09	0.03	7
8	0.03		0.08	0.03							0.01		8
9	0.29		0.10	0.15							0.04		9
10	0.11		0.02	0.06	0.07						Snow 0.04		10
11	0.42		0.12	..	0.06					0.01		0.10	11
12	0.03		0.10	0.25			0.35			0.11		0.01	12
13	...			0.06		0.03	.			0.04	Snow 0.03		13
14	0.16	0.02		0.45			0.07		0.70	0.01		0.05	14
15	0.28	...	0.12	0.13			0.02		0.34	0.03		0.24	15
16	0.08	0.59	0.04	0.03							0.04	0.35	16
17	...	0.21									0.13		17
18	...	0.38	0.12								0.09	0.02	18
19	...	0.03	pl. S. 0.33				0.05	0.16	0.06		0.10	0.02	19
20	0.22	0.20	0.84			0.81	1.02	0.16			0.06		20
21	0.20	0.28				0.03	.		0.03			0.11	21
22	..	0.07	S. 0.04			.	0.27		0.04		0.03	0.20	22
23	..					0.04			0.11			0.16	23
24	..			0.05		0.03		0.04		0.25	0.03	0.02	24
25	pl. Snow 0.03			..	0.01	0.05	0.06	0.03	0.07	0.08	0.05	0.06	25
26	0.09	pl. S. 0.18		0.09	0.01			0.26				0.20	26
27	pl. S. 0.24	0.09	0.10	pl. S. 0.47				0.02				0.11	27
28	S. 0.70		~~S. 0.25~~	S. 0.25				1.17				0.20	28
29	0.03	×	S. 0.25	0.18				0.29		0.06	0.33	0.12	29
30	..	×								0.04		0.32	30
31	S. 0.02	×	S. 0.01	×		×		0.27	×	0.04	×	0.12	31
TOTAL	4.16	2.49	4.29	2.25	0.41	1.05	3.22	2.51	1.72	0.77	1.42	5.03 ~~5.08~~	YEAR'S TOTAL 29.32
Days with ·01 in. or more	22	13	20	15	7	7	12	11	11	12	20	25	175

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

W.D. under 10-3-

corr. for W D

Cyl Dry

218

1 MAR 1921

FORM A/1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Manor Ho. West End, Chobham

in the County of Surrey

by F. W. Walker

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

„ „ „ „ Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. nil

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.10			0.33	0.05	0.01	0.10		0.03	0.33	0.65	0.06	1
2	..		0.05	0.10	0.09		0.20	0.70	0.13	0.32		0.26	2
3	..			0.01			0.12	0.06	0.03	0.04		0.11	3
4	..	0.11		0.07			0.61			0.33			4
5	0.02		0.01	0.12			0.88	0.11		0.02			5
6			0.26		0.09		0.34					0.05	6
7			0.09	0.08	0.08		0.19					0.03	7
8	0.03			0.09	0.07		0.15						8
9				0.15	0.06		0.02	0.05					9
10	0.39	0.02	0.03	0.01		0.10	0.02						10
11	0.49	0.03	0.05	0.30		0.08	0.06				0.02	0.02	11
12	0.04		0.10	0.21	0.03	0.44	0.19					Snow} 0.12	12
13	0.02		0.05	0.17		0.03					0.07		13
14	0.17		Part-Snow} 0.21	0.13		0.06			0.01	0.19	0.07	0.04	14
15		0.02	Pt-Snow} 0.21	0.42		0.04	0.02		0.19	0.06	0.27		15
16	0.01	0.04		0.26		0.10			0.60			Snow} 0.01	16
17			0.03		0.11		0.02		0.05			0.02	17
18	0.03				0.05			0.27	0.42			0.02	18
19	0.09			0.07				0,36				0.03	19
20		0.03		0.25		0.57						0.01	20
21	0.09	0.01		0.13		0.07	0.59		0.37			0.10	21
22				0 32			0.30		0.04			0.01	22
23				0.02			0.04	0.06				0.48	23
24	0.02						0.40					0.30	24
25		0.02	0.06				0.11	0.01			0.03		25
26	0.08		0.05	0.01	0.05		0.12						26
27	0.27	0.04	0.09	0.31			0.43				0.14	0.12	27
28	0.31			Pt-Snow} 0.08			0.12				0.12	0.13	28
29	0.05		0.20	0.02	0.14						0.05	0.14	29
30	0.28	✕	0.05		0.11		0.22				0.23	0.03	30
31	0.02	✕		✕	0.02	✕			✕	0.13	✕	0.21	31
	–	–	·33	·05	·01	·10	–	·03	·33	·65	·06	–	YEAR'S TOTAL
TOTAL	~~2.51~~ 2.41	0.32	~~1.54~~ 1.87	~~3.66~~ 3.38	~~0.95~~ ·91	~~1.50~~ 1.59	~~5.25~~ 5.15	~~1.62~~ 1.65	~~1.87~~ 2.17	~~1.42~~ 1.74	~~1.65~~ 1.06	~~2.30~~ 2.24	24.49 ~~24.59~~
Days with ·01 in. or more	~~19~~ 18	9	~~16~~ 17	24	13	10	~~23~~ 22	9 ~~8~~	10	8	10	~~22~~ 21	~~17~~ 171
Days with ·04 in. or more	11 ~~12~~	3	14 ~~13~~	19	10 ~~11~~	9 ~~8~~	18 ~~19~~	7	8 ~~7~~	7	8	~~13~~ 12	~~127~~ 126

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

R

WEST HORSLEY
WOODCOTE LODGE
SURREY

1911 – 1915

FORM A2.
BRITISH RAINFALL.
12 JAN 1912

Kept at West H
in the County of Su
by Sir Henry

in.
and 5 ft. in., inches
Level 600 ft.
ne Horsley
tance 3 Direction W.

IMPORTANT NO … e result entered to the previous day. If an … al rule, he is earnestly requested to add the re … in the space provided for it at the end of t … t of rain, the selection and plac … h Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·10			0·45				0·08			0·05	0·03	1
2	0·20			0·28	0·30						0·16	0·15	2
3		0·08			0·16			0·08			0·12	0·05	3
4	0·05	0·04	0·08	0·11					0·05	0·03	0·38	0·53	4
5	0·04									0·25	0·10	0·08	5
6	0·26		0·20	0·07							0·04	0·55	6
7	0·07		0·22	0·03						0·15	0·63	0·32	7
8	0·17										0·26	0·43	8
9	0·24		0·03								0·03	0·14	9
10		0·15	0·11	0·03								0·75	10
11	0·40		0·02		0·03						0·73	0·03	11
12	0·04		0·50			0·03			0·10		0·32	0·03	12
13			0·25		0·10				0·27	0·24	0·03	0·61	13
14		0·10			0·35							0·75	14
15		0·08	0·15							0·05	0·14	0·08	15
16						0·75					0·50	0·12	16
17			0·06			0·05					0·34	0·38	17
18		0·17	0·06			0·22					0·56	0·61	18
19		0·05				0·28			0·63	0·23	0·12	0·24	19
20	0·04		0·04					0·22	0·03	0·16		0·89	20
21	0·03							0·20		0·62		0·25	21
22	0·10	0·14	0·30			0·11		0·03		0·16	0·06	0·46	22
23	0·02		0·02			0·84			0·20	0·06		0·17	23
24		0·16	0·08			0·11	0·03			1·50		0·28	24
25	0·02	0·06		0·09		0·16	1·11	0·05	0·06	0·04		0·02	25
26		0·03		0·19	0·12		0·10	0·02		0·22		0·25	26
27		0·35	0·12	0·14					0·13	0·08	0·03	0·20	27
28		0·16	0·15	0·31	0·04			0·18			0·05	0·02	28
29				0·39		0·36	0·17	0·02	0·24	0·29			29
30				0·04		0·09		0·10	0·06	0·26	0·02	0·04	30
31			0·02		0·10					0·05			31
Total	1·78	1·57	2·41	2·13	1·20	3·00	1·41	0·98	1·77	4·39	4·67	8·46	TOTAL for year 33·77
No. of Rain Days.	15	13	18	12	8	11	4	10	10	17	21	29	168

W. 8,000, X. '11.

5o

R

FORM A2.
BRITISH RAINFALL.

12 JAN 1912

Kept at West Horsley

in the County of Surrey 6

by Sir Henry Roscoe

RAIN GAUGE	Diameter of top	7 in.
	Height of top above Ground	5 ft. in.
	,, ,, ,, Sea Level	600 ft.

Time of Observation 9 am

Nearest Railway Station { Name Horsley
Distance 3 Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.10			0.45				0.08			0.05	0.03	1
2	0.20			0.28	0.30						0.16	0.15	2
3		0.08			0.16			0.08			0.12	0.05	3
4	0.05	0.04	0.08	0.11					0.05	0.03	0.38	0.53	4
5	0.04									0.25	0.10	0.08	5
6	0.26		0.20	0.07							0.04	0.55	6
7	0.07		0.22	0.03						0.15	0.63	0.32	7
8	0.17										0.26	0.43	8
9	0.24		0.03								0.03	0.14	9
10		0.15	0.11	0.03								0.75	10
11	0.40		0.02		0.03						0.73	0.03	11
12	0.04		0.50			0.03			0.10		0.32	0.03	12
13			0.25		0.10				0.27	0.24	0.03	0.61	13
14		0.10			0.35							0.75	14
15		0.08	0.15							0.05	0.14	0.08	15
16						0.75					0.50	0.12	16
17			0.06			0.05					0.34	0.38	17
18		0.17	0.06			0.22					0.56	0.61	18
19		0.05				0.28			0.63	0.23	0.12	0.24	19
20	0.04		0.04					0.22	0.03	0.16		0.89	20
21	0.03							0.20		0.62		0.25	21
22	0.10	0.14	0.30			0.11		0.03		0.16	0.06	0.46	22
23	0.02		0.02			0.84			0.20	0.06		0.17	23
24		0.16	0.08			0.11	0.03			1.50		0.28	24
25	0.02	0.06		0.09		0.16	1.11	0.05	0.06	0.04		0.02	25
26		0.03		0.19	0.12		0.10	0.02		0.22		0.25	26
27		0.35	0.12	0.14					0.13	0.08	0.03	0.20	27
28		0.16	0.15	0.31	0.04			0.18			0.05	0.02	28
29				0.39		0.36	0.17	0.02	0.24	0.29			29
30				0.04		0.09		0.10	0.06	0.26	0.02	0.04	30
31			0.02		0.10					0.05			31
Total	1.78	1.57	2.41	2.13	1.20	3.00	1.41	0.98	1.77	4.39	4.67	8.46	TOTAL for year 33.77
No. of Rain Days.	15	13	18	12	8	11	4	10	10	17	21	29	168

W. 8,000, X. '11.

Cor. part W.D. 28.III.13.

FORM A.
BRITISH RAINFALL.

8 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Woodcote Lodge, West Horsley

in the County of Surrey 6

by Sir Henry Roscoe

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Horsley Station

Diameter of Rain Gauge 7 in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ([illegible]) estd.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·03		0·27	0·10					0·11	1·66	0·03		1
2			0·50			0·10	0·27		0·05	0·62		0·20	2
3			0·09			0·10	0·43	0·17	0·02				3
4	0·25		0·72			0·18	0·03	0·36	0·02				4
5	0·18		0·19		0·19	0·31		0·14			0·28		5
6	0·50	0·29			0·03			0·55	0·03			0·06	6
7	0·03	0·03	0·04					0·24				0·06	7
8	0·32	0·60	0·28		0·20	0·67		0·33				0·12	8
9		0·20		0·02			0·04	0·42				0·02	9
10		0·13	0·08	0·05			0·04	0·06					10
11	0·06	0·28	0·05					0·24	0·02		0·14	0·28	11
12	0·05	0·14	0·10			0·05		0·42	0·04		0·03	0·30	12
13		0·04	0·03		0·15	0·18		0·14					13
14	0·02		0·04								0·08	0·26	14
15	0·04	0·04	0·09		0·06		0·03	0·40				0·05	15
16	0·23	0·04	0·24		0·19	0·69					0·04	0·33	16
17	0·60		0·42		0·18	0·03		0·13		0·09	0·04		17
18	0·10		0·32			0·06		0·13			0·03	0·23	18
19	0·07		0·08					0·25		0·03		0·10	19
20	0·05	0·04					0·15	0·94				0·03	20
21	0·03	0·05	0·58					0·18		0·43	0·04		21
22	0·12	0·31	0·26		0·15		0·02	0·08		0·12	0·20		22
23	0·50	0·50	0·25		0·07			0·28		0·03		0·08	23
24	0·41	0·03	0·36		0·02	0·04		0·40		0·09	0·02	0·23	24
25	0·20					0·22	0·02	0·45			0·02	0·17	25
26		0·07				0·38		0·76			0·30	0·62	26
27						0·03		0·20		0·35	0·50	0·29	27
28		0·08				0·08				0·33		0·23	28
29		0·09				0·44	0·64	0·15	0·40	0·62	0·59	0·28	29
30						0·15	0·45	0·17	2·10	0·35	0·07		30
31					0·30		0·09	0·21		0·23			31
			·10					·11	1·66	·03			YEAR'S TOTAL
Total	3·79	2·96	~~4·99~~ 5·09	~~0·17~~ ·07	~~1·54~~ 1·54	~~3·71~~ 3·71	~~2·21~~ 2·21	~~7·80~~ 7·91	~~2·79~~ 4·34	~~4·95~~ 3·32	~~2·41~~ 2·38	~~3·94~~ 3·94	41·26
Rain Days.	20	18	~~21~~ 22	~~3~~ 2	11	17	12	~~26~~ 27	9	13	15 ~~16~~	20	186

W. 7,500, XI. 12

HORSLEY

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

10 JAN 1914

Kept at Woodcote Lodge #Rl
in the County of Surrey 6
by Sir Henry E. Roscoe

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Horsley
Diameter of Rain Gauge 7 ins
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 620 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.04	0.26	0.08	0.13	0.04				0.68	0.03	0.12	0.38	1
2	0.08	0.12	0.02		~~0.04~~		0.18		0.13	0.06	0.1	0.05	2
3	0.05		0.04	0.15	0.54					0.03		0.15	3
4	0.46		0.07	0.05	0.34				0.15	0.38	0.07	0.06	4
5	0.45		0.04			0.1	0.1		0.42	0.03	0.05	0.08	5
6	0.05	0.20	0.15		0.07	0.1	0.12			0.47	0.1	0.19	6
7	0.02	0.25			0.13	0.04		0.04		0.6	0.26		7
8		0.06	0.02	0.03	0.24	0.15				0.2	0.02	0.05	8
9		0.16		0.02	0.07		0.07	0.03	0.27		0.04		9
10			0.02	0.08	0.02		0.04	0.03			0.46		10
11	0.58			0.4	0.05					0.63	0.26		11
12					0.21					0.03	0.35		12
13	0.08		0.05	0.02				0.06	0.19		0.28		13
14	0.2		0.14	0.09			1.19	0.05	0.05		0.11		14
15	0.25	0.08	0.30	0.32			0.46		0.25				15
16	0.23		0.43	0.12			0.03				0.03	0.05	16
17	0.04		0.08	0.11			0.45				0.04	0.04	17
18			0.18								0.1	~~0.03~~	18
19	0.31		0.16			0.1	0.15		0.26				19
20	0.24		0.33	0.1		0.2	0.05			0.6	0.03		20
21			0.3	0.09			~~8~~			0.26	0.94		21
22	0.32		0.2	0.04				0.15				0.03	22
23			0.03			0.05		0.24	0.15			0.63	23
24	0.06			0.08							0.05		24
25		0.06		0.27								0.02	25
26		0.03	0.22	0.15						0.8		0.21	26
27			0.1	0.15						0.08			27
28	0.17		0.48	0.13						0.26			28
29	0.07		0.11	0.49	0.72			0.15		0.16			29
30	0.36			0.05			0.02	0.34		0.28			30
31			0.11					1.22		0.08			31
Total	4.06	1.22	3.66	3.07	2.43	0.74	2.8~~7~~6	2.31	2.55	4.98	3.41	1.94	YEAR'S TOTAL 33.23 33.23
Rain Days.	20	9	24	22	11	7	12	10	10	18	19	13	175

W.7,000, XI. 13

Corr by W.D. 21.IV.15 ~~obs~~ missing obs. interpolated from mm stats 28.IV.15 (Obs agrees 27.IV.15)

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
9 JAN 1915

Kept at Woodcote West Horsley
in the County of Surrey 6 4/15
by Henry E Roscoe FRS.

Lat. Long.
Time of Observation 9. am
Nearest Railway Station Horsley
Diameter of Rain Gauge 7 in.
Height of top of Gauge above Ground ~~60~~ ft. 6 in.
" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.08

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.05	0.03			0.18		0.07				0.67	1
2			0.03					0.14			0.10	0.05	2
3							0.08	0.25			0.15	(·65)	3
4		0.03	0.08	0.04	0.28		0.08				0.05		4
5	0.10		0.06	0.27	0.03		0.03	0.12			(·45)		5
6	0.13		0.10	0.35	0.54	0.10	0.30	0.40				0.05	6
7		0.24		0.16	0.05	0.22					0.15	0.35	7
8		0.66	0.35	0.18	0.10	0.16	0.22	0.03				0.22	8
9	0.12	0.56	0.37			0.11	0.10					0.12	9
10	0.32	0.03	0.73	0.15		0.09			0.12			2.03	10
11	0.07	0.22	0.07	0.10					0.25			0.03	11
12		0.64	0.40						0.15		0.16	0.35	12
13		0.18	0.12				0.58		0.30		0.02	0.67	13
14	0.08	0.38	0.33						0.12	0.06	0.11	0.85	14
15		0.33	0.25				0.07	0.03	0.05		0.15	0.46	15
16		0.06	0.18				0.22		0.02	0.60	0.85		16
17			0.03				0.03			0.03			17
18		0.45	0.15									0.30	18
19		0.06	0.16									0.40	19
20		0.12	0.17				0.25				0.22	(·60)	20
21		0.40	0.58						0.05				21
22		0.69	0.09							0.17		0.03	22
23		0.03	0.13		0.40	0.12	0.20	0.10		0.40			23
24		0.11	0.17		0.03	0.04	0.03						24
25			0.18				0.05	0.02			0.18		25
26			0.20					0.12		0.35	0.03	0.08	26
27										0.08	0.28	0.83	27
28	0.06									0.03	0.08	0.40	28
29			0.07							0.10	0.48	0.70	29
30	0.12	X	0.09							0.42	0.36		30
31	0.03	X		X		X			X		X	0.62	31
	·05	·03	–	–	·18	–	·07	–	–	–	·67 ~~(3.82)~~	·68 ~~(10.46)~~	YEAR'S TOTAL ~~(36.19)~~
Total	~~1.03~~ 1·08	~~5.24~~ 5·22	~~5.12~~ 5·09	~~1.25~~ 1·25	~~1.43~~ 1·61	~~1.02~~ ·84	~~2.24~~ 2·31	~~1.28~~ 1·21	~~1.06~~ 1·06	~~2.24~~ 2·24	~~3.37~~ (4·49)	~~9.21~~ (9·87)	~~34.49~~ (36·21)
Rain Days.	10 ~~9~~	19	~~26~~ 25	7	~~7~~ 8	~~8~~ 7	~~14~~ 15	~~10~~ 9	8	10	~~16~~ (19)	(20)	~~154~~ (162)

W. 8,000. X. 14.

cowdry B. 22. 11·16 [illegible] 276

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

5 JAN 19

Kept at Woodcote, West Horsley

in the County of Surrey 6

by Sir Henry Roscoe's gardener

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Horsley, L & S W Rly

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. 1 in.

" " " " Sea Level 620 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·78	·22	·1		·08		·2	·12	·22	·07	·27	·5	1
2	·38	·25	·4	·1		·06		1·1	·05	·08		·15	2
3	·4			·18	·03			·42	·03			·43	3
4	·06											·42	4
5	·06	·75						·07				·4	5
6	·5	·26	·07	·45			·77					·22	6
7	·58	·46	·05				·43	·02					7
8	·08	·9		·03			·18	·25					8
9		·15		·28		·18		·04			·7	·62	9
10	·2	·02	·03									·25	10
11			·07							·09			11
12	·07	·16		·35	·43			·02		·03	·42	·04	12
13	·04	·73							·04				13
14	·04				·08		·12	·04	·07			·46	14
15	·14	·04			·05		·08	·11	·02		·2	·35	15
16	·04	·7					·85	·1				·13	16
17		·54			1·3		·04						17
18		·35	·08		·18								18
19	·02	·3			·05		·1			·02			19
20	·3	·1		·05	·03							·26	20
21	·1	·04					·08			·05		·16	21
22	1·28	·15	·08	·03			1·0		·02			·07	22
23		·63				·06	·34		·27	·47		·29	23
24		·15	·08			·03	·08		·47	·33		·44	24
25				·1		·07	·18					·25	25
26		·09				·18	·6					·65	26
27		·1				·26	·03		·03	·34		·17	27
28		·09				·27			1·28		·08		28
29						·03	·18	·12	·03	·03	·4	·04	29
30	·28	✕				·82				·34	·48	·06	30
31	·1	✕		✕		✕		·09	✕	1·2	✕	·35	31
Total	5·45 5·45	6·48	·96	1·57	2·23	1·96	5·26	2·50	2·53	3·05	2·55	6·71	YEAR'S TOTAL 41·25
Rain Days.	20	22	9	9	9	10	17	13	12	12	7	23	163

W. 8,000. X. 15.

5a

WEST MOLESEY

SURREY

1911 - 1920

911

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

Kept at West Mole

in the County of

by H. R

asella

p 5 in.

bove Ground 1 ft. 0 in.

„ Sea Level 28 ft.

A.M

Name Hampton Court

Distance Miles Direction

IMPORTANT NO a.m., and the result entered to the previous day. If an O prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02			·73			·05	·05					1
2	·14			·37	·17		·03				·15	·06	2
3		·01		·01	·11						·05	·09	3
4	·02	·01	·04	·06							·16	·31	4
5	·01			·01					·02	·04	·04	·07	5
6	·26		·16							·18		·38	6
7	·02			·02							·35	·14	7
8	·11		·17							·12	·13	·39	8
9	·12			·01								·17	9
10	·04	·13	·07	·01							·12	·47	10
11	·28										·56	·01	11
12	·03		·42		·49						·29		12
13			·06		·11				·04	·33		·36	13
14		·06			·25				·35			·44	14
15		·05	·09							·01	·03	·02	15
16						·44					·39	·03	16
17						·02					·31	·15	17
18		·10									·53	·17	18
19			·01			·22				·07	·19	·09	19
20	·01	·03						·08	·16	·01		·55	20
21	·01	·10	·19			·01		·45	·13	·49		·14	21
22		·04	·08							·22		·28	22
23	·10	·05				·64			·14		·04	·11	23
24		·10	·04			·02		·02		1·15		·27	24
25		·02	·05	·04		·11	·99			·04			25
26		·03	·04	·22	·13	·17	·07	·02		·11	·01	·26	26
27		·25		·03			·03		·11		·01	·16	27
28		·09		·22				·10			·01		28
29				·14		·20	·09		·13	·20			29
30				·04		·05		·24	·02	·15		·02 ·02	30
31					·72					·03			31
Total	1·17	1·07	1·42	1·91	1·98	1·88	1·26	·96	1·10	3·18	3·37	5·24 ✓	TOTAL for year
No. of Rain Days.	14	15	13	14	7	10	6	7	9	15	18	25	24·51

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

911

asella

Kept at West Molesey, Surrey

in the County of Surrey 5

by

Rain Gauge	Diameter of top 5 in.
	Height of top above Ground 1 ft. 0 in.
	,, ,, ,, Sea Level 28 ft.

Time of Observation 9 A.M.

Nearest Railway Station { Name Hampton Court
Distance 2 Miles Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02			·73			·05	·05					1
2	·14			·37	·17		·03				·15	·06	2
3		·01		·01	·11						·05	·09	3
4	·02	·01	·04	·06							·16	·31	4
5	·01			·01					·02	·04	·04	·07	5
6	·26		·16							·18		·38	6
7	·02			·02							·35	·14	7
8	·11		·17							·12	·13	·39	8
9	·12			·01								·17	9
10	·04	·13	·07	·01							·12	·47	10
11	·28										·56	·01	11
12	·03		·42		·49						·29		12
13			·06		·11				·04	·33		·36	13
14		·06			·25				·35			·44	14
15		·05	·09							·01	·03	·02	15
16						·44					·39	·03	16
17						·02					·31	·15	17
18		·10									·53	·17	18
19			·01			·22				·07	·19	·09	19
20	·01	·03						·08	·16	·01		·55	20
21	·01	·10	·19			·01		·45	·13	·49		·14	21
22		·04	·08							·22		·28	22
23	·10	·05				·64			·14		·04	·11	23
24		·10	·04			·02		·02		1·15		·27	24
25		·02	·05	·04		·11	·99			·04			25
26		·03	·04	·22	·13	·17	·07	·02		·11	·01	·26	26
27		·25		·03			·03		·11		·01	·16	27
28		·09		·22				·10			·01		28
29				·14		·20	·09		·13	·20			29
30				·04		·05		·24	·02	·15		·02 ~~·02~~	30
31					·72					·03			31
Total	1·17	1·07	1·42	1·91	1·98	1·88	1·26	·96	1·10	3·15	3·37	5·24 ✓	TOTAL for year
No. of Rain Days.	14	15	13	14	7	10	6	7	9	15	18	25	24·51

W. 8,000, X. '11.

Ex MS

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

21 JAN 1913

Amade

WEST MOLESEY

Kept at Metro: Water Board Walton Works

in the County of Surrey 5

by H. B. W. Stuart

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Hampton Court

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·18		·06			·05	·13		·07	·44		·17	1
2	·48		·07			·05	·33	·03		·03			2
3			·07			·06	·01	·22				·04	3
4			·35		·06	·27		·03			·20		4
5	·18		·05					·28			·01	·01	5
6	·48	·07						·16				·02	6
7	·08		·01		·06	1·13	·16	·11				·01	7
8	·33	·32	·18			·12	·03	·17					8
9	·01		·03			·01	·01	·07				·13	9
10		·14		·01		·01		·31			·05	·22	10
11	·03	·04						·16				·20	11
12		·25	·05			·03		·04			·02	·02	12
13	·04				·18	·10					·02	·03	13
14								·05		·03		·03	14
15	·01	·01	·11		·03	·62					·01	·27	15
16	·36		·03		·19	·10		·04		·02	·05		16
17	·50		·22		·04			·05					17
18	·07		·14					·27			·01	·08	18
19	·05	·05	·03				·13	·51					19
20	·01	·01	·08					·14		·39	·01		20
21			·12		·07			·06		·07	·08		21
22	·16	·15	·02		·01		·04	·11		·01		·06	22
23	·35	·38	·34					·40		·07	·14	·16	23
24	·41	·03				·30	·01	·20				·15	24
25	·16					·15		·52			·17	·57	25
26		·03						·29		·33	·35	·30	26
27			·01			·03				·19		·17	27
28		·04				·04	·17	·06	·05	·33	·43	·10	28
29		·01				·10	·25	·19	1·15	·24			29
30					·44			·02	1·00	·11			30
31			·33		·01		·18	·13					31
Total	3·23	1·53	2·30	·01	1·09	3·14	1·45	4·62	2·24	2·26	1·55	2·68	YEAR'S TOTAL 26·16
Rain Days.	17	14	20	1	10	17	12	27	4	13	14	20	169

W. 7,500, XI. ·12

[illegible] 6.4.14

cord by C 6.11.14

Cor. by [illegible] 16.IV.14

FORM A.
BRITISH RAINFALL
7 JAN 19[illegible]

REGISTER OF RAINFALL IN 1913

Kept at Walton Pumping Station Molesey

in the County of Surrey 5

by H. B. W. Stent

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Hampton Court L. & S. W. Ry

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ...... ft. 6 in.

" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·23	·02	·37	·02				·32		·06	·12	1
2	·02	·14					·10			·45	·06		2
3			·01	·23	·34							·03	3
4	·18				·32		·03			·19	·01	·05	4
5	·15					·03	·08		·35			·01	5
6		·03	·13		·02	·05	·05			·32	·24	·15	6
7		·14			·02	·01				·41	·07		7
8		·02			·08	·07		·01		·14			8
9		·13			·02				·07			·04	9
10			·13	·07			·05	·02			·38		10
11	·26			·38				·01		·62	·19		11
12					·02						·18		12
13	·01		·02						·07		·18		13
14	·06		·07	·06	·01		·83	·12	·02	·09	·03		14
15	·16	·06	·30	·21			·20		·11				15
16	·13		·32	·09					·19				16
17	·02	·08	·03	·05			·13					·01	17
18			·21	·06	·05				·02		·04		18
19	·20		·07				·10		·25	·33			19
20	·16		·38		·06	·34				·16			20
21	·01		·14	·08							·70 ·07		21
22	·36		·13	·03				·12	·15				22
23								·12				·36	23
24				·03		·04					·01		24
25		·01		·20									25
26			·16	·05				·06		·42		·16	26
27			·01	·04	·12					·01			27
28	·24		·35	·07						·07			28
29	·04		·05	·39	·66			·17		·07			29
30	·28			·02				·16		·15			30
31			·04					·60		·05			31
Total	2·29 ~~2·26~~	·84	2·57	2·43 ~~2·48~~	1·76	·54	1·57	1·39	1·55	3·78	2·15	·93	YEAR'S TOTAL ~~21·82~~ 21·80
Rain Days.	17	9	19	18	13	6	9	10	10	15	13	9	148

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
19 JAN 1915

WALTON WORKS

Kept at W. Molesey. [illegible]

in the County of Surrey. 5

by Metropolitan Water Board.

Lat. Long.

Time of Observation

Nearest Railway Station Hampton Court.

Diameter of Rain Gauge 5. in.

Height of top of Gauge above Ground — ft. 6 in.

" " " " Sea Level 35. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03.					·06				·03	1
2							·16	·04			·03	·15	2
3			·03.		·14.		·25	·01.					3
4	·05.		·01.	·13.			·01.	·12.			·24	·20	4
5	·05.		·03.	·11.	·09.	·04.	·26	·65					5
6		·13.	·01.	·08.		·08.	·04	·01.			·05	·06	6
7		·21.	·21.	·15.	·27.	·17.	·16					·05	7
8	·07.	·33.	·72.		·04.	·06.	·09	·08				·01	8
9	·16.		·48.	·17.		·10.			·15			1·60	9
10		·12.	·02.	·01.	·05.				·16			·01	10
11		·22.	·45.			·03.			·08		·17	·24	11
12		·05	·11.				·35		·14		·01	·29	12
13		·15.	·14.						·11.		·02	·37	13
14		·10.	·17.			1·50	·07.			·33	·01	·36	14
15	·04.		·10.				·46	·03			·53	·02	15
16			·03.						·02				16
17		·33.	·08.									·04	17
18		·02.	·19.									·22	18
19		·07.	·28.			1·00	·07.				·13	·33.	19
20		·20.	·37.						·16.			·07	20
21		·48	·03					·01.		·01		·01	21
22			·03.		·30.	·04	·23.	·01.		·25			22
23		·06	·12.		·12.	·04	·01.			·09			23
24			·06.				·02.				·07		24
25	·01.		·20.				·01.	·11.		·21		·08	25
26			·06.				·03	·04.		·05	·11	·45	26
27	·04.										·01	·11	27
28		·02.			·03.					·07	·44	·83	28
29	·03.		·06.							·18	·09		29
30		X	·01.							·03	·45	·26	30
31		X		X	·10	X			X		X	·05	31
Total	·45	2·49	4·03	·65	1·14	3·06	2·22	1·17	·82	1·22	2·36	5·84	YEAR'S TOTAL 25·45
Rain Days.	8.	15.	27.	6.	9.	10.	16.	12.	7.	9.	15.	24.	158.

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

207

FORM A.
BRITISH RAINFALL.

25 FEB 1916

Kept ~~at~~ w Molesey WALTON WORKS

in the County of Surrey. 5

by Metro' Water Board.

Lat. Long.

Time of Observation

Nearest Railway Station Hampton Ct.

Diameter of Funnel of Rain Gauge 5. in.

Height of top of Gauge above Ground – ft. 6 in.

" " " " Sea Level 35. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·57	·11.	·03.		·01		0·03.	0·07.		0·03.	0·12	0·49	1
2	·37.	·14.	·22.	·10.	·04	0·02.		0·80.		0·04		0·14	2
3	·40.		·05.	·09.				0·13.				0·45.	3
4	·01.											0·22	4
5	·03.	·46								0·06		0·28.	5
6	·33.	·06.	·11	·17.			0·74	0·01				0·42.	6
7	·15.	·17.	·02.				0·16.	0·02				0·18.	7
8	·06.	·44		·01			0·03.	0·05					8
9		·11.		·13.		0·05		0·03.		0·01	0·32	0·61.	9
10	·15.	·12.						0·67.				0·14	10
11	·04		·03							0·03.	0·61	0·02.	11
12	·04.	·05.		·28.	·43.			0·02			0·21	0·01.	12
13		·42.			1·40			0·02					13
14		·02.					0·34	0·06	0·03.			0·36.	14
15	·04	·02.			·05						0·14.	0·07.	15
16		·20.			·02		0·50	0·03.				0·04	16
17		·45			1·05.			0·09.					17
18		·39.	·03.		·14						0·01		18
19		·13.			·02.					0·01			19
20	·19			·01.								0·15.	20
21	·06						0·04			0·02		0·02.	21
22	1·10	·19.	·10				0·72.					0·09.	22
23	·01.	·09.	·05			0·04	0·10.		0·34	0·65.		0·26.	23
24			·02.				0·02.		0·40.	0·22		0·46.	24
25			·01.	·11.			0·29					0·14.	25
26		·01.				0·13.	0·33.					0·54	26
27						0·28.	0·06			0·27		0·06	27
28		·02.				0·03.			1·42.	0·08.			28
29						0·02.	0·22	0·08.			0·11.		29
30	·02.					0·85.				0·10	0·18.		30
31										1·13.		0·15.	31
Total	3·57.	3·60.	0·67.	0·90	3·16.	1·42.	3·58.	2·08.	2·19.	2·65	1·70	5·30	YEAR'S TOTAL 30·82.
Rain Days.	17.	20.	11.	8.	9.	8.	14.	14.	4.	13.	8.	23.	149.

W. 8,000. X. 15.

Exd [illegible]

195

REGISTER OF RAINFALL IN 1916.

FORM A.
BRITISH RAINFALL.

5 JAN 1917

Kept at Molesey.

in the County of Surrey.

by Metropolitan Water Board

Lat. Long.

Time of Observation 9 am.

Nearest Railway Station Hampton Court.

Diameter of Funnel of Rain Gauge 5. in.

Height of top of Gauge above Ground — ft. 6 in.

" " " " Sea Level 35. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·02	0·01.	0·04.		0·50				0·22	0·03	0·35.		1
2	0·21.	0·04.	0·09.		0·18.		0·01		0·07	0·38	0·01.		2
3		0·30.	0·09.				0·03		0·11.	0·27	0·40.		3
4	0·17.	0·03.				0·14.			0·15.		0·42.		4
5	0·01.			0·01	0·10	0·17.				0·04	0·45.	0·02	5
6			0·02.	0·11	0·12	0·14.	0·33			0·02	0·33.		6
7	0·16.	0·03.	0·62.		0·08	0·22.	0·16			0·01	0·46.	0·05	7
8			0·03.		0·22	0·04						0·13	8
9					0·11	0·01.				0·02		0·09	9
10		0·22.	0·07	0·03.		0·16.	0·02					0·10	10
11	0·04.	0·05.	0·04	0·12.		0·25						0·03	11
12	0·01.	0·02.		0·02.	0·57	0·09		0·03		0·05			12
13		0·16.	0·40	0·10.		0·05	0·30	0·12	0·05				13
14		0·35	0·01		0·03.			0·29				0·06	14
15		0·14	0·19				0·06	0·10		0·02		0·03	15
16		0·02	0·43	0·10.			0·20	0·33					16
17	0·06	0·10.		0·03.			0·01	0·02	0·25	0·47			17
18		0·07.	0·03.	0·12.				0·37	0·12	0·55.	0·69	0·01	18
19	0·10.		0·22.	0·12.					0·10		0·54		19
20	0·15.		0·18.								0·02	0·44	20
21			0·31.				0·22					0·25	21
22		0·01.	0·03.							0·03		0·34	22
23	0·01.	0·03.	0·02.					0·01		0·25	0·01	0·03	23
24		0·18.			0·08					0·18	0·04	0·32	24
25		0·51.	0·19					0·17		0·01	0·05.		25
26		0·19	0·06			0·05.		0·22		0·15			26
27	0·02		0·93.			0·07.		0·43	0·05	0·50			27
28		0·35	0·25.			0·11		0·02	0·04			0·06.	28
29		0·06.				0·22.		0·95	0·04	0·23		0·12.	29
30		X						0·03		0·41.			30
31		X		X		X		0·04	X	0·15.	X	0·07	31
Total	0·96	2·87	4·25.	0·76	1·99	1·72	1·34	3·13	1·20	3·77	3·77	2·15.	YEAR'S TOTAL 27·91
Rain Days.	12.	21.	22.	10.	10.	14.	10	15.	11.	20.	13.	17.	175.

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917.

FORM A.
BRITISH RAINFALL.

Kept at Molesey
in the County of Surrey
by METROPOLITAN WATER BOARD.

Lat. Long.
Time of Observation
Nearest Railway Station Hampton Court
Diameter of Funnel of Rain Gauge 5. in.
Height of top of Gauge above Ground — ft. 6 in.
" " " " Sea Level 35. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				0·17.				1.14	0·01		0·04		1
2				0·17.		0·04		0·06			0·12		2
3				0·05.			0·22	0·23.		0·19.	0·03.		3
4		Snow. 0·10	0·05.				0·30.	0·18.		0·30.			4
5	0·18.		0·02.	0·27		0·05.		0·01.	0·26	0·17.	0·03.		5
6			0·16.			0·04.			0·23.		0·02		6
7	0·09.						0·20.			0·24.		0·01.	7
8	0·08.			0·08.			0·87.	0·24	0·05	0·20.	0·09.	0·36.	8
9	0·03.		0·01.	0·03.	0·02		0·02.	0·09.	0·04		0·02.	0·11.	9
10	0·19.		0·16.	0·17.				0·05.			0·01.	0·01.	10
11	0·05.	0·02.	0·38.	0·28.		0·33.		0·01.	0·57.	0·15			11
12	0·05.		0·09.					0·04		0·33.			12
13	0·01.		0·16.					0·09	0·02.	0·08.			13
14								0·13.					14
15	0·02.			0·13.			0·08	0·03.		0·01.			15
16	0·07.	0·10.		0·02.	0·04.	0·17.	0·08.			0·44		0·54	16
17				0·16.	0·60.		0·23.	0·05	0·36	0·22.			17
18	0·02	0·06		0·08.	0·07.	0·55.	0·10.	0·12.	0·20.	0·12.			18
19		0·14.	0·02.	0·06.					0·10.				19
20		0·11.	0·03.		0·62.		0·43.				0·02.		20
21			0·03.			0·03.					0·01.		21
22	0·01		0·11.					0·06		0·04			22
23		0·08			0·09	0·04		0·07.		0·05			23
24						0·16.				0·15.			24
25		0·02	0·04.							0·07.	0·06		25
26			0·05.					0·14	0·03		0·29.		26
27						0·03.		0·56					27
28			0·02.			1·53.		0·03.				0·04	28
29					0·23.	0·13.	0·79.			0·17.		0·09	29
30		X	0·32.				1·97.	0·04.				0·02	30
31	0·02	X	0·02.	X		X	0·29.	0·01.	X		X	0·02.	31
Total	0·82	0·63.	1·67	1·67	1·67.	3·10.	5·58.	3·38	1·87	2·93.	0·74	1·20	YEAR'S TOTAL 25·26
Rain Days.	13	8.	17.	13.	7.	12.	13.	22.	11.	17.	12.	9.	154.

W. 8,000, IX. 17.

110

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918.

Kept at Molesey
in the County of Surrey.
by METROPOLITAN WATER BOARD.

Lat. Long.
Time of Observation
Nearest Railway Station Hampton Crt L.S.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. [illegible] in.
" " " " Sea Level 35. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		0·05		0·06							0·20	0·05	1
2				0·02				0·35			0·19	0·08.	2
3			0·03		0·47			0·11.			0·44	0·01.	3
4		0·04	0·13	0·01.				0·01.	0·20		0·42		4
5		0·03			0·05			0·05.	0·12.	0·02.			5
6	0·16	0·09		0·28	0·18			0·12.		0·02.		0·04	6
7		0·07		0·12	0·47.				0·35	0·05.	0·12		7
8		0·05							0·09.	0·07.		0·01.	8
9		0·02		0·04		0·12	0·38		0·33.	0·03.		0·17.	9
10				0·15.			0·50		0·01.		0·04	0·32.	10
11	0·01.			0·02.	0·02		0·90			0·24	0·08	0·10.	11
12		0·01			0·14.		0·07.		0·06				12
13	0·01				0·09.		0·28.		0·10.				13
14	0·17					0·20	0·01.		0·20.	0·09.		0·15	14
15	1·18.			0·57.			0·03.					0·05	15
16	0·14.		0·03.	0·17.		0·07.			0·17			0·01.	16
17	0·49			0·16.	0·09		0·23.	0·01.				0·07.	17
18	0·53.					0·15	0·09.		1·33.	0·09		0·03.	18
19	0·04		0·02	0·07.		0·05	0·28.	0·01.		0·07		0·03.	19
20	0·03.	0·09.		0·46		0·02	0·10.		0·13.	0·14		0·01.	20
21	0·10.	0·01.		0·45			0·05		0·52	0·01			21
22	0·07				0·34		0·12.		0·12			0·12	22
23	0·02				0·09		0·40		0·04			0·03.	23
24		0·24				0·06	0·45		0·06		0·04		24
25							0·16	0·13.					25
26							0·47	0·03.			0·05	0·08.	26
27		0·01.		0·04			0·08.	0·13.	0·06	0·01.	0·10.		27
28		0·04.	0·17	0·02.				0·03.			0·07.	0·07.	28
29			0·04						1·06				29
30		X	0·41.						0·04		0·02.	0·13.	30
31		X		X		X			X	0·07	X		31
Total	2·95.	0·75	0·83	2·64	1·94	0·67	4·60	0·98.	4·99.	0·91.	1·77.	1·56.	YEAR'S TOTAL 24·59.
Rain Days	13.	13.	7.	16.	10.	7.	18.	11.	19.	13.	12.	20.	159.

W, 6,500. VII. 18. w w c

Ex. [illegible] 78

15 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at MOLESEY.
in the County of SURREY.
by METROPOLITAN WATER BOARD.

Lat. Long.
Time of Observation
Nearest Railway Station Hampton Court.
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground ~ ft 6. in.
" " " " Sea Level 35. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·20	0·01.		0·02	0·05.		0·15.					0·85.	1
2	0·36.	0·02.			0·06.		0·03.		0·26.	0·01.	0·08.	0·07.	2
3	0·26.		0·34		0·01.		0·20.		0·02.	0·09.	0·02.	0·23.	3
4	0·07.	0·05.	0·40.			0·04	0·11.	0·05.			0·01.	0·10.	4
5		0·30.	0·44.				0·04.		0·16.		0·05.	0·20.	5
6	0·07.		0·03.	0·01.								0·13.	6
7	0·02.		0·27.								0·02.		7
8	0·06.		0·05.	0·01.									8
9	0·07.			0·02.							0·04.		9
10	0·62.		0·04.							0·01.	0·01.	0·02.	10
11			0·05.	0·18.	0·01.		0·25.						11
12			0·02.	0·02.		0·01.	0·13.			0·12.			12
13				0·17.						0·04.			13
14	0·14.			0·21.			0·08.		0·80.				14
15	0·20.		0·10.	0·09.								0·35.	15
16	0·01.	0·53									0·07.	0·03.	16
17		0·31.	0·01.	0·01.							0·11.		17
18		0·15.	0·06.						0·08.		0·05.		18
19	0·02.	0·08.	0·50.			0·22.	0·43.	0·16.	0·01.		0·02.		19
20	0·09.	0·01.	0·18.			0·59.	0·33.	0·09.	0·06.				20
21	0·17.	0·15.	0·02.			0·01.	0·05.						21
22		0·05.					0·16.		0·09.		0·01.	0·28.	22
23						0·04		0·03.					23
24				0·14.		0·02.	0·09.	0·02.		0·15.	0·02.	0·12.	24
25		0·01.						0·11.					25
26	0·04.	0·17.	0·08.	0·01.				0·13.	0·05.			0·23.	26
27	0·49.	0·03.	0·02.	0·87.				0·33.			0·06.	0·05.	27
28			0·18.				0·01.	0·52.			0·36.	0·22.	28
29	0·02.			0·05				0·30.		0·11.		0·01.	29
30	0·01.	X		0·21.		0·11		0·18.		0·02	0·28.	0·28.	30
31	0·01.	X	0·02.	X		X	0·04.		X		X	0·04.	31
TOTAL	2·93.	1·87.	2·81.	2·02.	0·13.	1·04.	2·10.	1·92.	1·53.	0·55.	1·21.	3·21.	YEAR'S TOTAL 21·32. ✓
Days with ·01 in. or more	20.	14.	19.	15.	4.	8.	15.	11.	9.	8.	16.	17.	156 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

172

7 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at MOLESEY.
in the County of SURREY.
by METROPOLITAN WATER BOARD.

Lat. ______ Long. ______
Time of Observation 9 a.m.
Nearest Railway Station Hampton Court. L. S. W. Rly
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 6 in.
„ „ „ „ Sea Level 35. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·05.			0·24.	0·03.		0·19.		0·03.	0·41		0·18	1
2			0·04.	–	0·01.			0·72	0·03.	0·16.		0·04	2
3		0·06.		0·04	-		0·05.		0·02.	0·02.			3
4				0·10	-		1·00.	0·02.		0·18.		0·08	4
5		0·01.	0·10.	0·01.	0·01.		0·63.					0·04.	5
6			0·11.		0·06.		0·34					0·03.	6
7				0·09.	0·07.		0·09						7
8				0·07.	0·06.		0·22						8
9	0·25	0·01		0·06	-		0·03.						9
10	0·30	0·03.	0·02	-	-	0·07	0·06.						10
11	0·12.		0·06.	0·11.	0·02.	0·02.	0·21.						11
12	0·02.			0·08.		0·69.				0·02.			12
13	0·13.		0·10.	0·10.									13
14			0·18.	0·19.		0·10.			0·08.	0·22.	0·19	0·17.	14
15		0·02.	0·04.	0·25.					0·50.	0·13.	0·06.		15
16				0·11.		0·05.			0·16.				16
17				-	0·12.	0·08.			0·26.			0·02.	17
18	0·05.			-				0·63.	0·12.			0·01.	18
19	0·04			0·13		0·04.						0·01.	19
20		0·07.		0·14		0·46.			0·08.				20
21				–			0·70.	0·01.	0·41.			0·03.	21
22				0·30.				0·01.	0·02.			0·47.	22
23				–			0·33.	0·04.				0·27.	23
24			0·05	0·01.								0·02.	24
25		0·04		-			0·15.						25
26	0·02		0·07.	-			0·14.					0·03.	26
27	0·14	0·05.		0·17.		0·08.	0·09.				0·40	0·06.	27
28	0·28.		0·19.	0·03.	0·01.		0·05.				0·04.	0·02.	28
29	0·21.		0·05.	0·03.	0·01.						0·02.	0·09.	29
30	0·01.	✕			0·04.		0·11.		0·24.		0·12.	0·09.	30
31		✕		✕		✕	0·01.		✕	0·46.	✕	0·05.	31
TOTAL	1·62.	0·29.	1·01.	2·26.	0·44.	1·59.	4·40.	1·43.	1·95.	1·60.	0·83.	1·71.	YEAR'S TOTAL 19·13
Days with ·01 in. or more	13.	8.	12.	20.	11.	9.	18.	6.	12.	8.	6.	19.	142.
Days with ·04 in. or more	10.	4.	11.	16.	5.	8.	16.	3.	8.	6.	5.	11.	103.

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Sa

FORM A2.
BRITISH RAINFALL.
6 JAN 1912

WEYBRIDGE
"BURCOTE"
SURREY
1911 – 1918

11

ons unmeasured

5 in.

Kept at Burc

ve Ground – ft. 9 in.

Sea Level 120 ft.

in the County of

.0. a.m

Name Weybridge

by Charles

Distance 1 mile Direction west

IMPORTANT d the result entered to the previous day. If a niversal rule, he is earnestly requested to add the year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	–	–	.50	–	–	.01	.05	–	–	–	–	1
2	.15	–	–	.27	.20	–	.03	–	–	–	.18	.06	2
3	.01	.02	–	.01	.13	–	–	–	–	–	.07	.08	3
4	.02	.01	.05	.07	–	–	–	–	.01	.06	.12	.32	4
5	.02	–	–	.02	–	–	–	–	–	.16	.04	.01	5
6	.19	–	.18	–	–	–	–	–	–	.~~46~~	.01	.40	6
7	.03	–	–	.02	–	–	–	–	–	.72	.27	.06	7
8	.11	–	.19	–	–	–	–	–	–	.~~12~~	.13	.33	8
9	.13	–	.01	.01	–	–	–	–	–	–	.01	.11	9
10	.03	.14	.07	.01	–	–	–	–	–	–	.01	.43	10
11	.27	–	–	–	.01	–	–	–	–	–	.63		11
12	.03	–	.46	–	.19	–	–	–	.04	–	.25	.03	12
13	–	–	.05	–	.12	–	–	–	.31	.18	–	.35	13
14	–	.05	.01	–	.27	–	–	–	–	–	–	.45	14
15	–	.06	.12	–	–	–	–	–	–	.02	.04	.01	15
16	–	–	–	–	–	.57	–	–	–	–	.36	.03	16
17	–	–	.02	–	–	.03	–	–	–	–	.29	.17	17
18	–	.10	.01	.01	–	.04	–	–	–	–	.48	.23	18
19	–	.01	–	–	–	.22	–	–	.20	.12	.15	.11	19
20	.02	.05	.01	–	–	–	–	.18	.12	–	–	.54	20
21	.01	.08	–	–	–	–	–	.16	–	.46	–	.14	21
22	.08	–	.16	–	–	.02	–	–	–	.07	–	.47	22
23	–	.10	.04	–	–	.64	–	–	.14	.03	.04	.07	23
24	–	.10	.03	–	–	.06	.01	.03	–	1.20	–	.31	24
25	–	.01	.01	.06	–	.17	1.32	.01	.01	.02	–	–	25
26	–	–	.06	.17	.07	.04	.05	.01	–	.08	.01	.26	26
27	–	.30	.06	.07	–	–	.03	–	.09	.02	.01	.17	27
28	–	.12	–	.21	–	–	–	.14	–	–	.01	–	28
29	–		–	.12	–	.18	.11	–	.14	.16	–	–	29
30	–		–	.08	–	.01	–	.03	.02	.16	–	–	30
31	–		–		.57		–	–		.03		–	31
Total	1.11	1.15	1.54	1.63	1.56	1.98	1.56	.61	1.08	2.89	3.11	5.14	TOTAL for year 23.36
No. of Rain Days.	15	14	18	15	8	11	7	8	10	16	20	24	166

W. 8,000, X. '11.

Sa

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
6 JAN 1912

Kept at Burcote, Weybridge

5

in the County of Surrey

by Charles Sanger

RAIN GAUGE
Pattern Symons inner Vase
Diameter of top 5 in.
Height of top above Ground – ft. 9 in.
" " " Sea Level 120 ft.

Time of Observation 10.0. a.m

Nearest Railway Station
Name Weybridge
Distance 1 mile Direction west

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	–	–	.50	–	–	.01	.05	–	–	–	–	1
2	.15	–	–	.27	.20	–	.03	–	–	–	.18	.06	2
3	.01	.02	–	.01	.13	–	–	–	–	–	.07	.08	3
4	.02	.01	.05	.07	–	–	–	–	.01	.06	.12	.32	4
5	.02	–	–	.02	–	–	–	–	–	.16	.04	.01	5
6	.19	–	.18	–	–	–	–	–	–	~~.46~~	.01	.40	6
7	.03	–	–	.02	–	–	–	–	–	.72	.27	.06	7
8	.11	–	.19	–	–	–	–	–	–	~~.12~~	.13	.33	8
9	.13	–	.01	.01	–	–	–	–	–	–	.01	.11	9
10	.03	.14	.07	.01	–	–	–	–	–	–	.01	.43	10
11	.27	–	–	–	.01	–	–	–	–	–	.63		11
12	.03	–	.46	–	.19	–	–	–	.04	–	.25	.03	12
13	–	–	.05	–	.12	–	–	–	.31	.18	–	.35	13
14	–	.05	.01	–	.27	–	–	–	–	–	–	.45	14
15	–	.06	.12	–	–	–	–	–	–	.02	.04	.01	15
16	–	–	–	–	–	.57	–	–	–	–	.36	.03	16
17	–	–	.02	–	–	.03	–	–	–	–	.29	.17	17
18	–	.10	.01	.01	–	.04	–	–	–	–	.48	.23	18
19	–	.01	–	–	–	.22	–	–	.20	.12	.15	.11	19
20	.02	.05	.01	–	–	–	–	.18	.12	–	–	.54	20
21	.01	.08	–	–	–	–	–	.16	–	.46	–	.14	21
22	.08	–	.16	–	–	.02	–	–	–	.07	–	.47	22
23	–	.10	.04	–	–	.64	–	–	.14	.03	.04	.07	23
24	–	.10	.03	–	–	.06	.01	.03	–	1.20	–	.31	24
25	–	.01	.01	.06	–	.17	1.32	.01	.01	.02	–	–	25
26	–	–	.06	.17	.07	.04	.05	.01	–	.08	.01	.26	26
27	–	.30	.06	.07	–	–	.03	–	.09	.02	.01	.17	27
28	–	.12	–	.21	–	–	–	.14	–	–	.01	–	28
29	–		–	.12	–	.18	.11	–	.14	.16	–	–	29
30	–		–	.08	–	.01	–	.03	.02	.16	–	–	30
31	–		–		.57		–	–		.03		–	31
Total	1.11	1.15	1.54	1.63	1.56	1.98	1.56	.61	1.08	2.89	3.11	5.14	TOTAL for year
No. of Rain Days.	15	14	18	15	8	11	7	8	10	16	20	24	23.36 166

W. 8,000, X. '11.

W DS corr for ann 3.11.13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

3 - JAN 1913

Kept at "Burcote", Weybridge
in the County of Surrey 5
by Mrs C. Sanger

Lat. Long.
Time of Observation 10 a.m.
Nearest Railway Station Weybridge
Diameter of Rain Gauge 5 in. 5
Height of top of Gauge above Ground ft. 6½ in.
" " " " Sea Level 117 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
1

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	8	1	-	13	4	-	7	49	-	16	1
2	-	1	28	-	-	3	41	1	-	6	-	-	2
3	1	5	9	-	-	7	1	21	-	-	-	6	3
4	19	-	38	-	9	28	-	14	-	-	24	-	4
5	19	7	7	-	-	-	-	32	-	-	2	1	5
6	33	2	2	-	2	-	-	21	-	-	-	3	6
7	-	-	-	-	9	93	6	22	-	-	-	2	7
8	29	33	20	-	-	5	3	62	1	-	-	1	8
9	-	13	8	3	-	1	2	8	-	-	-	15	9
10	-	6	-	-	-	-	-	81	-	-	5	24	10
11	4	17	-	-	-	-	-	1	1	-	1	21	11
12	4	14	7	-	23	11	-	1	-	-	2	1	12
13	-	-	1	-	-	-	-	-	-	-	3	2	13
14	-	-	1	-	4	58	-	2	-	4	-	4	14
15	2	2	8	-	11	4	-	-	-	-	2	25	15
16	44	-	6	-	17	-	-	4	-	4	5	-	16
17	46	-	15	-	-	3	-	6	-	-	-	1	17
18	7	-	15	-	-	-	-	28	-	-	3	7	18
19	8	10	3	-	-	1	12	44	-	-	1	-	19
20	2	-	18	-	-	-	-	14	-	32	4	-	20
21	1	1	8	-	15	-	-	8	-	10	11	-	21
22	16	18	9	-	7	-	3	18	-	2	-	6	22
23	40	43	32	-	-	-	-	41	-	9	18	15	23
24	40	2	-	-	-	25	-	20	-	-	-	14	24
25	14	-	-	-	-	15	-	49	-	1	16	51	25
26	-	7	-	-	-	-	1	31	-	32	34	25	26
27	-	-	1	-	-	4	1	-	-	19	-	16	27
28	-	7	-	-	-	11	24	15	12	32	43	12	28
29	-	2	-	-	-	7	16	13	1.34	27	3	-	29
30	-		-	-	38	1	1	2	1.02	16	-	-	30
31	·				-		20	12		-		2	31
Total	3.29	1.90	2.44	4	1.35	2.90	1.35	~~5.81~~ 5.71	2.57	~~2.45~~ 2.43	1.77	2.70	YEAR'S TOTAL ~~28.47~~ 28.45
Rain Days.	18	18	21	2	10	18	14	27	6	14	17	23	188

W. 7,500, XI. ·12

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
9 JAN. 1914

Kept at Burcote, Ellesmere Rd. Weybridge 5 E4 Bh
in the County of Surrey
by Mrs C. Sanger

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Weybridge
Diameter of Rain Gauge 5 ins.
Height of top of Gauge above Ground — ft. 6½ in.
" " " " Sea Level 117 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·22	-	·17	-	-	-	-	·66	·02	·04	·13	1
2	·04	·10	·01	·02	-	-	·10	-	·02	·35	·08	-	2
3	·01	-	·09	·18	·31	-	-	-	-	·02	-	·05	3
4	·19	-	·02	·01	·39	-	·02	-	-	·24	·01	·04	4
5	·20	-	-	-	·02	·07	·06	-	·30	·01	-	·03	5
6	·01	-	·11	-	·05	·05	·08	-	-	·34	·07	·17	6
7	-	·11	-	-	·07	-	-	-	-	·34	·08	-	7
8	-	·03	-	·01	·09	·05	-	-	-	·05	-	·01	8
9	-	·14	-	-	·02	-	·12	-	·12	-	·02	·03	9
10	·02	-	·13	·07	-	-	·03	·02	-	-	·35	-	10
11	·25	-	-	·45	-	-	-	-	-	·59	·11	-	11
12	-	-	-	-	·03	-	-	-	-	-	·23	-	12
13	·03	-	·02	-	-	-	-	·02	·10	-	·22	-	13
14	·08	-	·07	·06	-	-	·53	·09	-	·09	·05	·01	14
15	·16	·02	·25	·16	-	-	·30	-	·14	-	·01	-	15
16	·12	·05	·29	·09	-	-	-	-	·24	-	·01	-	16
17	·03	-	·05	·02	-	-	·16	-	-	-	·02	·02	17
18	·01	-	·15	·08	-	-	-	-	-	-	·05	-	18
19	·18	-	·05	-	·01	·01	·12	-	·30	-	-	-	19
20	·14	-	·32	·04	-	·13	-	-	-	·40	-	-	20
21	·01	-	·16	·07	-	-	·02	·10	-	·18	·66	-	21
22	·36	-	·17	·08	-	-	-	·11	·14	-	-	-	22
23	-	-	·01	-	-	·02	·04	-	-	-	-	·42	23
24	·01	-	-	·05	-	-	-	-	-	-	-	-	24
25	-	-	-	·20	-	-	-	-	-	-	-	·01	25
26	-	·10	·18	·08	·07	-	·01	·05	-	·70	-	·13	26
27	-	-	·02	·05	-	-	-	-	-	·03	-	-	27
28	·24	·03	·29	·06	·85	-	-	-	-	·16	-	-	28
29	·04		·06	·35	-	-	-	·12	-	·07	-	·01	29
30	·22		-	·02	-	-	-	·17	-	·13	-	-	30
31	-		·06		-		-	·71		·06		-	31
Total	2·36	·80	2·51	2·32	1·91	·33	1·59	1·39	2·02	3·78	2·01	1·06	YEAR'S TOTAL 22·08
Rain Days.	22	9	21	22	11	6	13	9	9	18	16	13	169

W.7,000, XI. 13

Examined [illegible]

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Burcote, Ellesmere Rd. Weybridge

in the County of Surrey 5

by Mrs. C. Sanger.

Lat. 51° 21′ 45″ n. Long. 0° 26′ W

Time of Observation 9 a.m.

Nearest Railway Station Weybridge

Diameter of Rain Gauge 5 in.s

Height of top of Gauge above Ground — ft. 6½ in.s

" " " " Sea Level 117 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	–	·02	–	–	–	–	·06	–	–	·02	·04	1
2	·01	–	·01	–	–	·01	·10	·04	–	–	·08	·18	2
3	·01	–	·04	·03	·16	–	·19	·02	–	–	·01	·01	3
4	·05	–	·01	·16	–	–	·01	·13	–	–	·26	·26	4
5	·07	–	·06	·25	·14	·05	·26	·82	–	–	·01	–	5
6	~~·00~~	·08	·03	·14	–	·15	·10	·02	–	–	·05	·08	6
7	–	·23	·25	·30	·20	·16	·24	·01	–	–	–	·06	7
8	·08	·35	·75	–	–	·04	·06	·10	–	–	–	·04	8
9	·19	–	·56	·22	–	·11	–	–	·07	–	–	1·62	9
10	–	·10	·03	·03	·07	–	–	–	·17	–	–	·23	10
11	–	·23	·37	–	·07	·03	–	–	·12	–	·08	·22	11
12	–	·07	·12	–	–	–	·42	–	·17	·01	·01	·39	12
13	–	·15	·15	–	–	–	–	–	·13	·01	·03	·47	13
14	–	·14	·15	–	–	·32	·11	–	–	·37	·05	·41	14
15	·04	–	·13	–	–	–	·75	·05	–	·01	·62	·02	15
16	–	–	·05	–	–	–	–	–	–	–	·02	–	16
17	–	·30	·07	–	–	–	–	–	–	–	–	·07	17
18	–	·03	·23	–	–	–	–	–	–	–	–	·24	18
19	–	·07	·22	–	–	–	·10	–	–	–	·16	·28	19
20	–	·20	·33	–	–	–	–	–	·08	–	–	·12	20
21	–	·50	·04	–	–	·02	–	·08	–	·04	–	·02	21
22	–	–	·01	–	·45	·09	·25	·02	–	·25	–	–	22
23	–	·10	·09	–	·09	·06	·02	–	–	·09	–	–	23
24	–	–	·07	–	–	–	–	–	–	·01	·10	–	24
25	·02	–	·04	–	–	–	·01	·12	–	·18	·01	·08	25
26	–	–	·25	–	–	–	·06	·03	–	·06	·20	·45	26
27	·05	–	·04	–	–	–	–	–	–	–	·02	·14	27
28	–	–	·01	–	·03	–	–	–	–	·07	·53	·80	28
29	·06		—	–	–	–	–	–	–	·25	·10	·01	29
30	–	X	·08	–	–	–	–	–	–	·07	·55	·31	30
31	–	X	–	X	·13	X	·03	–	X	·01	X	·07	31
Total	·59	2·55	4·20	1·13	1·34	1·04	2·71	1·50	·74	1·43	2·91	6·62	YEAR'S TOTAL 26·76 26.56
Rain Days.	11	14	29	7	9	11	16	13	6	14	20	26	176

W. 8,000. X. 14.

Cx ML

195

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
15 JAN 1916

Kept at Weybridge ("Burcote", Ellesmere Rd)
in the County of Surrey 5
by Mrs C. Sanger

Lat. 51° 21' 45" N. Long. 0° 26' W
Time of Observation 9 a.m.
Nearest Railway Station Weybridge
Diameter of Funnel of Rain Gauge 5 ins
Height of top of Gauge above Ground – ft. 6½ in.
" " " " Sea Level 117 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·3

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·47	·15	·7	–	·6	–	·14	–	·11	·5	·13	·50	1
2	·38	·15	·23	·10	·1	·3	–	·73	·5	·8	–	·16	2
3	·33	–	·7	·10	·1	–	–	·27	–	–	–	·46	3
4	·5	–	–	–	–	–	–	–	–	–	–	·23	4
5	·5	·40	–	–	–	–	–	–	–	·7	–	·33	5
6	·37	·15	·7	·26	–	–	·55	–	–	–	–	·28	6
7	·19	·19	·2	–	–	–	·18	·3	–	–	–	·25	7
8	·4	·47	·1	·3	–	–	·4	·8	–	–	–	–	8
9	·6	·7	–	·21	–	·9	–	·2	–	·1	·33	·70	9
10	·19	·15	·1	–	–	–	–	1.26	–	–	–	·21	10
11	·2	–	·2	–	–	–	–	·1	–	·4	·65	·2	11
12	·5	·9	–	·39	·45	–	–	–	–	–	·26	·1	12
13	·1	·48	–	–	1.28	–	·21	·2	–	–	–	·1	13
14	·1	·2	–	–	–	–	–	·45	·5	–	–	·35	14
15	·6	·1	–	–	·5	–	·45	·6	–	–	·10	·7	15
16	–	·21	–	–	·3	–	–	·4	–	–	–	·5	16
17	–	·32	–	–	1.18	–	–	·1	–	–	–	–	17
18	–	·27	–	–	·15	–	–	–	–	–	–	–	18
19	–	·11	–	–	·3	–	·7	–	–	·2	·1	–	19
20	·27	–	–	–	–	–	–	–	–	–	–	·16	20
21	·12	–	–	–	–	–	–	–	–	·3	–	·3	21
22	1·19	·26	·17	·1	–	–	·67	–	–	–	–	·10	22
23	·1	·10	·7	–	–	·3	·24	–	·35	·74	–	·21	23
24	·1	–	–	–	–	–	–	–	·36	·26	–	·41	24
25	–	–	·2	·10	–	·3	·18	–	–	–	–	·17	25
26	–	·2	–	–	–	·6	·35	–	–	–	–	·55	26
27	–	·2	–	–	–	·48	·10	–	–	·26	–	·7	27
28	–	·4	–	–	–	·7	–	–	1.30	·16	–	–	28
29	–	–	–	–	–	·2	·18	·16	–	–	·15	·1	29
30	·3	X	–	–	–	·28	–	–	–	·15	·28	·2	30
31	·3	X	–	X	–	X	–	·1	X	1·0	X	·21	31
Total	3·94	3·68	·76	1·20	3.25	1·09	3·36	3·15	2·22	2·87	1·91	5·57	YEAR'S TOTAL 33·00
Rain Days.	22	21	11	8	10	9	13	14	6	13	8	26	161

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Bircote, Ellesmere Rd Weybridge,
in the County of Surrey
by Mrs C. Sanger

Lat. 51° 21' 45" Long. 0° 26' W
Time of Observation 9 a.m. Greenwich time
Nearest Railway Station Weybridge
Diameter of Funnel of Rain Gauge 5 ins
Height of top of Gauge above Ground — ft. 6½ ins
" " " " Sea Level 117 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·01	·03	—	·30	—	—	—	·30	·01	·39	—	1
2	·18	·05	·10	—	·19	—	—	—	·11	·47	·07	—	2
3	—	·43	·14	—	—	—	·02	—	·17	·31	·41	—	3
4	·14	·05	—	—	·01	·23	—	—	·19	·17	·50	—	4
5	·01	—	—	·01	·14	·12	—	—	—	·05	·45	—	5
6	—	·10	snow ·33	·12	·04	·20	·35	—	—	·03	·35	—	6
7	·05	—	(half snow) ·54	·04	·12	·20	·42	—	—	·01	·51	·06	7
8	—	—	ice ·07	·19	·31	·02	—	—	—	—	—	·13	8
9	—	—	—	·04	·29	·26	—	—	—	·10	—	·16	9
10	—	·19	·11	·03	—	—	·04	—	—	—	—	·11	10
11	·02	·12	·05	—	—	·18	—	—	—	—	—	·02	11
12	·02	·04	—	·02	·25	·13	·02	·01	—	·07	—	—	12
13	—	·19	·40	·11	—	·03	·05	·11	—	·03	—	—	13
14	—	·35	·03	—	·04	—	—	·31	—	—	—	·10	14
15	—	·16	·22	·04	—	—	·08	·26	—	·06	—	·04	15
16	·01	·03	·55	·13	—	—	·21	·27	—	—	—	—	16
17	·08	* ·07	—	·05	—	—	·03	·02	·31	·55	—	—	17
18	·01	·04	·04	·08	—	—	—	·28	·07	·53	·65	—	18
19	·08	—	·27	·33	—	—	—	—	·13	—	·54	·03	19
20	·12	—	·22	·05	—	—	—	—	—	—	·01	·40	20
21	·01	—	·41	—	—	—	·07	—	—	—	—	·29	21
22	·02	·01	·04	—	—	—	—	—	—	·05	—	·46	22
23	·02	snow ·25	—	—	—	·02	—	·02	—	·15	·01	·06	23
24	—	·09	—	—	·09	·01	—	·04	—	·21	·04	·30	24
25	—	snow ·74	·16	—	—	—	—	·15	—	·07	·06	·02	25
26	—	·22	·06	—	—	·06	—	·21	·01	·55	—	—	26
27	·01	·03	·79	—	—	·05	—	·80	·03	·01	—	—	27
28	—	·38	·25	—	—	·02	—	·05	·10	·26	—	·10	28
29	—	·09	—	—	—	·15	—	·87	·06	·35	—	·13	29
30	—		—	—	—	—	—	·08	—	·16	—	—	30
31	—		—		—		—	·06		—		·03	31
Total	·81	3·65	4·81	1·24	1·78	1·68	1·29	3·54	1·48	4·21	3·99	2·44	YEAR'S TOTAL 30·92
Rain Days.	16	22	21	14	11	15	10	16	11	22	13	17	188

* [illegible]

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Ent 8 b 179

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

2. JAN 191

Kept at Burcote, Ellesmere Road Weybridge
in the County of Surrey
by Mr. Charles Sanger

Lat. 51°21'45" Long. 0°26' W.
Time of Observation 9 a.m.
Nearest Railway Station Weybridge. 1 mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 6½ in.
" " " " Sea Level 117 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·01	·06	–	–	–	1·19	·02	–	·07	–	1
2	–	–	–	·42	–	·08	–	·09	–	–	·19	–	2
3	·02	–	–	·07	–	–	·60	·37	–	·12	·03	–	3
4	–	·30	·08	–	–	–	·26	·17	–	·35	–	–	4
5	·27	–	·01	·17	–	–	–	–	·28	·24	·07	–	5
6	–	–	·30	·08	–	·09	–	–	·21	–	·06	–	6
7	·10	–	–	–	–	–	·23	–	–	·26	–	·01	7
8	·14	–	–	·07	–	–	·81	·35	·07	·23	·18	·38	8
9	·04	–	·01	·11	·02	–	·03	·08	·05	–	·04	·20	9
10	·20	–	·09	·17	–	–	–	·7	–	–	·01	·02	10
11	·08	–	·34	·29	–	·52	–	–	·51	·13	–	–	11
12	·06	–	·10	·02	–	–	–	·04	–	·44	–	–	12
13	·04	–	·18	·05	–	–	–	·10	·02	·08	–	·01	13
14	–	–	–	·15	–	–	–	·08	–	–	–	–	14
15	·03	–	–	·01	–	–	·30	·09	–	–	–	–	15
16	·05	·09	–	·14	·08	·06	·07	·02	–	·42	–	·55	16
17	–	·01	–	·10	·52	–	·26	·11	·38	·21	–	–	17
18	·05	·06	–	·07	·16	·53	·18	·03	·22	·03	–	–	18
19	·02	·11	·04	–	–	·01	–	–	·11	–	–	–	19
20	·01	·14	·01	–	·68	–	·06	·13	–	–	·04	–	20
21	·01	·01	·01	–	–	–	–	–	–	–	·02	–	21
22	·02	–	·11	–	–	–	–	·09	–	·07	·01	–	22
23	–	·10	–	–	·09	·08	–	·12	–	·03	–	·02	23
24	–	·01	·01	–	–	·16	·02	·04	–	·17	–	–	24
25	–	·05	·05	–	–	–	–	–	–	·01	·03	–	25
26	–	–	·06	–	–	–	–	·21	·03	–	·30	–	26
27	–	–	–	–	·56	·04	–	·71	–	–	–	–	27
28	–	–	·01	–	·66	1·15	–	·03	–	–	–	·07	28
29	–	X	·05	–	–	·12	·71	–	–	·21	–	·10	29
30	·01	X	·27	–	–	–	1·68	·04	–	·01	–	·01	30
31	–	X	·10	X	–	X	·44	–	X	·01	X	snow ·01	31
Total	1·15	·88	1·84	1·98	2·77	2·84	5·65	4·16	1·90	3·02	1·05	1·38	YEAR'S TOTAL 28·62
Rain Days.	17	10	20	16	8	11	14	22	11	18	13	11	163

W. 8,000, IX. 17.

Ex Ms

161

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

[illegible]

Kept at Burcote, Ellesmere Rd. Weybridge

in the County of Surrey

by Mrs C. Sanger

Lat. 51°21'45" Long. 0° 26' W
Time of Observation 9 a.m.
Nearest Railway Station Weybridge
Diameter of Funnel of Rain Gauge 5 ins.
Height of top of Gauge above Ground – ft. 6½ in.
" " " " Sea Level 117 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	·07	–	–	–	·02	–	–	·27	·05	1
2	–	·08	–	·07	–	–	–	·29	–	·02	·22	·09	2
3	–	–	·05	·08	·46	–	–	·15	–	–	·46	·01	3
4	–	·05	·13	·01	–	–	–	·03	·11	–	·37	–	4
5	–	·04	–	–	·08	–	–	·04	1·03	·07	–	–	5
6	·20	·07	–	·30	·22	–	–	·03	·03	–	–	·07	6
7	–	·08	–	·16	·39	–	–	–	·27	·05	·08	–	7
8	–	·07	–	–	–	–	–	–	·10	·08	·11	·02	8
9	–	·01	–	·06	–	·17	·47	–	·28	·03	·02	·24	9
10	–	–	–	·16	–	–	·70	–	·02	–	·09	·31	10
11	–	–	–	·02	–	–	1·31	–	·02	·26	–	·12	11
12	–	·02	–	–	·17	–	·21	–	·09	–	–	·02	12
13	Snow ·04	–	–	–	·09	–	·09	–	·10	–	–	–	13
14	·11	–	·02	–	–	·27	·02	–	·10	·09	–	·34	14
15	1·27	–	–	·67	–	·05	·08	–	·02	–	–	·08	15
16	Snow ·37	–	·01	·23	–	·10	–	–	·14	–	–	·02	16
17	·27	–	–	·19	·50	–	·22	·03	–	–	–	·09	17
18	·45	–	–	–	–	·16	·07	–	1·43	·15	–	·08	18
19	·04	–	·05	·11	–	·18	·20	–	·02	·14	·01	·07	19
20	·05	·11	–	·70	–	·63	·11	–	·21	·16	–	–	20
21	·10	·01	–	·61	–	–	–	–	·62	·03	–	–	21
22	·03	–	–	–	·78	–	·09	–	·15	–	–	·18	22
23	·09	–	–	–	·07	–	·56	·04	·09	–	–	·04	23
24	–	·32	–	–	–	·03	·43	–	·12	–	·04	–	24
25	–	–		–	–	–	·31	·28	–	·03	–	–	25
26	–	–	–	–	–	–	·88	–	–	·04	·08	·12	26
27	–	·02	–	·03	–	–	·03	·16	·04	–	·12	–	27
28	–	·07	·17	·01	–	–	–	·14	–	–	·09	·10	28
29	–	–	–	–	–	–	–	–	1·15	–	·01	·05	29
30	–	X	·47	–	–	–	–	–	·02	–	·04	–	30
31	–	X	–	X	–	X	–	–	X	·08	X	·01	31
Total	3·02	·95	·90	3·45	2·76	·99	5·78	1·21	6·16	1·23	2·01	2·11	YEAR'S TOTAL 30·57
Rain Days	12	13	7	17	9	8	17	11	23	14	15	21	167

W, 6,500. VII. 18. W W C

FORM A.
BRITISH RAINFALL.

14 APR 1913

WEYBRIDGE

HEATH FIELD

SURREY

1912 – 1920

RE 2

Kept at Heath Field 0.30

in the County of Sur Weybridge

~~2~~ 5 in.

by Miss Am bove Ground 1 ft. in.

Sea Level 100 ft.

IMPORTANT N nd the result entered to the previous day. If an niversal rule, he is earnestly requested to add the re year in the space provided for it at the end of t rement of rain, the selection and plac British Rainfall Organization are given n application to Dr. H. R. Mill, 62, C

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.01	0.00	0.09	0.02	0.00	0.17	0.05	0.00	0.06	0.59	0.00	0.18	1
2	0.00	0.01	0.25	0.01	0.00	0.01	0.40	0.02	0.00	0.04	0.00	0.00	2
3	0.02	0.07	0.15	0.00	0.00	0.10	0.03	0.20	0.00	0.00	0.00	0.08	3
4	0.21	0.00	0.38	0.00	0.05	0.27	0.00	0.11	0.00	0.02	0.27	0.01	4
5	0.28	0.09	0.09	0.00	0.00	0.00	0.00	0.36	0.00	0.00	0.01	0.01	5
6	0.29	0.03	0.03	0.00	0.00	0.01	0.00	0.15	0.02	0.00	0.00	0.03	6
7	0.00	0.06	0.00	0.00	0.12	1.15	0.04	0.22	0.00	0.00	0.00	0.02	7
8	0.31	0.33	0.18	0.00	0.00	0.10	0.05	0.50	0.00	0.00	0.01	0.00	8
9	0.00	0.15	0.08	0.05	0.00	0.01	0.02	0.10	0.00	0.00	0.00	0.15	9
10	0.00	0.08	0.00	0.00	0.00	0.00	0.00	0.63	0.00	0.00	0.08	0.26	10
11	0.06	0.17	0.01	0.00	0.00	0.05	0.00	0.00	0.00	0.01	0.00	0.26	11
12	0.04	0.10	0.08	0.00	0.21	0.12	0.00	0.03	0.00	0.00	0.01	0.00	12
13	0.01	0.01	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.02	0.03	0.01	13
14	0.00	0.00	0.05	0.00	0.05	0.00	0.00	0.02	0.00	0.04	0.00	0.03	14
15	0.00	0.02	0.07	0.00	0.11	0.62	0.00	0.00	0.00	0.01	0.00	0.28	15
16	0.48	0.00	0.08	0.00	0.23	0.06	0.00	0.05	0.00	0.04	0.06	0.00	16
17	0.53	0.00	0.18	0.00	0.00	0.03	0.00	0.07	0.00	0.00	0.04	0.07	17
18	0.09	0.04	0.14	0.00	0.00	0.02	0.00	0.18	0.00	0.00	0.00	0.04	18
19	0.09	0.11	0.04	0.00	0.00	0.00	0.13	0.35	0.00	0.01	0.00	0.00	19
20	0.05	0.00	0.16	0.00	0.00	0.00	0.02	0.12	0.00	0.34	0.00	0.00	20
21	0.00	0.03	0.09	0.00	0.16	0.00	0.00	0.07	0.00	0.10	0.16	0.00	21
22	0.15	0.17	0.08	0.00	0.02	0.00	0.03	0.27	0.00	0.00	0.01	0.06	22
23	0.47	0.44	0.31	0.00	0.00	0.00	0.02	0.40	0.00	0.12	0.17	0.00	23
24	0.33	0.04	0.00	0.00	0.00	0.48	0.01	0.16	0.00	0.01	0.01	0.26	24
25	0.17	0.02	0.00	0.00	0.00	0.16	0.00	0.54	0.00	0.04	0.17	0.48	25
26	0.04	0.05	0.00	0.00	0.00	0.00	0.00	0.34	0.00	0.30	0.41	0.27	26
27	0.00	0.00	0.01	0.00	0.00	0.04	0.01	0.00	0.00	0.24	0.00	0.18	27
28	0.00	0.06	0.00	0.00	0.00	0.15	0.25	0.31	0.16	0.33	0.57	0.13	28
29	0.00	0.04	0.00	0.00	0.00	0.10	0.26	0.01	1.40	0.33	0.01	0.00	29
30	0.00		0.00	0.00	0.34	0.00	0.00	0.02	1.08	0.09	0.00	0.00	30
31	0.00		0.30		0.02		0.18	0.11		0.00		0 03	31
Total	3.63	2.12	2.86	0.08	1.31	2.65	1.51	5.34	2.72	2.68	2.02	2.84	YEAR'S TOTAL 29.76
Rain Days.	19	22	~~22~~ 23	3	10	19	16	26	~~4~~ 5	19	16	21	~~197~~

W. 7,500, XI. 12

199

RE

2

FORM A. BRITISH RAINFALL.

14 APR 1913

Kept at Heath Field Weybridge

in the County of Surrey 6

by Miss Agnes Gardiner

Lat. Long.

Time of Observation 10.30

Nearest Railway Station Weybridge

Diameter of Rain Gauge ~~12~~ 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.01	0.00	0.09	0.02	0.00	0.17	0.05	0.00	0.06	0.59	0.00	0.18	1
2	0.00	0.01	0.25	0.01	0.00	0.01	0.40	0.02	0.00	0.04	0.00	0.00	2
3	0.02	0.07	0.15	0.00	0.00	0.10	0.03	0.20	0.00	0.00	0.00	0.08	3
4	0.21	0.00	0.38	0.00	0.05	0.27	0.00	0.11	0.00	0.02	0.27	0.01	4
5	0.28	0.09	0.09	0.00	0.00	0.00	0.00	0.36	0.00	0.00	0.01	0.01	5
6	0.29	0.03	0.03	0.00	0.00	0.01	0.00	0.15	0.02	0.00	0.00	0.03	6
7	0.00	0.06	0.00	0.00	0.12	1.15	0.04	0.22	0.00	0.00	0.00	0.02	7
8	0.31	0.33	0.18	0.00	0.00	0.10	0.05	0.50	0.00	0.00	0.01	0.00	8
9	0.00	0.15	0.08	0.05	0.00	0.01	0.02	0.10	0.00	0.00	0.00	0.15	9
10	0.00	0.08	0.00	0.00	0.00	0.00	0.00	0.63	0.00	0.00	0.08	0.26	10
11	0.06	0.17	0.01	0.00	0.00	0.05	0.00	0.00	0.00	0.01	0.00	0.26	11
12	0.04	0.10	0.08	0.00	0.21	0.12	0.00	0.03	0.00	0.00	0.01	0.00	12
13	0.01	0.01	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.02	0.03	0.01	13
14	0.00	0.00	0.05	0.00	0.05	0.00	0.00	0.02	0.00	0.04	0.00	0.03	14
15	0.00	0.02	0.07	0.00	0.11	0.62	0.00	0.00	0.00	0.01	0.00	0.28	15
16	0.48	0.00	0.08	0.00	0.23	0.06	0.00	0.05	0.00	0.04	0.06	0.00	16
17	0.53	0.00	0.18	0.00	0.00	0.03	0.00	0.07	0.00	0.00	0.04	0.07	17
18	0.09	0.04	0.14	0.00	0.00	0.02	0.00	0.18	0.00	0.00	0.00	0.04	18
19	0.09	0.11	0.04	0.00	0.00	0.00	0.13	0.35	0.00	0.01	0.00	0.00	19
20	0.05	0.00	0.16	0.00	0.00	0.00	0.02	0.12	0.00	0.34	0.00	0.00	20
21	0.00	0.03	0.09	0.00	0.16	0.00	0.00	0.07	0.00	0.10	0.16	0.00	21
22	0.15	0.17	0.08	0.00	0.02	0.00	0.03	0.27	0.00	0.00	0.01	0.06	22
23	0.47	0.44	0.31	0.00	0.00	0.00	0.02	0.40	0.00	0.12	0.17	0.00	23
24	0.33	0.04	0.00	0.00	0.00	0.48	0.01	0.16	0.00	0.01	0.01	0.26	24
25	0.17	0.02	0.00	0.00	0.00	0.16	0.00	0.54	0.00	0.04	0.17	0.48	25
26	0.04	0.05	0.00	0.00	0.00	0.00	0.00	0.34	0.00	0.30	0.41	0.27	26
27	0.00	0.00	0.01	0.00	0.00	0.04	0.01	0.00	0.00	0.24	0.00	0.18	27
28	0.00	0.06	0.00	0.00	0.00	0.15	0.25	0.31	0.16	0.33	0.57	0.13	28
29	0.00	0.04	0.00	0.00	0.00	0.10	0.26	0.01	1.40	0.33	0.01	0.00	29
30	0.00		0.00	0.00	0.34	0.00	0.00	0.02	1.08	0.09	0.00	0.00	30
31	0.00		0.30		0.02		0.18	0.11		0.00		0.03	31
Total	3.63	2.12	2.86	0.08	1.31	2.65	1.51	5.34	2.72	2.68	2.02	2.84	YEAR'S TOTAL 29.76
Rain Days.	19	22	~~22~~ 23	3	10	19	16	26	~~4~~ 5	19	16	21	~~197~~ 199

W. 7,500, XI. 12

W DL Cor. for arith. 15.IV.14. 3

REGISTER OF RAINFALL IN 19 14

FORM A.
BRITISH RAINFALL.

9 APR 1914

Kept at Heath Field Weybridge 6
in the County of Surrey
by Miss Agnes Gardiner

Lat. Long.
Time of Observation
Nearest Railway Station Weybridge
Diameter of Rain Gauge 12 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.00	0.30	0.00	0.21	0.00	0.00	0.00	0.00	0.59	0.03	0.07	0.08	1
2	0.03	0.08	0.00	0.04	0.00	0.00	0.13	0.00	0.02	0.24	0.09	0.00	2
3	0.02	0.00	0.13	0.17	0.40	0.00	0.00	0.00	0.00	0.02	0.04	0.05	3
4	0.22	0.00	0.02	0.00	0.36	0.00	0.01	0.00	0.00	0.24	0.00	0.05	4
5	0.14	0.02	0.00	0.01	0.01	0.00	0.07	0.00	0.30	0.01	0.00	0.03	5
6	0.00	0.00	0.14	0.00	0.06	0.07	0.08	0.00	0.00	0.50	0.15	0.17	6
7	0.00	0.00	0.00	0.00	0.03	0.02	0.00	0.00	0.00	0.23	0.09	0.00	7
8	0.00	0.17	0.00	0.00	0.09	0.06	0.00	0.00	0.00	0.04	0.00	0.01	8
9	0.00	0.15	0.00	0.00	0.03	0.00	0.12	0.01	0.13	0.01	0.01	0.00	9
10	0.02	0.00	0.13	0.08	0.00	0.00	0.00	0.03	0.00	0.00	0.32	0.00	10
11	0.25	0.00	0.00	0.44	0.01	0.00	0.00	0.00	0.00	0.64	0.17	0.02	11
12	0.00	0.02	0.00	0.01	0.05	0.00	0.00	0.00	0.01	0.02	0.18	0.01	12
13	0.00	0.01	0.03	0.00	0.00	0.00	0.00	0.02	0.10	0.00	0.27	0.00	13
14	0.14	0.03	0.07	0.07	0.00	0.00	0.55	0.10	0.10	0.10	0.02	0.01	14
15	0.25	0.04	0.29	0.20	0.00	0.00	0 19	0.00	0.10	0.00	0.01	0.00	15
16	0.13	0.00	0.35	0.10	0.00	0.00	0.00	0.00	0.22	0.00	0.00	0.00	16
17	0.02	0.11	0.03	0.03	0.00	0.00	0.18	0.00	0.11	0.00	0.00	0.02	17
18	0.03	0.11	0.23	0.00	0.00	0.00	0.08	0.00	0.01	0.00	0.08	0.00	18
19	0.26	0.00	0.10	0.07	0.00	0.03	0.05	0.00	0.31	0.00	0.01	0.00	19
20	0.09	0.00	0.30	0.05	0.01	0.21	0.00	0.00	0.00	0.39	0.01	0.00	20
21	0.20	0.00	0.17	0.07	0.00	0.00	0.03	0.00	0.02	0.18	0.72	0.00	21
22	0.31	0.00	0.20	0.04	0.00	0.00	0.03	0.17	0.15	0.00	0.02	0.00	22
23	0.00	0.00	0.01	0.00	0.00	0.03	0.01	0.02	0.00	0.00	0.00	0.24	23
24	0.00	0.00	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	24
25	0.00	0.01	0.00	0.21	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	25
26	0.00	0.00	0.18	0.15	0.00	0.00	0.02	0.04	0.00	0.70	0.00	0.25	26
27	0.00	0.02	0.18	0.03	0.12	0.00	0.00	0.00	0.00	0.03	0.00	0.00	27
28	0.22	0.00	0.17	0.08	0.00	0.00	0.00	0.00	0.00	0.19	0.00	0.02	28
29	0.05		0.08	0.40	0.95	0.00	0.00	0.12	0.00	0.10	0.01	0.00	29
30	0.27		0.00	0.03	0.00	0.00	0.00	0.20		0.11	0.00	0.00	30
31	0.00		0.09		0.00			0.77		0.05		0.00	31
Total	~~2.66~~ 2·65	1.07	2.90	2.54	2.12	0.44	1.55	1.48	2.17	3.83	2.27	0.98	YEAR'S TOTAL 24.00
Rain Days.	18	13	20	22	12	7	14	10	14	20	19	14	182

W.7,000, XI. 13

cod for auth 19.11.15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

7 - APR 1915

Kept at Heath Field Weybridge

in the County of Surrey 6

by Miss Agnes Gardiner

Lat. Long.

Time of Observation 10 a.m

Nearest Railway Station Weybridge

Diameter of Rain Gauge 12 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.06	0.00	0.00	0.06	0.05	1
2	0.00	0.00	0.00	0.00	0.00	0.00	0.23	0.03	0.00	0.00	0.03	0.15	2
3	0.00	0.00	0.00	0.03	0.17	0.00	0.42	0.00	0.00	0.00	0.02	0.05	3
4	0.11	0.01	0.00	0.16	0.08	0.00	0.05	0.20	0.00	0.00	0.27	0.28	4
5	0.01	0.00	0.08	0.26	0.12	0.04	0.25	0.77	0.00	0.00	0.00	0.00	5
6	0.00	0.03	0.17	0.21	0.00	0.25	0.08	0.02	0.00	0.00	0.08	0.12	6
7	0.00	0.38	0.16	0.23	0.23	0.15	0.30	0.00	0.00	0.00	0.00	0.10	7
8	0.08	0.37	0.87	0.01	0.00	0.04	0.05	0.13	0.00	0.00	0.00	0.02	8
9	0.18	0.00	0.48	0.25	0.06	0.10	0.00	0.00	0.08	0.00	0.00	1.79	9
10	0.00	0.15	0.03	0.03	0.02	0.00	0.00	0.00	0.25	0.00	0.00	0.00	10
11	0.00	0.24	0.42	0.01	0.05	0.04	0.00	0.00	0.04	0.00	0.07	0.25	11
12	0.00	0.07	0.14	0.00	0.00	0.00	0.46	0.00	0.18	0.00	0.05	0.50	12
13	0.00	0.23	0.22	0.00	0.00	0.00	0.00	0.00	0.13	0.00	0.00	0.48	13
14	0.02	0.10	0.14	0.00	0.00	0.40	0.12	0.00	0.00	0.41	0.09	0.38	14
15	0.04	0.00	0.12	0.00	0.00	0.00	0.75	0.05	0.00	0.00	0.60	0.00	15
16	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	16
17	0.00	0.37	0.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.17	17
18	0.00	0.01	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.27	18
19	0.00	0.07	0.35	0.00	0.00	0.39	0.12	0.00	0.00	0.00	0.21	0.29	19
20	0.00	0.30	0.23	0.00	0.00	0.00	0.00	0.00	0.06	0.00	0.00	0.15	20
21	0.00	0.46	0.03	0.00	0.00	0.00	0.00	0.11	0.00	0.04	0.00	0.02	21
22	0.00	0.00	0.01	0.00	0.22	0.12	0.27	0.02	0.00	0.18	0.00	0.00	22
23	0.00	0.13	0.12	0.00	0.09	0.05	0.00	0.00	0.00	0.09	0.00	0.00	23
24	0.00	0.00	0.07	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	24
25	0.00	0.00	0.23	0.00	0.00	0.00	0.00	0.15	0.00	0.22	0.09	0.12	25
26	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.02	0.00	0.08	0.20	0.49	26
27	0.03	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.14	27
28	0.04	0.02	0.02	0.00	0.02	0.00	0.00	0.00	0.00	0.08	0.46	0.84	28
29	0.05		0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.24	0.21	0.01	29
30	0.00	X	0.03	0.00	0.14	0.00	0.00	0.00	0.00	0.06	0.43	0.47	30
31	0.00	X	0.00	X		X	0.10		X	0.02	X	0.34	31
Total	0.56	2.94	4.37	1.19	1.20	1.59	3.20	1.56	0.74	1.42	2.92	7.48	YEAR'S TOTAL 29.17
Rain Days.	9	16	27	9	11	11	13	11	6	10	16	24	163

29.17

W. 8,000. X. 14.

[illegible]

cnd [illegible] 23·III·16 #78

299

FORM A.
BRITISH RAINFALL.

28 FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Heath Field Weybridge
in the County of Surrey
by Miss Agnes Gardiner

Lat. Long.
Nearest Railway Station Weybridge
Time of Observation 10 a.m.
Diameter of Rain Gauge 12 in.
Height of top of Gauge above Ground 1 ft. in.
" " " Sea Level 100 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.28	0.17	0.11	0.00	0.06	0.00	0.18	0.00	0.06	0.07	0.08	0.25	1
2	0.48	0.15	0.36	0.00	0.00	0.03	0.00	0.75	0.02	0.05	0.00	0.30	2
3	0.30	0.00	0.07	0.21	0.00	0.01	0.00	0.22	0.00	0.01	0.00	0.35	3
4	0.02	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	4
5	0.07	0.50	0.00	0.02	0.00	0.00	0.00	0.03	0.00	0.0[illegible]	0.00	0.33	5
6	0.44	0.15	0.05	0.25	0.00	0.00	0.64	0.00	0.00	0.00	0.00	0.42	6
7	0.13	0.23	0.02	0.00	0.00	0.00	0.19	0.04	0.00	0.00	0.00	0.17	7
8	0.05	0.58	0.00	0.09	0.00	0.00	0.04	0.10	0.00	0.00	0.00	0.00	8
9	0.06	0.10	0.00	0.20	0.00	0.06	0.00	0.03	0.00	0.01	0.38	0.68	9
10	0.18	0.14	0.03	0.01	0.00	0.00	0.00	0.85	0.00	0.00	0.00	0.17	10
11	0.03	0.00	0.05	0.02	0.00	0.00	0.00	0.00	0.00	0.02	0.74	0.01	11
12	0.06	0.27	0.00	0.40	0.60	0.00	0.00	0.03	0.00	0.00	0.20	0.03	12
13	0.01	0.34	0.00	0.01	1.19	0.00	0.00	0.04	0.00	0.00	0.00	0.00	13
14	0.01	0.02	0.00	0.00	0.01	0.00	0.23	0.40	0.05	0.00	0.00	0.40	14
15	0.06	0.02	0.00	0.00	0.06	0.00	0.20	0.06	0.00	0.00	0.12	0.09	15
16	0.07	0.37	0.00	0.00	0.27	0.00	0.33	0.03	0.00	0.00	0.00	0.07	16
17	0.00	0.41	0.00	0.00	1.09	0.00	0.00	0.04	0.00	0.00	0.00	0.00	17
18	0.00	0.34	0.00	0.00	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	18
19	0.00	0.07	0.04	0.00	0.02	0.00	0.06	0.00	0.00	0.03	0.00	0.00	19
20	0.28	0.07	0.00	0.05	0.02	0.00	0.00	0.00	0.00	0.03	0.00	0.16	20
21	0.00	0.02	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.01	0.00	0.03	21
22	1.32	0.02	0.19	0.01	0.00	0.00	0.77	0.00	0.03	0.00	0.00	0.11	22
23	0.00	0.25	0.06	0.00	0.00	0.03	0.94	0.00	0.21	0.88	0.00	0.00	23
24	0.01	0.00	0.02	0.00	0.00	0.00	0.02	0.00	0.36	0.07	0.00	0.50	24
25	0.00	0.00	0.00	0.10	0.00	0.04	0.39	0.00	0.01	0.06	0.00	0.32	25
26	0.00	0.00	0.00	0.00	0.00	0.04	0.07	0.00	0.00	0.00	0.00	0.67	26
27	0.00	0.05	0.00	0.00	0.00	0.25	0.34	0.00	0.00	0.33	0.00	0.04	27
28	0.00	0.00	0.00	0.00	0.00	0.16	0.00	0.00	1.37	0.06	0.02	0.00	28
29	0.00		0.00	0.00	0.00	0.02	0.17	0.15	0.01	0.01	0.16	0.03	29
30	0.05		0.00	0.00	0.00	0.32	0.00	0.00	0.00	0.24	0.53	0.10	30
31	0.03		0.00		0.00		0.00	0.02		1.09		0.21	31
Total	3.94	4.21	1.01	1.37	3.40	0.96	3.67	2.79	2.12	2.99	2.23	5.57	TOTAL for Year 34.26 34.26
No. of Rain Days	21	21	12	12	11	9 10	15	15	9	16	8	24	174

6,000, XI '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

287

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Heath Field, Weybridge

in the County of Surrey

by Miss Agnes Jardine

Lat. ……… Long. ………

Time of Observation 10 A M

Nearest Railway Station Weybridge

Diameter of Funnel of Rain Gauge 12 in.

Height of top of Gauge above Ground 1 ft. … in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.02	0.04	0.00	0.00	0.29	0.01	0.00	0.00	0.28	0.26	0.36	0.00	1
2	0.17	0.05	0.18	0.00	0.14	0.00	0.05	0.00	0.19	0.23	0.01	0.00	2
3	0.00	0.63	0.04	0.00	0.03	0.01	0.03	0.00	0.09	0.35	0.41	0.00	3
4	0.13	0.04	0.00	0.00	0.01	0.23	0.00	0.00	0.19	0.01	0.80	0.00	4
5	0.02	0.05	0.00	0.02	0.18	0.12	0.00	0.00	0.00	0.03	0.38	0.00	5
6	0.00	0.00	0.43	0.09	0.01	0.25	0.37	0.00	0.00	0.04	0.41	0.00	6
7	0.04	0.00	0.40	0.00	0.19	0.10	0.31	0.00	0.00	0.03	0.49	0.06	7
8	0.01	0.00	0.00	0.00	0.30	0.03	0.01	0.00	0.00	0.00	0.01	0.16	8
9	0.00	0.00	0.00	0.00	0.29	0.00	0.00	0.00	0.00	0.00	0.00	0.15	9
10	0.00	0.26	0.11	0.08	0.01	0.32	0.04	0.00	0.00	0.08	0.00	0.09	10
11	0.02	0.00	0.00	0.21	0.00	0.21	0.00	0.00	0.01	0.00	0.00	0.03	11
12	0.00	0.06	0.31	0.04	0.22	0.10	0.02	0.03	0.00	0.08	0.00	0.00	12
13	0.03	0.18	0.11	0.12	0.00	0.03	0.06	0.10	0.00	0.00	0.00	0.00	13
14	0.01	0.38	0.15	0.02	0.06	0.00	0.00	0.32	0.00	0.00	0.00	0.12	14
15	0.00	0.19	0.21	0.02	0.00	0.00	0.00	0.27	0.00	0.04	0.00	0.00	15
16	0.01	0.03	0.53	0.13	0.00	0.00	0.32	0.26	0.00	0.00	0.00	0.00	16
17	0.09	0.17	0.02	0.05	0.00	0.00	0.04	0.03	0.29	0.54	0.00	0.00	17
18	0.01	0.03	0.03	0.08	0.00	0.00	0.00	0.32	0.06	0.57	0.74	0.00	18
19	0.00	0.00	0.19	0.30	0.00	0.00	0.00	0.03	0.16	0.00	0.50	0.00	19
20	0.19	0.00	0.20	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.71	20
21	0.00	0.00	0.43	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.00	21
22	0.02	0.04	0.03	0.00	0.01	0.00	0.00	0.00	0.00	0.07	0.00	0.47	22
23	0.03	0.25	0.02	0.00	0.0[illegible]	0.02	0.00	0.03	0.00	0.05	0.50	0.04	23
24	0.00	0.05	0.00	0.00	0.08	0.02	0.00	0.00	0.00	0.25	0.05	0.32	24
25	0.00	0.77	0.20	0.00	0.00	0.00	0.00	0.15	0.00	0.00	0.07	0.00	25
26	0.00	0.20	0.07	0.00	0.00	0.06	0.00	0.33	0.02	0.27	0.00	0.00	26
27	0.01	0.00	0.95	0.00	0.00	0.05	0.00	0.63	0.01	0.56	0.00	0.00	27
28	0.00	0.41	0.20	0.00	0.00	0.04	0.00	0.00	0.10	0.10	0.00	0.41	28
29	0.00	0.10	0.01	0.00	0.00	0.20	0.00	0.95	0.04	0.12	0.00	0.00	29
30	0.00	✕	0.00	0.00	0.00	0.00	0.00	0.07	0.00	0.40	0.00	0.00	30
31	0.00	✕	0.00	✕	0.00	✕	0.00	0.05	✕	0.26	✕		31
Total	0.81	3.93	4.82	1.22	1.82	1.80	1.29	3.57 3.57	1.44	4.34 4:34	4.75	2.26 2.26	YEAR'S TOTAL 32.05 32.05
Rain Days.	16	20	22	13	14	~~16~~ 17	11	15	12	21	14	11	~~185~~ 186

W. 8,000, VIII. 16

281

FORM A.
BRITISH RAINFALL.

5 FEB 1918

REGISTER OF RAINFALL IN 1917

Kept at Heath Field Weybridge

in the County of Surrey

by Miss Agnes Gardiner

Lat. Long.

Time of Observation 10 A M

Nearest Railway Station Weybridge

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.00	0.00	0.00	0.27	0.00	0.00	0.00	1.14	0.00	0.00	0.06	0.00	1
2	0.18	0.00	0.00	0.30	0.00	0.06	0.00	0.10	0.00	0.00	0.18	0.00	2
3	0.01	0.01	0.00	0.09	0.00	0.00	0.64	0.36	0.00	0.26	0.00	0.00	3
4	0.00	0.00	0.13	0.00	0.00	0.00	0.29	0.12	0.00	0.31	0.00	0.00	4
5	0.26	0.00	0.03	0.25	0.00	0.00	0.00	0.00	0.24	0.23	0.08	0.00	5
6	0.02	0.00	0.18	0.00	0.00	0.06	0.03	0.00	0.21	0.20	0.06	0.01	6
7	0.11	0.00	0.18	0.00	0.00	0.00	0.52	0.00	0.01	0.24	0.03	0.02	7
8	0.02	0.00	0.00	0.04	0.00	0.00	0.64	0.25	0.09	0.14	0.16	0.50	8
9	0.03	0.00	0.00	0.14	0.02	0.00	0.01	0.12	0.12	0.00	0.00	0.08	9
10	0.21	0.00	0.13	0.20	0.00	0.02	0.00	0.08	0.00	0.00	0.05	0.00	10
11	0.10	0.00	0.35	0.26	0.00	0.18	0.00	0.03	0.38	0.00	0.00	0.00	11
12	0.00	0.00	0.05	0.04	0.00	0.00	0.00	0.04	0.00	0.61	0.00	0.00	12
13	0.08	0.00	0.17	0.03	0.00	0.00	0.00	0.12	0.02	0.07	0.00	0.00	13
14	0.00	0.00	0.00	0.18	0.00	0.00	0.00	0.25	0.00	0.05	0.00	0.00	14
15	0.00	0.00	0.00	0.01	0.00	0.00	0.29	0.05	0.00	0.00	0.00	0.00	15
16	0.02	0.00	0.00	0.14	0.10	0.02	0.10	0.04	0.00	0.60	0.00	0.44	16
17	0.00	0.00	0.00	0.10	0.50	0.00	0.26	0.10	0.40	0.20	0.00	0.00	17
18	0.04	0.00	0.00	0.06	0.05	0.84	0.17	0.05	0.26	0.04	0.00	0.00	18
19	0.02	0.34	0.00	0.00	0.10	0.05	0.04	0.00	0.12	0.00	0.00	0.19	19
20	0.01	0.02	0.05	0.00	0.65	0.00	0.00	0.03	0.01	0.00	0.00	0.00	20
21	0.02	0.00	0.00	0.00	0.00	0.05	0.00	0.00	0.00	0.00	0.03	0.00	21
22	0.02	0.00	0.10	0.00	0.00	0.00	0.00	0.08	0.00	0.00	0.00	0.00	22
23	0.00	0.10	0.00	0.00	0.10	0.11	0.00	0.12	0.00	0.28	0.00	0.00	23
24	0.00	0.01	0.04	0.00	0.03	0.19	0.02	0.04	0.00	0.00	0.00	0.00	24
25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	25
26	0.00	0.00	0.06	0.00	0.00	0.00	0.00	0.24	0.04	0.00	0.34	0.00	26
27	0.00	0.00	0.01	0.00	0.65	0.05	0.00	0.73	0.00	0.00	0.00	0.02	27
28	0.00	0.00	0.00	0.00	0.00	1.30	0.00	0.07	0.00	0.00	0.00	0.00	28
29	0.00		0.09	0.00	0.68	0.16	0.57	0.03	0.00	0.26	0.00	0.06	29
30	0.00	✕	0.35	0.00	0.00	0.00	1.70	0.04	0.00	0.01	0.00	0.18	30
31	0.02	✕	0.04	✕	0.00	✕	0.64	0.03	✕	0.00	✕	0.02	31
Total	1.17	0.48	1.96	2.11	2.88	3.09	5.92	4.26	1.90	3.50	0.99	1.62	YEAR'S TOTAL 29.88
Rain Days.	17	5	16	15	10	13	15	25	12	15	9	11	163

W. 8,000, IX. 17.

451

194

FORM A.
BRITISH RAINFALL.
1 12. 19

REGISTER OF RAINFALL IN 19 18

Kept at Heath Field Weybridge
in the County of Surrey
by Miss Agnes Gardiner

Lat. ____ Long. ____
Time of Observation 10 o'clk
Nearest Railway Station Weybridge
Diameter of Rain Gauge 12 in.
Height of top of Gauge above Ground ____ ft. ____ in.
" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.36	0.07	1
2	0.00	0.05	0.03	0.12	0.00	0.00	0.00	0.32	0.00	0.01	0.37	0.08	2
3	0.00	0.04	0.04	0.00	0.45	0.00	0.00	0.11	0.00	0.00	0.31	0.00	3
4	0.00	0.03	0.13	0.00	0.02	0.00	0.00	0.04	0.10	0.00	0.51	0.00	4
5	0.05	0.04	0.01	0.08	0.00	0.00	0.00	0.05	0.45	0.00	0.00	0.00	5
6	0.13	0.08	0.00	0.28	0.35	0.00	0.00	0.00	0.05	0.05	0.00	0.05	6
7	0.00	0.10	0.00	0.21	0.27	0.00	0.00	0.02	0.26	0.03	0.21	0.00	7
8	0.00	0.06	0.00	0.01	0.00	0.00	0.00	0.00	0.07	0.07	0.00	0.01	8
9	0.00	0.02	0.00	0.06	0.00	0.18	0.32	0.00	0.33	0.07	0.00	0.27	9
10	0.02	0.00	0.00	0.15	0.00	0.00	0.75	0.00	0.04	0.01	0.00	0.33	10
11	0.00	0.00	0.00	0.03	0.00	0.00	1.18	0.00	0.03	0.28	0.12	0.12	11
12	0.00	0.03	0.00	0.00	0.25	0.00	0.16	0.00	0.09	0.00	0.00	0.00	12
13	0.03	0.00	0.00	0.00	0.03	0.00	0.16	0.00	0.12	0.01	0.00	0.05	13
14	0.15	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.07	0.10	0.00	0.23	14
15	1.23	0.00	0.00	0.13	0.00	0.00	0.04	0.00	0.02	0.00	0.00	0.08	15
16	0.45	0.00	0.04	0.23	0.00	0.00	0.00	0.00	0.10	0.00	0.00	0.00	16
17	0.28	0.00	0.00	0.18	0.51	0.00	0.18	0.03	0.08	0.00	0.00	0.18	17
18	0.46	0.01	0.00	0.00	0.00	0.19	0.10	0.00	1.40	0.14	0.00	0.00	18
19	0.10	0.00	0.04	0.09	0.00	0.29	0.24	0.03	0.05	0.14	0.00	0.07	19
20	0.00	0.10	0.00	0.80	0.00	0.03	0.14	0.00	0.23	0.15	0.01	0.00	20
21	0.00	0.01	0.00	0.65	0.00	0.00	0.00	0.00	0.68	0.03	0.00	0.00	21
22	0.22	0.00	0.00	0.00	0.50	0.00	0.45	0.00	0.16	0.00	0.00	0.23	22
23	0.00	0.00	0.00	0.00	0.07	0.00	0.22	0.03	0.06	0.00	0.00	0.00	23
24	0.00	0.30	0.00	0.00	0.00	0.00	0.34	0.00	0.11	0.00	0.06	0.00	24
25	0.00	0.00	0.00	0.00	0.00	0.00	0.30	0.30	0.00	0.03	0.00	0.00	25
26	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.05	0.00	0.22	26
27	0.00	0.03	0.02	0.04	0.00	0.00	0.08	0.15	0.04	0.01	0.24	0.00	27
28	0.00	0.00	0.22	0.00	0.00	0.00	0.00	0.12	0.00	0.00	0.07	0.12	28
29	0.00		0.04	0.00	0.00	0.00	0.00	0.00	1.19	0.00	0.00	0.00	29
30	0.00		0.50	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.14	0.05	30
31	0.02		0.00		0.00		0.00	0.00				0.00	31
Total	3.14	0.96	1.07	3.06	2.45	0.69	5.68	1.24	5.76	1.19	2.40	2.16	YEAR'S TOTAL 29.80
Rain Days.	12	16	10	15	9	4	17	12	24	16	11	16	163

W.7,000, XI. 13

~~W.~~ Hbb 200

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Heath Field Weybridge
in the County of Surrey
by Miss Agnes Gardiner

Lat. Long.
Time of Observation 10 o'clk winter time
Nearest Railway Station Weybridge
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.30	0.00	0.02	0.02	0.09	0.00	0.31	0.00	0.00	0.00	0.02	0.85	1
2	0.47	0.00	0.00	0.00	0.01	0.00	0.06	0.00	0.11	0.00	0.00	0.27	2
3	0.29	0.06	0.42	0.00	0.02	0.00	0.06	0.00	0.09	0.00	0.03	0.35	3
4	0.09	0.00	0.36	0.00	0.00	0.08	0.16	0.07	0.02	0.00	0.01	0.24	4
5	0.01	0.31	0.48	0.00	0.00	0.00	0.03	0.00	0.18	0.00	0.00	0.15	5
6	0.14	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.10	6
7	0.03	0.00	0.35	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.00	7
8	0.15	0.00	0.10	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	8
9	0.08	0.00	0.01	0.12	0.05	0.00	0.00	0.00	0.00	0.00	0.09	0.00	9
10	0.85	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.04	10
11	0.03	0.00	0.08	0.25	0.02	0.00	0.03	0.00	0.00	0.00	0.02	0.00	11
12	0.02	0.00	0.02	0.00	0.00	0.01	0.11	0.00	0.00	0.08	0.03	0.00	12
13	0.00	0.00	0.00	0.38	0.00	0.00	0.00	0.00	0.05	0.00	0.00	0.00	13
14	0.21	0.00	0.00	0.16	0.00	0.00	0.08	0.00	0.92	0.00	0.00	0.03	14
15	0.21	0.06	0.12	0.07	0.00	0.00	0.00	0.00	0.00	0.04	0.03	0.41	15
16	0.05	0.57	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.01	16
17	0.00	0.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.16	0.00	17
18	0.00	0.08	0.16	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.09	0.01	18
19	0.07	0.07	0.72	0.01	0.00	0.31	0.00	0.21	0.00	0.00	0.04	0.00	19
20	0.09	0.02	0.24	0.00	0.00	0.64	0.68	0.10	0.01	0.00	0.00	0.00	20
21	0.17	0.24	0.03	0.00	0.00	0.06	0.16	0.00	0.00	0.00	0.00	0.07	21
22	0.00	0.03	0.00	0.00	0.00	0.00	0.13	0.00	0.15	0.00	0.00	0.36	22
23	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.00	0.04	0.00	0.05	0.05	23
24	0.00	0.00	0.00	0.17	0.00	0.00	0.12	0.05	0.00	0.22	0.04	0.03	24
25	0.04	0.00	0.00	0.00	0.06	0.07	0.00	0.18	0.00	0.00	0.00	0.00	25
26	0.01	0.21	0.09	0.11	0.00	0.00	0.00	0.05	0.07	0.00	0.00	0.25	26
27	0.60	0.04	0.00	0.76	0.00	0.00	0.01	0.42	0.00	0.00	0.06	0.10	27
28	0.00	0.00	0.40	0.06	0.00	0.00	0.04	0.64	0.00	0.00	0.51	0.23	28
29	0.00		0.00	0.08	0.00	0.00	0.00	0.26	0.00	0.15	0.00	0.03	29
30	0.01	✕	0.02	0.24	0.00	0.11	0.00	0.25	0.00	0.04	0.30	0.39	30
31	0.07	✕	0.05	✕	0.00	✕	0.00	0.00	✕	0.00	✕	0.10	31
TOTAL	3.99	2.09	3.76	2.46	0.25	1.28	2.11	2.23 ~~2.13~~	1.67 ~~1.68~~	0.55	1.67	4[illegible]7	YEAR'S TOTAL 26.13 ~~26.05~~
Days with ·01 in. or more	23	12	20	14	6	7	15	18	11	6	18	21	163

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

14-3-21 obsr agrees corr for arith 241

REGISTER OF RAINFALL IN 1920

FORM A.
BRITISH RAINFALL.
5 FEB 1921

Kept at Heathfield Weybridge

in the County of Surrey

by Miss Agnes Gardiner

Lat. Long.

Time of Observation 9. A M

Nearest Railway Station Weybridge

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.05	0.00	0.08	0.31	0.09	0.00	0.24	0.00	0.00	0.29	0.00	0.22	1
2	0.00	0.00	0.01	0.02	0.02	0.00	0.00	0.70	0.08	0.04	0.00	0.00	2
3	0.00	0.05	0.00	0.10	0.00	0.00	0.03	0.00	0.00	0.04	0.00	0.08	3
4	0.00	0.07	0.00	0.13	0.00	0.00	0.92	0.04	0.01	0.20	0.00	0.12	4
5	0.00	0.00	0.11	0.03	0.03	0.00	0.80	0.00	0.00	0.00	0.00	0.05	5
6	0.00	0.00	0.17	0.01	0.04	0.00	0.44	0.02	0.00	0.00	0.00	0.04	6
7	0.00	0.00	0.00	0.15	0.12	0.00	0.18	0.00	0.00	0.00	0.00	0.00	7
8	0.00	0.00	0.00	0.10	0.12	0.00	0.21	0.00	0.00	0.00	0.00	0.00	8
9	0.33	0.02	0.01	0.04	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	9
10	0.32	0.03	0.03	0.01	0.00	0.00	0.07	0.00	0.00	0.00	0.00	0.00	10
11	0.10	0.00	0.08	0.24	0.04	0.05	0.23	0.00	0.00	0.00	0.00	0.10	11
12	0.06	0.00	0.00	0.10	0.00	0.80	0.01	0.00	0.00	0.00	0.07	0.00	12
13	0.00	0.00	0.15	0.18	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	13
14	0.00	0.01	0.19	0.25	0.00	0.20	0.00	0.00	0.15	0.01	0.25	0.00	14
15	0.16	0.00	0.10	0.31	0.00	0.00	0.00	0.00	0.76	0.05	0.00	0.03	15
16	0.01	0.00	0.01	0.00	0.00	0.18	0.00	0.00	0.12	0.00	0.05	0.00	16
17	0.00	0.00	0.00	0.23	0.12	0.01	0.02	0.00	0.29	0.01	0.00	0.00	17
18	0.04	0.00	0.00	0.00	0.02	0.00	0.00	0.80	0.15	0.00	0.00	0.07	18
19	0.06	0.01	0.00	0.20	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	19
20	0.05	0.11	0.00	0.20	0.00	0.60	0.00	0.02	0.00	0.00	0.00	0.00	20
21	0.00	0.00	0.00	0.02	0.00	0.00	0.70	0.00	0.55	0.00	0.00	0.11	21
22	0.00	0.00	0.00	0.30	0.00	0.00	0.00	0.02	0.03	0.00	0.00	0.47	22
23	0.00	0.00	0.00	0.01	0.00	0.02	0.44	0.03	0.00	0.00	0.00	0.33	23
24	0.00	0.01	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	24
25	0.00	0.02	0.00	0.00	0.00	0.00	0.16	0.00	0.00	0.00	0.00	0.00	25
26	0.00	0.00	0.10	0.01	0.00	0.00	0.15	0.00	0.00	0.00	0.00	0.05	26
27	0.22	0.00	0.02	0.27	0.00	0.10	0.12	0.00	0.00	0.00	0.41	0.08	27
28	0.35	0.00	0.27	0.00	0.03	0.00	0.08	0.00	0.00	0.00	0.10	0.04	28
29	0.28	0.00	0.08	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.13	29
30	0.02		0.00	0.00	0.07	0.01	0.18	0.00	0.20	0.04	0.19	0.12	30
31	0.01		0.00		0.00		0.00	0.00		0.77		0.04	31
Total	2.06	0.33	1.46	3.28 ~~0.88~~	070	2.01	4.99	1.63	2.34	1.45 ~~1.54~~	1.14	208 ~~2.04~~	YEAR'S TOTAL 23.47 ~~21.12~~
Rain Days.	15	9	16	24	11	9	19	7	19	9	8	17	151
W. 8,000. X. 14.	12	3	11	17	7	7	15	3	8	6	7	16	112

9 MAR 192

Heath Field
Weybridge
March 26 1921

Thank you very much for drawing my attention to the incorrect totals for Ap. Oct. & December of last yr. I have looked thro' my returns & I cannot think how I can have been so careless

Yrs. truly
Agnes J. Garden

POST CARD

ONE PENNY 1 1
POSTAGE

To the Superintendent

British Rainfall Organization
62 Camden Square
N.W. 1

55

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

RE

WEYBRIDGE
SURREY
1911 - 1920

Kept at Weybr
in the County of Su
by A. Whit

5 in.
Ground 1 ft. — in.
ea Level 36 ft.
0 a.m.
me Weybridge
stance Direction

IMPORTANT NOTE. he result entered to the
previous day. If an Obs sal rule, he is earnestly
requested to add the readi in the space provided
for it at the end of this t of rain,
the selection and placing h Rainfall
Organization are given in " application to
Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	—	—	.52	—	—	—	.03	—	—	—	—	1
2	.10	—	—	.36	.21	—	—	—	—	—	.22	.05	2
3	.02	.02	—	—	.11	—	—	—	—	—	.08	.07	3
4	.02	—	.05	.12	—	—	—	—	—	.05	.18	.29	4
5	.02	.02	—	.01	—	—	—	—	—	.14	.03	.03	5
6	.20	—	.15	—	—	—	—	—	—	—	—	.37	6
7	—	—	—	—	—	—	—	—	—	.12	.32	.16	7
8	.13	—	.19	—	—	—	—	—	—	—	.13	.39	8
9	.13	—	.02	.01	—	—	—	—	—	—	—	.18	9
10	.03	.13	.08	—	—	—	—	—	—	—	.06	.48	10
11	.28	—	—	—	.01	—	—	—	—	—	.64	—	11
12	.02	—	.42	—	.14	—	—	—	.01	—	.29	—	12
13	—	—	.07	—	.11	—	—	—	.34	.17	—	.38	13
14	—	.06	—	—	.29	—	—	—	—	—	—	.41	14
15	—	.06	.13	—	—	—	—	—	—	.01	.03	.02	15
16	.01	—	—	—	—	.37	—	—	—	—	.37	.03	16
17	—	—	.01	—	—	.05	—	—	—	—	.41	.17	17
18	—	.10	—	.01	—	.04	—	—	—	—	.48	.22	18
19	—	.02	—	—	—	.31	—	—	.15	.06	.12	.11	19
20	.01	.03	.02	—	—	—	—	.07	.16	.03	—	.57	20
21	.02	.11	—	—	—	—	—	.19	.01	.57	—	.14	21
22	.08	—	.13	—	—	.02	—	—	—	.08	—	.41	22
23	—	.14	.06	—	—	.56	—	—	.17	.01	.04	.14	23
24	—	.12	.03	—	—	.03	—	.03	—	1.18	—	.20	24
25	—	.02	—	.04	—	.17	1.48	.01	.01	.03	—	—	25
26	—	.01	.02	.21	.09	.05	.07	—	—	.11	.04	.27	26
27	—	.30	.07	.06	—	—	.02	—	.08	—	.01	.17	27
28	—	.14	—	.20	—	—	—	.10	—	—	.01	—	28
29	—		—	.18	—	.18	.11	—	.13	.20	—	—	29
30	—		—	.07	—	.02	—	.05	.01	.18	.01	—	30
31	—		—		.48		—	—		.03		—	31
Total	1.09	1.28	1.45	1.79	1.44	1.80	1.68	0.48	1.07	2.97	3.47	5.26	TOTAL for year 23.78
No. of Rain Days	15	15	15	12	8	11	4	7	10	16	19	23	155

9,000, IX. '10.

55

RE

FORM A2.
BRITISH RAINFALL.

5 - JAN 1912

Kept at Weybridge

in the County of Surrey 6

by A. Whittet

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 36 ft.

Time of Observation 9-0 am

Nearest Railway Station Name Weybridge
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	—	—	.52	—	—	—	.03	—	—	—	—	1
2	.10	—	—	.36	.21	—	—	—	—	—	.22	.05	2
3	.02	.02	—	—	.11	—	—	—	—	—	.08	.07	3
4	.02	—	.05	.12	—	—	—	—	—	.05	.18	.29	4
5	.02	.02	—	.01	—	—	—	—	—	.14	.03	.03	5
6	.20	—	.15	—	—	—	—	—	—	—	—	.37	6
7	—	—	—	—	—	—	—	—	—	.12	.32	.16	7
8	.13	—	.19	—	—	—	—	—	—	—	.13	.39	8
9	.13	—	.02	.01	—	—	—	—	—	—	—	.18	9
10	.03	.13	.08	—	—	—	—	—	—	—	.06	.48	10
11	.28	—	—	—	.01	—	—	—	—	—	.64	—	11
12	.02	—	.42	—	.14	—	—	—	.01	—	.29	—	12
13	—	—	.07	—	.11	—	—	—	.34	.17	—	.38	13
14	—	.06	—	—	.29	—	—	—	—	—	—	.41	14
15	—	.06	.13	—	—	—	—	—	—	.01	.03	.02	15
16	.01	—	—	—	—	.37	—	—	—	—	.37	.03	16
17	—	—	.01	—	—	.05	—	—	—	—	.41	.17	17
18	—	.10	—	.01	—	.04	—	—	—	—	.48	.22	18
19	—	.02	—	—	—	.31	—	—	.15	.06	.12	.11	19
20	.01	.03	.02	—	—	—	—	.07	.16	.03	—	.57	20
21	.02	.11	—	—	—	—	—	.19	.01	.57	—	.14	21
22	.08	—	.13	—	—	.02	—	—	—	.08	—	.41	22
23	—	.14	.06	—	—	.56	—	—	.17	.01	.04	.14	23
24	—	.12	.03	—	—	.03	—	.03	—	1.18	—	.20	24
25	—	.02	—	.04	—	.17	1.48	.01	.01	.03	—	—	25
26	—	.01	.02	.21	.09	.05	.07	—	—	.11	.04	.27	26
27	—	.30	.07	.06	—	—	.02	—	.08	—	.01	.17	27
28	—	.14	—	.20	—	—	—	.10	—	—	.01	—	28
29	—		—	.18	—	.18	.11	—	.13	.20	—	—	29
30	—		—	.07	—	.02	—	.05	.01	.18	.01	—	30
31	—		—		.48		—	—		.03		—	31
Total	1.09	1.28	1.45	1.79	1.44	1.80	1.68	0.48	1.07	2.97	3.47	5.26	TOTAL for year 23.78
No. of Rain Days	15	15	15	12	8	11	4	7	10	16	19	23	155

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Weybridge

in the County of Surrey 6

by A. Whittet

RAIN GAUGE: Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 36 ft.

Time of Observation 9.0 a.m.

Nearest Railway Station: Name Weybridge
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	.11	–	–	.07	.03	–	.06	.52	–	.17	1
2	–	.02 /S/	.20	–	–	.10	.37	.02	–	.06	–	–	2
3	.01	.03 /S/	.07	–	–	.08	.03	.02	–	–	.01	.05	3
4	.17	–	.39	–	.07	.30	–	.27	–	–	.22	–	4
5	.16	.05	.08	–	–	–	–	.29	–	–	.03	.01	5
6	.38	.03	.02	–	.01	–	–	.24	.01	–	–	.03	6
7	–	–	.01	–	.09	1.20	.21	.16	–	–	–	.02	7
8	.31	.33	.21	–	–	.07	.05	.54	–	–	–	–	8
9	–	.16	.07	.03	–	.03	–	.09	–	–	–	.14	9
10	.01	.05	–	–	–	.02	–	.90	–	–	.06	.24	10
11	.04	.21	–	–	–	.03	–	.01	.01	.01	.01	.23	11
12	.04	.07	.07	–	.20	.11	–	.03	–	–	.02	.02	12
13	–	–	–	–	–	–	–	–	–	.01	.02	–	13
14	–	–	.03	–	.03	–	–	.09	–	.03	–	.06	14
15	.01	.02	.09	–	.11	.60	–	–	–	–	.02	.29	15
16	.39	.01	.06	–	.14	.03	–	.04	–	.03	.04	–	16
17	.49	–	.17	–	–	.02	–	.06	–	–	–	–	17
18	.09	–	.14	–	–	–	–	.14	–	–	.01	.08	18
19	.07	.09	.04	–	–	–	.13	.36	–	–	–	–	19
20	.03	.02	.08	–	–	–	.01	.11	–	.36	.02	–	20
21	.01	–	.12	–	.15	–	–	.08	–	.07	.11	–	21
22	.14	.18	.08	–	.02	–	.02	.13	–	.01	–	.06	22
23	.36	.40	.34	–	–	–	.02	.41	–	.09	.19	.16	23
24	.30	.03	–	–	–	.14	–	.25	–	–	–	.15	24
25	.16	–	–	–	–	.20	–	.51	–	–	.19	.54	25
26	–	.04	–	–	–	–	–	.31	–	.32	.37	.28	26
27	–	–	–	–	–	.03	–	–	–	.20	–	.19	27
28	–	.04	–	–	–	.11	.21	.09	.17	.35	.43	.11	28
29	–	.03	–	–	–	.10	.23	.22	1.35	.33	.03	–	29
30	–		–	–	.32	.01	.02	.03	1.03	.15	–	–	30
31			.33		.01		.15	.16		–		.01	31
Total	3.17	~~1.79~~ 1.81	2.71	0.03	1.15	3.25	1.48	5.56	2.63	2.54	1.78	2.84	TOTAL for year 28.95
No. of Rain Days.	19	19	21	1	11	19	13	27	6	15	17	20	188

W. 8,000, X. '11.

3.17 1.81 2.71 .03 1.15 3.25 1.48 13.60

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

Kept at Weybridge

in the County of Surrey

by A. Whittet

Lat. Long.

Time of Observation 9·0 am.

Nearest Railway Station Weybridge

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 36. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	.24	.03	.17	—	—	—	—	.47	.02	.06	.13	1
2	.04	.12	.01	.02	—	—	.11	—	.01	.22	.09	—	2
3	.01	—	.04	.17	.30	—	—	—	—	—	—	.03	3
4	.19	—	.01	.01	.32	—	.01	—	—	.22	.02	.03	4
5	.10	—	—	—	—	.07	.07	—	.32	—	—	.01	5
6	—	.03	.12	—	.03	.05	.07	—	—	.37	.12	.16	6
7	—	.14	—	—	.06	—	—	—	—	.33	.08	—	7
8	—	.02	—	.01	.08	.05	—	—	—	.06	—	.01	8
9	—	.13	—	—	.02	—	.08	—	.11	—	.01	.02	9
10	.01	—	.12	.06	—	—	.02	.01	—	—	.33	—	10
11	.25	—	—	.43	—	—	—	—	—	.57	.11	—	11
12	—	—	—	—	.03	—	—	—	—	.01	.40	—	12
13	.03	—	.02	—	—	—	—	.02	.09	—	.24	—	13
14	.08	.02	.07	.05	.02	—	.30	.09	.02	.08	.05	.01	14
15	.26	.05	.33	.20	—	—	.31	—	.14	—	—	—	15
16	.12	—	.32	.11	—	—	—	—	.16	—	.01	—	16
17	.02	.09 snow	.03	.02	—	—	.15	—	—	—	.01	.02	17
18	—	—	.15	.07	—	—	—	—	.01	—	.04	—	18
19	.18	—	.10	—	—	—	.12	—	.26	—	—	—	19
20	.15	—	.40	.04	—	.18	—	—	—	.38	—	—	20
21	—	—	.12	.05	—	—	.02	—	—	.16	.72	—	21
22	.49	—	.17	.06	—	—	.01	.05	.14	—	.02	—	22
23	—	—	—	—	—	.01	.01	.12	.01	—	—	.39	23
24	—	—	—	.03	—	—	—	—	—	.01	—	—	24
25	—	.01	—	.20	—	—	—	—	—	—	—	—	25
26	—	—	.16	.10	—	—	—	.04	—	.63	—	.15	26
27	—	.02	.01	.03	.14	—	—	—	—	.03	—	—	27
28	.19	—	.28	.08	—	—	—	—	—	.17	—	—	28
29	.03		.06	.37	.94	—	—	.11	—	.07	.01	.02	29
30	.28		—	.01	—	—	—	.14	—	.15	—	—	30
31	—		.08		—		—	.83		.04		—	31
Total	2·43	0·87	2·63	2·29	1.94	0·36	1.28	1·41	1·74	3·52	2·32	0·98	YEAR'S TOTAL 21.77
Rain Days.	17	11	21	22	10	5	13	9	12	18	17	12	167

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Weybridge
in the County of Surrey 6
by A. Whittet

Lat. Long.
Time of Observation 9.0 a.m.
Nearest Railway Station Weybridge
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 36 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	.05	—	—	—	—	.05	—	—	.02	.03	1
2	—	—	—	—	—	—	.14	.05	—	—	.05	.15	2
3	—	—	.03	.01	.17	—	.31	.01	—	—	.01	.01	3
4	.06	—	.02	.14	—	—	—	.15	—	—	.27	.30	4
5	.06	—	.06	.23	.15	.03	.27	.58	—	—	—	—	5
6	—	.12	.02	.11	.01	.10	.09	.02	—	—	.09	.09	6
7	—	.28	.27	.23	.19	.24	.21	.01	—	—	—	.08	7
8	.06	.34	.82	—	.01	.04	.07	.11	—	—	—	.02	8
9	.17	—	.55	.25	—	.11	—	—	.09	—	—	1.53	9
10	—	.11	.02	.03	.07	—	—	—	.20	—	—	.01	10
11	—	.25	.45	—	.02	.02	—	—	.09	—	.15	.25	11
12	—	.06	.13	—	—	—	.48	—	.17	—	.01	.38	12
13	—	.19	.16	—	—	—	—	—	.13	.01	.03	.44	13
14	—	.10	.18	—	—	.69	.07	—	—	.36	.04	.36	14
15	.04	—	.12	—	—	—	.71	.05	—	.01	.27	.02	15
16	—	—	.04	—	—	—	—	—	.03	—	.05	—	16
17	—	.34	.09	—	—	—	—	—	.01	—	—	.08	17
18	—	.02	.22	—	—	—	—	—	—	—	—	.30	18
19	—	.06	.25	—	—	.01	.09	—	—	—	.16	.30	19
20	—	.24	.32	—	—	—	—	—	.03	—	—	.13	20
21	—	.48	.04	—	—	—	—	.34	—	.03	—	.01	21
22	—	—	.02	—	.14	.07	.22	.02	—	.19	—	—	22
23	—	.13	.16	—	.09	.09	.02	—	—	.12	—	—	23
24	—	—	.06	—	—	—	—	—	—	—	.11	—	24
25	.02	—	.22	—	—	—	.02	.12	—	.22	.01	.13	25
26	—	—	.05	—	—	—	.04	.03	—	.07	.16	.44	26
27	.03	—	—	—	—	—	—	—	—	—	.02	.15	27
28	—	.02	.01	—	.02	—	—	—	—	.07	.60	.99	28
29	.05		.06	—	—	—	—	—	—	.21	.14	—	29
30	—		.03	—	—	—	—	—	—	.06	.49	.42	30
31	.01		—		.11		.02	—		—		.05	31
Total	0.50	2.74	4.45	1.00	0.98	1.40	2.76	1.54	.75	1.35	2.68	6.67	YEAR'S TOTAL 26.82
Rain Days.	9	15	28	7	11	10	15	13	8	11	19	25	171
		3·24	7·69	8·69	9·67	11·04	13·83	15·37	16·12	17·47	20·15	26·82	

W.7,000, XI. 13

exd gB

300

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

5. JAN. 1916

Kept at Weybridge
in the County of Surrey
by A. Whittel

Lat. Long.
Time of Observation 9.0 a.m.
Nearest Railway Station Weybridge
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
„ „ „ „ Sea Level 36 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.61	.18	.07	—	.06	—	.16	—	—	.04	.10	.54	1
2	.33	.18	.24	.09	—	.03	—	.66	—	.05	—	.15	2
3	.40	—	.07	.09	—	—	—	.47	.01	—	—	.48	3
4	.01	—	—	—	—	—	—	—	—	—	—	.23	4
5	.05	.45	—	—	—	—	—	.01	—	.05	—	.32	5
6	.36	.09	.05	.24	—	—	.59	—	—	—	—	.50	6
7	.17	.22	.01	—	—	—	.25	.03	—	—	—	.22	7
8	.04	.45	.03	.03	—	—	.02	.06	—	—	—	—	8
9	.05	.07	—	.22	—	.05	—	.03	—	—	.36	.67	9
10	.18	.01	.01	—	—	—	—	.57	—	—	—	.16	10
11	.03	—	.01	—	—	—	—	.01	—	.01	.68	.03	11
12	.05	.07	—	.36	.45	—	—	.03	—	—	.22	.02	12
13	.01	.56	—	—	1.25	—	—	.01	—	—	—	—	13
14	—	.02	—	—	—	—	.27	.05	.05	—	—	.41	14
15	.07	—	—	—	.05	—	—	.07	—	—	.10	.10	15
16	—	.25	—	—	.05	—	.53	.04	—	—	snow —	.02	16
17	—	.48	—	—	1.14	—	—	.02	—	—	—	—	17
18	—	.29	.04	—	.13	—	—	—	—	—	.02	—	18
19	—	.14	snow —	—	.02	—	.04	—	—	.02	—	—	19
20	.26	—	—	.03	.01	—	—	—	—	—	—	.15	20
21	.11	—	—	—	—	—	—	—	—	.02	—	.02	21
22	snow 1.12	.14	.14	.01	—	—	.80	—	—	—	—	.10	22
23	—	.10	.06	—	—	.02	.09	—	.20	.66	—	.21	23
24	.01	—	—	—	—	—	.06	—	.36	.22	—	.51	24
25	—	—	.01	.08	—	.04	.24	—	—	—	—	.12	25
26	—	.02	—	—	—	.04	.23	—	—	—	—	.57	26
27	—	.02	—	—	—	.14	.10	—	—	.26	—	.08	27
28	—	.04	—	—	—	.09	—	—	1.32	.11	—	—	28
29	—		—	—	—	.04	.18	.16	—	—	.17	.01	29
30	.05	✕	—	—	—	.38	—	—	—	.16	.25	.01	30
31	.03	✕	—	✕	—	✕	—		✕	1.12	✕	.25	31
Total	3.94	3.78	0.74	1.15	3.16	0.83	3.56	2.22	1.94	2.72	1.90	5.88	YEAR'S TOTAL 31.82
Rain Days.	20	20	12	9	9	9	14	15	5	12	8	25	158

W. 8,000. X. 14.

7.72 | 8.46 | 9.61 | 12.77 | 13.60 | 25.92

288

FORM A.
BRITISH RAINFALL.

5 J.

REGISTER OF RAINFALL IN 1916

Kept at Weybridge

in the County of Surrey

by A. Whittet

Lat. Long.

Time of Observation 9-0 a.m.

Nearest Railway Station Weybridge

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 36 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.05	.02	.02	—	.32	.01	—	—	.26	.03	.32	—	1
2	.21	.03	.09	—	.16	—	—	—	.15	.42	.02	—	2
3	—	.55	.10	—	—	—	.02	—	.15	.34	.40	—	3
4	.15	.04	—	—	—	.20	—	—	.18	—	.49	—	4
5	.01	—	—	.01	.12	.08	—	—	—	.05	.61	.01	5
6	—	.04	.26	.10	—	.15	.23	—	—	.03	.41	—	6
7	.05	—	snow .44	—	.16	.13	.21	—	—	.01	.49	.04	7
8	—	—	snow .03	—	.27	.02	—	—	—	—	—	.15	8
9	—	—	.01	—	.12	—	—	—	—	.04	—	.14	9
10	—	.18	.09	.04	—	.26	.04	—	—	—	—	.07	10
11	.02	.11	.03	.16	—	.18	—	—	—	—	—	.03	11
12	.01	.04	—	.03	.22	.11	.02	.02	—	.06	—	—	12
13	—	.17	.36	.10	—	.01	.05	.12	—	.02	—	—	13
14	—	.37	.03	—	.04	—	—	.41	—	.03	—	.08	14
15	—	.19	.21	—	—	—	.07	.15	—	.03	—	snow —	15
16	.01	.02	.47	.14	—	—	.23	.34	—	—	—	—	16
17	.08	.12	—	.05	—	—	.03	—	.29	.51	—	.01	17
18	—	.07	.03	.06	—	—	—	.19	.08	.46	.68	.01	18
19	.10	—	.16	.39	—	—	—	.01	.17	—	.55	.01	19
20	.17	—	.23	.03	—	—	—	—	—	—	.01	.46	20
21	—	—	.39	—	—	—	—	—	—	—	—	.25	21
22	.01	.02	.02	—	—	—	—	—	—	.06	—	.39	22
23	.03	snow .25	—	—	—	.01	—	.01	—	.05	.02	.04	23
24	—	snow .07	—	—	.08	.02	—	.02	—	.20	.04	.29	24
25	—	snow .62	.24	—	—	—	—	.11	—	.05	.06	—	25
26	—	snow .20	.08	—	—	.06	—	.22	.02	.17	—	—	26
27	—	snow —	.83	—	—	.06	—	.55	.02	.52	—	—	27
28	.01	.38	.20	—	—	.02	—	.03	.05	.01	—	.09	28
29	—	.09	—	—	—	.21	—	.83	.05	.26	—	.14	29
30	—	X	—	—	—	—	—	.06	—	.43	—	—	30
31	—	X	—	X	—	X	—	.05	X	.19	X	.04	31
Total	0.91	3.58	4.32	1.11	1.49	1.53	0.90	3.12	1.42	3.97	4.10	2.25	YEAR'S TOTAL 28.70
Rain Days.	14	21	22	11	9	16	9	16	11	23.	13	18	183

W. 8,000. X. 15.

Exd 282

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

19 JAN 1918

Kept at Weybridge

in the County of Surrey

by A. Whittet

Lat. Long.

Time of Observation 9.0 a.m.

Nearest Railway Station Weybridge

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 36 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	.01	.19	—	—	—	1.16	.02	—	.04	—	1
2	—	—	—	.29	—	.04	—	.07	—	—	.15	—	2
3	.01	—	—	.08	—	—	.53	.29	—	.18	.06	—	3
4	—	.30 snow	.07	—	—	—	.26	.17	—	.36	—	—	4
5	.27	—	.02	.24	—	—	—	—	.24	.20	.08	—	5
6	—	—	.30	.01	—	.06	—	—	.22	—	.05	—	6
7	.12	—	—	—	—	—	.18	—	—	.31	—	.02	7
8	.14	—	—	.08	—	—	.90	.21	.06	.25	.20	.32	8
9	.03	—	.02	.10	.01	—	.09	.12	.04	—	.04	.15	9
10	.19	—	.06	.20	—	—	—	.08	—	—	.01	.02	10
11	.08	—	.31	.20	—	.30	—	.01	.35	.15	—	—	11
12	.06	—	.07	.01	—	—	—	.07	—	.43	—	—	12
13	.02	—	.18	.02	—	—	—	.13	.02	.09	—	.01	13
14	—	—	—	.18	—	—	—	.10	—	—	—	—	14
15	.03	—	—	.01	—	—	.20	.11	—	.02	—	—	15
16	snow .05	.07	—	.16	.03	.17	.16	—	—	.53	—	.58	16
17	snow —	.0	—	.09	.53	—	.24	.04	.40	.26	—	—	17
18	.03	.04	—	.07	.15	.64	.14	.12	.24	.03	—	—	18
19	.01	.12	.03	—	—	—	—	—	.11	—	—	—	19
20	—	.13	.02	—	.65	—	.08	—	.01	—	.04	—	20
21	.01	—	.01	—	—	.06	—	—	—	.01	.02	—	21
22	.02	—	.07	—	—	—	—	.08	—	.05	—	—	22
23	—	.11	—	—	.08	.11	—	.09	—	.04	—	.02	23
24	—	.01	—	—	—	.19	—	.01	—	.19	—	.01	24
25	—	.04	.02	—	—	—	—	—	—	.02	—	—	25
26	—	—	.04	—	—	.02	—	.20	.03	.01	.31	—	26
27	—	—	—	—	.86	.04	—	.68	—	—	—	—	27
28	—	—	.02	—	—	1.18	—	.07	—	—	—	.05	28
29	—		.04	—	.38	.15	.59	.01	—	.24	—	.09	29
30	—	X	.42	—	—	—	1.75	.05	—	.01	—	.01	30
31	.02 snow	X	snow .02	X	—	X	.31	.02	X	—	X	.02	Snow 31
Total	1.09	.82	1.73	1.93	2.69	2.96	5.43	3.89	1.74	3.38	1.00	1.30	YEAR'S TOTAL 27.96
Rain Days.	16	8	19	16	8	12	13	23	12	20	11	12	170

W. 8,000, VIII. 16

[illegible] 195

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
3.1.19

Kept at Weybridge
in the County of Surrey
by S. Whittet

Lat. Long.
Time of Observation 9-0 a.m.
Nearest Railway Station Weybridge
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 36 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	.02	–	.05	–	–	–	–	–	–	.26	.06	1
2	–	.08	–	.08	–	–	–	.24	–	.02	.19	.10	2
3	–	.01	.03	.04	.41	–	–	.11	–	–	.41	.01	3
4	–	.07	.12	.01	–	–	–	.02	.11	–	.54	–	4
5	–	.03	–	–	.05	–	–	.06	.18	.08	–	–	5
6	.18	.08	–	.29	.16	–	–	–	.01	–	–	.07	6
7	.01	.08	–	.19	.35	–	–	.01	.17	.08	.09	–	7
8	–	.05	–	.01	–	–	–	–	.10	.04	.12	.01	8
9	.01	.02	–	.05	–	.14	.19	–	.33	.08	–	.27	9
10	–	–	–	.13	–	–	.56	–	.03	.01	.02	.33	10
11	.01	–	–	.02	–	–	1.10	–	.02	.28	.09	.12	11
12	–	.03	–	–	.15	–	.10	–	.10	–	.01	.01	12
13	.02	–	–	–	.12	–	.12	–	.08	–	–	.02	13
14	snow .12	.01	.02	–	.01	.21	.03	–	.20	.10	–	.22	14
15	1.26	–	–	.53	–	.01	.03	–	.01	–	–	.05	15
16	.38	–	–	.18	–	.08	–	–	.13	–	–	.01	16
17	snow .24	–	–	.17	.31	–	.16	.02	–	–	–	.09	17
18	.50	–	–	.01	–	.16	.15	–	1.08	.10	–	.03	18
19	.06	–	.05	.07	–	.33	.28	.01	.01	.11	–	.07	19
20	.04	.09	–	.71	–	.03	.10	–	.16	.13	.01	.01	20
21	.12	.02	–	.65	–	–	.02	–	.66	.01	–	–	21
22	.10	–	–	.01	.76	–	.13	–	.13	.01	.01	.20	22
23	.03	–	–	–	.09	–	.47	.01	.07	–	–	.02	23
24	–	.27	–	–	–	.03	.31	–	.11	–	.05	–	24
25	–	.01	–	–	–	[illegible]	.29	.15	–	.02	.01	–	25
26	–	–	–	–	–	–	.71	.03	.01	.03	.08	.12	26
27	–	.01	.01	.03	–	–	.06	.15	.04	–	.11	.01	27
28	–	.04	.23	.01	–	–	–	.11	–	–	.08	.11	28
29	–		–	–	–	–	–	–	1.08	–	.01	.01	29
30	–	X	.56	–	–	–	–	–	.02	–	.02	.05	30
31	–	X	–	X	–	X	–	–	X	.08	X	.01	31
Total	3.08	0.92	1.02	3.24	2.41	0.99	4.81	0.92	4.84	1.18	2.11	201	YEAR'S TOTAL 27.53
Rain Days.	15	17	7	20	10	8	18	12	24	16	18	25	190

W. 8,000, IX. 17.

261

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1919

Kept at Weybridge

in the County of Surrey

by S. Whittet

Lat. Long.

Time of Observation 9.0 a.m.

Nearest Railway Station Weybridge

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 36 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.31	.04	—	.01	.01	—	.32	—	—	.02	.01	1.00	1
2	.43	—	—	—	.09	—	.08	—	.10	.12	.08	.14	2
3	.28	.01	.34	—	—	—	.15	—	.08	—	.02	.40	3
4	.09	.03	.39	—	.01	.06	.14	.01	.02	—	.01	.13	4
5	—	.23	.44	—	—	—	.01	—	.17	—	.04	.26	5
6	.09	snow .01	.03	.01	—	—	—	—	—	—	.01	.11	6
7	.03	—	.37	—	—	—	—	—	—	—	—	—	7
8	.09	—	.06	.01	—	—	—	—	—	—	—	—	8
9	.11	—	.02	.02	.04	—	—	—	—	—	.03	—	9
10	.80	—	.04	.02	—	—	—	—	—	.02	.02	.04	10
11	.02	—	.06	.21	.02	—	.23	—	—	—	.03	.01	11
12	.01	—	.02	.02	—	.02	.15	—	—	.07	.01	—	12
13	.01	—	—	.24	—	—	—	—	.02	.03	—	.01	13
14	.20	.02	—	.27	—	—	.07	—	.74	.01	—	.01	14
15	.22	.02	.12	.07	—	—	—	—	—	.01	—	.39	15
16	.03	.54	—	.01	—	—	—	—	—	—	.08	.03	16
17	—	.27	—	.01	—	—	—	—	—	—	.16	—	17
18	—	.16	.07	—	—	—	—	—	.02	—	.06	.02	18
19	.02	.07	.65	—	—	.22	.63	.22	—	—	.05	—	19
20	.13	.03	.27	—	—	.67	.14	.09	.03	—	.01	—	20
21	.17	.23	.02	—	—	.02	.04	—	—	—	.01	.03	21
22	—	.06	.01	—	—	—	.18	—	.11	—	.02	.32	22
23	—	—	—	—	—	.01	—	.03	.01	—	.01	.03	23
24	—	—	—	.15	—	.01	.10	.03	—	.21	.03	—	24
25	.03	.02	—	—	.04	.02	—	.15	—	—	—	.03	25
26	.05	.19	.08	.03	—	—	—	.13	.05	—	—	.27	26
27	.54	.02	.01	.99	—	—	—	.37	—	—	.05	.04	27
28	.01	—	.32	.03	—	—	.01	.72	—	—	.40	.29	28
29	.02		snow —	.08	—	—	—	.31	—	.12	.02	.02	29
30	—		.01	.21	—	.11	—	.22	—	.03	.21	.38	30
31	.03		.03		—		.02	—		.01		.04	31
Total	3.42	1.95	3.36	2.39	0.21	1.14	2.27	2.28	1.35	0.65	1.37	4.00	YEAR'S TOTAL 24.69
Rain Days.	24	17	21	18	6	9	15	11	11	11	23	23	189

W. 6,500, VII. 18. W W C

67 M2

242

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 19........

Kept at Weybridge

in the County of Surrey

by A. Whittet

Lat. .... Long. ....

Time of Observation 9.0 a.m.

Nearest Railway Station Weybridge

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ..... in.

" " " " Sea Level 36 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	—	.01	.29	.07	—	.24	—	—	.28	—	.21	1
2	—	—	.05	.01	.01	—	.01	.78	.07	.04	—	.06	2
3	—	.05	—	.10	—	—	.02	—	—	.02	—	.02	3
4	—	.04	.02	.12	—	—	.92	.02	—	.21	—	.11	4
5	—	.01	.09	.02	.01	—	.68	.02	—	—	—	.04	5
6	—	—	.17	—	.07	—	.41	—	—	—	—	.03	6
7	.02	—	—	.13	.12	—	.16	—	—	—	—	—	7
8	—	.01	—	.11	.08	—	.13	.01	—	—	—	.01	8
9	.28	.01	.01	.03	—	—	—	—	—	—	—	—	9
10	.39	.08	.03	.01	—	—	.10	—	—	—	.01	—	10
11	.17	—	.07	.21	.02	.03	.24	—	—	—	—	.16 snow.	11
12	.07	—	.01	.09	—	.62	—	—	—	—	—	—	12
13	.16	.01	.13	.16	—	—	—	—	—	—	—	—	13
14	—	.01	.22	.26	—	.10	—	—	.09	.06	.28	.02	14
15	.01	.01	.09	.26	—	—	—	—	.52	.05	.08	—	15
16	—	—	.01	.18	—	.18	—	—	.23	.01	.02	—	16
17	.01	—	—	.01	.12	—	.01	—	.35	—	—	.03	17
18	.02	—	—	.01	.03	—	—	.73	.14	—	—	.02	18
19	.07	—	—	.20	—	.03	—	—	—	—	—	.02	19
20	.04	.08	—	.19	—	.53	—	.01	.01	—	—	.01	20
21	—	—	—	.01	—	—	.72	.02	.47	—	—	.05	21
22	.01	—	—	.28	—	—	—	—	.05	—	—	.45	22
23	.01	—	—	—	—	—	.39	.03	—	—	—	.33	23
24	.02	.02	.05	—	—	—	—	—	—	.01	.01	.01	24
25	—	.01	.01	—	—	—	.16	—	—	—	—	—	25
26	.05	—	.08	.01	—	—	.14	—	—	—	—	.04	26
27	.21	.03	.01	.27	—	.13	.09	—	—	.01	.39	.05	27
28	.32	—	.28	.01	.02	—	.08	—	—	—	.06	.01	28
29	.26	—	.05	.04	—	—	—	—	—	—	.04	.14	29
30	.01	✕	—	—	.15	—	.17	—	.18	—	.21	.13	30
31	—	✕	—	✕	—	✕	—	—	✕	.74	✕	.07	31
TOTAL	2,21	0.37	1.39	3.01	0.70	1 62	4.67	1.62	2.11	1.43	1.10	2.02	YEAR'S TOTAL 22.25
Days with ·01 in. or more	20	13	19	25	11	7	18	8	10	10	9	23	173.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

12 4 11 16 6 5 15 2 9 6 6 13 105

FORM A2.
BRITISH RAINFALL.
1 JAN 1912

RE

WEYBRIDGE
'FIELD PLACE'
SURREY
~~1911-13, 1915~~
1911-15

Kept at 'Field P ... imed by Ca ... in.

in the County of S ... und 1 ft. – in.

... Level 188 ft.

by Captain ... me Weybridge

... stance ¼ mi Direction N

IMPORTANT NOT ... he result entered to the previous day. If an O ... sal rule, he is earnestly requested to add the rea ... r in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	—	·01	·61	·01	—	·04	·04	—	—	·01	—	1
2	·10	—	—	·29	·20	—	·02	—	—	—	·16	·06	2
3	·05	·01	—	·01	·14	—	—	—	—	·01	·08	·09	3
4	·02	·02	·04	·09	—	—	—	—	·01	·05	·17	·27	4
5	·02	·01	—	·03	—	—	—	—	—	·16	·05	·05	5
6	·19	—	·18	—	—	—	—	—	—	—	·01	·37	6
7	·04	—	—	·02	—	—	—	—	—	·12	·32	·14	7
8	·11	—	·18	—	—	—	—	—	—	·01	·13	·36	8
9	·15	—	·02	·01	—	—	—	—	—	—	—	·08	9
10	·03	·13	·09	·01	—	—	—	—	—	—	·04	·59	10
11	·29	—	—	—	·01	—	—	—	—	—	·63	·01	11
12	·04	—	·45	—	·12	—	—	—	·03	—	·26	·01	12
13	—	—	·05	—	·10	—	—	—	·31	·15	—	·39	13
14	—	·05	—	—	·28	—	—	—	—	·01	·01	·44	14
15	—	·06	·15	—	—	—	—	—	—	·02	·03	·02	15
16	—	·01	—	—	—	·55	—	—	—	—	·38	·04	16
17	—	—	·03	—	—	·05	—	—	—	—	·32	·19	17
18	—	·11	·01	·01	—	·02	—	—	—	—	·52	·26	18
19	—	·01	—	—	—	·28	—	—	·16	·09	·16	·11	19
20	·02	·04	·02	—	—	·01	—	·05	·13	·03	—	·56	20
21	·02	·09	—	—	—	—	—	·24	·01	·55	—	·19	21
22	·08	·01	·14	—	—	·02	—	—	—	·07	—	·47	22
23	—	·15	·02	—	—	·63	—	—	·14	·01	·04	·07	23
24	—	·12	·04	—	—	·06	·01	·02	—	1·24	—	·30	24
25	—	·02	·01	·04	—	·18	1·68	·02	·01	·01	—	·01	25
26	—	·01	·04	·18	·13	·08	·07	·01	—	·11	·03	·26	26
27	—	·30	·09	·07	—	·01	·02	—	·09	·02	~~·01~~	·17	27
28	—	·14	·01	·21	—	—	—	·14	—	—	~~·01~~	·01	28
29	—		—	·12	—	·17	·12	—	·15	·10	—	—	29
30	—		—	·07	·01	·02	—	·01	·01	·17	—	·01	30
31	—		—		·21		—	—		·03		—	31
Total	1·18	1·29	1·58	1·77	1·21	2·08	1·96	·53	1·05	2·96	3·37	5·53	TOTAL for year 24·51
No. of Rain Days.	15	18	19	15	10	13	7	8	11	20	21	28	185

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
1 JAN 1912

REGISTER OF RAINFALL IN 191

Kept at 'Field Place' Weybridge
in the County of Surrey 6
by Captain Wood

RAIN GAUGE
Pattern Snowdon Funnel by Casella
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 188 ft.

Time of Observation 9 AM.

Nearest Railway Station
Name Weybridge
Distance ¼ mi Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	—	·01	·61	·01	—	·04	·04	—	—	·01	—	1
2	·10	—	—	·29	·20	—	·02	—	—	—	·16	·06	2
3	·05	·01	—	·01	·14	—	—	—	—	·01	·08	·09	3
4	·02	·02	·04	·09	—	—	—	—	·01	·05	·17	·27	4
5	·02	·01	—	·03	—	—	—	—	—	·16	·05	·05	5
6	·19	—	·18	—	—	—	—	—	—	—	·01	·37	6
7	·04	—	—	·02	—	—	—	—	—	·12	·32	·14	7
8	·11	—	·18	—	—	—	—	—	—	·01	·13	·36	8
9	·15	—	·02	·01	—	—	—	—	—	—	—	·08	9
10	·03	·13	·09	·01	—	—	—	—	—	—	·04	·59	10
11	·29	—	—	—	·01	—	—	—	—	—	·63	·01	11
12	·04	—	·45	—	·12	—	—	—	·03	—	·26	·01	12
13	—	—	·05	—	·10	—	—	—	·31	·15	—	·39	13
14	—	·05	—	—	·28	—	—	—	—	·01	·01	·44	14
15	—	·06	·15	—	—	—	—	—	—	·02	·03	·02	15
16	—	·01	—	—	—	·55	—	—	—	—	·38	·04	16
17	—	—	·03	—	—	·05	—	—	—	—	·32	·19	17
18	—	·11	·01	·01	—	·02	—	—	—	—	·52	·26	18
19	—	·01	—	—	—	·28	—	—	·16	·09	·16	·11	19
20	·02	·04	·02	—	—	·01	—	·05	·13	·03	—	·56	20
21	·02	·09	—	—	—	—	—	·24	·01	·55	—	·19	21
22	·08	·01	·14	—	—	·02	—	—	—	·07	—	·47	22
23	—	·15	·02	—	—	·63	—	—	·14	·01	·04	·07	23
24	—	·12	·04	—	—	·06	·01	·02	—	1·24	—	·30	24
25	—	·02	·01	·04	—	·18	1·68	·02	·01	·01	—	·01	25
26	—	·01	·04	·18	·13	·08	·07	·01	—	·11	·03	·26	26
27	—	·30	·09	·07	—	·01	·02	—	·09	·02	·01	·17	27
28	—	·14	·01	·21	—	—	—	·14	—	—	·01	·01	28
29	—		—	·12	—	·17	·12	—	·15	·10	—	—	29
30	—		—	·07	·01	·02	—	·01	·01	·17	—	·01	30
31	—		—		·21		—	—		·03		—	31
Total	1·18	1·29	1·58	1·77	1·21	2·08	1·96	·53	1·05	2·96	3·37	5·53	TOTAL for year 24·51
No. of Rain Days.	15	18	19	15	10	13	7	8	11	20	21	28	185

W. 8,000, X. '11.

15 31 III 13 119 IV 12 WEYBRIDGE 124

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

6 JAN 1913

Kept at Field Place

in the County of Weybridge, Surrey 6

by Mrs Gool

Lat. 51°21'28" Long. 0°27'10"

Time of Observation 9-a.m.

Nearest Railway Station Weybridge

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 118 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	✓	✓	·08	·01	✓	·03	·08	✓	·04	·56	✓	·17	1
2	✓	·01	·19	✓	✓	·11	·40	·02	✓	·06	✓	·01	2
3	·01	·04	·13	✓	·01	·08	·01	·23	✓	✓	✓	·07	3
4	·18	✓	·39	✓	·08	·29	✓	·09	✓	✓	·23	✓	4
5	·15	·05	·07	✓	✓	✓	✓	·31	✓	✓	·04	✓	5
6	·41	·01	·03	✓	·01	✓	✓	·19	·01	✓	✓	·02	6
7	✓	·01	✓	✓	·11	1·12	·01	·20	✓	✓	✓	·02	7
8	·31	·35	·21	✓	✓	·05	·02	·38	✓	✓	✓	✓	8
9	·01	·13	·06	·05	✓	✓	·02	·09	✓	✓	✓	·16	9
10	✓	·05	✓	✓	✓	✓	✓	·75	✓	✓	·07	·25	10
11	·04	·17	✓	✓	·01	·04	✓	✓	·01	✓	·01	·22	11
12	·04	·08	·07	✓	·21	·12	·01	·02	✓	·01	·02	·01	12
13	✓	✓	·01	✓	✓	✓	·01	✓	✓	✓	·02	·02	13
14	✓	✓	·01	✓	·04	✓	✓	·02	✓	·03	✓	·03	14
15	·01	✓	·08	✓	·11	(·60)	✓	✓	✓	✓	·01	·26	15
16	·47	✓	·07	✓	·24	·05	✓	·04	✓	·03	·03	✓	16
17	·46	✓	·16	✓	✓	·02	✓	·06	✓	✓	✓	·01	17
18	·13	✓	·14	✓	✓	✓	✓	·19	✓	✓	·02	·07	18
19	·07	·07	·03	✓	✓	·01	·14	·36	✓	✓	✓	✓	19
20	·03	·02	·14	✓	✓	✓	·01	·12	✓	·31	·03	✓	20
21	·01	✓	·10	✓	·15	✓	✓	·07	✓	·09	·14	✓	21
22	·13	·17	·08	✓	·04	✓	·03	·13	✓	✓	✓	·05	22
23	·39	·46	·31	✓	✓	✓	·02	·41	✓	·09	·17	·16	23
24	·40	·02	✓	✓	✓	·19	·01	·27	✓	✓	✓	·15	24
25	·14	✓	✓	✓	✓	·16	✓	·49	✓	✓	·18	·56	25
26	·01	·03	✓	✓	✓	✓	✓	·34	✓	·32	·43	·28	26
27	✓	·01	·01	✓	✓	·04	·01	✓	✓	·20	✓	·17	27
28	✓	·05	✓	✓	✓	·09	·28	·09	·15	·34	·44	·12	28
29	✓	·02	✓	✓	✓	·13	·22	·20	1·42	·27	·03	✓	29
30	✓	✗	✓	✓	·33	·01	·02	·01	1·03	·14	✓	✓	30
31	✓	✗	·27	✗	·02	✗	·16	·09	✗	✓	✗	✓	31
Total	3·40	1·75	2·64	·06	1·36	(3·54)	1·46	5·17	2·66	2·45	1·87	2·81	YEAR'S TOTAL (28·77)
Rain Days.	20	19	22	2	13	18	18	26	6	13	16	21	(194)

W. 7,500, XI. 12

Wrote re June 15
19 IV 13 J.C.

No hesitation in interpolating .60 on 15th.

2 APR 1913

FIELD PLACE,
WEYBRIDGE.

April 1. 13

Dear Sir,

On receiving your letter this morning, I made enquiries about the rain records last June, I enclose a copy, of the few days, I also looked at my diary, in which is entered, 14th June, fine, 15th fine, & 16th heavy rain - of course the record on the morning of the 15th has more to do with the 14th & it may have rained in the night of the

14th at that time my gardener must have felt very ill, as he died a short time after. I was not aware that he was ill, or ~~He~~ that he taught his brother who worked for me, to take the rainfall. When my new gardener came, my son was at home, & taught him how to do that, & to read the thermometers & the man is very intelligent, so I hope will make no mistakes. I think some people here also have a rain gauge if you would like me to enquire about June? Yours faithfully

M. E. Wood—

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
1 - JAN 1914

6

Kept at Field Place Weybridge
in the County of Surrey
by Mrs Henry Yool's Gardener

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station L.S.W. Weybridge
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.2	.23	.3	.4	✓	✓	✓	✓	.72	5	.4	.13	1
2	.2	.40	.1	.10	✓	✓	11	✓	.2	23	.6	.1	2
3	✓	✓	.5	.15	.25	✓	✓	✓	✓	.2	✓	.6	3
4	.21	✓	.2	.2	.36	✓	.1	✓	✓	.23	.1	.5	4
5	.15	✓	✓	✓	✓	.6	.16	✓	.30	.07	✓	.3	5
6	.4	.4	.13	✓	.3	.6	.7	✓	✓	.37	.8	.17	6
7	✓	.16	✓	✓	.5	✓	✓	✓	✓	.31	.7	✓	7
8	✓	.3	✓	✓	.8	.5	✓	✓	✓	.6	✓	.1	8
9	✓	.14	✓	✓	.2	✓	.9	✓	.12	✓	.1	.3	9
10	✓	✓	.12	.7	✓	✓	✓	✓	✓	✓	.36	✓	10
11	.24	✓	✓	.44	✓	✓	✓	.4	✓	.65	.11	✓	11
12	✓	✓	✓	✓	.4	✓	✓	✓	✓	✓	.23	✓	12
13	.2	✓	.2	✓	✓	✓	✓	✓	.9	✓	.23	✓	13
14	.7	.1	.7	.6	✓	✓	.46	.2	.4	.9	.5	.1	14
15	.26	.5	.28	.21	✓	✓	.33	8	.19	✓	.2	✓	15
16	.11	✓	.33	.9	✓	✓	✓	✓	.24	✓	✓	✓	16
17	.2	.11	.3	.2	✓	✓	.19	✓	✓	✓	.1	.2	17
18	✓	✓	.17	.6	✓	✓	✓	✓	✓	✓	.2	✓	18
19	.22	✓	.6	✓	✓	.3	.11	✓	.32	✓	✓	✓	19
20	.11	✓	.39	.4	✓	.27	✓	✓	✓	.37	✓	✓	20
21	✓	✓	.15	.6	✓	✓	.2	✓	✓	.17	.69	✓	21
22	.43	✓	.21	.5	✓	✓	✓	.6	14	✓	✓	✓	22
23	✓	✓	.1	✓	✓	.3	✓	.10	✓	✓	✓	.42	23
24	✓	✓	✓	.6	✓	.1	✓	✓	✓	✓	✓	✓	24
25	✓	✓	✓	.22	✓	✓	✓	.5	✓	✓	✓	.1	25
26	✓	✓	.18	.9	✓	✓	.2	✓	✓	.68	✓	.13	26
27	✓	.3	.2	.6	.14	✓	✓	✓	✓	.3	✓	✓	27
28	.20	✓	.31	.7	✓	✓	✓	✓	✓	.20	✓	✓	28
29	.3		.6	.40	.93	✓	✓	.12	✓	.6	✓	.1	29
30	.26		✓		✓	✓	✓	.18	✓	.12	✓	✓	30
31	✓		.8		✓		✓	.72		.6	✗		31
Total	2.41	1.20	2.73	2.31	1.93	.51	1.57	1.37	2.18	3.71	1.99	1.09	YEAR'S TOTAL 23.00
Rain Days.	17	10	22	20	9	7	11	9	10	18	15	14	162

W.7,000, XI. 13

writer 17 II 15

~~W.R.H.C.~~ cntd. fr auth 9.11.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 JAN 1915

Kept at Field Place . Weybridge

in the County of Surrey 6

by Mrs Yool's gardener . Whatley

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Weybridge

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	✓	✓	.1	✓	✓	✓	✓	.6	✓	✓	.3	.4	1
2	✓	✓	✓	✓	✓	.1	.19	.4	✓	✓	.6	.15	2
3	✓	✓	.4	.1	17 .27	✓	.15	.1	✓	✓	.1	.1	3
4	.5	✓	.1	.16	✓	✓	.1	.15	✓	✓	.27	.32	4
5	.6	✓	.6	.23	.15	.4	.27	.90	✓	✓	✓	✓	5
6	✓	.11	.2	.16	✓	.15	.7	.1	✓	✓	.6	.10	6
7	✓	.31	.27	.35	.21	.14	.26	.1	✓	✓	✓	.7	7
8	.7	.35	.77	✓	✓	.4	.4	.11	✓	✓	✓	.3	8
9	.19	✓	.57	.25	✓	.10	✓	✓	.7	✓	✓	1.70	9
10	✓	.11	.2	.2	.7	✓	✓	✓	.19	✓	✓	.1	10
11	✓	.26	.39	✓	.7	.3	✓	✓	.11	✓	.6	.22	11
12	✓	.6	.11	✓	✓	✓	.43	✓	.18	.1	✓	.36	12
13	✓	.18	.15	✓	✓	✓	✓	✓	.13	.1	.3	.53	13
14	✓	.11	.17	✓	✓	.26	.11	✓	✓	.39	.5	.39	14
15	4	✓	.13	✓	✓	✓	.54	.4	✓	.1	.76	.1	15
16	✓	✓	.1	✓	✓	✓	✓	✓	.2	✓	.3	✓	16
17	✓	.32	.9	✓	✓	✓	✓	✓	✓	✓	✓	.10	17
18	✓	.2	.15	✓	✓	✓	✓	✓	.1	✓	✓	.28	18
19	✓	.7	.24	✓	✓	✓	.11	✓	✓	✓	.15	.32	19
20	✓	.24	.34	✓	✓	✓	✓	✓	.2	✓	✓	.13	20
21	✓	.51	.5	✓	✓	.1	✓	.6	✓	.3	✓	.1	21
22	✓	✓	.1	✓	.22	.9	.21	.1	✓	.21	✓	✓	22
23	✓	.11	.11	✓	.9	.2	✓	✓	✓	.8	✓	✓	23
24	✓	✓	.5	✓	✓	✓	✓	✓	✓	✓	.9	✓	24
25	.1	✓	.24	✓	✓	✓	✓	.11	✓	.21	.1	.6	25
26	.3	✓	.2	✓	✓	✓	.4	.3	✓	.5	.20	.52	26
27	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	.2	.14	27
28	✓	.2	✓	✓	.2	✓	✓	✓	✓	.6	.54	.92	28
29	5	✗	.7	✓	✓	✓	✓	✓	✓	.24	.11	✓	29
30	✓	✗	.4	✓	✓	✓	✓	✓	✓	.7	.56	.38	30
31	✓	✗	✓	✗	.11	✗	.3	✓	✗	✓	✗	8	31
Total	.50	2.78	4.14	1.18	1.11	.89	2.46	1.54	.74	1.37	3.04	6.88	YEAR'S TOTAL 2[illegible].3
Rain Days.	8	15	27	7	9	11	14	13	8	14	18	25	169

26.63

W. 8,000. X. 14.

297

FORM A.
BRITISH RAINFALL
29 FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Field Place Weybridge

in the County of Surrey

by Mrs Henry Pyool

Lat. .... Long. ....

Time of Observation 9 a m

Nearest Railway Station Weybridge

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.54	.16	✓	✓	.6		.11		.12	✓	.12	.10	1
2	.38	17	.23	.9	✓		✓		✓	1.31	✓	45	2
3	.40	✓	.8	.11	.1	.62	✓		✓	.1	✓	22	3
4	.1	✓	✓	✓	✓		✓		✓	.4	✓	33	4
5	.5	.48	✓	✓	✓		.57		✓	.7	✓	31	5
6	.38	.15	.4	.27	✓		.23		✓	✓	✓	24	6
7	.18	.21	1	✓	✓		.4		✓	✓	✓	×	7
8	.5	.49	2	.2	✓		✓		✓	7	✓	77	8
9	.4	.10	✓	.24	✓		✓		✓	✓	✓	3	9
10	.19	.10	.1	✓	✓		✓		✓	.1	.35	7	10
11	.4	.17"	.2	✓	✓		✓		✓		.64	18	11
12	.5	.7	✓	.41	.45		✓		✓	.2	.25	2	12
13	.1	.58	✓	✓	1.26		.1		✓		✓	1	13
14	.1	.2	✓	✓	✓		✓		.4		✓	×	14
15	.5	.2	✓	✓	.5		.57				14	39	15
16	×	.28	✓	✓	1.36		✓				✓	8	16
17	×	.39	✓	✓	.15		✓				✓	3	17
18	×	24	5	✓	.2		6				.1	×	18
19	×	13	✓	✓	.1		✓				✓	4	19
20	.27	✓	✓	✓	.2		.1			.2	✓	16	20
21	.12	[illegible]	✓	6	✓		.70			4	✓	2	21
22	.20	18	.18	1	✓		.14				✓	11	22
23	.1	13	.5	✓	✓		✓		22		✓	21	23
24	.×	✓	✓	✓	✓		.22		34		✓	46	24
25	×	✓	.1	18	✓		.35				✓	13	25
26	×	.2	✓	✓	✓		6				✓	60	26
27	×	.2	✓	✓	✓		✓			.24	✓	7	27
28	×	.5	✓	✓	✓		.25		1.21	.13	16	×	28
29	×		✓	✓	✓		✓		15	✓	.30	.1	29
30	.2	X	✓	✓	✓		✓		.1	.14	✓	.2	30
31	.4	X	✓	X	✓	X	✓		X	1.15	X	.24	31
Total	3.09	4.10	.70	1.39	3.39	nil	3.26	nil	2.09	3.25	1.97	5.10	YEAR'S TOTAL
Rain Days.	21	22	11	9	10		14		7	13	8	24	

W. 8,000. X. 15.

285

FORM A.
BRITISH RAINFALL.

RE

2 30

ST MICHEALS HOUSE
WEYBRIDGE

1916 – 20

0° 26′ 10″ W

Kept at ~~[illegible]~~ Wood

O.A.M.

Weybridge L.S.W.R

in the County of Su

n Gauge 5 in.

by H. I. Bond

ove Ground ft. 8 in.

Sea Level 150 ft.

IMPORTANT N d the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	·01	·02	–	·25	·02	–	–	·29	–	·39	–	1
2	·20	·05	·07	–	·17	–	–	–	·14	·41	·06	–	2
3	–	·54	·15	–	–	–	·04	–	·16	·28	·43	–	3
4	·15	·07	–	–	–	·27	–	–	·18	·02	·53	–	4
5	·01	–	–	·01	·14	·14	–	–	–	·04	·57	·01	5
6	–	·07	·43	·10	·04	·15	·14	–	–	·05	·37	–	6
7	·04	–	·43	–	·13	·24	·45	–	–	·02	·49	–	7
8	–	–	–	–	·34	·01	–	–	–	–	–	·05	8
9	–	–	–	–	·16	·01	–	–	–	·11	–	·12	9
10	–	·11	·06	·05	–	·25	·01	–	–	–	–	·12	10
11	·02	·16	·05	·16	·01	·11	–	–	–	–	–	·11	11
12	·02	·04	–	·09	·19	·17	·03	·03	·02	–	–	·02	12
13	–	·18	·35	·11	·07	·07	·05	·02	–	·10	–	–	13
14	–	·36	·03	–	·07	–	–	·59	–	·02	–	–	14
15	·01	·08	·19	·01	–	–	–	·29	–	·03	–	·12	15
16	–	·12	·52	·14	–	–	·29	·17	–	–	–	–	16
17	·10 ~~·04~~	·08	–	·06	–	–	·03	·10	·31	·48	–	–	17
18	–	·13	·04	·08	–	–	–	·31	·07	·51	·11	·01	18
19	·09	–	·15	·26	–	–	–	·02	·12	–	·57	·02	19
20	·12	–	·20	·03	–	–	–	–	–	–	·38	–	20
21	–	–	·34	–	–	–	·07	–	–	–	·01	·58	21
22	·02	·01	·03	–	–	–	–	–	–	·04	–	·03	22
23	–	·25	·01	–	–	·01	–	·02	–	·19	–	·40	23
24	·01	–	–	–	·02	·03	–	·02	–	·15	·03	–	24
25	–	·34	·14	–	·08	–	–	·15	–	·11	·04	·25	25
26	–	·14	·07	–	–	·06	–	·15	·02	·17	·06	–	26
27	–	–	·60	–	–	·04	–	·89	·02	·62	–	–	27
28	·01	·29	·30	–	–	·02	–	–	·03	·01	–	–	28
29	–	·07	–	–	–	·15	–	·77	·11	·24	–	·11	29
30	–	X	–	–	–	–	–	·09	–	·36	–	·12	30
31	–	X	–	X	–	X	–	–	X	·16	X	·04	31
Total	·85	3·10	4·18	1·10	1·67	1·75	1·11	3·62	1·47	4·12	4·04	2·11	YEAR'S TOTAL 29·12
Rain Days.	14	20	21	12	13	17	9	15	12	22	14	16	185

W. 8,000, VIII. 16

RE

FORM A.
BRITISH RAINFALL.

Kept at Wood Lane Weybridge

in the County of Surrey

by H. I. Bont.

Lat. 51° 21′ 20″ N Long. 0° 26′ 10″ W

Time of Observation 8.0.A.M.

Nearest Railway Station Weybridge L.S.W.R

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·01	·02	–	·25	·02	–	–	·29	–	·39	–	1
2	·20	·05	·07	–	·17	–	–	–	·14	·41	·06	–	2
3	–	·54	·15	–	–	–	·04	–	·16	·28	·43	–	3
4	·15	·07	–	–	–	·27	–	–	·18	·02	·53	–	4
5	·01	–	–	·01	·14	·14	–	–	–	·04	·57	·01	5
6	–	·07	·43	·10	·04	·15	·14	–	–	·05	·37	–	6
7	·04	–	·43	–	·13	·24	·45	–	–	·02	·49	–	7
8	–	–	–	–	·34	·01	–	–	–	–	–	·05	8
9	–	–	–	–	·16	·01	–	–	–	·11	–	·12	9
10	–	·11	·06	·05	–	·25	·01	–	–	–	–	·12	10
11	·02	·16	·05	·16	·01	·11	–	–	–	–	–	·11	11
12	·02	·04	–	·09	·19	·17	·03	·03	·02	–	–	·02	12
13	–	·18	·35	·11	·07	·07	·05	·02	–	·10	–	–	13
14	–	·36	·03	–	·07	–	–	·59	–	·02	–	–	14
15	·01	·08	·19	·01	–	–	–	·29	–	·03	–	·12	15
16	–	·12	·52	·14	–	–	·29	·17	–	–	–	–	16
17	·10 ~~·04~~	·08	–	·06	–	–	·03	·10	·31	·48	–	–	17
18	–	·13	·04	·08	–	–	–	·31	·07	·51	·11	·01	18
19	·09	–	·15	·26	–	–	–	·02	·12	–	·57	·02	19
20	·12	–	·20	·03	–	–	–	–	–	–	·38	–	20
21	–	–	·34	–	–	–	·07	–	–	–	·01	·58	21
22	·02	·01	·03	–	–	–	–	–	–	·04	–	·03	22
23	–	·25	·01	–	–	·01	–	·02	–	·19	–	·40	23
24	·01	–	–	–	·02	·03	–	·02	–	·15	·03	–	24
25	–	·34	·14	–	·08	–	–	·15	–	·11	·04	·25	25
26	–	·14	·07	–	–	·06	–	·15	·02	·17	·06	–	26
27	–	–	·60	–	–	·04	–	·89	·02	·62	–	–	27
28	·01	·29	·30	–	–	·02	–	–	·03	·01	–	–	28
29	–	·07	–	–	–	·15	–	·77	·11	·24	–	·11	29
30	–	✕	–	–	–	–	–	·09	–	·36	–	·12	30
31	–	✕	–	✕	–	✕	–	–	✕	·16	✕	·04	31
Total	·85	3·10	4·18	1·10	1·67	1·75	1·11	3·62	1·47	4·12	4·04	2·11	YEAR'S TOTAL 29·12
Rain Days.	14	20	21	12	13	17	9	15	12	22	14	16	185

W. 8,000, VIII. 16

278

FORM A.

BRITISH RAINFALL.

14 JAN 1918

Oct 3 – Dec 31

End 40

REGISTER OF RAINFALL IN 1917.

Jan to Oct 3

Kept at 1. Wood Lane, St George's Hill, } Weybridge
2. St Michael's House, }

Oct 4 to end

in the County of Surrey.

by H. I. Bond.

Lat. 1. 51. 21. 20 N 2. 51. 22. 0" N. Long. 1. 0. 26. 10" W 2. 0. 26. 40. W.

Time of Observation 8. 0. A.M.

Nearest Railway Station Weybridge

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground – ft. 8" in.

" " " " Sea Level 1. 150. 2. 115. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	·20	–	–	–	1·30	·03	–	·07	–	1
2	–	–	·01	·12	–	·09	–	·09	–	–	·14	–	2
3	–	–	–	·33	–	–	·55	·34	–	·13	·11	–	3
4	–	–	·02	–	–	–	·31	·17	–	·37	–	–	4
5	–	·34	·03	·24	–	–	–	–	·25	·22	·05	–	5
6	·24	–	·23	–	–	·09	–	–	·20	·01	·08	–	6
7	·02	–	–	–	–	–	·17	–	–	·08	–	·02	7
8	·16	–	–	·06	–	–	·68	·29	·12	·22	·19	·36	8
9	·09	–	–	·12	·02	–	·13	·08	–	–	·05	·16	9
10	·02	–	·09	·07	–	–	–	·07	–	–	·01	·02	10
11	·27	–	·32	·43	–	·56	–	–	·57		–	–	11
12	·03	–	·11	–	–	–	–	·04	·02	·14	–	–	12
13	·06	–	·16	·07	–	–	–	·11	–	·43	–	–	13
14	·02	–	·01	–	–	–	–	·08	–	·07	–	–	14
15	·02	–	–	–	–	–	·18	·03	–	–	–	·01	15
16	·05	–	–	·30	·02	·08	·16	·02	–	·01	–	·49	16
17	– ~~·98~~	·08	–	·09	·55	–	·15	·01	·44	·43	–	–	17
18	·01	–	–	·08	·14	·65	·28	·15	·17	·25	–	–	18
19	·04	·06	·04	·01	·01	·01	–	–	·12	·03	–	–	19
20	·01	·20	·02	–	·54	–	·05	·01	–	–	·03	–	20
21	–	·01	·02	–	·03	·01	–	–	–	–	·04	–	21
22	–	–	–	–	–	–	–	·08	–	–	·01	–	22
23	–	·02	·10	–	·11	·10	–	·12	–	–	–	–	23
24	–	·10	–	–	–	·16	·02	·04	–	·04 ·18	·01	·01	24
25	–	·01	·02	–	–	–	–	–	–	·02	·03	–	25
26	–	·05	·06	–	–	–	–	·22	·05	–	·28	–	26
27	–	–	–	–	·59	·06	–	·75	–	–	–	–	27
28	–	–	·01	–	–	1·04	–	·05	–	–	–	–	28
29	–	–	·03	–	·80	·16	·53	·02	–	·19	–	·05	29
30	–	✕	·29	–	–	–	1·51	·07	–	·04	–	–	30
31	·03	✕	·02	✕	–	✕	·35	–	✕	–	✕	–	31
Total	1·07	·87	1·59	2·12	2·81	3·01	5·07	4·14	1·97	2·86	1·10	1·12	YEAR'S TOTAL 27·73
Rain Days.	15	9	19	13	10	12	14	23	10	18	14	8	165

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

6. 1. 19

Kept at St Michael's House, Weybridge.
in the County of Surrey.
by H. I. Bond

Lat. 51° 22′ N. Long. 0° 26′ 40″ W.
Time of Observation 8.0. A.M
Nearest Railway Station Weybridge
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 8″ in.
" " " " Sea Level 115. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0·28

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·12	–	–	·05	–	–	–	–	–	–	·25	·05	1
2	–	·08	–	·08	–	–	–	·23	–	·02	·17	·08	2
3	–	–	·03	·03	·41	–	–	·14	–	–	·43	–	3
4	–	·07	·11	·02	–	–	–	·02	·09	–	·43	–	4
5	–	·03	–	–	·08	–	–	·04	·79	·05	–	–	5
6	·20	·06	–	·28	–	–	–	·01	·02	–	–	·06	6
7	–	·07	–	·18	·57	–	–	–	·31	·04	–	–	7
8	–	·07	–	–	–	–	·21	·01	·10	–	·13	·01	8
9	·01	·02	–	·06	–	·16	·41	–	·29	·13	–	·21	9
10	–	–	–	·14	–	–	1·47	–	·02	·01	·01	·31	10
11	·01	–	–	·03	·01	–	·19	–	·01	·24	·08	·09	11
12	–	·03	–	–	·09	–	·11	–	·08	–	–	·03	12
13	·03	–	–	–	·14	–	·01	–	·10	–	–	–	13
14	·12	–	·03	–	–	·31	·03	–	·12	·08	–	·24	14
15	1·21	–	–	·61	–	·04	π	–	·02	–	–	·07	15
16	·30	–	·02	·22	–	·13	–	–	·15	–	–	·01	16
17	·30	–	–	·18	·67	–	·18	·02	1·35	–	–	·09	17
18	·42	–	–	–	–	·16	·08	–		·11	–	·07	18
19	·04	–	·03	·10	–	·17	·24	·01	·03	·10	–	·07	19
20	·05	·10	–	·93	–	·03	·11	–	·20	·14	–	–	20
21	·11	·01	–	·40	–	–	–	–		·02	–	–	21
22	·09	–	–	–	·58	–	·08	–		–	–	–	22
23	·03	–	–	–	·13	–	·50	·02	·93*	–	–	–	23
24	–	·30	–	–	–	–	·30	–		–	·02	–	24
25	–	–	–	–	–	·02	·31	·28		·02	–	–	25
26	–	–	–	–	–	–	·85	·01		·03	·08	–	26
27	–	·01	·01	·04	–	–	·04	·15	·05	–	·10	·32	27
28	–	·05	·19	·01	–	–	–	·11	–	–	·09	·10	28
29	–		–	–	–	–	–	–	1·03	–	–	–	29
30	–		·51	–	–	–	–	–	·01	·01	·03	·04	30
31	–		–		–		–	–		·08		–	31
Total	3·04	·90	·93	3·36	2·68	1·02	5·12	1·05	5·70	1·08	1·82	1·85	YEAR'S TOTAL 28·55
Rain Days.	15	13	8	17	9	8	17	13	25	15	12	17	169

* TOTAL COMPLETE.
INDIVIDUAL DAYS INCOMPLETE.

W, 6,500, VII. 18. W W O

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

JAN 20

Kept at St. Michael's House Weybridge.
in the County of Surrey.
by H. I. Bond.

Lat. 51° 22′ N Long. 0° 26′ 40″ W.
Time of Observation 8.0. A.M.
Nearest Railway Station Weybridge L.S.W.R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft 8″ in.
" " " " Sea Level 115 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·03

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·28	·02	—	·02	·01	—	·29	—	—	·16	·01	·77	1
2	·40	—	·01	—	·06	—	·07	—	·12	—	·07	·24	2
3	·24	—	·30	—	·01	—	·05	—	·07	—	·03	·44	3
4	·08		·24	—	—	·06	·14	·02	·01	—	·01	·12	4
5	—	·33	·54	·01	—	—	·01	—	·15	—	·07	·22	5
6	·08	·01	·01	—	—	—	—	—	—	—	·01	·08	6
7	·04	—	·32	—	—	—	—	—	—	—	·01	—	7
8	·08	—	·06	·01	—	—	—	—	—	—	—	—	8
9	·07	—	·01	·06	·06	—	—	—	—	—	·04	—	9
10	·75	—	·03	·01	—	—	—	—	—	·01	·03	·01	10
11	·01	—	·08	·20	·02	—	·03	—	—	—		·02	11
12	·01	—	·02	·03	—	·02	·39	—	—	·07	·05	—	12
13	·01	—	—	·19	—	—	—	—	·83	·02	—	·02	13
14	·16	—	—	·28	—	—	·07	—	—	—	—	·01	14
15	·18	·04	·09	·07	—	—	—	—	—	—	·01	·31	15
16	·05	·50	—	—	—	—	—	—	—	—	·07	·08	16
17	—	·41	—	·01	—	—	—	—	·02	—	·14	·01	17
18	—	—	·07	—	—	—	—	—	—	—	·04	·01	18
19	·01	·05	·45	—	—	·16	·71	·17	·04	—	·06	—	19
20	·11	·02	·31	—	—	·71	·13	·10	·01	—	·01	—	20
21	·16	·20	·01	—	—	·04	·04	—	·16	—	·01	·04	21
22	—	·04	—	—	—	—	·20	—	—	—	·01	·22	22
23	—	—	—	—	—	·01	—	—	—	—	·01	·08	23
24	—	—	—	·14	—	·01	·09	·04	·06	·21	·03	·01	24
25	·03	—	—	—	·03	·05	—	·15	—	—	—	·01	25
26	·07	·18	·02	·02	—	—	—	·04	—	—	—	·22	26
27	·45	·03	·06	·73	—	—	—	·22	—	—	·05	·04	27
28	·07	—	·27	·02	—	—	·02	·72	—	—	—	·26	28
29	·02		—	·08	—	—	—	·25	—	·13	·43	·03	29
30	—		·01	·22	—	·09	—	·22	·02	·03	·15	·30	30
31	·05		·04		—		·04	—		—		·08	31
TOTAL	3·41	1·83	2·95	2·10	·19	1·15	2·28	1·93	1·49	·63	1·35	3·63	YEAR'S TOTAL 22·94 ✓
Days with ·01 in. or more	24	12	21	17	6	9	15	10	11	7	?23	25	180 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

3 JAN 192

Kept at St. Michael's House, Weybridge
in the County of Surrey.
by H. I. Bond.

Lat. 51° 22′ N. Long. 0° 26′ 40″ W.
Time of Observation 8.0 AM.
Nearest Railway Station Weybridge, L.S.W.Ry
Diameter of Funnel of Rain Gauge 5″ in.
Height of top of Gauge above Ground – ft. 8 in.
" " " " Sea Level 115 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·20.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	–	–	·26	·06	–	·26	–	–	·33	–	·18	1
2	–	–	·05	·01	·01	–	–	·64	·07	·03	–	·02	2
3	–	·01	–	·08	–	–	·04	–	·01	·03	–	·05	3
4	–	·09	–	·14	–	–	·85	·02	–	·20	–	·10	4
5	–	–	·10	·02	·02	–	·67	·02	–	–	–	·04	5
6	–	–	·17	–	·08	–	·41	–	–	–	–	·03	6
7	–	–	–	·13	·10	–	·13	–	–	–	–	–	7
8	·01	–	–	·08	·14	–	·17	–	–	–	–	–	8
9	·23	·01	·01	·03	–	–	·01	–	–	–	–	–	9
10	·28	·04	·02	–	–	–	·07	–	–	–	·01	–	10
11	·10	–	·06	·22	·02	·05	·22	–	–	–	–	·18	11
12	·05	–	–	·09	–	·60	–	–	–	–	–	–	12
13	·15	–	·13	·14	–	–	–	–	–	–	·05	–	13
14	–	–	·14	·12	–	·11	–	–	·10	·02	·18	·01	14
15	·01	·01	·10	·34	–	–	–	–	·35	·04	·05	–	15
16	–	–	·01	·24	–	·18	–	–	·43	·01	–	–	16
17	·01	–	–	·01	·12	–	·02	–	·29	–	–	·03	17
18	·03	–	–	–	·01	–	–	·72	·15	–	–	·03	18
19	·05	–	–	·17	–	–	–	–	–	–	–	·03	19
20	·03	·10	–	·17	–	·60	–	–	·10	–	–	–	20
21	–	–	–	·01	–	–	·62	·01	·41	–	–	·05	21
22	–	–	–	·26	–	–	–	·01	·20	–	–	·42	22
23	–	–	–	–	–	–	·41	·03	–	–	–	·28	23
24	·01	–	·04	–	–	–	·01	–	–	–	·01	·01	24
25	·–	·02	–	–	–	–	·16	–	–	–	–	–	25
26	·04	–	·08	–	–	–	·03	–	–	–	–	·04	26
27	·19	·02	·01	·26	–	·09	·21	–	–	–	·47	·05	27
28	·31	–	·21	·03	·03	–	·08	–	–	–	·06	·01	28
29	·22	–	·05	·04	–	–	–	–	–	–	·04	·12	29
30	–	╳	–	–	·06	–	·17	–	·18	–	·16	·08	30
31	·01	╳	–	╳	–	╳	–	–	╳	·75	╳	·08	31
													YEAR'S TOTAL
TOTAL	1·76	·30	1·18	2·85	·65	1·63	4·54	1·45	2·29	1·41	1·03	1·84	20·93
Days with ·01 in. or more	18	8	15	22	11	6	19	7	11	8	9	21	155
Days with ·04 in. or more	10	3	11	16	6	6	15	2	10	4	7	13	103

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

59 made

WEY~~BRIDGE~~

ST. MARGARETS

SURREY

1911 – 1912

FORM A2.
BRITISH RAINFALL.
15 JAN 1912

…11

Kept at St Marg… …er cylinder …5 in.

in the County of S… …e Ground 1 ft. 3 in.

Sea Level 47 ft.

by W. E. A… …am

Name Weybridge

Distance 1 mile Direction S.W

IMPORTANT N… …d the result entered to the previous day. If an… …versal rule, he is earnestly requested to add the… …year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	~~Oct.~~ Nov	~~Nov.~~ Oct.	Dec.	Date.
1	·04			·60				·03					1
2	·13			·30	·21					·22		·07	2
3	·03				·12					·09		·08	3
4	·03	·04	·04	·10					·01	·18	·05	·31	4
5	·10		-	·02						·05	·17	·04	5
6	·25		·18									·37	6
7	·04									·28	·12	·15	7
8	·13		·20							·15		·40	8
9	·16		·02									·07	9
10	·08	·16	·10	·01						·08		·60	10
11	·32									·67			11
12	·04		·44	·01	·12				·01	·30			12
13					·09				·33			·41	13
14		·08	·05		·32							·44	14
15		·07	·17							·04			15
16						·42				·37		·12	16
17			·01			·06				·40		·20	17
18		·11								·48		·26	18
19		·01				·36			·16	·17	·08	·13	19
20	·03	·04	·01					·10	·21		·04	·56	20
21	·02	·11	-					·17	·01	·01		·15	21
22	·10		·21			·02					·08	·42	22
23		·11	·04			·55			·20	·04		·08	23
24		·12	·05			·03		·03			1·19	·30	24
25		·02	·01	·06		·06	1·54	·01			·02		25
26			·03	·21	·15	·03	·06			·05	·11	·29	26
27		·30	·08						·10	·01		·18	27
28		·14		·21			·01	·13					28
29				·17	- [illegible]	·18	·12		·15		·19		29
30						·02		·04	·01		·18		30
31					·44						·04		31
Total	1·50	1·31	1·64	1·69	1·45	1·73	1·73	·51	1·19	3·59	2·27	5·63	TOTAL for year 24·24 24·24
No. of Rain Days.	15	13	16	10	7	10	4	7	10	18	12	22	144

W. 8,000, X. 11. Please note that Oct & Nov rainfall is entered wrong Oct should read Nov
& Nov " " Oct

59 made

11

FORM A2. BRITISH RAINFALL. 15 JAN 1912

Kept at St Magarets Weybridge

6

in the County of Surrey

by W. E. Anderson

Rain Gauge
Pattern Copper cylinder
Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 47 ft.

Time of Observation 9 am

Nearest Railway Station
Name Weybridge
Distance 1 mile Direction S.W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	+ ~~Oct.~~ Nov	~~Nov.~~ Oct	Dec.	*Date.*
1	·04			·60				·03					1
2	·13			·30	·21					·22		·07	2
3	·03				·12					·09		·08	3
4	·03	·04	·04	·10					·01	·18	·05	·31	4
5	·10		-	·02						·05	·17	·04	5
6	·25		·18									·37	6
7	·04									·28	·12	·15	7
8	·13		·20							·15		·40	8
9	·16		·02									·07	9
10	·08	·16	·10	·01						·08		·60	10
11	·32									·64			11
12	·04		·44	·01	·12				·01	·30			12
13					·09				·33			·41	13
14		·08	·05		·32							·44	14
15		·07	·17							·04			15
16						·42				·37		·12	16
17			·01			·06				·40		·20	17
18		·11								·48		·26	18
19		·01				·36			·16	·17	·08	·13	19
20	·03	·04	·01					·10	·21		·04	·56	20
21	·02	·11	-					·17	·01	·01		·15	21
22	·10		·21			·02					·08	·42	22
23		·11	·04			·55			·20	·04		·08	23
24		·12	·05			·03		·03			1·19	·30	24
25		·02	·01	·06		·06	1·54	·01			·02		25
26			·03	·21	·15	·03	·06			·05	·11	·29	26
27		·30	·08						·10	·01		·18	27
28		·14		·21			·01	·13					28
29				·17		·18	·12		·15		·19		29
30						·02		·04	·01		·18		30
31					·44						·04		31
Total	1·50	1·31	1·64	1·69	1·45	1·73	1·73	·51	1·19	3·59	2·27	5·63	TOTAL for YEAR 24·24 24·24
No. of Rain Days.	15	13	16	10	7	10	4	7	10	18	12	22	144

W. 8,000, X.11. Please note that Oct & Nov rainfall is entered wrong Oct should read Nov
Nov " " Oct

made

cor for arith 3.11.13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

30 JAN 1913

Kept at St Margarets, Weybridge 6 Portmore Road
in the County of Surrey
by W. E. Anderson

Lat. Long.
Time of Observation 9. am.
Nearest Railway Station one mile
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 47 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			·12			·04	·03		·07	·53		·18	1
2		·01	·18			·13	·39			·06			2
3			·15			·09	·03	·27				·07	3
4	·21	·03	·39		·08	·28		·02			·26		4
5	·18	·04	·08					·29			·03		5
6	·39	·06	·03					·26				·04	6
7					·11	1.24	·13	·25				·02	7
8	·34	·37	·21			·08	·02	·43					8
9		·15	·07			·06		·10				·04	9
10		·06		·05				·97			·06	·36	10
11	·06	·20				·04			·02			·25	11
12	·04		·09		·21	·13		·04			·03	·03	12
13		·06	·01								·02	·01	13
14			·02		·04			·05		·07		·04	14
15	·01	·04	·09		·12	·60		·01			·02	·30	15
16	·44		·08		·17	·04		·04		·03	·03		16
17	·45		·19			·02		·06					17
18	·13		·15					·15			·04	·08	18
19	·08	·11	·03				·15	·37					19
20	·03		·11					·11		·41	·03		20
21	·01		·12		·15			·10		·08	·13		21
22	·13	·19	·07		·03		·02	·14		·01		·06	22
23	·37	·42	·36					·42		·15	·18	·17	23
24	·30					·23		·25				·07	24
25	17					·19		·52			·20	·59	25
26		·05						·29		·33	·42	·31	26
27						·02				·22		·19	27
28		·05				·15	·28	·08	·13	·36	·47	14	28
29		·02				·09	·27	·24	1.41	·34			29
30					·31	·03		·02	1.06	·16	03		30
31			·35		·01		·19	·12					31
Total	3·34	1·86	2·90	0·05	1·23	3·46	1·51	5·60	2·69	2·75	1·95	2·95	YEAR'S TOTAL 39·29
Rain Days.	17	16	2·90 21	1	10	3·46 18	10	5·60 26	5	13	15	19	141

W. 7,500, XI. 12

WEYBRIDGE
LYNCROFT
SURREY
1911 - 1915

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

R … 11

Kept at Weyb… … 5 in.
…e Ground ft. 10 in.
in the County of … Sea Level ft.
… 30 a m
by Major Genl B… Name Weybridge
Distance 1 mile Direction NE.

IMPORTANT NO… a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01			·62	·20			·03					1
2	12			·30	·11		·02			—	·20	·06	2
3	·01	·02										·06	3
4	·02	·01	·05	·10					·02	·05	·17	·36	4
5	·02			·01						·14	·05	·02	5
6	·22		·16								·01	·40	6
7	·03									·12	·30	·06	7
8	·11		·20								·14	·37	8
9	·13		·02								·03	·10	9
10	·03	·13	·09								·04	·50	10
11	·30				·01						·63		11
12	·03				·12					·12	·29		12
13			·44		·12				·33	·01		·36	13
14		·06	·05		·30							·36	14
15		·05	·15								·02	·02	15
16			·02			·40					·37	·04	16
17			·01			·05					·40	·18	17
18		·11				·13					50	·23	18
19		·02				·22			·15		·15	·12	19
20	·02	·05	·01					·17	·22	·01		·57	20
21	·02	·07		·02				·06	·01	·50		·15	21
22	·09		·14			·02				·05		·41	22
23		·21	·04			·55			·18	·03	·05	·07	23
24		·02				·04		·03		1.20		·37	24
25			·04	·05		·12		·01		·04		·27	25
26		·02		·20	·16	·03	1.66			·08	·04	·17	26
27		·30		·10			·02				·01		27
28		·11		·22				·11			·01		28
29				·15		·18	·12		·15	·18			29
30				·08		·01		·05		·16			30
31					·33					·03			31
Total	1.16	1.18	1.42	1.85	1.35	1.75	1.82	·46	1.06	2.72	3.41	5.25	TOTAL for year 23.43 ✓
No. of Rain Days	15	14	14	11	8	11	4	7	7	15	19	23	148 ✓

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at Weybridge - LYNCROFT 6
in the County of Surrey
by Major Genl Battersby

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground ft. 10 in.
" " " Sea Level ft.

Time of Observation 9.30 a m

Nearest Railway Station
Name Weybridge
Distance 1 mile Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01			·62	·20			·03					1
2	12			·30	·11		·02			—	·20	·06	2
3	·01	·02										·06	3
4	·02	·01	·05	·10					·02	·05	·17	·36	4
5	·02			·01						·14	·05	·02	5
6	·22		·16								·01	·40	6
7	·03									·12	·30	·06	7
8	·11		·20								·14	·37	8
9	·13		·02								·03	·10	9
10	·03	·13	·09								·04	·50	10
11	·30				·01						·63		11
12	·03				·12					·12	·29		12
13			·44		·12				·33	·01		·36	13
14		·06	·05		·30							·36	14
15		·05	·15								·02	·02	15
16			·02			·40					·37	·04	16
17			·01			·05					·40	·18	17
18		·11				·13					50	·23	18
19		·02				·22			·15		·15	·12	19
20	·02	·05	·01					·17	·22	·01		·57	20
21	·02	·07		·02				·06	·01	·50		·15	21
22	·09		·14			·02				·05		·41	22
23		·21	·04			·55			·18	·03	·05	·07	23
24		·02				·04		·03		1.20		·37	24
25			·04	·05		·12		·01		·04		·27	25
26		·02		·20	·16	·03	1.66			·08	·04	·17	26
27		·30		·10			·02				·01		27
28		·11		·22				·11			·01		28
29				·15		·18	·12		·15	·18			29
30				·08		·01		·05		·16			30
31					·33					·03			31
Total	1.16	1.18	1.42	1.85	1.35	1.75	1.82	·46	1.06	2.72	3.41	5.25	TOTAL for year 23.43 ✓
No. of Rain Days	15	14	14	11	8	11	4	7	7	15	19	23	148 ✓

9,000, IX. '10.

Cor. by [illegible] 3.11.13

made

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

8 JAN 1913

Kept at Weybridge LYNCROFT

6

in the County of Surrey

by Major Genl. Battersby

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 10 in.
" " " Sea Level ft.

Time of Observation 10 a.m.

Nearest Railway Station
Name L. & S. W. Railway
Distance 1 mile Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		~~.02~~	.10	.01		.10	.03		.07	.50			1
2		.02	.20			.09	.39	.23		.05		.28	2
3		.05	.10			.07	.03	.05				.04	3
4	.20		.33		.05	.27		.27			.27		4
5	.19	.06	.06					.22			~~.01~~	.01	5
6	.34	.01			.01			.27	.01		~~.02~~	.02	6
7	.02				.07	1.25		.46			~~.01~~	.02	7
8	.30	.34	.20			.08	.13	.11				.01	8
9		.15	.07	.05		.05		~~1.10~~				.17	9
10		.05	.08					1.00			.07	.25	10
11	.05	.18				.04		.09				.26	11
12	.04	.07		~~.20~~	.20	.11		.02			.02		12
13													13
14				~~.02~~	.02			.05		.05		.05	14
15	.01	.02		~~.11~~	.11	.60					.03	.30	15
16	.40			~~.17~~	.17	.04		.05		.03	.03		16
17	.50		.17			.02		.06					17
18	.09		.12					.15				.08	18
19	.07	.10	.02				.17	.36					19
20	.03		.09				.01	.12		.35	.20		20
21	.14		.10	~~.15~~	.15			.10		.08			21
22		.18	.05	~~.03~~	.03		.01	.17			.01	.06	22
23	.49	.47	.35					.41		.11	.18	.06	23
24	.27					.18	.01	.23				.16	24
25	.17					.17		.50			.20	.36	25
26		.07						.28		.31	.38	.40	26
27						.03		.13		.20		.20	27
28						.14	.29	.16	.17	.33	.46	.11	28
29		.07				.09	.25	.07	1.22	.33	.03		29
30				~~.34~~	.34	.01		.02	1.00	.16			30
31			.35				.16	.14	~~[illegible]~~	.01		.02	31
Total	3.22	1.84	2.39	.06	1.15	3.34	1.48	5.72	2.47	2.51	1.88	2.86	TOTAL for year 28.92
No. of Rain Days.	17	15	16	2	10	18	11	27	5	~~12~~ 13	12	20	165 166

W. 8,000, X. '11.

Smade

cordy own. stats 24·1·14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

8- JAN 1914

Kept at Weybridge LYMCROFT Rd

in the County of Surrey 6

by Major General Battersby

Lat. Long.
Time of Observation 10 a.m
Nearest Railway Station Weybridge
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·27	·03	·23					·48		·06	·15	1
2	·04	·12					·12		·01	·23	·08		2
3			·07	·17	·31								3
4	·21				·35					·21	·02	·08	4
5	·12	·04				·08	·02		·28	·01			5
6	·01		·07		·06	·05	·10			·40	·12	·20	6
7		·04			·03					·25	·08		7
8		·15		·02	·07	·03			·12	·06			8
9							·10	·07					9
10			·13	·06			·01	·07		·05	·32		10
11	·26			·43						·56	·35		11
12					·03						·29		12
13	·05								·10		·28		13
14	·10		·07		·01		·37	·10	·08	·07		·03	14
15	·25		·32	·25			·23		·10				15
16	·11		·31	·07					·15				16
17	·03	·17 snow	·04				·17						17
18			·20	·07			·03				·08		18
19	·24		·01				·10		·23				19
20	·12		·42	·05	·25	·25				·37			20
21			·13	·05						·17 ·27	·83		21
22	·45		·14	·02				·17	·15				22
23				·03			·02	·03				·42	23
24											·01		24
25				·21									25
26			·20	·07				·05		·66		·14	26
27		·02	·06	·03	·18					·02			27
28	·18		·23	·06						·14		·01	28
29	·04		·06	·43	·88			·12		·06			29
30	·28			·02				·17		·13			30
31			·12					·80		·05			31
Total	2.48	0.81	2.61	2.27	1.92	0.41	1.27	1.46	1.70	3.46	2.52	1.03	YEAR'S TOTAL 21.94
Rain Days.	16	7	18	18	9	4	11	9	10	17	12	7	138

W. 7,500, XI. 12

Slip made 3/3/15

Ex I.N.C.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

7 - JAN 1915

Kept at Weybridge LYNCROFT

in the County of Surrey 6

by Major Genl Battersby

Lat. Long.
Time of Observation 9.30 - am
Nearest Railway Station Weybridge
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			.06					.05			.02	.03	1
2							.02	.05			.02	.13	2
3			.03	.02	.13 (.15)		.30						3
4	.10		.01	.12	.04			.15			.26	.24	4
5	.01		.03	.24	.15	.02	.26	.56					5
6		.08	.13	.15	.01	.15	.11				.11	.07	6
7		.23	.18	.23	.17	.17	.20	.03				.05	7
8	.36	.35	.82			.7	.05	.07				.01	8
9	.17		.53	.20		.11			.07			1.48	9
10		.11	.04	.02	.09				.23			.05	10
11		.22	.40		.03	.02					.10	.22	11
12		.05	.14				.50		.17		.02	.32	12
13		.17	.16				.01		.14	.01		.45	13
14		.08	.15			.43	.50		.01	.36	.04	.36	14
15	.04		.10					.05			.62	.01	15
16			.05								.08	.01	16
17		.36	.07									.10	17
18			.21									.25	18
19		.07	.30				.08				.17	.29	19
20		.23	.24						.06			.15	20
21		.42	.03					.30		.02			21
22			.01		.12	.10	.25	.02		.16			22
23		.13	.12		.10	.06				.12			23
24			.06				.02				.11		24
25			.23					.10		.20	.15	.05 (.06)	25
26			.04					.02		.08	.13	.49	26
27	.05										.02	.09	27
28										.02	.10	.88	28
29	.05		.07							.25	.11		29
30			.03							.06	.47	.42	30
31					.14		.07			.02		.03	31
Total	0.78	2.50	4.24	0.98	1.00	1.13	2.37	1.40	0.68	1.30	2.53	6.19	YEAR'S TOTAL 24.80
Rain Days.	7	13	~~17~~ 27	7	10	9	13	11	6	11	17	24	155

W. 7,500, XI. 12

~~Stet~~ made

23.11.16

302

FORM A.
BRITISH RAINFALL.
9 - MAR 1916

REGISTER OF RAINFALL IN 1915

Kept at Weybridge LYNCROFT

in the County of Surrey

by Major General Battersby

Lat. Long.

Time of Observation 10, a m

Nearest Railway Station Weybridge

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·54	·16	·10		·04		·16		·01	·04	·10	·47	1
2	·33	·14	·24	·12				·68	·02	·05		·16	2
3	·42		·07					(·46)				·46	3
4	·01											·20	4
5	·05	·40		·06						·05		·30	5
6	·36	·10		·23			·54	·02				·48	6
7	·18	·20	·01				·26					·21	7
8	·05	·42	·04	·01				·08					8
9	·03	·08				·07					·36	·61	9
10	·26	·02	·01					·56				·11	10
11	·01							·01		·02	·66	·02	11
12	·05	·17		·60	·07						·19		12
13		·37			1·00								13
14	·01	·02					·27	·08	·05			·37	14
15	·04	·01			·06			·03			·11	·09	15
16		·26			·15		·37	·04				·02	16
17		·45			·87			·01					17
18		·29	·06		·17						·03		18
19		·06			·02		·05			·01			19
20	·27			·03	·01							·18	20
21	·05						·05			·02		·03	21
22	1·02	·15	·12				·61					·08	22
23	·02	·09	~~·04~~			·04	·15		·20	·54		·20	23
24		·02	·01				·06		·28	·21		·51	24
25				·08		·03	·22					·10	25
26						·04	·32					·51	26
27		·03				·13			·01	·27		·08	27
28						·15			1,03	·09			28
29						·01	·17	·13			·19	·01	29
30	·04	╳				·60				·05	·32	·01	30
31		╳		╳		╳			╳	1·09	╳	·17	31
Total	3·68	3·44	0·70	1·13	2·69	1,07	3·23	2,10	1,60	2·44	1,96	5·38	YEAR'S TOTAL 29·42
Rain Days.	19	20	10	7	9	8	13	11	7	12	8	24	148

W. 8,000. X. 14.

REG

WEYBRIDGE
ST GEORGES HILL
SURREY

1914

N

FORM A.
BRITISH RAINFALL.
14 JAN 1915

Kept at St Georges H ....M

Weybridge 1 mile

in the County of Surr ... 5 in.

by H J Bull

Ground 1 ft. 2 in.

Sea Level 140 ft.

IMPORTANT NO the result entered to the previous day. If an C ersal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1				—	—	—	—	0.09	—	—	—	·03	1
2				—	—	—	0.17	0.05	—	—	·08	·22	2
3				0.01	0.19	—	0.14	0.04	—	—	·81	·01	3
4				0.17	—	—	0.02	0.15	—	—	·27	·40	4
5				0.20	0.17	0.04	0.25	0.97	—	—	—	—	5
6				0.12	—	0.15	0.08	0.01	—	—	·04	·10	6
7				0.26	0.26	0.20	0.20	—	—	—	—	·09	7
8				—	—	0.04	0.03	·08	—	—	—	—	8
9				0.23	—	0.09	—	·04	·07	—	—	1·70	9
10				0.02	0.07	—	—	—	·26	—	—	·01	10
11				—	0.03	0.03	—	—	—	—	·06	·24	11
12				—	—	—	0.45	—	·20	—	—	·40	12
13			0.16	—	—	—	—	—	·11	—	—	·50	13
14			0.15	—	—	0.22	0.11	—	—	·40	·11	·39	14
15			0.12	—	—	—	0.18	·04	—	—	·80	·02	15
16			0.05	—	—	—	—	—	—	—	·02	—	16
17			0.07	—	—	—	—	—	—	—	—	·13	17
18			0.18	—	—	—	—	—	—	—	—	·26	18
19			0.20	—	—	—	0.13	—	—	—	·16	·27	19
20			0.37	—	—	—	—	—	·06	—	—	·14	20
21			0.04	—	—	—	—	·02	—	·04	—	·01	21
22			—	—	0.33	0.07	0.18	—	—	·24	—	—	22
23			0.08	—	0.08	0.02	—	—	—	·07	—	—	23
24			0.06	—	—	—	—	·01	—	—	·09	—	24
25			0.23	—	—	—	0.04	·12	—	·21	—	·15	25
26			0.01	—	—	—	—	·03	—	·05	·22	·50	26
27			—	—	—	—	—	—	—	—	·02	·15	27
28			—	—	0.02	—	—	—	—	·09	·55	·90	28
29			0.06	—	—	—	—	—	—	·26	·16	—	29
30		X	0.03	—	—	—	—	—	—	·07	·55	·47	30
31		X	—	X	0·11	X	—	—	X	·03	X	·02	31
Total			~~1.81~~	1·01	1·26	·86	1·98	1·65	·70	1·46	3·14	7·11	YEAR'S TOTAL ~~20.98~~
Rain Days.			~~15~~	7	9	9	13	13	5	10	15	24	~~120~~

W. 8,000. X. 14.

REG

N

FORM A.
BRITISH RAINFALL.
14 JAN 1915

Kept at St Georges Hill G. C. Weybridge
in the County of Surrey 6
by H J Bull

Lat. Long.
Time of Observation 9 A.M
Nearest Railway Station Weybridge 1 mile
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				—	—	—	—	0.09	—	—	—	·03	1
2				—	—	—	0.17	0.05	—	—	·08	·22	2
3				0.01	0.19	—	0.14	0.04	—	—	·01	·01	3
4				0.17	—	—	0.02	0.15	—	—	·27	·40	4
5				0.20	0.17	0.04	0.25	0.97	—	—	—	—	5
6				0.12	—	0.15	0.08	0.01	—	—	·04	·10	6
7				0.26	0.26	0.20	0.20	—	—	—	—	·09	7
8				—	—	0.04	0.03	·08	—	—	—	—	8
9				0.23	—	0.09	—	·04	·07	—	—	1·70	9
10				0.02	0.07	—	—	—	·26	—	→	·01	10
11				—	0.03	0.03	—	—	—	—	·06	·24	11
12				—	—	—	0.45	—	·20	—	—	·40	12
13			0.16	—	—	—	—	—	·11	—	—	·50	13
14			0.15	—	—	0.22	0.11	—	—	·40	·11	·39	14
15			0.12	—	—	—	0.18	·04	—	—	·80	·02	15
16			0.05	—	—	—	—	—	—	—	·02	—	16
17			0.07	—	—	—	—	—	—	—	—	·13	17
18			0.18	—	—	—	—	—	—	—	—	·26	18
19			0.20	—	—	—	0.13	—	—	—	·16	·27	19
20			0.37	—	—	—	—	—	·06	—	—	·14	20
21			0.04	—	—	—	—	·02	—	·04	—	·01	21
22			—	—	0.33	0.07	0.18	—	—	·24	—	—	22
23			0.08	—	0.08	0.02	—	—	—	·07	—	—	23
24			0.06	—	—	—	—	·01	—	—	·09	—	24
25			0.23	—	—	—	0.04	·12	—	·21	—	·15	25
26			0.01	—	—	—	—	·03	—	·05	·22	·50	26
27			—	—	—	—	—	—	—	—	·02	·15	27
28			—	—	0.02	—	—	—	—	·09	·55	·90	28
29			0.06	—	—	—	—	—	—	·26	·16	—	29
30		✕	0.03	—	—	—	—	—	—	·07	·55	·47	30
31		✕	—	✕	0.11	✕	—	—	✕	·03	✕	·02	31
Total			~~1·81~~	1·01	1·26	·86	1·98	1·65	·70	1·46	3·14	7·11	YEAR'S TOTAL ~~20·98~~
Rain Days.			~~15~~	7	9	9	13	13	5	10	15	24	~~120~~

W. 8,000. X. 14.

57 made ,

WEYBRIDGE
STATION RD
SURREY
1911- 15, 17-20

R… 1

FORM A2.
BRITISH RAINFALL.

1 - JAN 1912

Kept at Weyb… 5 in.
…Ground 1 ft. 1 in.
in the County of Su… Sea Level 85 ft.
….m
by H. R. G… Name Weybridge
Distance 5/8 mile Direction SSW

IMPORTANT NO… the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·02			0·62		Away – Bottled & sealed weekly – during absence	0·01	0·04	–			·	1
2	0·13×			0·30	0·22		0·02	0·01			0·19	0·07	2
3	0·02°	0·01		0·01×	0·13						0·09	0·08	3
4	0·02	0·01	0·05	0·08×					0·01	0·06	0·19	0·28	4
5	0·02			0·03×						0·16	0·06	0·04	5
6	0·20		0·17									0·38	6
7	0·04			0·02×						0·12	0·27	0·14	7
8	0·11		0·20								0·14	0·38	8
9	0·14		0·02									0·05	9
10	0·03	0·13	0·09	0·01							0·04	0·63	10
11	0·30				0·01						0·64		11
12	0·03		0·43×		0·13				0·03		0·33		12
13			0·06°		0·08				0·33	0·17	0·01	0·39	13
14		0·05			0·30							0·43	14
15		0·06	0·15×							0·02	0·04	0·02	15
16											0·39	0·04	16
17			0·02								0·33	0·19	17
18		0·12	0·01	0·02							0·51	0·25	18
19		0·01							0·20	0·07	0·17	0·10	19
20	0·03	0·03	0·02				0·	0·06	0·27	0·04		0·58	20
21	0·02	0·10						0·25	0·01	0·51		0·18	21
22	0·08		0·16							0·07		0·47	22
23		0·11	0·04						0·19		0·05	0·07	23
24		0·12	0·05°				″	0·02		1·21		0·35	24
25		0·02	0·01°	0·07			1·39	0·02	0·02	0·01			25
26		0·01	0·03	0·20	0·12		0·07	0·01		0·11	0·03×	0·28	26
27		0·31	0·09	0·11			0·02		0·09	0·01	0·01	0·18	27
28		0·15		0·22				0·13			0·01		28
29	0·01			0·16			0·13		0·15	0·18		0·01	29
30				0·08	0·01			0·04	0·02	0·18			30
31					0·53					0·04			31
Total	1.20	1.24	1·60	1·93	1.53	1·95	1·64	0.58	1.32	2·96	3.50	5.59	TOTAL for year 25·04
No. of Rain Days	16	15	17	14	9	–	6	9	11	16	19	24	✓

9,000, IX. '10.

× melted snow ° sleet

○ melted snow ×snow
× rain & snow

×snow

5/7 made

FORM A2. BRITISH RAINFALL.
1 - JAN 1912

Kept at Weybridge STATION ROAD

in the County of Surrey 6

by H. R. G. Rogers

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 1 in.
" " " Sea Level 85 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Weybridge
Distance 5/8 mile Direction SSW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·02			0·62		Away – Bottled & sealed weekly — during absence	0·01	0·04					1
2	0·13x			0·30	0·22		0·02	0·01			0·19	0·07	2
3	0·02°	0·01		0·01x	0·13						0·09	0·08	3
4	0·02	0·01	0·05	0·08x					0·01	0·06	0·19	0·28	4
5	0·02			0·03x						0·16	0·06	0·04	5
6	0·20		0·17									0·38	6
7	0·04			0·02x						0·12	0·27	0·14	7
8	0·11		0·20								0·14	0·38	8
9	0·14		0·02									0·05	9
10	0·03	0·13	0·09	0·01							0·04	0·63	10
11	0·30				0·01						0·64		11
12	0·03		0·43x		0·13				0·03		0·33		12
13			0·06°		0·08				0·33	0·17	0·01	0·39	13
14		0·05			0·30							0·43	14
15		0·06	0·15x							0·02	0·04	0·02	15
16											0·39	0·04	16
17			0·02								0·33	0·19	17
18		0·12	0·01	0·02							0·51	0·25	18
19		0·01							0·20	0·07	0·17	0·10	19
20	0·03	0·03	0·02				0·	0·06	0·27	0·04		0·58	20
21	0·02	0·10						0·25	0·01	0·51		0·18	21
22	0·08		0·16							0·07		0·47	22
23		0·11	0·04						0·19		0·05	0·07	23
24		0·12	0·05°				"	0·02		1·21		0·35	24
25		0·02	0·01°	0·07			1·39	0·02	0·02	0·01			25
26		0·01	0·03	0·20	0·12		0·07	0·01		0·11	0·03x	0·28	26
27		0·31	0·09	0·11			0·02		0·09	0·01	0·01	0·18	27
28		0·15		0·22				0·13			0·01		28
29	0·01			0·16			0·13		0·15	0·18		0·01	29
30				0·08	0·01			0·04	0·02	0·18			30
31					0·53					0·04			31
Total	1.20	1.24	1·60	1·93	1.53	1·95	1·64	0·58	1·32	2·96	3.50	5.59	TOTAL for year 25.04 ✓
No. of Rain Days	16	15	17	14	9	–	6	9	11	16	19	24	

9,000, IX. '10.

x melted snow ° sleet ° melted snow x snow x rain & snow x snow

FORM A.
BRITISH RAINFALL.

-1 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Weybridge STATION ROAD

in the County of Surrey 6

by H. K. G. Rogers

Lat. 51°.20′ N Long. 0°.28′ W

Time of Observation 9 a.m.

Nearest Railway Station Weybridge L.S.W. Ry

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0.09	0.02		0.05	0.03		0.06	0.50		0.18	1
2		0.01	0.25			0.12	0.41	0.02		0.06			2
3	0.01	0.06	0.15			0.08	0.04	0.24			0.01	0.07	3
4	0.20		0.37		0.09	0.33		0.08			0.23		4
5	0.17	0.08	0.09					0.31			0.04	0.01	5
6	0.39	0.03	0.03		0.01			0.21	0.01			0.02	6
7		0.06			0.11	1.15	0.09	0.24				0.02	7
8	0.32	0.31	0.18			0.06	0.03	0.52					8
9		0.14	0.08	0.04			0.02	0.10			0.01	0.16	9
10		0.08						0.82	0.01		0.06	0.25	10
11	0.05	0.15	0.01		0.01	0.04		0.01			0.01	0.24	11
12	0.04	0.09	0.08		0.20	0.12	0.01	0.02			0.02	0.02	12
13			0.07								0.02	0.03	13
14			0.02		0.04			0.03				0.04	14
15	0.02	0.01	0.09		0.12	0.62					0.02	0.30	15
16	0.46		0.07		0.19	0.05		0.04		0.08	0.04		16
17	0.51		0.16			0.02		0.06			0.01	0.01	17
18	0.06	0.04	0.16					0.18		0.02	0.04	0.07	18
19	0.14	0.10	0.04			0.01	0.13	0.37					19
20	0.03		0.13				0.01	0.10		0.34	0.03		20
21	0.02	0.02	0.13		0.15			0.08		0.10	0.12		21
22	0.16	0.15	0.06		0.01		0.03	0.14		0.01	0.01	0.05	22
23	0.40	0.41	0.35				0.01	0.42		0.10	0.15	0.18	23
24	0.35	0.03				0.52	0.01	0.27				0.17	24
25	0.18	0.02				0.16		0.53			0.20	0.55	25
26	0.05	0.04						0.33		0.34	0.43	0.31	26
27			0.01			0,04				0.22		0.18	27
28		0.05				0.06	0.24	0.07	0.14	0.34	0.44	0.13	28
29		0.04				0.18	0.29	0.26	1.40	0.29	0.03		29
30					0.34	0.02		0.03	1.10	0.13			30
31			0.30				0.19	0.13		0.01			31
Total	3.56	1.92	2.86	0.06	1.27	3.63	1.54	5.61	2.72	2.54	1.92	2.99	YEAR'S TOTAL 30.62
Rain Days.	19	21	23	2	11	18	15	27	6	14	20	21	197.

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

Kept at Weybridge STATION ROAD
in the County of Surrey 6
by H. K. G. Rogers.

Lat. 51°20′N Long. 0°28′ W
Time of Observation 9 a.m.
Nearest Railway Station Weybridge (L. S. W. R)
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.02	0.25	0.04	0.24					0.59	0.02	0.06	0.14	1
2	0.03	0.11	0.01	0.02			0.12		0.02	0.28	0.10		2
3			0.09	0.17	0.31					0.02		0.06	3
4	0.21		0.02	0.01	0.35		0.01			0.21	0.02	0.05	4
5	0.13						0.06		0.33	0.01		0.02	5
6	0.01	0.04			0.03	0.06	0.07		0.01	0.45	0.15	0.17	6
7		0.14	0.14		0.06	0.02				0.22	0.08	0.01	7
8		0.03		0.01	0.08	0.05				0.03		0.01	8
9		0.15			0.03		0.09	0.01	0.12	0.01	0.01	0.03	9
10	0.01		0.10	0.07			0.02	0.03			0.33		10
11	0.25			0.45						0.62	0.14		11
12		0.01×			0.04					0.02	0.24		12
13	0.03		0.03					0.02	0.09		0.24		13
14	0.08	0.02	0.09	0.06			0.37	0.09	0.03	0.10	0.04	0.01	14
15	0.26	0.05	0.33	0.22			0.33		0.13		0.02		15
16	0.13	0.01°	0.35	0.09					0.21				16
17	0.03	0.13″	0.04	0.03			0.17				0.01	0.02	17
18			0.19	0.08							0.08		18
19	0.21		0.07	0.01		0.02	0.12		0.31				19
20	0.15		0.44	0.04		0.19				0.37	0.01		20
21	0.01		0.15	0.06			0.02			0.17	0.74		21
22	0.51×		0.19	0.05			0.01	0.06	0.14	0.01×			22
23			0.01			0.02	0.02	0.12	0.01			0.43	23
24			0.01	0.05				0.01		0.01×	0.01		24
25		0.01		0.21		0.02							25
26			0.18	0.09			0.01	0.05		0.67		0.18	26
27		0.02	0.01	0.06	0.12					0.04			27
28	0.22		0.30	0.08						0.21			28
29	0.04	—	0.06	0.37	1.00			0.12		0.07	0.01		29
30	0.31	—		0.02				0.18	0.01	0.13			30
31		—	0.08	—				0.79	—	0.05	—		31
Total	2.65	0.97	2.93	2.49	2.02	0.38	1.42	1.48	2.00	3.72	2.29	1.13	YEAR'S TOTAL 23.48
Rain Days.	19	13	23	23	9	7	14	11	13	22	18	12	184

× melted sleet × fog
° melted rime
″ melted snow

× wet fog

W.7,000, XI. 13

Ex LMcC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Weybridge STATION ROAD

in the County of Surrey 6

by H. R. G. Rogers

Lat. 51. 20 N Long. 0. 28 W

Time of Observation 9 a. m.

Nearest Railway Station Weybridge, L. S. W. R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0·02					0·06			0·02	0·06	1
2					0·16		0·18	0·04			0·06	0·17	2
3			0·04	0·01			0·31	0·01			0·02	0·01	3
4	0·05		0·02	0·17	0·20		0·01	0·17			0·29	0·33	4
5	0·07		0·06	0·28		0·02	0·28	0·81					5
6		0·13	0·03	0·13	0·01	0·14	0·07	0·01			0·07	0·10	6
7		0·34	0·28	0·30	0·22	0·16	0·27	0·01				0·07	7
8	0·08	0·43	0·81	0·01	0·02	0·03	0·05	0·12				0·03	8
9	0·18		0·58ˣ	0·27		0·10			0·08			1·69	9
10		0·12	0·03°	0·02	0·07				0·18			0·02	10
11		0·28	0·43		0·05	0·03			0·11		0·11	0·25	11
12	0·01ˣ	0·06	0·13				0·43		0·18	0·01	0·01	0·39	12
13		0·19	0·17						0·15	0·01	0·03	0·50	13
14	0·01ˣ	0·11	0·19			0·52	0·11			0·40	0·05	0·36	14
15	0·03	0·01	0·12				0·68	0·04		0·01	0·62	0·02	15
16			0·05						0·03		0·03		16
17		0·34	0·10									0·10	17
18		0·02	0·17ˣ									0·30	18
19		0·07	0·27ˣ			0·03	0·11				0·17	0·29	19
20		0·25	0·32°						0·03			0·13	20
21		0·52	0·04					0·16		0·03		0·01	21
22			0·01		0·22	0·15	0·26	0·02		0·18			22
23		0·12	0·12	0·01	0·09		0·01			0·12			23
24	0·01°		0·05					0·01			0·11		24
25	0·01		0·24				0·02	0·12		0·22		0·09ˣ	25
26			0·03				0·05	0·03		0·08	0·19	0·52	26
27	0·04										0·02	0·15	27
28					0·02					0·07	0·52	1·00°	28
29	0·06	0·02	0·08							0·23	0·15		29
30		X	0·04							0·07	0·55	0·41	30
31	0·01	X		X	0·12	X	0·03		X	0·01	X	0·06	31
Total	0·56	3·01	4·43	1·20	1·18	1·18	2·87	1·61	0·76	1·44	3·02	7·06	YEAR'S TOTAL 28·32
Rain Days.	12	16	27	9	11	9	16	14	7	13	18	25	177

W. 8,000. X. 14.

x melted snow
o melted rime

x + sleet
o melted snow + sleet

x melted hail
o + melted snow

82

301
~~40~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Weybridge STATION ROAD
in the County of Surrey 6
by H. K. G. Rogers

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·63	·18	·07		·04								1
2	·36	·17	·24	·10	·01			·68					2
3	·41		·07	·10	·01			·35					3
4	·02												4
5	·06	·50						·01					5
6	·37	·13	·05	·27									6
7	·20	·23	·02					·03					7
8	·04	·48	·02	·04				·02					8
9	·05	·11		·23				·07					9
10	·19	·12	·01					·74					10
11	·02		·02					·01					11
12	·05	·08		·43	·48								12
13	·01	·60			1·28			·03					13
14	·01	·02						·30					14
15	·06	·01			·06			·05					15
16		·29			·05			·03					16
17		·45			1·14			·02					17
18		·27	·05		·14								18
19		·16			·02								19
20	·27			·05	·01								20
21	·15				·01								21
22	1·28	·18	·17										22
23		·12	·07	·01									23
24	·01		·01										24
25			·01										25
26		·02		·10									26
27		·02											27
28		·04											28
29								·18					29
30	·03	X						·01					30
31	·03	X		X		X			X		X		31
Total	4·25	4·18	·81	1·33	3·25			2·53					YEAR'S TOTAL
Rain Days.	21	21	13	9	12			15					

W. 8,000. X. 14.

✓

cydc7c

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

3 JAN 1919

Kept at Weybridge
in the County of Surrey
by H. K. G. Rogers

Lat. 51°. 20 N Long. 0°. 28 W
Time of Observation 9. a.m
Nearest Railway Station Weybridge
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 0 ft. 11 in.
" " " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								1.35	0.03		0.06	0.01	1
2						0.06		0.09		0.01×	0.13		2
3							0.55	0.34		0.12	0.08		3
4							0.34	0.14		0.40			4
5									0.25	0.23	0.02		5
6						0.06			0.20	0.02	0.12		6
7							0.12			0.33		0.02	7
8							0.89	0.24	0.07	0.24	0.20	0.38	8
9							0.16	0.12	0.07		0.05	0.17	9
10								0.06			0.01	0.02	10
11						0.18		0.01	0.46	0.15			11
12								0.03		0.45			12
13	away from home							0.12	0.02	0.07		0.01	13
14								0.08					14
15							0.32	0.17		0.01			15
16						0.11	0.09	0.03		0.48		0.57×	16
17							0.12	0.01	0.39	0.30			17
18						0.73	0.32	0.13	0.26	0.03			18
19						0.01			0.13				19
20							0.07	0.02	0.01		0.02		20
21						0.05					0.04	0.01°	21
22						0.01		0.07		0.06	0.01		22
23						0.12		0.10		0.03		0.02	23
24						0.20	0.02	0.03		0.20	0.01		24
25										0.02	0.02°		25
26								0.23	0.04	0.01	0.30		26
27						0.05		0.71					27
28						1.23		0.06				0.05	28
29						0.18	0.57	0.02		0.21		0.09	29
30		X					1.69	0.04		0.05		0.01	30
31		X		X		X	0.37	0.01	X		X	0.02″	31
Total						2.99 ✓	5.63 ✓	4.21 ✓	1.93 ✓	3.41 ✓	1.07 ✓	1.38 ✓	YEAR'S TOTAL
Rain Days						13 ✓	14 ✓	25 ✓	12 ✓	21 ✓	14 ✓	13 ✓	

W. 8,000, IX. 17.

× fog 0: graupel ×✱ snow & sleet
0 rime
″ melted snow

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

8. 1. 19

Kept at Weybridge
in the County of Surrey
by H. K. G. Rogers

Lat. 51°.20'N Long. 0°.28' W
Time of Observation 9 a.m.
Nearest Railway Station Weybridge - L.S.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.01°		0.04							0.28	0.10	1
2		0.08		0.08				0.24		0.02	0.24	0.10	2
3		0.01	0.04	0.04	0.44			0.13	0.01	0.01	0.42	0.01	3
4		0.07	0.11	0.02				0.02	0.10		0.54		4
5		0.04			0.06			0.05	0.48	0.03			5
6	0.19	0.08		0.29					0.03	0.02		0.05	6
7	0.02×	0.02		0.21	0.60			0.01	0.20	0.07	0.07		7
8	0.01×	0.12						0.01	0.10		0.05	0.01	8
9	0.02×	0.03		0.06		0.16	0.14		0.32	0.13		0.17	9
10				0.13		0.01	0.45		0.02	0.01		0.42	10
11	0.02			0.03	0.02		1.62		0.01	0.28	0.19	0.09	11
12		0.03			0.10		0.19		0.10			0.04	12
13	0.03×				0.15		0.15		0.05				13
14	0.13	0.01	0.02		0.01	0.34	0.03		0.18	0.10		0.25	14
15	1.29			0.59×		0.04	0.04		0.01			0.09	15
16	0.23×		0.02	0.20		0.15			0.14			0.01	16
17	0.38			0.18	0.49		0.18	0.04	0.01			0.11	17
18	0.48					0.18	0.10		1.35	0.12		0.04	18
19	0.05		0.04	0.09°		0.30	0.25		0.03	0.12		0.07	19
20	0.05	0.10		0.76×		0.03	0.12		0.22	0.13		0.01	20
21	0.11	0.01		0.61×					0.66	0.02			21
22	0.09	0.01			0.50		0.08		0.14			0.20	22
23	0.03			0.01	0.14		0.53	0.03	0.10			0.03	23
24		0.30				0.03	0.31		0.11		0.06		24
25							0.29	0.23		0.03	0.01		25
26							0.93	0.01	0.01	0.04	0.11	0.13	26
27		0.02	0.02	0.04			0.05	0.16	0.04		0.11	0.01	27
28		0.05×	0.20	0.01				0.10			0.11	0.11	28
29		✕							1.17		0.01		29
30		✕	0.53						0.02			0.04	30
31		✕	0.01	✕		✕			✕	0.09	✕		31
Total	3.13 ✓	0.99 ✓	0.99 ✓	3.39 ✓	2.51 ✓	1.24 ✓	5.46 ✓	1.03 ✓	5.61 ✓	1.22 ✓	2.20 ✓	2.09 ✓	YEAR'S TOTAL 29.86 ✓
Rain Days.	16 ✓	17 ✓	9 ✓	18 ✓	10 ✓	9 ✓	17 ✓	12 ✓	26 ✓	16 ✓	13 ✓	22 ✓	185 ✓

× snow   o - rime   × rain & snow
× - snow   o - snow

W. 8,000, IX. 17.

Ex 7h

262

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

5 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Weybridge

in the County of Surrey

by H. K. G. Rogers

Lat. 51°20′N Long. 0°28′W

Time of Observation 9 a.m.

Nearest Railway Station Weybridge L. & S. W. Ry

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

" " " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.31	0.03 x	0.01	0.02	0.03		0.32			0.02	0.02	0.81	1
2	0.43		0.01		0.07		0.06		0.12	0.15	0.06	0.29	2
3	0.27		0.32		0.02		0.07		0.08		0.04	0.49	3
4	0.10	0.04	0.27			0.08	0.16	0.03	0.01		0.01	0.15	4
5		0.30 x	0.59	0.02			0.02		0.17		0.06	0.26	5
6	0.10		0.03								0.01	0.10	6
7	0.05		0.38								0.01		7
8	0.11		0.07	0.03									8
9	0.10		0.02	0.07	0.06						0.04		9
10	0.80		0.04	0.03						0.02	0.04	0.02	10
11	0.01		0.08	0.21	0.02		0.21				0.03 x	0.03	11
12	0.02		0.03	0.04		0.01	0.17			0.07	0.02 x		12
13	0.01			0.20					0.02	0.02	0.01 x	0.02	13
14	0.21	0.02		0.33			0.08		0.85			0.01	14
15	0.20	0.03	0.11	0.08						0.01	0.01 x	0.36	15
16	0.06	0.53		0.01							0.09	0.07	16
17		0.20 o		0.01							0.17	0.01	17
18		0.17 o	0.09						0.02		0.04	0.01	18
19	0.01	0.06	0.62			0.29	0.73	0.20			0.07		19
20	0.14	0.03	0.36			0.62	0.13	0.12			0.01	0.01	20
21	0.18	0.23	0.02 x			0.05	0.05				0.01	0.04	21
22		0.05					0.20		0.16		0.03	0.25	22
23									0.03		0.02	0.10	23
24				0.15			0.10	0.05	0.01	0.22	0.03	0.01	24
25	0.04	0.03		0.01	0.05	0.07		0.18				0.02	25
26	0.03 x	0.19		0.02				0.09	0.07			0.26	26
27	0.58 x	0.04	0.08	0.89 o				0.26			0.05 x	0.05	27
28	0.04 x		0.02	0.03			0.03	0.80			0.43 x	0.29	28
29	0.02		0.28 x	0.07				0.26		0.13	0.07 o	0.02	29
30		✕	0.02 x	0.22		0.09		0.25		0.04	0.17	0.38	30
31	0.03 x	✕	0.05	✕		✕	0.04		✕		✕	0.05	31
Total	3.85	1.95	3.50	2.44	0.25	1.21	2.37	2.24	1.54	0.68	1.55	4.11	Year's Total 25.69
Days with ·01 in. or more	24	15	22	19	6	7	15	10	11	9	26	26	190

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

x Melted snow   x Melted snow. o — hail   x Melted snow   o Melted snow again

x Melted snow
o Melted hail

243

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at Weybridge

in the County of Surrey

by H. K. G. Rogers

Lat. 51.20 N Long. 0.28 W

Time of Observation 9 a.m.

Nearest Railway Station Weybridge

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.10		0.01	0.30	0.07		0.23			0.32		0.26	1
2			0.06	0.01	0.01		0.01	0.75	0.07	0.04		0.05	2
3		0.01		0.10			0.02		0.01	0.04		0.06	3
4		0.09	0.01	0.14			0.91	0.02		0.23		0.10	4
5			0.10	0.02	0.02		0.75	0.02				0.04	5
6			0.18		0.07		0.45					0.03	6
7	0.02			0.13	0.14		0.16				0.01		7
8		0.01		0.10	0.15		0.19						8
9	0.28	0.01	0.01	0.04			0.01						9
10	0.39	0.07	0.03	0.01			0.07				0.02		10
11	0.17		0.07	0.22	0.02	0.04	0.22					0.18×	11
12	0.06		0.01	0.10	0.01	0.70	0.01			0.01	0.01		12
13	0.18		0.13	0.17							0.03		13
14		0.01	0.16	0.15		0.18			0.11	0.02	0.24	0.02	14
15	0.01	0.03	0.15×	0.43					0.55	0.04	0.08	0.01×	15
16			0.01	0.29		0.16			0.26	0.01	0.01		16
17	0.02			0.01	0.12	0.01	0.02		0.32			0.03	17
18	0.03				0.02			0.80	0.14			0.03	18
19	0.07			0.19		0.04						0.03	19
20	0.05	0.10		0.22		0.55						0.01	20
21				0.02			0.68	0.02	0.55			0.06	21
22	0.01			0.29				0.01	0.03			0.47	22
23		0.01					0.43	0.04				0.31	23
24	0.01		0.05				0.01			0.01	0.01	0.02	24
25		0.03	0.01				0.17						25
26	0.05		0.08	0.02			0.05					0.05	26
27	0.23	0.03	0.02	0.28		0.08	0.22					0.07	27
28	0.36		0.25	0.03	0.02		0.08			0.01	0.45	0.01	28
29	0.29		0.06	0.05	0.01						0.09	0.16	29
30	0.01	☒			0.06		0.18		0.20		0.19	0.09	30
31	0.01	☒		☒	0.01	☒			☒	0.76	☒	0.11	31
TOTAL	2.35	0.40	1.40	3.32	0.73	1.76	4.87	1.66	2.24	1.49	1.14	2.20	YEAR'S TOTAL 23·56 ✓
Days with ·01 in. or more	20	11	19	24	14	8	21	7	10	11	11	23	179 ✓
Days with ·04 in. or more	12	3	11	17	6	7	15	3	8	6	5	14	107 ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

× sleet

× snow

WEYBRIDGE
SUMMERLEIGH
SURREY
1919 - 20

FORM A. METEOROLO… …ANIZATION.

RE…

…°26′ N

Kept at Summer… …a.m.

…Weybridge

in the County of Su… …Gauge 5 in.

by Mrs Sang… …Ground – ft 6½ ins

…Sea Level 117 ft.

IMPORTANT NOTE.- …ered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.31	–	.02	.02	.02	–	.38	–		.03	.02	1.03	1
2	.44	.04	.01	–	.10	–	.08	–	.15	.21	.11	.15	2
3	.27	.05	.36	–	.02	–	.05	–	.07	–	.03	.44	3
4	.10	–	.43	–	–	.07	.15	.03	.01	–	.02	.16	4
5	–	.28	(.14)	–	–	–	.03	–	.17	–	.09	.27	5
6	.14	.10	–	–	–	–	–	–	–	–	.02	.08	6
7	.04	–	.38	–	–	–	–	–	–	–	.02	–	7
8	.15	–	.08	.04	–	–	–	–	–	–	–	–	8
9	.05	–	.02	.11	.09	–	–	–	–	–	.05	–	9
10	.85	–	.06	.02	–	–	–	–	–	.02	.04	.05	10
11	.02	–	.08	.26	.03	–	.33	–	–	–	–	.02	11
12	.02	–	.04	.03	–	.02	.05	–	–	.10	.04	–	12
13	.02	–	–	.31	–	–	–	–	.04	.04	.04	.03	13
14	.22	–	–	.22	–	–	.09	–	.89	–	–	.02	14
15	.22	.05	.12	.09	–	–	–	–	–	–	–	.45	15
16	.08	.58	–	–	–	–	–	–	–	–	.10	.04	16
17	–	.22	s .10	.02	–	–	–	–	–	–	.19	–	17
18	–	.30	s .58	–	–	–	–	–	.02	–	.07	.02	18
19	.03	.07	s .30	–	–	.30	.81	.25	.05	–	.06	–	19
20	.13	.04	s .03	–	–	.66	.15	.10	–	–	–	.01	20
21	.20	.25	–	–	–	.06	.08	–	–	–	.02	.05	21
22	–	.06	–	–	–	–	.21	–	.20	–	.02	.33	22
23	–	–	–	–	–	.01	–	.05	.03	–	.02	.05	23
24	–	–	–	.17	.04	.02	.11	.01	–	.25	.05	.01	24
25	–	.17	–	–	–	.09	–	.20	–		–	–	25
26	.11	.05	.12	.04	–	–	–	.06	.09	–	–	.29	26
27	.65	–	–	.94	–	–	–	.42	–	–	.07	.06	27
28	–	–	.28	.03	–	–	.01	.30	–	–	.41	.31	28
29	.04	–	–	.10	–	–	–	.29	–	.16	–	.03	29
30	.03		.01	.26	–	.12	–	–	–	.03	.27	.39	30
31	.02		.07		–		.05	–		–		.07	31
TOTAL	4.14	2.26	3.23	2.66	.30	1.35	2.58	1.71	1.72	.84	1.76	(4.36)	YEAR'S TOTAL 26.91
Days with ·01 in. or more	23	14	20	16	6	9	15	10	11	8	22	24	178

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

noted Dec 12-3

FORM A. 10 METEOROL[redacted]ANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Summerleigh, Weybridge

in the County of Surrey

by Mrs Sanger

Lat. 51°21'45" Long. 0°26' W

Time of Observation 9 a.m.

Nearest Railway Station Weybridge

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground – ft. 6½ ins.

" " " " Sea Level 117 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.31	–	.02	.02	.02	–	.38	–		.03	.02	1.03	1
2	.44	.04	.01	–	.10	–	.08	–	.15	.21	.11	.15	2
3	.27	.05	.36	–	.02	–	.05	–	.07	–	.03	.44	3
4	.10	–	.43	–	–	.07	.15	.03	.01	–	.02	.16	4
5	–	.28	(.14)	–	–	–	.03	–	.17	–	.09	.27	5
6	.14	.10	–	–	–	–	–	–	–	–	.02	.08	6
7	.04	–	.38	–	–	–	–	–	–	–	.02	–	7
8	.15	–	.08	.04	–	–	–	–	–	–	–	–	8
9	.05	–	.02	.11	.09	–	–	–	–	–	.05	–	9
10	.85	–	.06	.02	–	–	–	–	–	.02	.04	.05	10
11	.02	–	.08	.26	.03	–	.33	–	–	–	–	.02	11
12	.02	–	.04	.03	–	.02	.05	–	–	.10	.04	–	12
13	.02	–	–	.31	–	–	–	–	.04	.04	.04	.03	13
14	.22	–	–	.22	–	–	.09	–	.89	–	–	.02	14
15	.22	.05	.12	.09	–	–	–	–	–	–	–	.45	15
16	.08	.58	–	–	–	–	–	–	–	–	.10	.04	16
17	–	.22	.10	.02	–	–	–	–	–	–	.19	–	17
18	–	.30	.58	–	–	–	–	–	.02	–	.07	.02	18
19	.03	.07	.30	–	–	.30	.81	.25	.05	–	.06	–	19
20	.13	.04	.03	–	–	.66	.15	.10	–	–	–	.01	20
21	.20	.25	–	–	–	.06	.08	–	–	–	.02	.05	21
22	–	.06	–	–	–	–	.21	–	.20	–	.02	.33	22
23	–	–	–	–	–	.01	–	.05	.03	–	.02	.05	23
24	–	–	–	.17	.04	.02	.11	.01	–	.25	.05	.01	24
25	–	.17	–	–	–	.09	–	.20	–		–	–	25
26	.11	.05	.12	.04	–	–	–	.06	.09	–	–	.29	26
27	.65	–	–	.94	–	–	–	.42	–	–	.07	.06	27
28	–	–	.28	.03	–	–	.01	.30	–	–	.41	.31	28
29	.04	–	–	.10	–	–	–	.29	–	.16	–	.03	29
30	.03	X	.01	.26	–	.12	–	–	–	.03	.27	.39	30
31	.02	X	.07	X	–	X	.05	–	X	–	X	.07	31
TOTAL	4.14	2.26	3.23	2.66	.30	1.35	2.58	1.71	1.72	.84	1.76	(4.36)	YEAR'S TOTAL ~~25~~ 26.91
Days with .01 in. or more	23	14	20	16	6	9	15	10	11	8	22	24	178

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

164

8 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Summerleigh, Weybridge

in the County of Surrey

by (Miss) J. A. Sanger

Lat. 51° 21' 45" Long. 0° 26' W

Time of Observation 9 a.m.

Nearest Railway Station Weybridge

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 6½ in.

„ „ „ „ Sea Level 117 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	-	-	·30	·07	-	·30	-	·01	·46	-	·26	1
2	-	-	·08	·02	·02	-	-	·62	·07	·12	-	·08	2
3	-	·06	-	·10	-	-	·07	-	·02	·06	-	·03	3
4	-	·07	·01	·16	-	-	1·16	·05	-	·22	-	·09	4
5	-	·01	·13	·02	·02	-	·76	·03	-	-	-	·05	5
6	-	-	·19	-	·10	-	·25	-	-	-	-	·04	6
7	·07	-	-	·14	·13	-	·30	-	-	-	-	-	7
8	-	·01	-	·12	·12	-	·18	-	-	-	-	·01	8
9	·88	·01	·02	·03	-	-	·01	·01	-	-	-	-	9
10	·42	·07	·05	-	-	·03	·08	-	-	-	·02	-	10
11	·18	-	·07	·24	·03	·04	·25	-	-	-	-	·16	11
12	·07	-	-	·11	-	·71	-	-	-	-	·01	-	12
13	·18	-	·15	·16	-	-	-	-	-	-	·04	-	13
14	-	·01	·25	·28	-	·11	-	-	·18	-	·25	·02	14
15	·02	-	·11	·35	-	-	-	-	·64	·07	·08	-	15
16	-	-	·01	-	-	·21	-	-	·11	·02	-	-	16
17	·02	-	-	-	·13	-	·02	-	·47	-	·01	·05	17
18	·05	-	·01	·01	·03	-	-	·84	·10	-	-	·05	18
19	·08	·13	-	·17	-	·05	-	-	-	-	-	·03	19
20	·06	-	-	·21	-	·62	-	-	·12	-	-	·01	20
21	-	-	-	·02	-	-	·70	·02	·41	-	-	·08	21
22	·01	-	-	·29	-	-	-	·01	·04	-	-	·45	22
23	-	·01	-	-	-	-	·48	·04	-	-	-	·34	23
24	·01	·01	·06	-	-	-	-	-	-	-	·01	·02	24
25	·06	·01	·01	-	-	-	·19	-	-	-	-	-	25
26	·25	-	·11	·02	-	-	·16	-	-	·01	-	·05	26
27	·37	·04	·02	·28	-	·10	·06	-	-	-	·60	·09	27
28	·31	-	·19	·04	·03	-	·15	-	-	-	·08	·02	28
29	·02	-	·07	·04	-	-	-	-	-	-	·06	·16	29
30	-		-	-	-	·01	·19	-	·21	-	·17	·13	30
31	-		-		-		-	-		·82		·09	31
Total	3·11	·44	1·54	3·11	·68	1·88	5·31	1·62	2·38	1·78	1·33	2·31	Year's Total 25·49
Days with ·01 in. or more	19	12	18	22	10	9	18	8	12	8	11	23	170
Days with ·04 in. or more	13 14	5	12	16	5	7	15 16	4	10	6	7	16	118

melted snow

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METEOROLO 136 NIZATION.

REC

5 JAN 1921

FOX OAK, WHITELEY

1920 ~~30~~

Kept at Fox Oak, 0°26'

m

alton

in the County of S

Gauge 8 in.

by Herbert E. C

Ground 3 ft 4 in.

Sea Level 195 ft.

IMPORTANT NOTE.- red to the previous day.

If an Observer prefers not t d to add the reading at 9 a.m. on 1st he end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.07		0.01	0.34	0.03	-	·32	-	0.07	0.48	-	0.24	1
2	-	-	0.08	0.01	0.01	-	-	0.55		0.13	-	0.06	2
3	-	0.04	-	0.06	-	0.01	·11	-	0.02	0.05	-	0.02	3
4	-	-	0.01	0.19	-	-	1.32	0.09	-	0.20	-	-	4
5	-	0.05	0.12	0.01	-		1.04	0.01	-	-	-	0.11	5
6	-	0.01	0.13	0.01	0.13		·33	-	-	-	-		6
7	0.02	-	-	0.12	0.08		·15	-	-	-	-	0.02	7
8	-	-	-	0.12	0.10		·14	-	-	-	-	-	8
9	0.24	0.01	0.03	0.04	-		-	-	-	-	-	-	9
10	0.39	0.04	0.02	0.01	-		·07	-	-	-	0.03		10
11	0.17	-	0.06	0.25	0.01			-	-		-	S.19	11
12	0.07	-	-	0.04	-	·53	·20	-	-	-	0.01	-	12
13	0.22	0.01	0.15	0.16	-	·26	-	-	-	-	0.02	-	13
14	-	-	0.18	0.22	-	·26	0.01	-	0.14	0.01	0.20	0.02	14
15	0.01	0.01	0.10	0.24	-		-	-	0.63	0.04	0.05	-	15
16	-	-	0.01	0.20	-	·18	-	-	0.23	-	-	-	16
17	0.01	-	-	0.01	0.11		0.01	-	0.48	-	-	0.05	17
18	0.01	-	0.01	0.01	0.01		-	0.90	-	-	-	0.04	18
19	0.09	-	-	0.17	-		-	-	-	-	-	-	19
20	0.05	0.14	-	0.09	-	·59	-	-	-	-	-	0.04	20
21	-	-	-	0.02	-		0.67	0.01	0.45	-	-	0.06	21
22	0.01	-	-	0.26	-		0.49	-	0.03	-	-	-	22
23	-	-	-	0.01	-		-		-	-	-	0.71	23
24	0.01	-	0.04	-	-		0.19	-	-	-	-	0.02	24
25	0.01	0.02	0.01	-	-		-	-	-	-	0.02		25
26	0.04	-	0.09	0.14	-	·01	0.14	-	-	-	0.01	0.02	26
27	0.27	0.03	0.01	0.13	-		0.07	-	-	-	0.61	0.09	27
28	0.40	-	0.15	0.07	0.04		0.06	-	-	-	-	0.02	28
29	0.28	-	0.05	0.15	-		-	-	-	-	0.02	0.12	29
30	0.01			0.02	0.06		0.15	-	0.21	-	0.17	0.15	30
31	0.01						-	-		0.83		0.01	31
TOTAL	2.39	0.36	1.26	3.10	0.58	1.84	5.47	1.56	2.26	1.74	1.14	1.19	YEAR'S TOTAL 22.89
Total from Jan. / Days with ·01 in. or more	2.39	2.75	4.01	7.11	7.69	9.53	15.00	16.56	18.82	20.56	21.70	22.89	H.E.C. ~~58~~163
Days with ·04 in. or more	~~9~~ 21	~~6~~ 10	~~8~~ 19	~~9~~ 28	~~4~~ 10	~~2~~ 7	~~2~~ 18	~~2~~ 5	~~2~~ 9	~~1~~ 7	~~6~~ 10	~~7~~ 19	
	12	4	11	19	6	5	16	3	7	6	4	12	105

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METEOROLO NIZATION.

5 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Fox Oak, Whiteley Village
in the County of Surrey
by Herbert E. Cooke

Lat. N 51° 22′ Long. W 0° 26′
Time of Observation 9 a. m
Nearest Railway Station Walton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 3 ft. 4 in.
" " " " Sea Level 195 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.07		0.01	0.34	0.03	–	·32	–	0.07	0.48	–	0.24	1
2	–	–	0.08	0.01	0.01	–	–	0.55		0.13	–	0.06	2
3	–	0.04	–	0.06	–	0.01	·11	–	0.02	0.05	–	0.02	3
4	–	–	0.01	0.19	–	–	1.32	0.09	–	0.20	–	–	4
5	–	0.05	0.12	0.01	–		1.04	0.01	–	–	–	0.11	5
6	–	0.01	0.13	0.01	0.13		·33	–	–	–	–		6
7	0.02	–	–	0.12	0.08		·15	–	–	–	–	0.02	7
8	–	–	–	0.12	0.10		·14	–	–	–	–	–	8
9	0.24	0.01	0.03	0.04	–		–	–	–	–	–	–	9
10	0.39	0.04	0.02	0.01	–		·07	–	–	–	0.03		10
11	0.17	–	0.06	0.25	0.01			–	–		–	S. 19	11
12	0.07	–	–	0.04	–	·53	·20	–	–	–	0.01	–	12
13	0.22	0.01	0.15	0.16	–	·26	–	–	–	–	0.02	–	13
14	–	–	0.18	0.22	–	·26	0.01	–	0.14	0.01	0.20	0.02	14
15	0.01	0.01	0.10	0.24	–		–	–	0.63	0.04	0.05	–	15
16	–	–	0.01	0.20	–	·18	–	–	0.23	–	–	–	16
17	0.01	–	–	0.01	0.11		0.01	–	0.48	–	–	0.05	17
18	0.01	–	0.01	0.01	0.01		–	0.90	–	–	–	0.04	18
19	0.09	–	–	0.17	–		–	–	–	–	–	–	19
20	0.05	0.14	–	0.09	–	·59	–	–	–	–	–	0.04	20
21	–	–	–	0.02	–		0.67	0.01	0.45	–	–	0.06	21
22	0.01	–	–	0.26	–		0.49	–	0.03	–	–	–	22
23	–	–	–	0.01	–		–		–	–	–	0.71	23
24	0.01	–	0.04	–	–		0.19	–	–	–	–	0.02	24
25	0.01	0.02	0.01	–	–		–	–	–	–	0.02		25
26	0.04	–	0.09	0.14	–	·01	0.14	–	–	–	0.01	0.02	26
27	0.27	0.03	0.01	0.13	–		0.07	–	–	–	0.61	0.09	27
28	0.40	–	0.15	0.07	0.04		0.06	–	–	–	–	0.02	28
29	0.28	–	0.05	0.15	–		–	–	–	–	0.02	0.12	29
30	0.01	×		0.02	0.06		0.15	–	0.21	–	0.17	0.15	30
31	0.01	×		×		×	–	–	×	0.83	×	0.01	31
													YEAR'S TOTAL
TOTAL	2.39	0.36	1.26	3.10	0.58	1.84	5.47	1.56	2.26	1.74	1.14	1.19	22.89
Total from Jan 1 Days with ·01 in. or more	2.39	2.75	4.01	7.11	7.69	9.53	15.00	16.56	18.82	20.56	21.70	22.89	
	~~9~~ 21	~~6~~ 10	~~8~~ 19	~~9~~ 28	~~4~~ 10	~~2~~ 7	~~2~~ 18	~~2~~ 5	~~2~~ 9	~~1~~ 7	~~6~~ 10	~~7~~ 19	~~58~~ 163
Days with ·04 in. or more	12	4	11	19	6	5	16	3	7	6	4	12	105

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.
20 FEB 1912

WIMBLEDON
THE DOWNS
SURREY
1911 - 1920

REGIS

Kept at Wimbledon,

in the County of Surrey

by F. C. Bayard,

in.

d 1 ft. 0 in.

evel 162 ft.

Distance Direction

IMPORTANT NOTE.—Ra daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03		·01	·78	·01		·01	·04			·01		1
2	·18			·29	·20			·01			·22	·09	2
3	·02	·03			·14			·01			·08	·08	3
4	·03	·01	·07	·01					·02	·05	·16	·17	4
5	·02			·09						·19	·04	·04	5
6	·19		·28								·01	·41	6
7	·04			·03						·08	·40	·10	7
8	·12		·15								·24	·37	8
9	·20		·03	·03								·07	9
10	·03	·10	·04								·07	·55	10
11	·30		·01		·25						·64		11
12	·02		·47		·21				·03		·23		12
13			·11		·11				·27	·16		·24	13
14		·09	·02		·31							·41	14
15		·05	·16							·02	·02	·02	15
16		·01				·55					·35	·02	16
17			·07			·02					·30	·19	17
18		·10	·02	·03		·02					·55	·15	18
19						·18			·31	·12	·16	·13	19
20			·02					·26	·01	·08		·53	20
21	·02	·15						·57		·56		·12	21
22	·08		·20			·03				·05		·40	22
23		·12	·08			·81			·24		·03	·10	23
24		·12	·01			·04	·01			·98		·31	24
25	·01	·02	·01	·04		·13	·11		·01	·10		·01	25
26		·02	·07	·19	·05	·16	·06			·11	·02	·24	26
27		·37	·08	·06					·14	·02	·06	·12	27
28		·12		·19				·13			·01		28
29				·16		·20	·06		·11	·22		·01	29
30						·03		·41	·18	·19		·01	30
31					·83					·04			31
Total	1·29	1·31	1·91	1·90	2·11	2·17	·25	1·43	1·32	2·97	3·60	4·89	TOTAL for year 25·15
No. of Rain Days	15	14	20	12	9	11	5	7	10	16	20	26	165

9,000, IX. '10.

/

REGIS

FORM A2.
BRITISH RAINFALL.

20 FEB 1912

Kept at Wimbledon, The Downs

in the County of Surrey 5

by F. C. Bayard, Francis Fox

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 162 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03		·01	·78	·01		·01	·04			·01		1
2	·18			·29	·20			·01			·22	·09	2
3	·02	·03			·14			·01			·08	·08	3
4	·03	·01	·07	·01					·02	·05	·16	·17	4
5	·02			·09						·19	·04	·04	5
6	·19		·28								·01	·41	6
7	·04			·03						·08	·40	·10	7
8	·12		·15								·24	·37	8
9	·20		·03	·03								·07	9
10	·03	·10	·04								·07	·55	10
11	·30		·01		·25						·64		11
12	·02		·47		·21				·03		·23		12
13			·11		·11				·27	·16		·24	13
14		·09	·02		·31							·41	14
15		·05	·16							·02	·02	·02	15
16		·01				·55					·35	·02	16
17			·07			·02					·30	·19	17
18		·10	·02	·03		·02					·55	·15	18
19						·18			·31	·12	·16	·13	19
20			·02					·26	·01	·08		·53	20
21	·02	·15						·57		·56		·12	21
22	·08		·20			·03				·05		·40	22
23		·12	·08			·81			·24		·03	·10	23
24		·12	·01			·04	·01			·98		·31	24
25	·01	·02	·01	·04		·13	·11		·01	·10		·01	25
26		·02	·07	·19	·05	·16	·06			·11	·02	·24	26
27		·37	·08	·06					·14	·02	·06	·12	27
28		·12		·19				·13			·01		28
29				·16		·20	·06		·11	·22		·01	29
30						·03		·41	·18	·19		·01	30
31					·83					·04			31
Total	1·29	1·31	1·91	1·90	2·11	2·17	·25	1·43	1·32	2·97	3·60	4·89	TOTAL for year 25·15
No. of Rain Days	15	14	20	12	9	11	5	7	10	16	20	26	165

9,000, IX. '10.

I. made

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

12 FEB 1913

Kept at Wimbledon, The Downs

5

in the County of Surrey

by F. C. Bayard, Francis Fox

Lat.
Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 162 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·09	·03		·10	·62		·08	·46		·18	1
2			·30			·04	·32	·14	·01	·02			2
3	·03		·08			·06	·02	·24				·10	3
4	·23		·49		·14	·21		·04			·17		4
5	·16	·04	·06					·39			·04	·01	5
6	·43	·02						·12				·06	6
7			·01		·08	·94	·21	·18				·02	7
8	·26	·29	·15	·02		·05	·06	·41			·01		8
9	·01	·07		·07		·19	·02	·07				·13	9
10		·04	·01			·01		·49			·17	·24	10
11	·03	·22				·02		·10	·03			·18	11
12	·04	·07	·06		·25	·16		·01			·04	·01	12
13	·01	·01	·01						·01		·05	·01	13
14					·04			·04		·05		·03	14
15			·14		·26	70		·02			·04	·36	15
16	·38		·03		·06	·08		·06		·03	·08		16
17	·49		·17			·03		·04			·01	·04	17
18	·03		·13					·05		·04	·02	·12	18
19	·05	·09	·08				·06	·44			·01		19
20	·02	·01	·21					·07		·46	·02		20
21	·01	·03	·13		·06			·12		·07	·06		21
22	·18	·19	·03		·04		·07	·15		·02	·01	·06	22
23	·30	·45	·31				·02	·45		·05	·19	·14	23
24	·29	·02				·24	·01	·27				·15	24
25	·18					·17		·71			·27	·48	25
26		·03						·35		·33	·47	·36	26
27						·08				·18		·15	27
28		·07				·06	·21	·03	·08	·26	·33	·09	28
29		·02	·01			·13	·19	·13	·96	·14	·07		29
30					·49	·01		·05	1·17	·19			30
31			·15				·11	·14					31
Total	3·13	1·67	2·65	·12	1·42	3·28	1·92	5·31	2·34	2·30	2·06	2·92	YEAR'S TOTAL 29·12
Rain Days.	19	17	21	3	9	19	13	28	7	14	19	21	190

W. 7,500, XI. 12

made ✓

REGISTER OF RAINFALL IN 1913

2 MAR 1914

FORM A.
BRITISH RAINFALL.

Kept at Wimbledon The Downs Ext Rd

in the County of Surrey 5

by F C Bayard Sir Francis Fox

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 162 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	.26	.03	.17					.49	.03	.04	.15	1
2	.03	.16					.09		.01	.39	.09	.01	2
3	.01		.03	.30	.29							.03	3
4	.20		.01		.34		.07			.22	.01	.07	4
5	.34					.10	.11		.38	.01	.02		5
6	.01	.03	.14		.04	.07	.19			.14	.13	.13	6
7		.09			.16		.01	.10		.44	08	.01	7
8		.03	.01		.08	.06				.09		.01	8
9		.16			.03				.11		.02	.03	9
10			.21	.17			.20				.28		10
11	.19			.36	.02					.55	.11		11
12					.01					.01	.28		12
13	.09		.03						.11		.22		13
14	.16	.02	.09	.10			.68	.10		.11		.01	14
15	.18	.09	.32	.20			.28		.05				15
16	.11		.35	.16					.29				16
17	.04	.10	.08	.03			.16				.01		17
18			.12	.14							.04		18
19	.19		.12				.15		.23				19
20	.20		.30	.02		.17				.41			20
21	.01		.18	.07			.05			.23	.64		21
22	.34		.22	.12				.09	.16				22
23			.01			.04		.35	.01			.36	23
24			.01	.04		.01		.01					24
25		.03		.20						.01			25
26		.01	.19	.07				.10		.75		23	26
27			.01	.06	.04					.01	.02		27
28	.24		.28	.11						.10			28
29	.06		.05	.42	.66			.08		.03	.01		29
30	.23			.06				.20		.10		01	30
31			.08					.76		.03			31
Total	2.65	.98	2.87	2.80	1.67	.45	1.99	1.79	1.84	3.66	2.00	1.05	YEAR'S TOTAL 23.75
Rain Days.	19	11	23	19	10	6	11	9	10	19	16	12	165

W.7,000, XI. 13

from/ Croydon Tables

£4 R

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
3 - MAR 1915

Kept at Wimbledon The Downs

in the County of Surrey 5

by F. C. Bayard Sir Francis Fox

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 162 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.03					.14			.01	.01	1
2				.01		.01	.14	.02			.26	.32	2
3	.01		.05		.14		.09	.04			.01		3
4	.01		.02	.11							.23	.30	4
5	.09		.04	.21	.17	.05	.23	62					5
6		.13	.02	12		.17	.04	.03			.09	.09	6
7		.28	.23	.31	.26		.10					.07	7
8	.07	.35	.73	.01	.02	.14	.17	.10				.04	8
9	.21		.61	.15		.08			.23			1.46	9
10		.06	.03	03	.06				.16		.02	.03	10
11		.32	.36			.06			.12		.15	.31	11
12		.09	.12		.01		.19		.16			.41	12
13		.19	.15						.16	.05	.07	.29	13
14		.08	.17			2.09	.05			.24	.04	.47	14
15		.01	.13				.19	.02		.01	.49	.04	15
16			.02						.03				16
17		34	.07									.11	17
18		.05	.12								.02	.26	18
19		.05	.22			.03	.09				.17	.35	19
20		.24	.42			.03			.10			.05	20
21		.57	.08			.01				.01		.04	21
22			.01		.41	.05	16	.01		.13			22
23		.02	.06		.10	12	.09			.05			23
24			.03	.02	.04						.10		24
25	.02		.22				03	.13		.22	.01	.09	25
26			.04				.10	03		.07	.16	.50	26
27	.04		.01								.03	.13	27
28	.01	.03			.01					.04	.43	.84	28
29	.06		06							.28	.12		29
30		X	.04							.04	.39	.17	30
31	.01	X		X	.29	X	.02		X		X	.04	31
Total	.53	2.81	4.09	.97	1.51	2.84	1.69	1.14	.96	1.14	2.80	6.42	YEAR'S TOTAL 26.90
Rain Days.	10	16	28	9	11	12	15	10	7	11	19	24	172

W. 8,000. X. 14.

217

FORM A.
BRITISH RAINFALL.

14 MAR 1916

REGISTER OF RAINFALL IN 1915

Kept at Wimbledon The Downs

in the County of Surrey

by Sir Francis Fox per Croydon Nat His Soc

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 162 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.43	.12	.06		.06			.01	.05	.04	.27	.40	1
2	.49	.15	.23	.16	.01	.02		.70		.04		.14	2
3	.41		.08	.15	.02			.28	.03			.47	3
4	.03		01					.01				.21	4
5	.04	.40		.03				.01		.07		.23	5
6	.36	.02	.03	.26			.68	.01		.01		.20	6
7	.19	.24	.03				.08	.05				.20	7
8	.13	.50		.07			.07	.10					8
9		.05		.12		.09		.06		.02	.37	.62	9
10	.16							.82				.21	10
11	.01		.03					.01			.60	.05	11
12	.06	.04	.02	.37	.50					.02	.34	.01	12
13		.02			1.25			.14					13
14		.46					.37	.07	.04			.38	14
15	.08	.06			.05		.04	.11			.19	.09	15
16		.22			.02		.59	.01				.16	16
17		.29			.98		.03	.02					17
18		.28	.06		.19						.02		18
19		.10			.01								19
20	.30			.06								.21	20
21	.30	.01								.03		.05	21
22	1.01	.12	.19	.09			.75					.08	22
23		.28	.06				.24		.04	.57		.25	23
24		.01	.01	.01		.02	.03		.25	.28		.48	24
25				.18			.20					.14	25
26		.03				.14	.37			.01		.47	26
27		.01				.14	.04			.22		.07	27
28		.04				.02			1.41	.25		.01	28
29			.06			.02	.06	.12			.16		29
30	.02	X				.19				.09	.22	.01	30
31		X		X		X		.01	X	.90	X	22	31
Total	4.02	3.45	.87	1.50	3.09	.64	3.55	2.54	1.82	2.55	2.17	5.36	YEAR'S TOTAL 31.56
Rain Days.	16	22	13	11	10	8	14	18	6	14	8	25	165

W. 8,000. X. 15.

207

FORM A.
BRITISH RAINFALL.

19 MAR

REGISTER OF RAINFALL IN 1916

Kept at Wimbledon, The Downs

in the County of Surrey

by F. C. Bayard, Sir Francis Fox

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 162 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	.01	.02		.52	.02			.21	.07	.34		1
2	.29	.03	.09		.24		.02		.19	.31	.05		2
3		.51	.15						17	.23	.73		3
4	.21	.03		.04	.01	26			.18		.46		4
5	.01		.01	.02	.21	.16	.02			.06	.66		5
6		.06	.05	.21	.04	.22	.29			.02	.37		6
7	.08		.75		.17	.42	.47			.03	.68	.08	7
8			.02		.24						.01	.15	8
9					.23	.02				.07		.06	9
10	.01	.23	.11	.06		.46	.11		.02			.15	10
11	.01	.09	.02	.17		.45						.06	11
12	.03	.03		.05	.31	.18	.02	.04	.02	.09			12
13		.18	.34	.12	.01	.07	.19	.10	.02	.03			13
14		.36	.01	.05	.10			.33		.02		.05	14
15		.22	.22	.01			.03	.20		.03		.01	15
16	.02	.03	.22	.16			.25	.08		.01			16
17	.07	.12		.03			.02	.30	.36	.50		.01	17
18		.08	.02	.21				.27	.31	.31	.66		18
19	.08	.06	.16	.14				.01	.10		.57	.02	19
20	.18		.22	.01							.02	.46	20
21	.01		.40	.05			.25					.20	21
22	.03	.01	.05		.01					.01		.44	22
23	.03		.01			.02		.02		.08	.03	.14	23
24		.30			.05			.03		.15	.03	.27	24
25		.60	.16					.36		.03	.10		25
26		.14	.10			.11		.50		.13			26
27	.02	.04	.71			.08		.57	.10	.67			27
28		.25	.24			.01			.18	.01		.11	28
29		.06				.21		1.19	.02	.23		.16	29
30								.15		.30			30
31								.06		.14		.04	31
Total	1.13	3.44	4.08	1.33	2.14	2.69	1.67	4.21	1.88	3.53	4.71	2.41	YEAR'S TOTAL 33.22
Rain Days.	16	22	23	15	13	15	11	16	13	24	14	17	199

W.7,000, XI. 13

198

FORM A.
BRITISH RAINFALL.

28. FEB 1918

REGISTER OF RAINFALL IN 1917

Kept at Wimbledon, The Downs
in the County of Surrey
by F. C. Bayard, Sir Francis Fox

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 162 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03	·05				1·44	·05		·10		1
2				·56		·05		·09			·20		2
3	·02			·07			·09	·35			·02		3
4		·27	·06				·56	·29		·61			4
5	·24		·05	·23				·04	·38	·19	·08		5
6			·09	·05		·07			·18	·01	·06		6
7	·14						·14			·28		·02	7
8	·11			·09			·88	·15	·07	·22	·17	·34	8
9	·01		·01	·06	·01		·02	·06		·01	·09	·21	9
10	·20		·06	·13						·01	·03		10
11	·10		·39	·30				·04	·15	·19			11
12	·06			·06				·09	—	·39	·01		12
13	·02		·20	·02					·03	·09			13
14			·02	·18				·02		·01		·02	14
15	·06						·20	·05				·01	15
16	·04	·17		·31	·08		·16			·40		·42	16
17				·08	·75		·24	·12	·43	·25			17
18	·03	·03		·08	·04	·16	·21	·21	·20	·13			18
19	·02	·14	·06		·02	·10			·14				19
20		·12			·52		·08		·01		·08		20
21	·04		·04		·08						·03		21
22			·03					·02		·08			22
23		·11			·12			·14		·15		·03	23
24		·01				·23	·02	·03		·15		·07	24
25		·02	·05			·06				·05	·10		25
26			·05					·32	·05	·02	·48		26
27								·98			·01	·02	27
28			·03			1·27		·04				·06	28
29					·49	·17	·44	·02		·23		·11	29
30		×	·35				1·81	·10		·01		·03	30
31		×	·04	×		×	·33	·02	×		×	·02	31
Total	1·09	·87	1·56	2·27	2·11	2·11	5·18	4·62	1·69	3·48	1·46	1·36	YEAR'S TOTAL 27·80
Rain Days.	14	8	17	15	9	8	14	22	11	21	14	13	166

W. 8,000, VIII. 16

[illegible]

from M.S.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
10 4. 19

Kept at Wimbledon The Downs.
in the County of Surrey
by Sir Francis Fox Per. F.C. Bayard.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 162 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·10							·19	·06	1
2	·01	·11		·06				·30		·02	·16	·12	2
3		·01	·08	·03	·35			·15			·65	·04	3
4		·04	·16					·03	·28		·43		4
5		·02			·11			·11	·41	·06			5
6	·23	·12		·28	·21			·08	·01	·01		·08	6
7	·02	·11		·14	·42			·01	·07	·10	·08		7
8		·06							·08		·11	·05	8
9	·01	·02		·11		·09	·48		·26	·11		·21	9
10	·03			·12			·47		·05	·01	·05	·38	10
11	·02			·04			1·93		·02	·21	·12	·15	11
12	·02	·04			·24		·20		·04				12
13	·02				·22		·06		·10				13
14	·14		·02	·01		·34	·03		·21	·12		·22	14
15	1·15			·76			·29		·02			·11	15
16	·30		·01	·28		·08			·30	·01		·01	16
17	·22			·14			·65	·04	·01			·12	17
18	·50					·12	·09		·68	·25		·05	18
19	·03		·04	·11		·03	·20		·02	·10		·05	19
20	·04	·10		·51		·03	·13		·16	·24		·01	20
21	·09	·02		·52			·02		·49	·09		·01	21
22	·04				·28		·18		·16				22
23	·03			·01	·19		·51	·04	·03			·14	23
24		·28					·89		·12	·02	·06		24
25				·01			·23	·23			·02		25
26							·44			·04	·10	·18	26
27				·14			·02	·17	·09		·09	·02	27
28			·17	·02		·05		·04			·21	·12	28
29			·01						·98		·01		29
30			·33						·03	·02	·03	·13	30
31			·01					·01		·03		·01	31
Total	2·90	·93	·83	3·39	2·02	·74	6·82	1·21	4·62	1·44	2·31	2·27	YEAR'S TOTAL 29·48
Rain Days	18	12	9	19	8	7	18	12	24	17	15	22	181

W, 6,500. VII 18. w w c

187

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

17 MAR 20

Kept at Wimbledon, The Downs
in the County of Surrey
by Sir Francis Fox, per Bayard

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
„ „ „ „ Sea Level 162 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Wimbledon The Downs

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·27	·06	·01	·03	·02	..	·22	..	..	·04	·03	·87	1
2	·34	..	·01	·01	·08	..	·13	..	·23	·06	·12	·08	2
3	·25	..	·38	..	..	..	·16	..	·05	..	·03	·37	3
4	·08	..	·45	..	..	·08	·12	·03	..	..	·01	·16	4
5	·01	·36	·68	..	..	..	..	..	·04	..	..	·28	5
6	·03	..	·04	..	..	..	..	..	..	·01	·03	·11	6
7	·02	..	·29	..	..	..	..	..	..	..	·03	..	7
8	·12	..	·06	..	..	..	..	..	..	..	·01	..	8
9	·05	..	·01	·03	·01	..	..	..	..	..	·01	..	9
10	·45	..	·05	·01	..	..	..	..	..	·02	·02	·01	10
11	·02	..	·05	·26	·01	..	·26	..	..	..	..	..	11
12	·03	..	·06	·05	..	·02	·13	..	..	·09	·01	·01	12
13	·01	..	..	·32	..	..	..	..	·03	·03	..	·01	13
14	·22	..	..	·26	..	..	·12	..	·57	·01	..	·02	14
15	·18	·02	·16	·06	..	..	..	..	..	..	..	·23	15
16	·05	·49	..	..	..	..	..	..	..	..	·10	·04	16
17	·03	·30	·02	·01	..	..	..	..	..	..	·15	·01	17
18	..	·24	·06	..	..	..	..	..	·07	..	·07	·03	18
19	·04	·07	·36	..	..	·18	·47	·27	..	..	·07	·01	19
20	·04	..	·05	..	..	·80	·33	·12	·02	..	·01	·01	20
21	·13	·28	·03	..	..	·13	·06	..	..	..	·02	·03	21
22	..	·07	·01	..	..	..	·23	..	·25	..	·02	·31	22
23	..	..	..	..	..	·05	..	·01	·02	..	·01	·02	23
24	..	..	..	·17	..	·03	·11	·04	..	·18	·05	..	24
25	..	..	..	..	..	..	·02	·13	..	..	..	·02	25
26	·07	·16	·11	·07	..	..	·02	·15	·06	..	..	·24	26
27	·38	·05	·04	·80	..	..	·02	·28	..	..	·04	·06	27
28	..	..	·23	·03	..	..	·03	·60	..	..	·22	·25	28
29	·04		..	·04	..	..	..	·29	..	·31	·02	·06	29
30	..		..	·27	..	·15	..	·26	..	·03	·18	·38	30
31	·07		..		..		·04	..		·01		·07	31
TOTAL	2·93	2·10	3·16	2·42	·12	1·44	2·47	2·18	1·34	·79	1·26	3·69	YEAR'S TOTAL
	..	5·03	8·19	10·61	10·73	12·17	14·64	16 82	18·16	18·95	20 21	23·90	23·90
Days with ·01 in. or more	24	11	22	16	4	8	17	11	10	11	23	26	183

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Copy by B.R.O.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Wimbledon, The Downs

in the County of

by per Bayard, Sir Francis Fox

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
	Wimbledon The Downs	Wimbledon The Downs	Wimbledon The Downs	Wimbledon The Downs	Wimbledon The Downs	Wimbledon The Downs	Wimbledon The Downs	Wimbledon The Downs	Wimbledon The Downs	Wimbledon The Downs	Wimbledon The Downs	Wimbledon The Downs	
	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	
1	·04	..	..	·28	·02	..	·27	..	·01	·18	..	·19	1
2	..	..	·05	..	·02	..	..	·62	·07	·13	..	·06	2
3	·01	·03	..	·02	..	·02	..	..	·05	·03	..	·03	3
4	..	·05	..	·10	..	..	·29	·03	..	·09	..	·03	4
5	..	..	·21	·01	·03	..	·61	·15	·02	..	..	·04	5
6	..	..	·17	..	·13	..	·29	..	..	..	..	·02	6
7	·01	..	..	·16	·05	..	·25	..	..	..	..	..	7
8	..	·02	..	·17	·12	..	·07	..	..	..	..	..	8
9	·26	·02	..	·03	..	..	·01	·01	..	..	..	..	9
10	·38	·03	·07	·03	..	·13	·09	..	..	..	·07	·01	10
11	·16	..	·06	·15	·01	..	·28	..	..	..	..	·18	11
12	·07	·01	..	·09	..	1·31	·01	..	..	·03	..	..	12
13	·21	..	·10	·17	..		..	..	·01	..	·03	..	13
14	..	·01	·12	·16	..	·08	·01	..	·20	·09	·20	·02	14
15	·02	·02	·06	·10	..	..	..	..	·45	·14	·09	..	15
16	..	..	·01	·26	..	·05	·01	..	·39	·01	..	..	16
17	·01	..	..	·01	·14	·30	..	..	·58	..	..	·03	17
18	·04	..	..	·01	·02	..	..	·98	·22	..	..	·03	18
19	·12	..	..	·17	..	·04	..	..	..	..	..	·05	19
20	·05	·28	..	·14	..	·54	..	·07	·08	..	..	..	20
21	..	..	..	·02	..	..	·65	·02	·58	..	..	·04	21
22	..	..	..	·29	..	..	..	·01	·10	..	..	·35	22
23	·01	..	..	..	..	..	·34	·02	..	..	..	·27	23
24	..	·04	·06	·01	..	..	..	..	..	..	..	·02	24
25	..	·01	·01	·01	..	..	·10	..	·01	..	..	..	25
26	·02	..	·18	·01	..	..	·09	..	·02	..	..	·02	26
27	·16	·08	·03	·24	..	·15	·14	..	..	..	·68	·04	27
28	·36	·01	·06	·04	·03	·01	·11	..	..	..	·02	·02	28
29	·22	..	·11	·05	..	..	·01	..	..	..	·04	·15	29
30	·02		..	..	·08	..	·16	..	·40	..	·19	·12	30
31	..		..		..		..	..		·29		·08	31
TOTAL	2·17 ..	·61 2·78	1·30 4·08	2·73 6·81	·65 7·46	2·63 10·09	3·79 13·88	1·91 15·79	3·19 18·98	·99 19·97	1·32 21·29	1·80 23·09	YEAR'S TOTAL 23·09
Days with ·01 in. or more	19	13	15	26	11	10	20	9	16	9	8	22	178
Days with ·04 in. or more	12	4	12	16	5	8	15	4	11	6	6	12	111

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

WIMB~~LE~~DON
KINGSTON RD
SURREY
1911 - 1920

FORM A2.
BRITISH RAINFALL.
25 MAR 1912

RE

Kept at 117 Kingsk ... on

in the County of Su ... 1 ft. in.

... vel 55 ft.

by H. A. Marsh ... Merton Park

... e ¼ M Direction S-W

IMPORTANT NOT ... esult entered to the previous day. If an Ob ... rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04		·02	·70	·02		·02	·03					1
2	·15			·37	·19		·02				·15	·09	2
3		·03		·02	·16						·08	·06	3
4	·03	·03	·07	·08					·03	·05	·15	·18	4
5	·03			·03						·20	·05	·15	5
6	·15		·30	·03								·28	6
7	·04			·03						·09	·36	·11	7
8	·11		·15								·28	·38	8
9	·20		·03	·05								·06	9
10		·09	·05	·02							·05	·62	10
11	·32		·01		·35						·59		11
12	·04		·47		·19				·04		·22		12
13			·13		·15				·40	·21	·02	·23	13
14		·08	·01		·28							·43	14
15		·06	·19							·03	·02	·04	15
16						·65					·36	·03	16
17			·07			·02					·29	·15	17
18		·10	·03			·03					·54	·20	18
19					·03	·17			·30	·05	·16	·10	19
20	·02					·03		·27		·09		·53	20
21	·02	·16						·77	·10	·60		·12	21
22	·07		·20					·02		·03		·43	22
23		·11	·07			·82			·22	·01	·03	·10	23
24		·12				·07	·04	·02		1.02		·30	24
25		·03		·03	·02	·12	·16	·02		·12		·02	25
26		·03	·10	·19	·05	·15	·06			·09	·02	·23	26
27		·36	·08	·09					·14	·03	·07	·12	27
28		·11		·20				·10		[illegible]			28
29				·17		·20	·06		·15	·22			29
30				·02		·03		·45	·02	·24			30
31					·57					·04			31
Total	1·22	1·31	1·98	2·03	1·95 1·95	2·29	·36	1·68	1·40	3·12	3·44	4·96	TOTAL for year. 2[illegible]
No. of Rain Days.	13	13	17	15	11	11	6	8	9	17	18	24	162

W. 8,000, X. '11.

RI on

FORM A2.
BRITISH RAINFALL.
25 MAR 1912

Kept at 117 Kingston Rd Wimbledon

in the County of Surrey 4

by H. A. Marshall

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 55 ft.

Time of Observation 9. 0 am

Nearest Railway Station
Name Merton Park
Distance ¼ M Direction S-W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04		·02	·70	·02		·02	·03					1
2	·15			·37	·19		·02				·15	·09	2
3		·03		·02	·16						·08	·06	3
4	·03	·03	·07	·08					·03	·05	·15	·18	4
5	·03			·03						·20	·05	·15	5
6	·15		·30	·03								·28	6
7	·04			·03						·09	·36	·11	7
8	·11		·15								·28	·38	8
9	·20		·03	·05								·06	9
10		·09	·05	·02							·05	·62	10
11	·32		·01		·35						·59		11
12	·04		·47		·19				·04		·22		12
13			·13		·15				·40	·21	·02	·23	13
14		·08	·01		·28							·43	14
15		·06	·19							·03	·02	·04	15
16						·65					·36	·03	16
17			·07			·02					·29	·15	17
18		·10	·03			·03					·54	·20	18
19					·03	·17			·30	·05	·16	·10	19
20	·02					·03		·27		·09		·53	20
21	·02	·16						·77	·10	·60		·12	21
22	·07		·20					·02		·03		·43	22
23		·11	·07			·82			·22	·01	·03	·10	23
24		·12				·07	·04	·02		1.02		·30	24
25		·03		·03	·02	·12	·16	·02		·12		·02	25
26		·03	·10	·19	·05	·15	·06			·09	·02	·23	26
27		·36	·08	·09					·14	·03	·07	·12	27
28		·11		·20				·10		~~[illegible]~~			28
29				·17		·20	·06		·15	·22			29
30				·02		·03		·45	·02	·24			30
31					·57					·04			31
Total	1·22	1·31	1.98	2·03	1·95 1·95	2·29	·36	1·68	1·40	3·12	3·44	4·96	TOTAL for year 2[illegible]
No. of Rain Days.	13	13	17	15	11	11	6	8	9	17	18	24	162

W. 8,000, X. '11.

~~A~~ J.C Cor. for arith. 28.II.13.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
21 FEB 1913

Kept at 117 Kingston Rd Wimbledon
in the County of Surrey 4
by H. A. Marshall

Lat. .... Long. ....
Nearest Railway Station Merton Park
Time of Observation 9.0 am
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " Sea Level 55 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.11	.03		.10	.39		.09	.43		.17	1
2			.30			.04	.31	.13		.03		.02	2
3	.05		.05			.05	.03	.26				.10	3
4	.23		.62		.14	.21	.01	.06			.18		4
5	.15	.06	.05					.43			.06		5
6	.42	.05			.02			.11	.03			.05	6
7	.02	.01	.01		.08	.85	.18	.17			.01	.04	7
8	.24	.31	.16	.05		.05	.03	.46					8
9		.05	.01	.07		.20	.03	.06				.12	9
10		.03				.12		.50	.01		.16	.23	10
11	.02	.22	.07			.03		.09	.02			.17	11
12	.05	.07			.27	.15		.01			.05	.01	12
13		.02				.02		.02	.02		.05	.02	13
14					.03			.05		.05		.04	14
15		.03	.16		.28	.70		.02			.05	.35	15
16	.40		.04		.07	.07		.06		.04	.06	.02	16
17	.47		.18		.01	.04		.05				.05	17
18	.06		.14					.08		.04	.03	.12	18
19	.04	.07	.10				.05	.58		.01	.02		19
20	.02	.05	.21					.05		.48	.03		20
21		.04	.13		.04			.08		.08	.06	.05	21
22	.15	.18	.03		.05		.07	.13		.03	.01	.16	22
23	.30	.45	.31				.02	.45		.06	.19		23
24	.17	.01				.19	.03	.18			.02	.11	24
25	.16					.15		.73				.53	25
26		.05				.01	.01	.34		.31	.28	.33	26
27			.02			.10	.02			.16	.38	.15	27
28		.07				.04	.19	.03	.10	.28	.37	.11	28
29				.02		.20	.28	.10	.98	.16	.06		29
30					.44	.03	.01	.11	1.25	.20			30
31			.12				.09	.13					31
Total	2.94	1.77	2.72	.17	1.43	3.35	1.75	5.47	2.50	2.36	2.07	2.9~~4~~5	TOTAL for year 29.48
No. of Rain Days	17	18	20	4	11	21	17	29	8	15	19	22	201

29.48

6,000, XI '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

Cor. by surv. stats. 21.IV.14.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

15 APR 1914

Kept at 117 Kingston Road Wimbledon

in the County of Surrey 4

by H. A. Marshall

Lat. Long.

Time of Observation 9. 0 a.m

Nearest Railway Station Merton Park

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·03	·26	·03	·16					·45	·05	·05	·13	1
2	·02	·15					·10		·02	·32	·13		2
3	·02		·03	·32	·32							·05	3
4	·20			·03	·30		·07			·20	·02	·08	4
5	·37					·07	·10		·38	·02	·04	·03	5
6	·01	·04	·14		·04	·08	·31	·10	·03	·10	·16	·11	6
7		·09			·12		·04			·45	·08	·03	7
8	·01	·04	·01		·10	·05				·10	·01	·01	8
9		·15			·05	·01		·02	·10		·02	·03	9
10	·01		·21	·16			·15				·30		10
11	·23			·38						·57	·12		11
12					·03			·02			·28		12
13	·10		·03					·11	·10		·12		13
14	·07		·07	·10			·60	·01		·11	·16	·01	14
15	·22	·10	·33	·21			·36		·07		·03		15
16	·12		·35	·15			·02		·30				16
17	·05	·10	·10	·04			·16				·01		17
18	·02		·13	·13			·02						18
19	·18		·10	·03	·02	·01	·15		·25				19
20	·25		·36	·04	·02	·27		·02		·38	·03		20
21	·02		·21	·07			·06			·23	·65		21
22	·35		·30	·08			·01	·02	·15				22
23						·05		·36	·01			·38	23
24	·02	·05	·02	·04		·02		·12			·02		24
25				·20					·02			·02	25
26			·16	·09						·75		·25	26
27			·03	·09	·04					·02			27
28	·26		·25	·16						·09			28
29	·06		·06	·48	·48			·08		·05			29
30	·25			·07				·21		·14		·02	30
31			·08					·75		·07			31
Total	2·87	·98	3·00	3·03	1·52	·56	2·15	1·82	1·88	3.65	2·23	1·15	YEAR'S TOTAL 24·84
Rain Days.	23	9	21	21	11	8	14	12	12	17	18	13	179

W. 7,500, XI. 12

ex LMcC

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.

15 FEB 1915

Kept at 117 Kingston Rd Wimbledon

in the County of Surrey 4

by H. A. Marshall

Lat. 51° 24′ 54″ Long. 0. 11′ 45″
Time of Observation 9. 0 am
Nearest Railway Station Merton Park
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ~~7~~ 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·02					·18			·02	·02	1
2				·01			·18	·04			·41	·29	2
3			·06		·15	·01	·10	·03			·03	·02	3
4	·06			·13				·50			·21	·34	4
5	·06		·05	·23	·16	·04	·22	·04			·02		5
6		·12		·13	·01	·16	·03	·01			·12	·09	6
7		·31	·24	·26	·25	·14	·11	·10				·07	7
8	·07	·37	·76	·02		·09	·19	·02				·03	8
9	·21		·60	·16		·15		·03	·16			1·58	9
10		·07		·05	·07						·02	·05	10
11		·36	·02		·02	·06			·25		·14	·32	11
12		·11	·37			·02	·17		·18	·02	·02	·48	12
13		·20	·09						·16	·05	·08	·33	13
14		·08	·18			2·15	·03		·02	·28	·06	·49	14
15	·04		·16				·17	·03			·52	·06	15
16	·03		·13						·04		·02		16
17		·36	·03									·14	17
18		·06	·08	·01								·27	18
19		·05	·14			·04			·04		·22	·31	19
20		·24	·21			·05	·06		·12	·02		·05	20
21		·60	·55			·03	·02			·02		·04	21
22			·09		·20	·07	·16	·02		·15			22
23		·01	·02		·11	·12	·05			·07			23
24	·03		·04		·03	·02	·01			·23	·10		24
25			·05				·03	·11		·08	·01	·11	25
26	·02		·20				·10	·07		·05	·16	·54	26
27			·05				·02	·02			·03	·14	27
28	·06	·02	·02		·01					·05	·41	·81	28
29	·02		·06							·30	·12		29
30		×	·04							·05	·41	·12	30
31		×		×	·25	×	·03		×	·01	×	·06	31
Total	·60	2·96	4·26	1·00	1·26	3·15	1·68	1·20	·97	1·33	3·12	6·76	YEAR'S TOTAL 28·29 ✓
Rain Days.	10	15	26	9	11	15	18	14	8	13	21	25	185 ✓

W. 8,000. X. 14.

146

FORM A.
BRITISH RAINFALL.
1 MAY 1916

REGISTER OF RAINFALL IN 1915

Kept at 117 Kingston Road. Wimbledon

in the County of Surrey

by H. A. Marshall

Lat. 51° 24′ 54″ N Long. 0° 11′ 45″ W

Time of Observation 9 a.m.

Nearest Railway Station Merton Park

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 7 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·49	·11	·09		·08				·05	·05	·33	·40	1
2	·45	·14	·23	·16		·05		·78	·03	·06		·08	2
3	·40		·04	·15	·03			·29	·03			·52	3
4	·04							·03				·20	4
5	·05	·49	·03	·03				·02		·06	·03	·26	5
6	·35	·03	·03	·26			·65					·16	6
7	·21	·24	·04		·07		·09	·05				·18	7
8	·13	·48		·05			·06	·23					8
9	·02	·03	·02	·11		·07	·02	·05			·37	·66	9
10	·13		·04					·98				·21	10
11	·02										·59	·05	11
12	·07	·07		·34	·49			·03		·04	·35		12
13	·02	·45		·01	1·30			·15	·01				13
14	·01	·04					·32	·10	·04			·42	14
15	·08	·03			·06		·03	·08			·16	·12	15
16		·24					·57	·02				·20	16
17		·33	·05		1·02		·03	·04					17
18		·25			·19						·05		18
19		·12			·03		·08			·02			19
20	·31			·05			·69					·21	20
21			·20				·22			·04		·06	21
22	·43	·14	·06	·07			·06					·14	22
23	·80	·25	·02			·03	·50		·03	·57		·25	23
24			·05				·05		·20	·25		·55	24
25				·20					·02		·02	·15	25
26	·02	·05				·15						·46	26
27						·18				·23		·11	27
28			·03						1·47	·19		·02	28
29							·04	·11			·18		29
30	·03	X				·15		·03		·05	·29	·02	30
31	·01	X		X		X			X	·93	X	·26	31
Total	4·07	3·49	·93	1·43	3·27	·63	3·41	2·99	1·88	2·49	2·37	5·69	YEAR'S TOTAL 32·65
Rain Days.	21	18	14	11	9	6	15	16	9	12	10	24	165

W. 8,000. X. 15.

Exd CFE

FORM A.
BRITISH RAINFALL.

17 MAR 1917

REGISTER OF RAINFALL IN 1916

Kept at 57 Kingston Rd. Wimbledon S.W. 19
in the County of Surrey
by Herbert A. Marshall

Lat. 51° 24′ 54″ N Long. 0° 11′ 45″ W
Time of Observation 9 a.m.
Nearest Railway Station Merton Park
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ↑ 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05		·06		·46	·03	·01		·20	·10	·25		1
2	·28	·05	·12		·28				·30	·37	·05		2
3		·63	·17		·02		·05		·17	·25	·71		3
4	·22	·09		·03	·01	·20			·15	·02	·51		4
5	·03		·03	·02	·19	·13	·03			·06	·62	·01	5
6		·05	·15	·21	·05	·16	·30			·03	·40		6
7	·06		·54		·20	·43	·60			·03	·70		7
8			·09		·23							·18	8
9			·06		·15	·10				·09		·05	9
10		·20	·12	·06	·02	·41	·09		·04		·01	·12	10
11	·02	·15	·03	·16		·52		·04	·01			·05	11
12	·03	·04			·31	·17	·03	·10	·02	·10			12
13		·19	·30	·10	·02	·07	·18		·02	·04			13
14		·35		·03	·10		·01	·51		·03		·06	14
15		·20	·24	·03			·09	·19		·02			15
16		·04	·21	·17	·01		·18	·32					16
17	08	·11		·03			·03	·11	·36	·52			17
18		·10	·03	·23				·25	·20	·27	·68		18
19	·07	·07	·16	·16					·11		·60	·03	19
20	·18		·27	·02							·03	·49	20
21	·02		·38	·04			·19				·02	·25	21
22		·01	·07		·02	·01				·03		·50	22
23	·05	·31	·02			·02		·02		·05	·03	·17	23
24		·06			·09	·03		·04		·16	·02	·29	24
25		·67	·18					·40		·05	·08		25
26		·14	·11			·10		·46	·02	·13			26
27	·03	·02	·72			·24		·33	·05	·72			27
28		·33	·27			·02		·04	·16	·03	·01	·10	28
29						·17		1·03	·03	·23		·15	29
30		X		·01		·02		·15		·30		·02	30
31		X		X		X		·07	X	·14	X	·04	31
Total	1·12	3·81	4·33	1·30	2·16	2·83	1·79	4·06	1·84	3·77	4·72	2·51	YEAR'S TOTAL 34·24
Rain Days.	13	21	23	15	16	18	13	16	15	24	16	16	206

W. 8,000, VIII. 16

Exd C. S.

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
7. MAR 1918

Kept at 114 Kingston Rd Wimbledon S.W.19
in the County of Surrey
by H. A. Marshall

Lat. 51° 24′ 54″ Long. 0° 11′ 45″ W
Time of Observation 9 a.m
Nearest Railway Station Merton Park
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. · in.
" " " " Sea Level 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02	·12				1·47	·03				1
2	·02			·60		·05		·11			·07		2
3	·02						·06	·37		·12	·21		3
4			·08	·06			·61	·26		·43	·02		4
5	·25		·08	·23				·02	·80	·20	·06		5
6			·09	·03		·05			·16	·02	·05		6
7	·14					·02	·12			·29	·16	·02	7
8	·11			·11			·92	·10	·06	·24	·07	·28	8
9	·02		·03	·06	·01		·03	·11	·05	·02		·26	9
10	·15		·05	·18				·02				·03	10
11	·16	·25	·43	·19				·05	·12	·20			11
12	·08		·06	·08				·08		·41			12
13	·03		·15	·07				·04	·04	·12			13
14				·15				·05					14
15	·03		·03				·30			·02			15
16	·09	·18		·19	·16		·26	·11		·30			16
17				·09	·68		·24	·11	·40	·24			17
18	·04	·04		·06	·06	·14	·17	·02	·19	·10			18
19	·02	·14	·09	·02	·08	·15		·01	·12				19
20	·01	·15	·05		·90		·06		·02		·07		20
21	·01		·04	·02	·02	·03		·09			·05		21
22			·03					·08		·07			22
23		·10	·02		·13	·05		·04		·10		·51	23
24		·03				·15	·04			·12	·03	·05	24
25		·02	·03							·05	·07		25
26			·05					24	·05	·04	·50		26
27			·03					92		·27	·02	·02	27
28		·02	·02			1·42		05				·08	28
29			·02		·25	·19	·28	03		·02		·12	29
30		X	·32				1·79	09				·04	30
31		X	·06	X		X	·41	02	X		X	·03	31
Total	1·18	·93	1·78	2·26	2·29	2·25	5·29	4·49	2·04	3·38	1·38	1·44	YEAR'S TOTAL 28·71
Rain Days.	16	9	22	17	9	10	14	25	12	21	13	11	179

W. 8,000. X. 15.

51

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at 117 Kingston Road. Wimbledon S.W. 19
in the County of Surrey
by H Marshall

Lat. 51° 24′ 54 Long. 0° 11′ 45″
Time of Observation 9.0 am
Nearest Railway Station Merton Park
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 55 ft.

7. 2. 19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·02		·09				·01			·20		1
2		·10		·06				·23			·17	·13	2
3		·03	·05	·03	·34			·10		·02	·56	·06	3
4		·04	·18		·02			·02	·42		·47	·02	4
5		·05			·10			·12	·39	·10			5
6	·23	·04		·27	·25			·09	·03	·02		·07	6
7		·10		·20	·35			·02	·10	·10	·09		7
8		·07		·02					·09	·03	·11	·04	8
9	·04	·03		·11		·09	·49		·24	·10		·25	9
10				·12			72		·06	·02	·10	·34	10
11	·03			·04	·04		1·90		·03	·19	·15	·16	11
12		·04			·19		·12		·04	·02			12
13		·02		·01	·16		·04		·12				13
14	·16		·03	·01		·32	·05		·15	·10		·20	14
15	1·30			·68		·02	·31		·02	·02		·14	15
16				·33		·14	·02		·23			·03	16
17	·50			·15		·04	·71	·04	·02			·12	17
18	·50					·15	·13		·65	·22		·06	18
19	·05		·10	·12		·03	·18		·03	·11		·06	19
20	·05	·10		·58		·03	·14		·15	·25			20
21	·08	·03		·50		·01	·03		·55	·09		·03	21
22	·04			·02	·32		·33		·18		·03	·15	22
23	·03				·18		·41	·05	·03			·06	23
24						·07	·68		·13		·05		24
25	·02	·30		·05			·25	·22	·08	·02	·03		25
26							·40	·02	·02	·04	·10		26
27		·02	·02	·15			·05	·17	·07		·11	·13	27
28		·02	·15	·03		·05		·03			·20		28
29		·01	·02						·94		·02	·11	29
30		X	·38						·03	·03	·04	·15	30
31		X	·02	X		X			X	·03	X		31
Total	3·07	1·02	·95	3·57	1·95	·95	6·99	1·12	4·80	1·51	2·43	2·31	YEAR'S TOTAL 30·67
Rain Days.	14	17	9	21	10	11	19	13	26	19	16	20	195

W. 8,000, IX. 17.

XI R/ cwd for ant. 122

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at 117 Kingston Rd Wimbledon S.W 19
in the County of Surrey
by H. A. Marshall

Lat. Long.
Time of Observation 9.0 am
Nearest Railway Station Merton Park
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft in.
" " " " Sea Level 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·29			·02	·03					·03	·02	·88	1
2	·31		·42		·07		·21		·16	·04	·07	·10	2
3	·32		·35		·03		·15		·06		·03	·36	3
4	·10	·11	·75			·08	·13	·04			·03	·14	4
5		·28	·05				·12		·04		·03	·24	5
6	·04	·02	·30				·02			·01		·11	6
7	·03		·06								·03		7
8	·16		·03	·09							·07		8
9	·08		·03	·05	·01						·03		9
10	·41		·07	·02						·02		·03	10
11	·03		·07	·26			·34						11
12				·04		·03	·06			·08			12
13				·27			·01		·02	·04		·02	13
14	·22			·23			·08		·71	·01		·02	14
15	·20		·22	·07								·20	15
16	·05	·48					·03				·10		16
17	·02	·35	·03	·02							·14	·06	17
18		·25	·06						·06		·09	·05	18
19	·05	·05	·39				·43	·25	·02		·06	·03	19
20	·04	·06	·06			1.05	·28	·14			·03		20
21	·14	·26	·03			·17	·10				·02	·04	21
22		·06					·18	·01	·29		·02	·30	22
23						·05			·03		·05		23
24				·19			·13	·03				·03	24
25	·03	·02					·03	·13	·01			·02	25
26		·15	·11	·10				·19	·05		·04	·25	26
27	·36	·05	·06	1·33			·02	·33			·26	·07	27
28			·20	·04			·03	·61				·26	28
29	·05	·01		·06				·25		·32		·08	29
30		✕	·03	·23		·13		·24		·04	·20	·41	30
31		✕	·06	✕		✕	·04		✕		✕	·08	31
Total	2.93 ~~2.92~~	2.15	3.38	3.02	·14	1.57	2.39 ~~2.45~~	2.22	1.45	·59	1.32	3.78 ~~3.68~~	Year's Total ~~24.83~~ 24.88
Days with ·01 in. or more	20	14	21	16	4	6	19	11	11	9	19	23	173

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

~~H Cuz~~ and for auth

120

FORM A, 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at 117 Kingston Rd S.W 19
in the County of Surrey
by H. A. Marshall

Lat. 51° 24' 54" N Long. 0' 11' 45 W
Time of Observation 9:0 am
Nearest Railway Station Merton Park
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ~~75~~ 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05			·25	·03		·29		·01	·17	·01	·20	1
2			·07		·03		·02	·55	·06	·06		·03	2
3		·05		·03					·05	·05		·09	3
4		·05		·10			·21	·04		·07		·04	4
5			·18	·02	·04		·58	·15	·03	·02		·05	5
6			·20		·12		·25	·02				·04	6
7	·02			·15	·06		·23						7
8		·03		·16	·11		·12						8
9	·28	·03		·07			·02						9
10	·38	·03	·08	·05	·02	·13	·10				·06	·02	10
11	·15		·07	·15		·02	·26						11
12	·08	·02	·01	·11		1·43	·02			·03	·02	Snow	12
13	·22		·10	·20					·03		·02		13
14		·01	·16	·19		·08	·02		·20	·04	·19	·19	14
15	·02	·03	·08	·10	·02				·78	·13	·08		15
16			·03	·24	·13	·06			·12	·02			16
17	·02				·02	·41			·53			·05	17
18	·03			·02				·87	·21			·04	18
19	·10			·15		·05		·01				·05	19
20	·07	·35		·13		·52		·02	·16				20
21				·02			·61	·03	·57			·04	21
22	·02			·30					·05			·36	22
23				·02			·32					·26	23
24			·05					·01				·03	24
25		·06		·02			·09		·05				25
26	·03		·24	·02			·13					·03	26
27	·15	·07	·04	·22		·13					·76	·05	27
28	·35		·08	·06	·04	·92	·20				·02	·03	28
29	·24		·10	·06			·03				·04	·15	29
30	·03	╳			·09		·14		·20		·16	·10	30
31		╳		╳	·02	╳			╳	·30	╳	·10	31
TOTAL	2·24	·73	1·49	2·84	·73	2·85	6 3·84	170	3·05	·89	1·36 ~~1·46~~	1·95	23·47 YEAR'S TOTAL ~~23·57~~
Days with ·01 in. or more	18	11	15	25	13	10	19	9	15	10	10	21	176
Days with ·04 in. or more	11 ~~8~~	5	13	~~17~~ 18	7	8	14	4	12	7	6	16	~~117~~ 121

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

N

REGI

WIM~~BLE~~DON
MERTON HALL RD
SURREY
1915-20

FORM A.
BRITISH RAINFALL.
3-FEB 1916

Kept at 39, MERTON I
WIMBLED

in the County of Surr

by (Rev) John A Barro

10.0 a.m

Wimbledon

Gauge 5 in.

e Ground ✱ ft. 8. in.

Sea Level ft.

IMPORTANT NOTI the result entered to the previous day. If an Obs this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.450	0.115	0.060	0.000	0.065	0.000	....		0.045	0.030	0.280	0.400	1
2	0.460	0.125	0.215	0.116	0.000	0.042	0.015	+	0.005	0.050	...	0.595	2
3	0.370	0.002	0.070	0.115	0.010	0.000	0.005	+	0.007	...	...		3
4	0.025	0.000	0.002	0.003	0.000	0.000	....	+	...	0.055	...	0.180	4
5	0.050	0.450	0.000	0.030	0.005	...	....	+	...	...	0.002	0.250	5
6	0.380	0.020	0.020	0.250	0.005	...	0.610	+ 2.000	...	...	...	0.140	6
7		0.220	0.020	0.001	0.000	...	0.070	+	...	...	...	0.185	7
8	0.305	0.445	0.000	0.050	0.000	...	0.050	+	...	0.020	...	0.002	8
9		0.040	0.000	0.110	0.000	0.080	....	+	...	...	0.450	0.745	9
10	0.170	0.000	0.017	0.001	0.000	0.000	...		...	...	0.001	0.200	10
11	0.003		0.025	0.000	0.000	....	...	+	...	0.020	0.610	0.040	11
12	0.060	0.530	0.000	0.340	0.490	...	...	+	...	...	0.270	0.006	12
13	0.005		0.000	0.000	1.250	...	...	0.165	...	...	0.002	...	13
14			0.000	0.000	0.005	...	0.310	0.085	0.025	...	...	0.355	14
15	0.070	0.040	0.000	0.000	0.050	...	0.018	0.060	....	...	0.175	0.120	15
16			0.000	0.000	0.000	...	0.530	0.010	...	...	...	0.230	16
17	0.000	0.740	0.000	0.000	1.045	...	0.020	0.620	...	...	...	0.002	17
18	0.000		0.055	0.000	0.195	...	...	...	...	0.005	0.020	...	18
19	0.005	0.085	0.000	0.000	0.010	...	0.075	...	...	...	0.001	...	19
20	0.310	0.002	0.001	0.035	0.000	...	0.001	...	...	0.035	...	0.200	20
21	1.075	0.070	0.000	0.000	0.000	...	....	...	...	...	...	0.055	21
22		0.070	0.280	0.080	0.000	...	0.640	...	...	0.565	...	0.075	22
23	0.003	0.250	0.040	0.000	0.000	0.010	0.185	...	0.008	0.290	...	0.240	23
24	0.000	0.001	0.005	0.025	0.000	...	0.021	...	0.200	...	...	0.490	24
25	0.000	0.000	0.045	0.165	0.000	...	0.160	...	...	...	0.001	0.130	25
26	0.000	0.025	0.000	0.000	0.000	0.155	0.320	...	...	0.220	0.001	0.480	26
27	0.000	0.005	0.000	0.000	0.000	0.160	0.005	–	...	0.230	0.002	0.035	27
28	0.000	0.030	0.000	0.000	0.000	0.013	....	– 0.115	1.450	0.005	...	...	28
29	0.000	✕	0.001	0.000	0.000	0.018	(2 Aug)	+	0.005	0.095	0.055	0.002	29
30	0.075	✕	0.000	0.000	0.000	0.155		+	....	0.020	0.250	0.005	30
31	0.001	✕	0.000	✕	0.000	✕		....	✕	0.870	✕	0.210	31
Total	3.757	3.265	0.856	1.321	3.130	0.633	3.035	2.455	1.745	2.490	2.120	5.372	YEAR'S TOTAL 30.179
Rain Days. 0.010+	13	16	11	11	10	8	14	(17)	74	124	8	24	132 123

(153)

W. 8,000. X. 15.

Make slip

REGI

N

FORM A.
BRITISH RAINFALL
3 - FEB 1916

Kept at 39, MERTON HALL ROAD
WIMBLEDON, S.W.
in the County of Surrey
by (Rev.) John A. Barrow-Clough

Lat. Long.
Time of Observation 9.0 – 10.0 a.m.
Nearest Railway Station Wimbledon
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground * ft. 8 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.450	0.115	0.060	0.000	0.065	0.000	...		0.045	0.030	0.280	0.400	1
2	0.460	0.125	0.215	0.116	0.000	0.042	0.015	+	0.005	0.050	...	0.595	2
3	0.370	0.002	0.070	0.115	0.010	0.000	0.005	+	0.007	...	...		3
4	0.025	0.000	0.002	0.003	0.000	0.000	...	+	...	0.055	...	0.180	4
5	0.050	0.450	0.000	0.030	0.005	...	...	+	...	...	0.002	0.250	5
6	0.380	0.020	0.020	0.250	0.005	...	0.610	+ 2.000	...	...	...	0.140	6
7	0.305	0.220	0.020	0.001	0.000	...	0.070	+	...	...	...	0.185	7
8		0.445	0.000	0.050	0.000	...	0.050	+	...	0.020	...	0.002	8
9		0.040	0.000	0.110	0.000	0.080	...	+	...	...	?0.450	0.745	9
10	0.170	0.000	0.017	0.001	0.000	0.000	...		...	...	0.001	0.200	10
11	0.003	0.530	0.025	0.000	0.000	...	...	+	...	0.020	0.610	0.040	11
12	0.060		0.000	0.340	0.490	...	...	+	...	...	0.270	0.006	12
13	0.005		0.000	0.000	1.250	...	...	0.165	...	...	0.002	...	13
14	0.070		0.000	0.000	0.005	...	0.310	0.085	0.025	...	...	0.355	14
15		0.040	0.000	0.000	0.050	...	0.018	0.060	...	...	0.175	0.120	15
16		0.740	0.000	0.000	0.000	...	0.530	0.010	...	...	...	0.230	16
17	0.000		0.000	0.000	1.045	...	0.020	0.620	...	...	...	0.002	17
18	0.000		0.055	0.000	0.195	...	...	...	...	0.005	0.020	...	18
19	0.005	0.085	0.000	0.000	0.010	...	0.075	...	...	...	0.001	...	19
20	0.310	0.002	0.001	0.035	0.000	...	0.001	...	...	0.035	...	0.200	20
21	1.075	0.070	0.000	0.000	0.000	...	...	...	...	...	...	0.055	21
22		0.070	0.280	0.080	0.000	...	0.640	...	...	0.565	...	0.075	22
23	0.003	0.250	0.040	0.000	0.000	0.010	0.185	...	0.008	0.290	...	0.240	23
24	0.000	0.001	0.005	0.025	0.000	...	0.021	...	0.200	...	...	0.490	24
25	0.000	0.000	0.045	0.165	0.000	...	0.160	...	...	...	0.001	0.130	25
26	0.000	0.025	0.000	0.000	0.000	0.155	0.320	...	...	0.220	0.001	0.480	26
27	0.000	0.005	0.000	0.000	0.000	0.160	0.005	−	...	0.230	0.002	0.035	27
28	0.000	0.030	0.000	0.000	0.000	0.013	...	0.115	1.450	0.005	...	...	28
29	0.000	X	0.001	0.000	0.000	0.018	(2 days)	+	0.005	0.095	0.055	0.002	29
30	0.075	X	0.000	0.000	0.000	0.155		+	...	0.000	0.250	0.005	30
31	0.001	X	0.000	X	0.000	X		...	X	0.870	X	0.210	31
Total	3.757	3.265	0.856	1.321	3.130	0.633	3.035	2.455	1.745	2.490	2.120	5.372	YEAR'S TOTAL 30.179
Rain Days. 0.010+	13	16	11	11	~~8~~ 10	8	14	~~(7/8)~~	7 4	12 4	8	24	132 ~~133~~

(153)

W. 8,000. X. 15.

Exd FW

205

REGISTER OF RAINFALL IN 1916.

FORM A.
BRITISH RAINFALL.

3 JAN 1917

Kept at 89, MERTON HALL ROAD, WIMBLEDON, S.W.

in the County of Surrey

by (Rev.) John A. Barrow-Clough (B.A. C.O.)

Lat. Long.

Time of Observation 9–9.30 a.m.

Nearest Railway Station Wimbledon

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level ? ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.040	0.005	0.020	0.000	0.480	0.010		0.000		0.075	0.195	0.000	1
2	0.265	0.040	0.100	....	0.260			....		0.350	0.030	....	2
3	0.002	0.625		....	0.005	0.265	0.050	....		0.215	0.700	....	3
4	0.200	0.045	0.440	0.030	0.000			....	0.710	0.003	0.520	....	4
5	0.013	....		0.010	0.185			....		0.050	0.570	....	5
6	0.000	0.045	~~0.370~~	0.205		0.175	0.240	....		0.013	0.390	....	6
7	0.055	....	0.370	....	0.420	0.410	0.620	....		0.013	0.660	0.064	7
8	....	....	0.030	....		0.000	....	....		0.000	0.000	0.165	8
9	....	....	....	....	0.160	0.035	....	....	0.001	0.075	0.001	0.031	9
10	....	0.200	0.090	0.050	0.002	0.510	0.070	....	0.225	0.001	0.000	0.125	10
11	0.007	0.120	0.015	0.155	0.000	0.513		....	0.000	0.000	....	0.050	11
12	0.023	0.030	0.007	0.035	0.280	0.170	0.005	0.035	0.015	0.075	0. . /	0.000	12
13	0.001	0.195	0.320	0.050	0.000	0.075	0.160	0.517	0.006	0.018	. . /	....	13
14	....	0.350	0.006	0.030	0.090	0.002	....		0.000	0.020	0.000	0.045	14
15	....	0.190	0.215	0.000	0.000	0.000	....	0.175	....	0.001	....	0.002	15
16	0.007	0.020	0.205	0.150	0.001	....	0.260	0.075	....	0.000	....	0.000	16
17	0.065	0.120	0.002	0.030	....	....	0.006	0.290	0.340	0.485	....	0.001	17
18	0.000	0.070		0.200	....	....	....	0.240	0.215	0.270	0.680	0.005	18
19	0.065	0.077	0.400	0.125	....	....	....	0.003	0.140	0.000	0.570	0.006	19
20	0.170	....		0.000	....	....	....	0.000	0.001	....	0.018	0.500	20
21	0.005	....	0.370	0.023	....	....	0.015	....	0.000	....	0.000	0.190	21
22	0.020	0.005	0.050	....	0.001	....	....	....	....	....	....	0.470	22
23	0.025	?0.500	0.005	....	0.001	0.008	....	0.005	....	0.055	0.018	0.170	23
24	....	?0.050	0.000	....	0.065	0.003	....	0.025	....	0.165	0.020	0.280	24
25	....	0.550	0.140	....	0.005	0.000	....	0.400	....	0.014	0.075	0.000	25
26	....	0.195	0.090	....	....	0.095	....	0.410	....	0.130	0.002	0.001	26
27	0.020	0.005	0.705	....	....	0.150	....	0.375	0.060	0.630	0.000	0.000	27
28	....	0.305	0.240	....	....	0.005	....		0.195	0.005	.. /	0.100	28
29	....	0.060	0.002	....	....	0.165	....	1.250	0.020	0.225	.. 0	0.150	29
30	....	×	0.000	....	....	0.002	....		0.000	0.285	....	0.003	30
31	....	×	0.000	×	....	×	....		×	0.125	×	0.030	31
Total	0.983	3.802	3.822	1.093	1.955	2.593	1.426	3.800	1.928	3.298	4.452	2.388	YEAR'S TOTAL 31.540
Rain Days.	15 4 17	?21 20	?23 17	13	8 ~~9~~ 9	10 12	?9	?14	? 8	20	13	14 16	~~160~~

W. 8,000, X. 15.

S. Wade 196

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

8 JAN 1918

Kept at 39, MERTON HALL ROAD, WIMBLEDON. S.W.
in the County of Surrey
by (Rev.) John A. Barrow-Clough

Lat. Long.
Time of Observation
Nearest Railway Station Wimbledon
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.001	0.000	0.010	0.087	0.000				0.030	....	0.085	....	1
2	0.000	....	..00	0.575	...0				0.000	....	0.230	....	2
3	0.015	....	....	0.075	....				....	0.170	0.013	....	3
4	0.000	snow 0.180	..70	0.001	....				....	0.350	....	....	4
5	0.220	0.000	..50	0.195	....				0.555	0.180	.060	....	5
6		....	..80	0.050	....				0.160	0.002	0.055	....	6
7	0.215	....	..00	..01	....				....	0.245	....	0.007	7
8		....	....	.100	....				0.045	0.200	0.160	0.336	8
9	0.005	....	...5	.050	...5				0.035	0.007	0.085	0.215	9
10	0.095	....	..55	.140	..0				....	....	0.015	0.001	10
11	0.195	..20	.390	.220	....			0.018	.100	0.200	....	....	11
12	0.090	0.000	.050	.050	....			0.090	....	0.375	....	....	12
13	0.020	....	.140	.065	....			.020	0.020	0.105	....	0.008	13
14	0.000	....	.008	.135	....			.010	....	....	....	....	14
15	0.020	....	...0	.000	....			.040	....	0.010	....	....	15
16	0.070	0.165	....	.170	..80			.000	....	0.290	....	0.440	16
17	0.001	0.004	....	.080	.725			.065	0.375	0.230	....	....	17
18	0.030	0.024	....	.070	.040			1.145	0.180	0.100	....	....	18
19	0.002	0.135	..50	.001	..35			0.000	0.110	....	....	....	19
20	0.002	0.125	..30	...0	.645			....	0.002	....	0.055	....	20
21	0.002	0.004	..15	...5	.050			....	....	....	0.010	0.002	21
22	0.015	0.000	..20	...0	..00			.065	....	0.060	....	....	22
23	0.000	0.110	..03	....	.105			.090	....	0.130	....	0.020	23
24	....	0.003	...0	....	.000			.028	....	0.135	0.008	0.070	24
25	....	0.000	..37	....				.000	....	0.045	0.070	0.001	25
26	....	0.000	..40	....				.255	0.030	0.015	0.470	....	26
27	....	0.000	..11	....	0.540			.805	....	0.001	0.002	....	27
28	....	0.010	..11	....				.050	....	....	....	0.070	28
29	....	X	..13	....				.013	....	0.210	....	0.011	29
30	....	X	.310	....				.080	....	0.002	....	0.015	30
31	0.047	X	.040	X	0.000	X		.009	X	....	X	0.005	31
Total	1.045	0.800	1.438	2.070	2.225			~~2.793~~	1.642	3.062	1.318	1.200	YEAR'S TOTAL
Rain Days.	13 11	10	19 21	15	?10			mp ~~?15~~	11	18 19	12 13	8 10	

W. 8,000, VIII. 16

Surrey 196

c attached to A

18 JAN 1918

39, MERTON HALL ROAD.
WIMBLEDON, S.W. 19

1. 1. 18

Dr. Mill.

Dear Sir,

Enclosed is my rain chart for 1917. The months June, July & part of August are not marked. I was absent during the time, & did not have any one to register in my absence. When I returned it seemed that the gauge had been emptied, so I did not enter the amount, especially as the rain on the last day of July & in August was exceptional.

I am not sure whether I sh. be able to continue the observations all the year. — I enclose 10/. donation

Yours truly

John A. Barrow Clough

S made

Exd 92

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

3 · 1 · 19

Kept at 39 Merton Hall Road
Wimbledon
in the County of Surrey
by John A. Barbour-Clough

Lat. Long.
Time of Observation 9.0 am
Nearest Railway Station Wimbledon
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
0.004

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		10		0.090								0.030	1
2	2	.100		0.040						.015	0.200	0.050	2
3		3	0.045	0.020	0.320						0.214	0.105	3
4		37	0.160						.360		0.610	0.050	4
5		23	0.002		0.100				.415	.070	0.400	0.001	5
6	0.023	0.100		0.232	0.205				.010				6
7	0.030	0.100		0.170	0.400				.050	.090		.065	7
8		0.055							.110	.015	0.085		8
9	0.013	0.020		0.102	0.007	0.077	0.440		.235	.085	0.090	.040	9
10		1		0.105			0.460		.040	.002	0.005	.230	10
11	0.030			0.030	0.017		2.000		.010	.205	0.040	.370	11
12	0.004	30			0.170		0.120		.020	.001	0.120	.160	12
13	0.027				0.190		0.055		.010		0.005	.010	13
14	0.130			0.001		0.310	0.030		.150	.095		.015	14
15	1.180			0.780			0.350		.010			.200	15
16	0.300			0.300		0.070	0.002		.255	.007	0.003	.120	16
17	0.210			0.130	0.001		0.660		.010			.010	17
18	0.450			0.001		0.110	0.080		.620	.225		.100	18
19	0.035			0.100		0.030	0.190		.010	.080		.070	19
20	0.040	0.850		0.530		0.023	0.135		.135	.260	2	.060	20
21	0.070	0.016		0.590			0.018		.520	.085	3	.003	21
22	0.040		0.002	0.001	0.320		0.120	0.665	.160		2	} .015	22
23	0.020			0.013	0.170		0.580		.010		1		23
24		0.280					0.730		.105	.001	1	.050	24
25				0.025			0.210	0.210		.010	0.040		25
26		2					0.400	0.002		.020	0.020		26
27		0.010	0.003	0.140			0.030	0.160	.060		.085	.110	27
28		0.010	0.140	0.020		0.030	0.006	0.025	.010		.080	.015	28
29		✗	0.010	0.001			0.005	(?)	1.050		0.235	.105	29
30		✗	0.400						.010	.020	.002	.005	30
31		✗	0.001	✗		✗			✗	.030	✗	.140	31
Total	2.604	1.647	0.763	3.421	1.900	0.650	6.621	1.062	4.375	1.316	2.244	2.129	YEAR'S TOTAL 28.732
Rain Days.	15	14	5	18	10 ~~8~~	7	20 ~~17~~	(11)	25	16 ~~15~~	14 ~~13~~	24	~~162~~ (179)

Was from home. 0.665 the total for the absence.

W. 8,000, IX. 17.

Apr & May interpolated + RL

186

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

20

Kept at 39 Merton Hall Rd. Wimbledon
in the County of Surrey
by [Rev.] J. A. Barrow Clough

Lat. Long.
Time of Observation 9—0
Nearest Railway Station Wimbledon
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ? ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.004	0.040	0.004			...	0.215	...	...	0.020	0.030	0.830	1
2	0.250	0.060	...			...	0.110	...	.240	0.045	.100	0.085	2
3	0.300	...	0.420			...	0.135	...	.020	...	.015	0.375	3
4	0.280	...	0.450			...	0.120	0.030	.002	...	0.010	0.085	4
5	0.090	0.105	0.670			.080	...	...	.030	...	.030	0.220	5
6	0.002	0.270	0.040			...	...	...	...	...	.005	0.090	6
7	0.040	0.017	0.270			...	...	...	...	...	.020	—	7
8	0.020	...	0.110			...	...	...	...	...	—	—	8
9	0.140	...	0.010			...	...	...	...	...	.030	—	9
10	0.070	...	0.030			...	...	...	...	0.010	.110	0.005	10
11	0.445	...	0.060			...	...	...	...	...	—	0.015	11
12	0.020	...	0.055			...	...	...	...	0.030	—	—	12
13	0.020	...	0.003			.020	...	...	.010	0.020	—	0.015	13
14	0.010	...	...			...	...	...	.530	...	—	0.017	14
15	0.200	...	0.170			...	...	...	...	...	—	0.220	15
16	0.170	0.020	0.003			...	...	...	.010	...		0.020	16
17	0.035	0.470	0.020			...	...	...	...	...	.100	+	17
18	0.025	[illegible] 12 hrs 0.470	0.060			...	...	—	.050	...	.150	0.030	18
19	0.006	0.140	0.410			.195	...	0.021	...	...	.080	0.015	19
20	0.040	0.050	0.060			.795	...	0.012	...	...	.070	0.005	20
21	0.043	0.060	0.020			.150	...	...	...	...	.008	0.225	21
22	0.160	0.275	...			.002	1.670	...	.260	...	.020	0.288	22
23	...	0.060	...			50	...	0.010	...	...	.020	0.010	23
24	...	...	...			25	0.110	0.025	...	0.160	.010	0.005	24
25	0.030	...	...			...	...	0.105	...	0.005	.065	0.015	25
26	0.060	0.005	0.015			...	...	0.150	0.050	...	—	0.285	26
27	0.300	0.150	0.040			...	...	0.280	...	...	—	0.070	27
28		0.040	snow 0.270			.001	0.030	0.600	...	...	.035	0.250	28
29	0.005	×	...				...	0.260	...	0.300	.230 .001	0.070	29
30	0.035	×	...			.125	...	0.220	...	0.030	.190	0.085	30
31	...	×	snow 0.050	×		×	0.030	...	×	0.007	×	0.070	31
Total	2.780	2.232	3.220	(2.50)	(.10)	1.443	2.220	1.713	1.222	0.627	1.309	3.400	YEAR'S TOTAL 22.766
Rain Days.	23	15	20	. —	— .	8	?	11	9	8		23	...

W. 8,000, VIII. 16

made

~~End~~ W-PJH. 181

REGISTER OF RAINFALL IN 1920

FORM A. BRITISH RAINFALL

Kept at 39 Merton Hall Rd, Wimbledon

in the County of Surrey

by J. A. B. Clough Barron

Lat. Long.

Time of Observation

Nearest Railway Station Wimbledon

Diameter of Funnel of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 22 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.030	..	–	+✓	.020	..	0.250	0.010	0.010	0.170	..	0.210	1
2	.005	..	.050		.010	..	–	0.535	0.050	.085	..	.060	2
3	.010	0.050	..		..	..	..	..	0.044	.035	..	0.020	3
4	–	0.040	..	+✓	..	..	..	.020	– – –	.080	..	0.25	4
5	–	..	.140		.010	..	0.170	.130	0.015	.005	..	.020	5
6	–	..	.160	+✓	.130	..	.575	..	–	..	..	.020	6
7	.010	..	.005		.050	..	.235	..	..	..	..	–	7
8	–	0.010	..	+✓	.110	..	.220	..	..	..	..	–	8
9	.250	.010	–	+	..	..	.105	.010	..	..	..	–	9
10	.350	.025	.050	+	..	0.110	.085	..	..	..	0.060	.008	10
11	.130	..	.060	+✓	.010	.010	.250	..	–	–	..	.150	11
12	.070	.005	..	+✓	..	1.250	..	..	..	.020	..	–	12
13	.250	..	.090	+✓	..	0.005	..	..	×0.010	–	0.015	..	13
14	.003	.002	.160	.340	..	0.075	.010	..	×0.150	.085	0.160	–	14
15	.007	.015	.060	.075	..	0.001	..	..	×0.700	.130	0.070	.020	15
16	–	..	.010	.225	..	0.045	..	..	×0.135	.005	0.010	–	16
17	.015	..	.005	.001	.115	0.390	..	..	0.520	–	..	.020	17
18	.075	..	..	.010	.007	..	..	..	0.170	..	..	.020	18
19	.045	..	..	.145	..	0.035	..	.085	..	..	..	.040	19
20	.050	..	..	.130	..	0.500	..	.008	0.150	–	–	–	20
21	.001	.310	–	.005	..	..	.580	..	0.550	..	..	.025	21
22	.002	..	..	.295	..	..	..	..	0.055	..	..	.340	22
23	..	..	..	.000	..	..	..	–	..	..	..	.270	23
24	–	..	.045	.010	..	..	..	..	..	..	..	.010	24
25	–	.040	..	.010	..	..	.085	..	0.010	..	..	..	25
26	.020	.005	.190	.015	..	..	.100	..	0.010	..	..	.015	26
27	.140	.085	.020	.215	..	0.115	.080	..	–	..	0.125	.040	27
28	.355	..	.050	.040	035	0.040	.090	..	–	–	0.013	.020	28
29	.190	..	..	.030	..	..	.010	–	–	–	0.035	.135	29
30	.020	×	.011	.000	070	..	.135	.020	0.470	..	0.170	.110	30
31	..	×	–	×	..	×	..	–	×	0.295	×	.070	31
Total	2.028	0.597	1.106	1.746	0.567	2.546	2.980	0.818	3.049	0.910	1.258	1.648	YEAR'S TOTAL 19.253
Rain Days.	~~17~~ 19	~~8~~ 10 5	15	~~13~~ 22	10	10	16	8 ~~7~~	16	8	9	22	~~152~~ 165
104	11	5	11	only 8 broken up 15	4	7	14	3	11	6	5	10	95 (102)

W, 6,500, VII. 19. w w d

Sa

FORM A2.
BRITISH RAINFALL.

WIMBLEDON
LEOPOLD RD
SURREY
~~1917~~ 1911 - 1913

Kept at Park Vie
in the County of S
by S. Jengle

in.
round 1 ft. 0 in.
ea Level 150 ft.
ame
istance Direction

IMPORTANT … he result entered to the previous day. If an … sal rule, he is earnestly requested to add the … r in the space provided for it at the end o… …nt of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04		·01	·90			·01					·01	1
2	·21			·18	·18			·02			·15	·07	2
3		·02			·14							·08	3
4	·03	·01	·07	·08					·01	·05	·06		4
5	·02			·03						·17	·19	·34	5
6	·18		·39								·04	·31	6
7	·04			·03						·08	·35	·05	7
8	·11		·15								·24	·39	8
9	·17		·01	·04								·05	9
10	·03	·10	·05								·06	·52	10
11	·30				·37						·62		11
12	·01		·44		·12				·04	·18	·25	·22	12
13			·12		·25				·42			·39	13
14		·07	·01		·18					·03		·01	14
15		·05	·17								·03	·02	15
16						·49					·36	·15	16
17			·03			·01					·31	·21	17
18		·09	·02								·50	·05	18
19	~~·08~~				·02	·18			·30		·18	·55	19
20	·01	·02						·23		·07		·08	20
21	·01	·14						·44	·15	·55		·42	21
22	·07		·20			·02			·27	·10		·10	22
23		·13	·07			·85					·04	·31	23
24		·12	·02			·04	·02	·01		·96		·01	24
25		·03		·07		·14	·12	·02		·09		·25	25
26		·02	·07	·17	·04	·11	·05			·10		·12	26
27		·38	·08	·10				·01	·15	·02	·07		27
28		·12		·15				·09					28
29	·01			·15		·20	·08		·13	·23			29
30						·04		·81	·03	·18		·01	30
31					·37					·01			31
Total	1·24	1·30	1·91	1·90	1·67	2·08	·28	1·63	1·50	2.82	3·45	4.72	TOTAL for year
No. of Rain Days.	~~16~~ 15	14	17	11	9	10	5	8	9	15	16	25	24.50

W. 8,000, X. '11.

59

FORM A2.
BRITISH RAINFALL.

Kept at Park View, [illegible], Wimbledon

in the County of Surrey 4

by S. Pingle

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
„ „ „ Sea Level 150 ft.

Time of Observation 9 a. m.

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04		·01	·90			·01					·01	1
2	·21			·18	·18			·02			·15	·07	2
3		·02			·14							·08	3
4	·03	·01	·07	·08					·01	·05	·06		4
5	·02			·03						·17	·19	·34	5
6	·18		·39								·04	·31	6
7	·04			·03						·08	·35	·05	7
8	·11		·15								·24	·39	8
9	·17		·01	·04								·05	9
10	·03	·10	·05								·06	·52	10
11	·30				·37						·62		11
12	·01		·44		·12				·04	·18	·25	·22	12
13			·12		·25				·42			·39	13
14		·07	·01		·18					·03		·01	14
15		·05	·17								·03	·02	15
16						·49					·36	·15	16
17			·03			·01					·31	·21	17
18		·09	·02								·50	·05	18
19	~~·08~~				·02	·18			·30		·18	·55	19
20	·01	·02						·23		·07		·08	20
21	·01	·14						·44	·15	·55		·42	21
22	·07		·20			·02			·27	·10		·10	22
23		·13	·07			·85					·04	·31	23
24		·12	·02			·04	·02	·01		·96		·01	24
25		·03		·07		·14	·12	·02		·09		·25	25
26		·02	·07	·17	·04	·11	·05			·10		·12	26
27		·38	·08	·10				·01	·15	·02	·07		27
28		·12		·15				·09					28
29	·01			·15		·20	·08		·13	·23			29
30						·04		·81	·03	·18		·01	30
31					·37					·01			31
Total	1·24	1·30	1·91	1·90	1·67	2·08	·28	1·63	1·50	2·82	3·45	4·72	TOTAL for year
No. of Rain Days.	~~16~~ 15	14	17	11	9	10	5	8	9	15	16	25	24.50

W. 8,000, X. '11.

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
-1 JAN 1913

Kept at Park View, Leopold Rd, Wimbledon

in the County of Surrey 4

by S. Single

RAIN GAUGE
Pattern Snowdon
Diameter of top 5" in.
Height of top above Ground 1' ft. 0 in.
" " " Sea Level 150 ft.

Time of Observation 9·0 am

Nearest Railway Station
Name Wimbledon Park.
Distance ½ m Direction NNE.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·09	·03		·12	·27		·08	·43		·18	1
2			·32				·32	·15		·02			2
3	·05		·05			·07	·01	·27				·12	3
4	·22	·05	·52		·14	·22		·05			·18		4
5	·17	·04	·06					·33			·03		5
6	·43	·02			·01		·23	·10	·03			·06	6
7					·07	·88	·05	·36				·01	7
8	·26	·29	·15	·04		·06	·01	·30			·01		8
9	·02	·07		·10		·25		·06				·14	9
10		·04						·84		·06	·15	·24	10
11	·03	·25				·03		·06		·02	·05		11
12	·03	·07	·07		·26	·13		·01			·04	·17	12
13	·01							·05	·01		·04		13
14			·01		·03			·03		·05		·03	14
15		·03			·33	·66		·01			·04	·35	15
16	·36		·16		·05	·09		·06		·04	·08		16
17	·47		·03			·04		·05				·03	17
18	·11		·16					·05		·04		·11	18
19	·06	·10	·17			·01	·06	·44					19
20			·07					·06		·43	·03		20
21		·03	·22		·04			·11		·07	·05		21
22	·19	·19	·11		·06		·10	·18				·06	22
23	·35	·45	·08					·40		·05	·21	·13	23
24	·24	·01	·32			·24	·02	·28		·01		·15	24
25	·18					·18		·75			·27	·55	25
26		·02					·01	·34		·36	·32	·35	26
27			·01			·08				·18		·16	27
28		·07				·11	·20	·04	·09	·26	·36	·09	28
29		·02				·09	·19	·11	·93	·14	·04		29
30					·45	·01	·10	·13	1·25	·19			30
31			·15				·09	·13		·03			31
Total	3·18	1·75	2·75	·17	1·44	3·27	1·66	5·75	2·39	2·38	1·90	2·93	TOTAL for year 29·57
No. of Rain Days.	17	17	19	3	10	18	14	29	6	17	16	18	184

W. 8,000, X. '11.

Smade ✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

-2 MAR 1914

Kept at Wimbledon Leopold Road 21 Rd

in the County of Surrey

by F C Bayard 5 Single

4

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.28	.02	.19									1
2	.04	.16					.10						2
3		.01	.02	.38	.31								3
4	.19			.01	.33		.07						4
5	.35					.10	.11						5
6		.02	.13		.04	.08	.18						6
7		.07			.19	.01	.02	.18					7
8		.03			.09	.13							8
9		.15		.01	.03								9
10			.17	.15			.17						10
11	.23	.01		.39	.01								11
12		.01			.02								12
13	.09		.04					.02					13
14	.04	.01	.08	.09			.70	.12					14
15	.27	.09	.34	.23			.26						15
16	.13		.34	.10									16
17	.04	.10	.10	.05			.15						17
18	.01		.12	.09									18
19	.19		.11	.01		.01	.17						19
20	.21		.37	.02	.02	.23							20
21	.01		.17	.05			.06						21
22	.35		.20	.07				.44					22
23			.02			.02		.05					23
24	.01			.04									24
25		.04		.21									25
26		.01	.18	.07				.11					26
27			.01	.06	.01								27
28	.24		.27	.17									28
29	.05			.49	.58			.07					29
30	.23			.06				.20					30
31			.08					.59 #					31
Total	2.69	.99	2.77	2.94	1.63	.58	1.99	1.78					YEAR'S TOTAL
Rain Days.	19	14	19	22	11	7	11	9					

W.7,000, XI. 13

WIMBLEDON

TRINITY RD

SURREY

1912 - 1920

R

9

Kept at Wimbled

…nedon

5 in.

Ground 1 ft. 6 in.

in the County of S

Sea Level 53 ft.

m

by A. Hampton

Name Wimbledon, South Western

Distance 1000 yds. Direction West

FORM A2.
BRITISH RAINFALL.

9 JAN 1913

IMPORTANT NOT … the result entered to the previous day. If an O … ersal rule, he is earnestly requested to add the rea … ar in the space provided for it at the end of th … ent of rain, the selection and plac … itish Rainfall Organization are given i … pplication to Dr. H. R. Mill, 62, Ca

Jan. 1, following.

Date.	Jan.	Feb.	Mar							Oct.	Nov.	Dec.	Date.
	in.	in.	in.							in.	in.	in.	
1								—	.07	.44	—	.16	1
2								.10	—	.02	—	— t	2
3								.26	—	—	—	09	3
4								.06	—	—	.16	—	4
5								.37	—	—	.05	—	5
6								.09	.02	—	—	.04	6
7								.23	—	—	—	.02	7
8								.30	—	— t	— t	—	8
9								.05	—	—	—	.11	9
10								.56	—	— t	.16	.23	10
11								.10	— t	— t	— t	.16	11
12								— t	—	.01	.03	— t	12
13								.02	.01	—	.03	— t	13
14								.12?	—	.03	—	.03	14
15								— t	—	—	.03	.34	15
16								.05	—	.03	.05	—	16
17								.04	—	—	.01	.03	17
18								.07	—	.03	.01	.12	18
19								.53	—	—	— t	—	19
20								.03	—	.43	.01	—	20
21								.09	—	.07	.04	—	21
22								.15	—	.02	— t	.04	22
23								.43	—	.05	.19	.15	23
24								.23	—	—	—	.15	24
25							—	.77	—	— t	.26	.51	25
26							—	.30	—	.32	.35	.33	26
27							.01	—	—	.15	—	.13	27
28							.17	.01	.09	.26	.36	.09	28
29							.22	.11	.96	.13	.04	—	29
30							.01	.10	1.25	.17	—	—	30
31							.07	.12		.03		—	31
Total								5.29	2.40	2.19	1.78	2.73	TOTAL for year
No. of Rain Days								27	6	16	16	18	

7,000. X. '09.

✓

R

FORM A2.
BRITISH RAINFALL.

9 - JAN 191

Kept at Wimbledon (10 Trinity Rd)

in the County of Surrey (?) Probably London. I think the division is about ½ mile further South

by A. Hampton Brown

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 53 ft.

Time of Observation 9 am

Nearest Railway Station
Name Wimbledon, South Western
Distance 1000 yds. Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								–	·07	·44	–	·16	1
2								·10	–	·02	–	– t	2
3								·26	–	–	–	·09	3
4								·06	–	–	·16	–	4
5								·37	–	–	·05	–	5
6								·09	·02	–	–	·04	6
7								·23	–	–	–	·02	7
8								·30	–	– t	– t	–	8
9								·05	–	–	–	·11	9
10								·56	–	– t	·16	·23	10
11								·10	– t	– t	– t	·16	11
12								– t	–	·01	·03	– t	12
13								·02	·01	–	·03	– t	13
14								·12?	–	·03	–	·03	14
15								– t	–	–	·03	·34	15
16								·05	–	·03	·05	–	16
17								·04	–	–	·01	·03	17
18								·07	–	·03	·01	·12	18
19								·53	–	–	– t	–	19
20								·03	–	·43	·01	–	20
21								·09	–	·07	·04	–	21
22								·15	–	·02	– t	·04	22
23								·43	–	·05	·19	·15	23
24								·23	–	–	–	·15	24
25							–	·77	–	– t	·26	·51	25
26							–	·30	–	·32	·35	·33	26
27							·01	–	–	·15	–	·13	27
28							·17	·01	·09	·26	·36	·09	28
29							·22	·11	·96	·13	·04	–	29
30							·01	·10	1·25	·17	–	–	30
31							·07	·12		·03		–	31
Total								5·29	2·40	2·19	1·78	2·73	TOTAL for year
No. of Rain Days								27	6	16	16	18	

Ex. H.O.

FORM A2.
BRITISH RAINFALL.
19 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Wimbledon {10 Trinity Rd. to Sept. 5th / 12 " " after " "}

in the County of London (probably)

by A. Hampton Brown & P. J. Bevan, A.M.I.C.E.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground {1 ft. 6 in. / 1 ft. 0 in.}
" " " Sea Level {52 ft. 6 / 52 ft. 0}

Time of Observation 9 a.m.

Nearest Railway Station
Name Wimbledon L.&S.W.R.
Distance 900 yds. Direction West.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.25	.02	.17	–	–	–	–	.38	.04	.03	.11	1
2	.03	.15	–	–	–	–	.09	–	– t	.36	.08	–	2
3	–	–	.02	.32	.31	–	–	–	–	–	–	.04	3
4	.18	–	–	.01	.29	–	.06	–	–	.18	– t	.07	4
5	.35	–	–	–	–	.06	.09	–	.41	– t	.03	.01	5
6	–	.02	.13	–	.04	.07	.29	–	.01	.10	.14	.11	6
7	–	.06	–	–	.13	–	.03	.14	–	.52	.06	.01	7
8	–	.02	.01	–	.08	.05	–	–	–	.07	.01	–	8
9	–	.15	–	– t	.03	–	–	–	.09	–	.01	.03	9
10	– t	–	.18	.13	–	–	.14	.01	–	–	.29	–	10
11	.22	– t	–	.37	.01	–	–	.01	–	.59	.10	–	11
12	–	– t	–	–	.01	–	–	–	–	–	.27	–	12
13	.08	–	.02	–	–	–	–	.01	.07	–	.21	–	13
14	.06	–	.08	.09	–	–	.62	.10	–	.09	.05	.01	14
15	.22	.08	.36	.19	–	–	.33	–	.06	–	.01	–	15
16	.12	–	.32	.14	–	–	– t	–	.33	–	–	–	16
17	.04	.10 snow	.09	.02	–	–	.16	–	–	–	– t	–	17
18	–	–	.11	.13	– t	–	–	–	–	–	.03	–	18
19	.17	–	.11	.01	– t	– t	.16	–	.26	–	–	–	19
20	.22	–	.34	.02	.01	.21	–	–	–	.39	– t	–	20
21	.01	–	.21	.04	–	–	.04	–	–	.23	.64	–	21
22	.35	–	.24	.07	–	–	–	.06	.14	–	–	–	22
23	–	–	.01	–	–	.03	–	.35	.01	–	–	.35	23
24	– t	–	– t	.03	–	– t	–	.02	–	–	– t	–	24
25	–	.03	–	.20	–	–	–	–	–	–	–	–	25
26	–	– t	.16	.06	–	–	–	.11	–	.73	–	.28	26
27	–	–	.01	.07	.02	–	–	–	–	– t	–	–	27
28	.26	–	.23	.15	–	–	–	–	–	.08	–	–	28
29	.05		.05	.47	.44	–	–	.06	–	.03	– t	–	29
30	.22		–	.04	–	–	–	.20	–	.10	–	–	30
31	–		.06		–		–	.70		.06		–	31
Total	2.60	0.86	2.76	2.73	1.37	0.42	2.01	1.77	1.76	3.57	1.96	1.02	TOTAL for year 22.83
No. of Rain Days	17	9	21	21	11	5	11	12	10	15	15	10	157

7,000. X. '09.

Drought of 16 days July 22 – Aug. 6

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
21 JAN 1915

Kept at Wimbledon (12 Trinity Rd.)
in the County of Surrey 4
by Philip J. Bevan A.M.I.C.E.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station –
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 52 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·01	–	–	–	–	·16	–	–	·02	–	1
2	–	–	–	–	–	–	·16	·01	–	–	·42	·32	2
3	·01	–	·05	–	·14	–	·09	·01	–	–	– t	–	3
4	06	–	·01	·11	–	–	–	·02	–	–	·23	·29	4
5	·04	–	·03	·20	·15	·03	·21	·56	–	–	– t	–	5
6	–	·13	–	·11	–	·16	–	·02	–	–	·09	·08	6
7	–	·27	·22	·23	·25	·16	·09	–	–	–	–	·05	7
8	·07	·34	·72	– t	–	·10	·18	·09	–	–	–	·01	8
9	·21	–	·60	·14	–	·07	–	–	·15	–	–	1·54	9
10	–	05	·02	·03	·07	–	–	–	·12	–	·01	·05	10
11	–	·33	·34	–	–	·04	–	–	·14	–	·16	·33	11
12	–	·09	·10	–	–	–	·16	–	·15	– t	·01	·50	12
13	–	·17	·14	–	–	–	–	–	·16	·03	·07	·30	13
14	–	·07	·14	–	–	× T 2·40	·01	–	–	·25	·04	·48	14
15	·04	–	·12	–	–	–	·20	·02	–	– t	·54	·03	15
16	–	–	·02	–	–	–	–	–	·01	–	–	–	16
17	–	·31	·06	–	–	–	–	–	·01	–	–	·11	17
18	–	·06	·13	–	–	–	–	–	–	–	–	·25	18
19	–	·03	·20	–	–	·02	·07	– t	–	–	·21	·34	19
20	–	·22	·46	–	–	02	–	–	·15	– t	–	·05	20
21	–	·58	·07	–	–	·02	–	– t	–	–	–	·02	21
22	–	–	–	– t	·20	·05	·16	·01	–	·14	–	–	22
23	–	–	·05	–	·08	·11	·05	–	–	·06	–	–	23
24	–	–	03	– t	–	–	–	–	–	–	·09	–	24
25	·02	–	·20	–	–	–	·01	11	–	·23	–	·09	25
26	–	–	·05	–	–	–	·10	·06	–	·06	·15	·53	26
27	·03	–	–	–	–	–	–	–	–	–	·02	·12	27
28	·01	·01	–	–	·01	–	–	–	–	·05	·40	·84	28
29	·05		·06	–	–	–	–	–	–	·30	·09	–	29
30	–	X	·02	–	–	–	–	–	–	·04	·43	·14	30
31	–	X	–	X	·23	X	·01	–	X	– t	X	·03	31
Total	0·54	2·66	3·85	0·82	1·13	3·18	1·50	1·07	0·89	1·16	2·98	6·50	YEAR'S TOTAL 26·28
Rain Days.	10	14	25	6	8	12	14	11	8	9	17	23	157

W. 8,000. X. 14. × from 1p to 2·30p. = 1·83; 3p to 4·15p. = 0·57 total 2·40 ins. House, close by, struck by ⚡. ⚡T very violent.
Drought Apr. 11 to May 2, 22 days Also Sep. 21 to Oct. 12, 22 days.

47

FORM A.
BRITISH RAINFALL
3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at 42 Trinity Road
Wimbledon
in the County of Surrey 4
by P. J. Bevan

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Wimbledon
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 52 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.44	.11		.	.07		—			.03	.28	.20	1
2	.45	.14	30	.15		.02		.74	.01	.05		.	2
3	.39		07	.16	.02			.27	.02			.63	3
4	.04											.23	4
5	.04	47								.04		.37}	5
6	.36	01	.03	.26			.63	.01					6
7	.22	.22					.08	.04				.18	7
8	.15	44	.01	.06			.05	.18					8
9	.01	.05		.10		.06		.01		.02	34	.78	9
10	.15		.02					1.09				.21	10
11											.76	.04	11
12	.06	.08		33	.54			.03		02	.27		12
13		.43			1.18			.14					13
14		.04					.34	.10	02			.38	14
15	.08	.02			.04		.02	.13			.19	.12	15
16	—	.26					55				—	.19	16
17		.28			1.03		02	.04					17
18		.31	07		.19								18
19		.04					.09				.03		19
20	.31			.04									20
21	.22						.69			.03		.26	21
22	98	14	20	.07			.25					.07	22
23		24	.05			.02			.01			.25	23
24							.07		.20	81		.60}	24
25			.04	.21			.17						25
26		.03				.14	.34					.52	26
27						.17	.04			23			27
28						.01			1.58	26			28
29							.02	.12			.17		29
30	.02	☒				.11		.01			.48	.02	30
31		☒		☒		☒		.05	☒	1.04	☒	.22	31
Total	3.92	3.31	.79	1.38	3.07	.53	3.36	2.96	1.84	2.53	2.52	5.27	YEAR'S TOTAL 31.48 ✓
Rain Days.	16	18	9	9	7	7	15	15	6	10	8	20	140 ✓

W. 8,000. X. 15.

137

FORM A2.
BRITISH RAINFALL.
15 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Wimbledon (12 Trinity Road)

in the County of London Surrey

by Philip James Bevan, A.M. Inst. C.E.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 51 ft.

Time of Observation 9 a.m. G.M.T. throughout

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	·01	·01	–	·49	–	–	–	·21	·12	·25	–	1
2	·26	·03	·19	–	·29	–	·02	–	·27	·35	·03	–	2
3	–	·58	·13	–	–	–	·02	–	·16	·25	·62	–	3
4	·23	·05	–	·02	–	·18	–	–	·14	·01	·48	–	4
5	·01	–	·01	–	·19	·12	–	–	–	·05	·54	–	5
6	–	·05	·18	·22	·04	·17	26	=	–	·02	·37	–	6
7	·06	–	·50	–	·18	·47	·59	–	–	·02	·66	·06	7
8	–	–	·02	–	·22	–	–	–	–	–	–	·17	8
9	–	–	–	–	·17	·02	–	–	–	·07	–	·04	9
10	–	·27	·12	·05	–	55	·07	–	·02	–	–	·12	10
11	·01	·08	·02	·15	–	·51	–	–	–	–	–	·03	11
12	–	·03	·01	·04	·30	·15	–	·03	·01	·09	–	–	12
13	·02	·18	·33	·09	–	·05	·17	·07	·02	·03	–	–	13
14	–	·36	·01	·03	·10	–	–	·42	–	·02	–	·05	14
15	–	·21	·25	–	–	–	·10	·19	–	–	–	–	15
16	–	·02	·22	·17	–	–	·17	·07	–	–	–	–	16
17	·07	·11	–	·03	–	–	·01	·36	·34	·52	–	–	17
18	–	·08	·02	·24	–	–	–	·25	·18	·25	·69	–	18
19	·07	·08	·17	·23	–	–	–	–	·09	–	·58	·02	19
20	·16	·01	·24	·01	–	–	–	–	–	–	·02	·50	20
21	–	–	·37	–	–	–	·19	–	–	–	–	·21	21
22	–	–	·07	–	·03	–	–	–	–	–	–	·52	22
23	·03	·35	·01	–	–	·01	–	·01	–	·05	·01	·11	23
24	–	·05	–	–	·06	·01	–	·01	–	·16	·02	·29	24
25	–	·71	·16	–	·02	–	–	·41	–	·01	·08	–	25
26		·18	·11	–	–	·10	–	·45	–	·12	–	–	26
27	·03	–	·75	–	–	·18	–	·47	·04	·69	–	–	27
28	–	·35	·25	–	–	·01	–	·01	·10	·01	–	·10	28
29	–	–	–	–	–	·18	–	1·07	·02	·21	–	·16	29
30	–		–	–	–	–	–	·13	–	·29	–	–	30
31	–		–		–		–	·06		·14		·03	31
Total	1.01	3.79	4.15	1.28	2.09	2.71	1.60	4.01	1.60	3.48	4.35	2.41	TOTAL for year 32.48
No. of Rain Days	12	21	24	12	12	15	10	16	13	22	13	15	185

7,000. X. '09.

No rain July 22 to August 11, = 21 days.

A.H.B.

131

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at 12 Trinity Road Wimbledon
in the County of Surrey
by Philip J. Bevan

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Wimbledon
Diameter of Funnel of Rain Gauge 5 ins
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 52 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	.01	.10	—	—	—	1.39	.01	—	—	—	1
2	—	—	—	.61	—	.02	—	.08	—	—	.30	—	2
3	—	—	—	.04	—	—	.05	.33	—	.23	.01	—	3
4	—	.20	.09	—	—	—	.57	.32	—	.36	—	—	4
5	.25	—	.06	.24	—	—	—	.01	.80	.19	.06	—	5
6	—	—	.09	.02	—	.05	—	—	.15	.01	.05	—	6
7	.13	—	—	—	—	—	.16	—	—	.30	—	.01	7
8	.11	—	—	.12	—	—	.86	.09	.05	.22	.18	.28	8
9	—	—	.01	.05	.01	—	.01	.09	.06	—	.08	.25	9
10	.20	—	.06	.16	—	—	—	—	—	—	.01	.01	10
11	.09	.02	.45	.19	—	—	—	.02	.12	.19	—	—	11
12	.07	—	.05	.08	—	—	—	.07	—	.40	—	—	12
13	.02	—	.22	.06	—	—	—	—	.03	.08	—	—	13
14	—	—	.01	.15	—	—	—	.03	—	—	—	—	14
15	.05	—	—	—	—	—	.20	.03	—	—	—	.03	15
16	.06	.19	—	.23	.11	—	.16	—	—	.31	—	.48	16
17	—	.01	—	.08	.72	—	.23	.12	.40	.23	—	—	17
18	.04	.03	—	.06	.06	.07	.18	.20	18	.08	—	—	18
19	.01	.01	.10	—	.17	.15	—	—	.12	—	—	—	19
20	.01	.28	.04	—	.87	—	.05	—	—	—	.05	—	20
21	.03	—	.03	—	.05	.01	—	—	—	—	—	—	21
22	—	—	.04	—	—	—	—	.09	—	.07	—	—	22
23	.01	.08	—	—	.13	.02	—	.07	—	.09	—	—	23
24	—	.04	—	—	—	.15	.02	.02	—	.14	.02	—	24
25	—	.01	—	—	—	—	—	—	—	.03	.07	—	25
26	—	—	.07	—	—	—	—	.26	.04	.01	.50	—	26
27	—	—	.02	—	—	.02	—	.92	—	—	—	.02	27
28	—	.01	.02	—	—	1.41		.02	—	—	—	.11	28
29	—	—	.02	—	.20	.16	.31	.02	—	.20	—	.13	29
30	—		.32	—	—	—	1.78	.09	—	.02	—	.02	30
31	(.05)		.08		—		.40	.05		—		—	31
Total	1.13	.88	1.79	2.19	2.32	2.06	4.48	4.32	1.96	3.16	1.31	1.34	YEAR'S TOTAL 27.44
Rain Days.	15	11	20	15	9	10	14	22	11	19	11	10	167

W. 8,000, IX. 17.

Excd C/R

52

FORM A.
BRITISH RAINFALL

9 . 1 . 19

REGISTER OF RAINFALL IN 1918

Kept at 12 Trinity Rd Wimbledon

in the County of Surrey

by Philip J. Bevan

Lat. .... Long. ....

Time of Observation 9. a.m.

Nearest Railway Station Wimbledon

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. .... in.

" " " " Sea Level 52 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	.09	—	—	—	—	—	—	.21	.05	1
2	—	.12	—	.06	—	—	—	.01	—	.01	.20	.13	2
3	—	—	.05	.02	.34	—	—	.33	—	—	.51	.03	3
4	—	.03	.17	—	—	—	—	.06	.36	—	.35	—	4
5	—	.02	—	—	.10	—	—	.12	.44	.07	—	—	5
6	.25	.10	—	.27	.22	—	—	.10	—	—	—	.07	6
7	.03	.10	—	.20	.37	—	—	—	.16	.11	.08	.01	7
8	.01	.05	—	—	—	—	—	—	.24	.03	.08	.03	8
9	—	.01	—	.12	—	.06	.40	—	—	.06	—	.30	9
10	.01	—	—	.13	—	—	.49	—	.04	—	.03	.27	10
11	—	—	—	.03	—	—	2.00	—	.01	.03	.13	.15	11
12	—	.02	—	—	.23	—	.13	—	.06	—	—	.01	12
13	.03	—	—	—	.12	—	.08	—	.07	—	—	—	13
14	.12	—	.02	—	—	.30	.02	—	.22	.07	—	.25	14
15	1,22	—	—	.85	—	—	.39	—	.02	—	—	.08	15
16	.29	—	.01	.21	—	.15	—	—	.26	—	—	—	16
17	.23	—	—	.14	—	—	.65	.03	—	—	—	.11	17
18	.48	—	—	—	—	.13	.16	—	.67	.20	—	.05	18
19	.02	—	.04	.11	—	.07	.11	—	—	.11	—	.07	19
20	.04	.09	—	.56	—	.02	.14	—	.15	.26	—	—	20
21	.07	—	—	.48	—	—	.02	—	.51	.07	—	—	21
22	.03	—	—	—	.31	—	.32	—	.15	—	—	.15	22
23	.02	—	—	.01	.15	—	.19	—	.10	—	—	.05	23
24	—	.29	—	—	—	.06	.72	—	.05	—	.07	—	24
25	—	—	—	.03	—	—	.21	.24	—	—	.01	—	25
26	—	—	—	—	—	—	.39	—	—	.02	.10	.11	26
27	—	.01	—	.13	—	—	.03	.16	.04	.01	.04	—	27
28	—	—	.13	—	—	.03	—	.01	—	—	.28	.11	28
29	—	✕	.02	—	—	—	—	—	.99	—	—	—	29
30	—	✕	.42	—	—	—	—	—	.01	.02	.03	.15	30
31	—	✕	—	✕	—	✕	—	.03	✕	.02	✕	—	31
Total	2.85	.84	.86	3.44	1.84	.82	6.45	1.09	4.55	1.09	2.12	2.18	YEAR'S TOTAL 28.13
Rain Days.	15	11	8	17	8	8	18	10	20	15	14	20	164

W. 6,500, VII. 18. W W C

6 X M L

11 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at 12 Trinity Rd. Wimbledon

in the County of Surrey

by Philip J. Bevan

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Wimbledon

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level 52 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.27	.09		.01			.23			.03	.02	.75	1
2	.34				.06		.15	.01	.18	.03	.11	.11	2
3	.32		.40		.01		.17		.04		.02	.39	3
4	.09	.11	.52			.07	.14	.01			.01	.18	4
5		.31	.70						.03		.03	.23	5
6	.05		.04									.09	6
7			.27								.03		7
8	.16		.06	.05							.01		8
9	.05		.01	.03							.04		9
10	.43		.03							.01			10
11	.03		.06	.27			.35						11
12	~~.01~~		.07	.04		.01	.05			.07	.01		12
13	.01			.33					.01	.03		.03	13
14	.20			.24			.08		.65			.01	14
15	.24		.22									.18	15
16	.04	.52									.10	.05	16
17	.01	.29	.02								.14		17
18		.31	.06						.05		.08	.05	18
19	.04	.07	.39			.24	.41	.23			.07		19
20	.03	.03	.06			.75	.29	.12				.01	20
21	.14	.27				.18	.09				.02	.02	21
22		.06					.18		.26		.01	.30	22
23						.05		.01	.02		.01		23
24				.19		.02	.12			.17	.03	.01	24
25	.03							.12					25
26	.06	.15	.11	.10				.15	.05			.24	26
27	.30	.04	.04	1.17			.01	.31				.07	27
28	.01		.23	.02			.02	.59			.28	.26	28
29	.03			.05				.25		.34	.03	.07	29
30			.01	.26		.14		.23		.03	.19	.38	30
31	.05		.04				.04			.02		.06	31
TOTAL	2.93	2.25	3.34	2.76	.07	1.46	2.33	2.03	1.29	.73	1.24	3.49	YEAR'S TOTAL 23.92
Days with ·01 in. or more	23	12	20	13	2	8	16	11	9	9	20	21	163

121

6 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at 12 Trinity Road Wimbledon
in the County of Surrey
by Philip J. Bevan

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 52 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	—	—	.25	.02	—	.27	.02	—	.17	—	.20	1
2	—	—	.05	—	.01	—	—	.56	.06	.05	—	.05	2
3	—	.07	—	—	—	—	—	—	.04	.03	—	.02	3
4	—	.03	.02	.09	—	—	.27	.04	.01	—	—	.02	4
5	—	—	.14	—	.03	—	.64	.14	—	.08	—	.04	5
6	—	—	.18	—	.13	—	.21	—	—	—	—	.02	6
7	.01	—	—	.16	.02	—	.21	—	—	—	—	—	7
8	—	.01	—	.18	.11	—	.16	—	—	—	—	—	8
9	.27	.02	—	.03	—	—	—	—	—	—	—	—	9
10	.38	.02	—	.04	—	.11	.09	—	—	—	—	—	10
11	.13	—	.12	.14	.01	—	.26	—	—	—	—	.18	11
12	.07	—	—	.09	—	1.50	—	—	—	.02	—	—	12
13	.23	—	.10	.17	—	—	—	—	.01	—	.08	.02	13
14	—	.01	.17	.16	—	.09	.01	—	.20	.01	.17	—	14
15	.01	.01	.05	.10	—	—	—	—	.77	.17	.08	.01	15
16	—	—	—	.24	—	.04	—	—	.14	.01	—	—	16
17	.02	—	—	—	.13	.38	.01	—	.52	—	—	—	17
18	.03	—	—	.01	.01	—	—	.95	.16	—	—	.06	18
19	.10	—	—	.15	—	.04	—	—	.06	—	—	.03	19
20	.06	.34	—	.10	—	.52	—	—	.67	—	—	—	20
21	—	—	—	.02	—	—	.62	.03	.05	—	—	.03	21
22	.01	—	—	.28	—	—	—	—	—	—	—	.37	22
23	—	—	—	—	—	—	.32	—	—	—	—	.27	23
24	.01	.04	.04	—	—	—	—	—	—	—	—	.01	24
25	—	—	—	.01	—	—	.09	—	.03	—	—	—	25
26	.01	—	.21	—	—	—	.19	—	—	—	.02	.02	26
27	.14	.05	.01	.23	—	.13	.05	—	—	—	.76	.04	27
28	.34	—	.04	.05	.03	—	.12	—	—	—	.01	.03	28
29	.21	—	.09	.06	—	—	—	—	—	—	.04	.12	29
30	.02	×	—	—	.07	—	.15	—	.56		.16	.11	30
31	—	×	—	×	.01	×	—	—	×	.30	×	.07	31
TOTAL	2.07	.60	1.22	2.56	.58	2.81	3.67	1.74	3.28	.84	1.32	1.72	YEAR'S TOTAL 22.41
Days with ·01 in. or more	19	10	13	21	12	8	17	6	14	9	8	21	158
Days with ·04 in. or more	10	4	11	17	4	8	15	4	11	5	6	11	106

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

59

R

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

WIMBLEDON

WORPLE RD

SURREY

1911 - 1915

Kept at Wim … lon

in the County of S

by N Lan … Raynes Park

1 ft. 1 in.

el ft.

3/4 Direction SW

IMPORTANT NO … sult entered to the previous day. If an O … rule, he is earnestly requested to add the re … the space provided for it at the end of th … f rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
3

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	...	...	·81	...	...	·01	·04	...	·04	·01	...	1
2	·15	...	...	·23	·18	...	...	...	...	...	·19	...	2
3	·04	·02	...	·01	·12	...	...	·01	...	...	·07	·06	3
4	·02	·02	·07	·07	...	...	...	...	·02	...	·14	·17	4
5	·02	...	...	·02	...	...	...	...	...	·05	·03	·19	5
6	·16	...	·27	·03	...	...	...	...	...	·18	...	·27	6
7	·04	...	...	·03	...	...	...	...	...	...	·35	·10	7
8	·09	...	·12	...	...	...	...	...	...	·06	·24	·37	8
9	·19	...	·04	·02	...	...	...	...	...	...	...	·04	9
10	...	·08	·04	·03	...	...	...	...	...	...	·05	·60	10
11	·30	...	...	...	·24	...	...	...	...	...	·60	...	11
12	·01	...	·47	...	·19	...	...	...	·03	...	·15	...	12
13	...	...	·10	...	·14	...	...	...	·41	·19	·06	·21	13
14	...	·04	...	...	·26	...	...	...	...	...	...	...	14
15	...	...	·17	...	...	...	...	...	...	·02	·01	·01	15
16	...	...	·01	...	...	·54	...	...	...	...	·33	·02	16
17	...	...	·07	...	...	...	...	...	...	...	·31	·13	17
18	...	·12	·02	...	...	·01	...	...	...	...	·56	·17	18
19	...	...	...	·01	·01	·05	...	...	...	·10	·14	·10	19
20	·01	...	...	...	...	·16	...	·22	·29	·10	...	·51	20
21	·01	·12	·01	...	...	...	...	·76	...	·56	...	·13	21
22	·08	...	·20	...	...	·02	...	...	...	·02	...	...	22
23	...	·09	·09	...	...	·74	...	...	...	...	·02		23
24	...	·12	·01	...	...	·08	·02	...	·23	·95	...		24
25	...	·01	·01	·03	...	·10	·10	...	...	·09	...	1·10 acc	25
26	...	·01	·05	·17	·04	·18	·02	...	...	·11	·05		26
27	...	·35	·10	·07	...	...	·07	...	...	·02	·06		27
28	...	·09	...	·18	...	...	...	·11	·13	...	·01		28
29	...		...	·07	...	·19	·05	...	...	·21	...	...	29
30	...		...	...	...	·02	...	·35	·12	·18	...	...	30
31	...		...		·74		...	...		·03			31
Total	1·15	1·07	1·85	1·78	1·92	2·09	·27	1·49	1·23	2·91	3·38	4·18	TOTAL for year 23·32
No. of Rain Days.	14	12	18	15	9	11	6	6	7	17	20	19 (about)	154

W. 8,000, X. '11.

59

R

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

Kept at Wimbledon

in the County of Surrey 5

by N Langsmith

Rain Gauge:
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 1 in.
" " " Sea Level ft.

Time of Observation 8 am

Nearest Railway Station:
Name Raynes Park
Distance 3/4 Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	...	...	·81	...	...	·01	·04	...	·04	·01	...	1
2	·15	...	...	·23	·18	...	...	...	...	...	·19	...	2
3	·04	·02	...	·01	·12	...	...	·01	...	...	·07	06	3
4	·02	·02	·07	·07	...	...	...	...	·02	...	·14	·17	4
5	·02	...	...	·02	...	...	...	...	...	·05	·03	·19	5
6	·16	...	·27	·03	...	...	...	...	...	·18	...	·27	6
7	·04	...	...	·03	...	...	...	...	...	...	·35	·10	7
8	·09	...	·12	...	...	...	...	...	...	·06	·24	·37	8
9	·19	...	·04	·02	...	...	...	...	...	...	...	·04	9
10	...	·08	·04	·03	...	...	...	...	...	...	·05	·60	10
11	·30	...	...	...	·24	...	...	...	...	...	·60	...	11
12	·01	...	·47	...	·19	...	...	...	·03	...	·15	...	12
13	...	...	·10	...	·14	...	...	...	·41	·19	·06	·21	13
14	...	·04	...	...	·26	...	...	...	...	...	...	...	14
15	...	...	·17	...	...	...	...	...	...	·02	·01	·01	15
16	...	...	·01	...	...	·54	...	...	...	...	·33	·02	16
17	...	...	·07	...	...	...	...	...	...	...	·31	·13	17
18	...	·12	·02	...	...	·01	...	...	...	...	·56	·17	18
19	...	...	...	·01	·01	·05	...	...	...	·10	·14	·10	19
20	·01	...	...	...	...	·16	...	·22	·29	·10	...	·51	20
21	·01	·12	·01	...	...	...	...	·76	...	·56	...	·13	21
22	·08	...	·20	...	...	·02	...	...	...	·02	...	...	22
23	...	·09	·09	...	...	·74	...	...	...	...	·02		23
24	...	·12	·01	...	...	·08	·02	...	·23	·95	...		24
25	...	·01	·01	·03	...	·10	·10	...	...	·09	...	1·10	25
26	...	·01	·05	·17	·04	·18	·02	...	...	·11	·05	acc	26
27	...	·35	·10	·07	...	...	·07	...	...	·02	·06		27
28	...	·09	...	·18	...	...	...	·11	·13	...	·01		28
29	...		...	·07	...	·19	·05	...	...	·21	...	...	29
30	...		...	...	...	·02	...	·35	·12	·18	...	...	30
31	...		...		·74		...	...		·03			31
Total	1·15	1·07	1·85	1·78	1·92	2·09	·27	1·49	1·23	2·91	3·38	4·18	TOTAL for year 2332
No. of Rain Days.	14	12	18	15	9	11	6	6	7	17	20	19 (about)	154

W. 8,000, X. '11.

~~W~~ F.C. Cor. for arith. 24.IV.13.

REGISTER OF RAINFALL IN 1912

22 APR 1913

FORM A2. BRITISH RAINFALL.

Kept at Wimbledon

in the County of Surrey 5

by Mary Smith

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 1 in.
" " " Sea Level ft.

Time of Observation 9 am

Nearest Railway Station
Name Raynes Park
Distance 3/4 mile Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	...	·10	-	-	·10	·63	...	·05	·44	-	·16	1
2	-	-	·26	-	-	·10	·31	·11	·03	·03	-	-	2
3	·02	·06	·06	-	-	·04	·01	·23	-	-	[illegible]	·09	3
4	-	·01	·50	-	·13	·20	-	·03	-	-	·16	·03	4
5	·20	-	·05	-	-	-	-	·37	-	-	·08	-	5
6	·40	-	-	-	·01	-	-	·09	-	-	-	·04	6
7	...	·03	-	-	-	·91	-	·12	·02	-	-	·02	7
8	·23	·28	·15	-	-	·05	·24	·38	-	-	-	...	8
9	-	-	-	-	-	·18	·02	·05	·02	-	·01	·11	9
10	-	-	-	·06	-	·03	·01	·43	·01	-	·13	·24	10
11	·02	·20	-	-	-	·02	-	·11	·01	-	-	-	11
12	·03	·07	·05	-	·25	·15	-	·01	-	·01	·03	·16	12
13	·02	·01	·02	-	-	-	-	-	-	-	·04	-	13
14	-	-	·03	-	·04	-	-	-	·01	·03	-	·03	14
15	·01	·02	·15	-	·20	·66	-	·01	-	-	·05	·32	15
16	·35	-	·03	-	·07	·07	-	·05	-	·05	·06	-	16
17	·50	-	·10	-	-	·03	-	·05	-	-	-	·02	17
18	·06	-	·11	-	-	-	-	·05	-	·02	-	·11	18
19	·06	·07	·15	-	-	-	·06	·39	-	-	·01	-	19
20	·02	·02	·22	-	-	-		·04	-	·41	·03	...	20
21	-	·02	·13	-	·04	-	·07	·07	-	·09	·01	...	21
22	·16	·18	·01	-	·05	-		·11	-	·01	-	·05	22
23	·24	·44	·31	-	-	-		·38	-	·05	·17	·15	23
24	·27	·02	-	-	-	·24	·01	·28	-	-	·01	·14	24
25	·16	-	-	-	-	·16	·01	·62	-	-	·24	·47	25
26	-	·03	-	-	-	-		·38	-	·41	·33	·34	26
27	-	-	-	-	-	·08	[illegible]	-	-	·13	-	·12	27
28	-	·07	-	-	-	·03	·19	·01	·09	·21	·37	·09	28
29	-	-	-	-	-	·15	·20	·13	·94	·13	·06	-	29
30	-		-	-	·48	·01	[illegible]	·12	1·24	·17	-	-	30
31	-		·13	-	-		·09	·11		-		-	31
Total	2·74	1·53	2·56 ~~2·26~~	·06	1·27	3·21	1·85	4·63	2·42	2·25	1·79	2·69	TOTAL for year ~~26·70~~ 27·60
No. of Rain Days.	17	16	19	1	9	19	13	27	10	15	17	19	182

W. 8,000, X. '11.

Cor. for [illegible] 31. III. 14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

26 MAR 1914

~~W. Hbb~~

Kept at Wimbledon
in the County of Surrey 5
by N. Lansmith

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Raynes Park
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·01	·25	...	·16	...	...	...	...	·47	·04	·03	·15	1
2	·03	·16	...	...	...	...	·13	...	·01	...	·05	...	2
3	·02	...	·03	·33	·26	...	...	...	...	·25	·10	·04	3
4	·21	...	...	·03	·32	...	·07	...	...	·16	...	·04	4
5	·34	...	...	...	...	·07	...	...	·37	·20	·03	·02	5
6	...	·03	·11	...	·03	·05	·18	...	·03	·11	·15	...	6
7	...	·05	·01	...	·17	·02	·02	·08	...	·41	·08	...	7
8	·01	...	...	...	·10	·01	...	...	...	...	...	·10	8
9	...	·14	...	...	·04	...	...	...	·10	·13	·03	·01	9
10	...	...	·19	...	...	...	...	...	...	...	·26	·02	10
11	·19	...	...	·35	...	...	...	...	...	·52	·15	...	11
12	...	...	...	...	·01	...	...	...	...	...	·19	...	12
13	·09	...	...	...	...	...	...	...	·11	...	·25	...	13
14	·04	·01	·03	·09	...	...	·46	·09	...	·10	·08	...	14
15	·28	·09	·26	·16	...	...	·46	...	·04	...	·01	...	15
16	·10	...	·33	·24	...	...	...	...	·24	...	·01	...	16
17	·04	·14	·06	·11	...	...	·14	...	...	...	...	...	17
18	·01	...	·03	...	...	...	...	...	...	...	...	...	18
19	·17	...	·16	·02	...	...	·12	...	...	...	·03	...	19
20	·22	...	·28	·01	...	...	...	...	·10	·39	...	...	20
21	...	...	·16	·05	...	·10	...	...	...	·21	·62	...	21
22	·33	...	·21	·14	...	...	·05	·01	·05	...	...?	...	22
23	·01	...	...	...	...	·03	...	·37	·02	...	...	·33	23
24	...	~	·01	·04	...	...	...	·01	...	...	...	...	24
25	...	·01	...	·18	...	...	...	...	...	...	...	...	25
26	...	·03	·16	·08	...	...	...	·10	...	...	...	·21	26
27	...	·01	·30	·07	·04	...	...	...	·14	·72	...	...	27
28	·24	...	...?	·11	...	...	...	...	...	·10	...	...	28
29	...		·05	·40	...	...	...	·09	...	...	...	...	29
30	·09		...	·05	·57	...	...	·19		·15	...	...	30
31	...		·05		...		...	·71		...		...	31
Total	2·43	·92	2·43	2·62	1·54	·28	1·63	1·6~~4~~5	1·68	3·49	2·07	·92	YEAR'S TOTAL 21·66
Rain Days.	19	11	18	19	9	6	9	9	12	14	16	9	151

21·66

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
JAN 1915

Kept at Wimbledon
in the County of Surrey 5
by N. Lang Smith

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Raynes Park
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·07	·07	—	—	—	—	·04	—	—	—	·17	1
2	—	—	—	—	—	—	—	·02	—	—	·06	·07	2
3	—	—	·07	—	—	—	—	—	—	—	·06	—	3
4	—	—	·03	·11	·10	—	·07	·02	—	—	·29	·28	4
5	·09	—	·05	·20	·15	·04	·21	·57	—	—	—	—	5
6	—	—	—	·10	—	·16	—	·02	—	—	—	·08	6
7	—	·39	·21	·20	·20	·15	·06	—	—	—	—	—	7
8	·08	33	·66	—	—	·14	·17	·05	—	—	·08	·08	8
9	·20	—	·65	·01	—	·04	—	—	·24	—	—	1·51	9
10	—	—	·03	·13	·07	·04	—	—	—	—	—	·04	10
11	—	·37	·35	—	—	—	—	—	·25	—	·13	·31	11
12	—	·07	·10	—	—	—	·18	—	·14	—	·01	·45	12
13	—	·18	·16	—	—	—	—	—	·15	·04	·06	·29	13
14	—	·07	·14	—	—	2·06	·04	—	—	·20	·05	·47	14
15	·03	—	·11	—	—	—	·15	—	—	—	·47	·04	15
16	—	—	·03	—	—	—	—	—	·01	—	—	—	16
17	—	·29	·07	—	—	—	—	—	·04	—	·01	·10	17
18	—	05	·11	—	—	—	—	—	—	—	—	·25	18
19	—	—	·18	—	—	·03	·03	—	—	—	·01	·31	19
20	—	·25	·54	—	—	·02	—	—	·08	—	·15	—	20
21	—	·59	·07	—	—	—	—	—	—	—	—	—	21
22	—	—	·01	—	·35	—	·16	·01	—	·09	—	·08	22
23	—	—	·06	—	·10	·12	·04	—	—	·06	—	—	23
24	—	—	·03	—	·01	—	—	—	—	—	·08	—	24
25	—	—	·22	—	—	—	—	·09	—	·22	—	·14	25
26	—	—	·04	·01	—	—	—	·06	—	—	·15	·61	26
27	—	—	—	—	·01	—	—	—	—	·06	·03	·13	27
28	·04	—	—	—	—	—	—	—	—	·03	·37	·67	28
29	01		·07	—	—	—	—	—	—	·27	·09	·01	29
30	02		·03	—	—	—	—	—	—	—	·44	·16	30
31	—		—		·27		·13	—		·16		·04	31
Total	·47	2·66	4·09	·76	1·26	2·80	1·24	·92	·91	1·13	2·54	6·29	YEAR'S TOTAL 25·07
Rain Days.	7	11	26	7	9	10	11	9	7	9	18	23	147

W. 8,000. X. 14.

216

FORM A.
BRITISH RAINFALL
14. APR. 1916

REGISTER OF RAINFALL IN 1915

Kept at Wimbledon

in the County of Surrey

by Norman Lang Smith

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Raynes Park

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·45	·10	·05	—	·05	—	—	—	·04	·02	·28	·40	1
2	·51	·13	·21	·14	—	·03	—	·69	—	·06	—	·16	2
3	·29	·01	·07	·13	·02	—	—	·22	·01	—	—	·43	3
4	·08	—	·01	—	—	—	—	·02	—	—	—	·19	4
5	·04	·43	—	·02	—	—	—	·01	—	·07	trace	·23	5
6	·35	·02	·02	·24	—	—	·63	—	—	—	—	·17	6
7	·20	·23	·02	—	—	—	·18	·03	—	—	—	·18	7
8	·10	·47	—	·06	—	—	·06	·09	—	—	—	—	8
9	—	·04	—	·12	—	·08	—	·04	—	—	·31	·63	9
10	·16	—	·01	—	—	—	—	·74	—	—	—	·20	10
11	—	—	·03	—	—	—	—	—	—	—	·58	·04	11
12	·06	·03	—	·35	·43	—	—	·01	—	·03	·38	—	12
13	·01	·46	—	—	1·28	—	—	·17	·01	—	—	—	13
14	—	·04	—	—	—	—	·33	·09	·02	—	—	·35	14
15	·06	·05	—	—	·04	—	·03	·06	—	—	·20	·07	15
16	—	·22	—	—	—	—	·56	trace	—	—	—	·20	16
17	—	·28	—	—	1·02	—	·01	·01	—	—	—	·01	17
18	—	·27	·05	—	·19	—	—	—	—	—	·02	—	18
19	—	·10	—	—	·01	—	·75	—	—	trace	—	—	19
20	·28	—	—	·03	—	—	—	—	—	—	—	—	20
21	·05	—	—	—	—	—	trace	—	—	·04	—	·05	21
22	1·20	·13	·20	·08	—	—	·62	—	—	—	—	·8	22
23	—	·22	·06	—	—	·01	·19	—	·02	·56	—	·23	23
24	·01	—	·01	—	—	trace	·02	—	·23	·25	—	·45	24
25	—	—	·04	·20	—	—	·15	—	—	—	—	·13	25
26	—	·03	—	—	—	·12	·33	—	—	—	—	·48	26
27	—	—	—	—	—	·13	—	—	—	·21	—	·04	27
28	—	·05	—	—	—	·01	—	—	1·43	·19	—	—	28
29	—		·01	—	—	·02	·06	·10	—	·01	·18	trace	29
30	·02		—	—	—	·16	—	—	—	·09	·22	trace	30
31	trace		—		—		—	—		·95		·22	31
Total	3·87	3·31	·79	1·37	3·04	·56	3·92	2·28	1·76	2·48	2·12	4·94	YEAR'S TOTAL 30·44
Rain Days.	17	20	14	10	8	8	14	14	7	12	8	22	154

W. 8,000. X. 15.

Entd 1X 15.

N

FORM A. BRITISH RAINFALL.
10 SEP 1915

REGIST

WIMBLEDON COMMON

SURREY

1913 - 1917

Kept at Wimbledon C ... 4' ... 1 ... mbledon
in the County of Surrey ... 5 in.
by R. a. S. Macke ... round 1 ft. – in.
... ea Level 176 ft.

IMPORTANT NOTE.— ... e result entered to the previous day. If an Observ ... universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. –

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·01	0·26	0·03	0·20	–	–	–	–	0·41	0·03	0·04	0·12	1
2	0·03	0·15	–	–	–	–	0·10	–	0·02	0·56	0·09	0·01	2
3	0·01	–	0·01	0·35	0·28	–	–	–	trace	–	–	0·03	3
4	0·21	–	trace	0·02	0·34	–	0·06	–	–	0·22	0·02	0·11	4
5	0·32	–	–	–	–	0·20	0·13	–	0·39	0·01	0·02	0·03	5
6	trace	0·02	0·10	–	0·04	–	0·25	0·14	0·02	0·14	0·09	0·12	6
7	–	0·05	–	–	0·18	–	0·03	–	–	0·43	0·07	0·01	7
8	–	0·03	0·01	trace	0·10	0·12	–	–	–	0·15	0·02	trace	8
9	–	0·15	–	0·01	0·03	–	–	trace	0·10	–	0·02	0·04	9
10	trace	–	0·16	0·20	–	–	0·15	0·01	–	–	0·29	–	10
11	0·20	–	–	0·39	0·04	–	–	–	–	0·52	0·11	–	11
12	–	–	–	–	0·02	–	–	–	–	–	0·28	trace	12
13	0·09	–	0·03	–	–	–	–	trace	0·10	–	0·20	–	13
14	0·05	0·02	0·07	0·08	–	–	0·58	0·10	–	0·10	0·06	0·01	14
15	0·31	0·09	0·30	0·15	–	–	0·37	–	0·04	–	0·01	–	15
16	0·11	–	0·32	0·16	–	–	–	–	0·35	–	trace	–	16
17	0·04	0·12	0·08	0·04	–	–	0·16	–	–	–	trace	–	17
18	0·01	–	0·04	0·10	trace	–	–	–	–	–	0·03	–	18
19	0·17	–	0·17	0·01	trace	–	0·16	–	0·28	trace	–	–	19
20	0·21	–	0·23	0·03	0·02	0·23	–	–	–	0·39	trace	–	20
21	0·01	–	0·13	0·06	–	–	0·05	–	–	0·25	0·67	–	21
22	0·35	–	0·20	0·06	–	–	–	–	0·13	–	–	–	22
23	–	–	0·02	–	–	0·04	–	0·41	0·03	–	0·01	0·35	23
24	trace	–	trace	0·05	–	–	–	0·03	–	–	trace	–	24
25	–	0·03	trace	0·17	–	–	–	–	–	0·74	trace	trace	25
26	–	trace	0·18	0·08	–	–	trace	0·10	–	trace	–	0·20	26
27	–	–	0·01	0·06	0·03	–	–	–	–	–	trace	–	27
28	0·25	–	0·29	0·08	–	–	–	–	–	0·11	–	–	28
29	0·05		0·06	0·45	0·78	–	–	0·08	–	0·03	trace	0·01	29
30	0·21	✕	–	0·05	–	–	–	0·20	–	0·10	–	–	30
31	–	✕	0·07	✕	–	✕	–	0·57	✕	0·04	✕	–	31
Total	2·64	0·92	2·51	2·80	1·86	0·59	2·04	1·64	1·87	3·81	2·03	1·04	YEAR'S TOTAL 23·75
Rain Days.	19	10	21	22	11	4	11	9	11	16	17	12	163

W. 8,000. X. 14.

Calt 1x 15.

N

FORM A.
BRITISH RAINFALL.
10 SEP 1915

REGIST

Kept at Wimbledon Common

in the County of Surrey

by R. A. S. Mackenzie

Lat.

Long. 0°14'

Time of Observation 8 A. M

Nearest Railway Station Wimbledon

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 176 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·01	0·26	0·03	0·20	—	—	—	—	0·41	0·03	0·04	0·12	1
2	0·03	0·15	—	—	—	—	0·10	—	0·02	0·55	0·09	0·01	2
3	0·01	—	0·01	0·35	0·28	—	—	—	trace	—	—	0·03	3
4	0·21	—	trace	0·02	0·34	—	0·06	—	—	0·22	0·02	0·11	4
5	0·32	—	—	—	—	0·20	0·13	—	0·39	0·01	0·02	0·03	5
6	trace	0·02	0·10	—	0·04	—	0·25	0·14	0·02	0·14	0·09	0·12	6
7	—	0·05	—	—	0·18	—	0·03	—	—	0·43	0·07	0·01	7
8	—	0·03	0·01	trace	0·10	0·12	—	—	—	0·15	0·02	trace	8
9	—	0·15	—	0·01	0·03	—	—	trace	0·10	—	0·02	0·04	9
10	trace	—	0·16	0·20	—	—	0·15	0·01	—	—	0·29	—	10
11	0·20	—	—	0·39	0·04	—	—	—	—	0·52	0·11	—	11
12	—	—	—	—	0·02	—	—	—	—	—	0·28	trace	12
13	0·09	—	0·03	—	—	—	—	trace	0·10	—	0·20	—	13
14	0·05	0·02	0·07	0·08	—	—	0·58	0·10	—	0·10	0·06	0·01	14
15	0·31	0·09	0·30	0·15	—	—	0·37	—	0·04	—	0·01	—	15
16	0·11	—	0·32	0·16	—	—	—	—	0·35	—	trace	—	16
17	0·04	0·12	0·08	0·04	—	—	0·16	—	—	—	trace	—	17
18	0·01	—	0·04	0·10	trace	—	—	—	—	—	0·03	—	18
19	0·17	—	0·17	0·01	trace	—	0·16	—	0·28	trace	—	—	19
20	0·21	—	0·23	0·03	0·02	0·23	—	—	—	0·39	trace	—	20
21	0·01	—	0·13	0·06	—	—	0·05	—	—	0·25	0·67	—	21
22	0·35	—	0·20	0·06	—	—	—	—	0·13	—	—	—	22
23	—	—	0·02	—	—	0·04	—	0·41	0·03	—	0·01	0·35	23
24	trace	—	trace	0·05	—	—	—	0·03	—	—	trace	—	24
25	—	0·03	trace	0·17	—	—	—	—	—	0·74	trace	trace	25
26	—	trace	0·18	0·08	—	—	trace	0·10	—	trace	—	0·20	26
27	—	—	0·01	0·06	0·03	—	—	—	—	—	trace	—	27
28	0·25	—	0·29	0·08	—	—	—	—	—	0·11	—	—	28
29	0·05		0·06	0·45	0·78	—	—	0·08	—	0·03	trace	0·01	29
30	0·21	✕	—	0·05	—	—	—	0·20	—	0·10	—	—	30
31	—	✕	0·07	✕	—	✕	—	0·57	✕	0·04	✕	—	31
													YEAR'S TOTAL
Total	2·64	0·92	2·51	2·80	1·86	0·59	2·04	1·64	1·87	3·81	2·03	1·04	23·75
Rain Days.	19	10	21	22	11	4	11	9	11	16	17	12	163

W. 8,000. X. 14.

entd 1X.15.

Correctd for W.D. 20.IX.15. exc 98.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

10 SEP 1915

Kept at Wimbledon Common

in the County of Surrey 5 W.D after 2nd post

by R. A. S. Mackenzie

Lat. Long. 0° 14'

Time of Observation 8 A.M.

Nearest Railway Station Wimbledon

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 176 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ? ·05

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0·02	—	—	—	trace	0·13	—		0·01	0·40	1
2	0·01	—	~~trace~~	—	—	—	0·14	trace	—		0·06	0·01	2
3	0·01	—	0·04	—	0·15	—	0·09	0·05	—		0·19	0·24	3
4	0·01	—	0·01	0·12	—	—	—	trace	—		0·22	trace	4
5	0·08	—	0·04	0·16	0·19	0·05	0·23	0·65	—		0·01	0·27	5
6	—	0·12	—	0·11	—	0·14	0·03	0·02	—		0·06	trace	6
7	—	0·25	0·22	0·46	0·27	0·16	0·09	0·10	—		0·01	0·08	7
8	0·07	0·32	0·67	trace	0·03	0·17	0·18	trace	—		—	0·06	8
9	0·19	—	0·68	0·13	—	0·05	—	—	0·21		trace	0·02	9
10	—	0·02	0·02	0·03	0·06	—	—	—	trace		0·13	1·45	10
11	—	0·36	0·35	—	—	0·05	—	—	0·26		0·01	0·05	11
12	0·01	0·09	0·11	—	—	—	0·16	—	0·16		0·02	0·29	12
13	—	0·18	0·14	—	—	—	—	0·01	0·16		0·06	0·47	13
14	trace	0·06	0·17	—	—	2·60	0·05	—	trace		0·05	0·29	14
15	0·03	0·01	0·12	—	—	—	0·18	—	—		0·47	0·44	15
16	trace	—	0·02	—	—	—	—	—	—		0·01	0·05	16
17	—	0·30	0·06	—	—	—	—	—	0·03		—	trace	17
18	—	0·06	0·11	—	—	—	—	—	trace		—	0·10	18
19	—	0·05	0·12	—	—	0·02	0·10	—	—		0·17	0·25	19
20	—	0·21	0·48	—	—	0·01	—	—	0·11		trace	0·30	20
21	—	0·57	0·06	—	—	trace	—	trace	—		—	0·05	21
22	—	—	trace	—	0·34	0·06	0·15	0·01	—		—	0·03	22
23	—	0·02	0·07	—	0·09	0·12	0·06	—	—		—	trace	23
24	—	—	0·03	0·01	0·02	—	—	—	—		0·01	0·01	24
25	0·02	—	0·20	—	—	—	0·01	0·10	—		0·03	—	25
26	—	—	0·04	—	—	—	0·09	0·08	—		—	0·02	26
27	0·03	—	trace	—	—	—	—	trace	—		0·28	0·58	27
28	trace	0·01	—	—	0·01	—	—	—	—		0·12	0·13	28
29	0·05		0·08	—	—	—	—	—	—		0·34	0·70	29
30	0·01	╳	0·04	—	—	—	—	—	—		0·10	trace	30
31	trace	╳	—	╳	0·24	╳	0·01	—	╳		~~·40~~ ╳	0·15	31
Total	0·52	2·63	3·87	1·02	1·40	3·43	1·57	1·15	0·93	✕ 1·20	3·76 2·86	·05 6·~~47~~ 6·82	YEAR'S TOTAL 26·52 26·57
Rain Days.	12	16	25	7	10	11	15	9	6		~~21~~ 22	~~23~~ 24	

W. 8,000. X. 14.

✕ according to rainfall map.

rept D22 11.16

cnd for S & Fr pt WD 28.11.16 Ex LMCC

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Wimbledon Common.
in the County of Surrey
by R. A. S. Mackenzie

Lat. 51° 25' N Long. 0° 13' W
Time of Observation 8 A.M.
Nearest Railway Station Wimbledon
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 176 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0·20

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·05	Trace	0·02	–	0·05	–	Trace	–	0·03	0·02	0·34	0·39	1
2	0·43	0·11	0·05	–	0·01	0·02	–	0·60	–	0·05	–	0·01	2
3	0·45	0·18	0·20	0·10	0·01	–	Trace	0·26	0·01	–	0·01	0·60	3
4	0·30	Trace	0·08	0·16	–	–	–	0·01	–	–	–	0·22	4
5	0·04	Trace	Trace	–	Trace	–	–	0·01	–	0·05	0·01	0·26	5
6	0·04	0·41	Trace	0·02	–	–	0·67	0·01	–	–	0·01	0·24	6
7	0·31	0·04	0·02	0·23	–	–	0·12	0·04	–	–	Trace	0·19	7
8	0·25	0·23	0·02	0·07	–	–	0·06	0·01	–	–	Trace	–	8
9	0·08	0·24	–	0·10	–	0·07	–	0·13	–	0·02	0·34	0·63	9
10	0·06	0·25	–	–	–	–	–	0·84	–	–	Trace	0·21	10
11	0·05	0·01	0·01	–	–	–	–	Trace	–	0·01	0·63	0·04	11
12	0·01	Trace	0·02	0·33	0·40	–	–	0·03	–	0·02	0·39	Trace	12
13	0·05	0·02	–	Trace	1·09	–	–	0·22	–	–	Trace	–	13
14	0·01	0·49	–	–	–	–	0·31	0·11	0·03	–	–	0·38	14
15	Trace	0·04	–	–	0·04	–	0·01	0·12	–	–	0·21	0·11	15
16	0·07	0·10	–	–	–	–	0·58	Trace	–	–	–	0·15	16
17	Trace	0·10	–	–	0·92	–	0·02	0·02	–	–	–	–	17
18	–	0·25	–	–	0·22	–	–	–	–	–	0·03	–	18
19	–	0·30	0·02	–	0·01	–	0·08	–	–	0·01	–	–	19
20	0·29	0·18	–	0·03	Trace	–	–	–	–	–	–	0·19	20
21	0·10	–	–	–	–	–	0·01	–	–	0·04	–	0·05	21
22	1·00 ~~0·20~~	–	–	0·09	–	–	0·54	–	–	–	–	0·11	22
23	0·01	0·11	0·20	–	–	Trace	0·42	–	0·05	0·56	0·01	0·28	23
24	–	0·02	0·05	–	–	0·01	0·07	–	0·23	0·31	–	0·46	24
25	–	–	0·01	0·20	–	–	0·19	–	–	0·01	0·01	0·16	25
26	–	–	0·05	–	–	0·12	0·01	–	–	–	–	0·46	26
27	Trace	0·05	–	–	–	0·20	0·45	–	–	0·22	–	0·09	27
28	–	Trace	–	–	–	0·03	Trace	–	1·40	0·25	–	–	28
29	–		–	–	–	–	0·01	0·12	0·01	0·01	0·13	0·01	29
30	–	✕	–	–	–	0·24	–	0·01	–	Trace	0·22	0·01	30
31	0·02	✕	–	✕	–	✕	–	–	✕	0·95	✕	0·20	31
Total	3·57 ~~2·82~~	3·13	0·75	1·33	2·75	0·69	3·55	2·54	1·76	2·53	2·34	5·45	YEAR'S TOTAL ~~29·64~~ 30·39
Rain Days.	~~20~~ 19	19	13	10	9	7	16	16	7	15	13	24	168

W. 8,000. X. 15.

206

FORM A.
BRITISH RAINFALL.

3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Wimbledon Common

in the County of Surrey

by R.A.S. Mackenzie

Lat. 51° 25′ N Long. 0° 13′ W
Time of Observation 8 A.M. (9A.M; S.T)
Nearest Railway Station Wimbledon
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 176 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0·03

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·04	0·02	0·04	–	0·49	0·01	0·01	–	0·22	0·07	0·34	–	1
2	0·30	0·02	0·10	–	0·26	–	0·03	–	0·20	0·40	0·06	–	2
3	–	0·51	0·18	–	Trace	–	0·02	–	0·15	0·22	0·70	–	3
4	0·20	0·06	Trace	0·03	–	0·21	0·04	–	0·16	0·02	0·44	–	4
5	0·02	Trace	0·01	0·01	0·18	0·12	–	–	Trace	0·06	0·56	0·01	5
6	Trace	0·05	0·10	0·21	0·04	0·16	0·29	–	–	0·02	0·33	–	6
7	0·05	–	0·57	–	0·16	0·37	0·30	–	–	0·03	0·71	0·05	7
8	–	–	0·06	–	0·21	–	–	–	–	–	0·01	0·14	8
9	Trace	–	–	–	0·30	–	–	–	–	0·04	0·01	0·07	9
10	0·01	0·16	0·11	0·05	–	0·44	0·07	–	0·02	–	Trace	0·11	10
11	0·02	0·20	0·02	0·09	Trace	0·58	–	–	Trace	–	0·01	0·11	11
12	0·02	0·03	0·01	0·10	0·25	0·18	0·01	0·04	0·02	0·03	Trace	Trace	12
13	–	0·18	0·31	0·09	0·04	0·08	0·20	0·10	0·02	0·09	0·01	–	13
14	–	0·38	Trace	0·02	0·09	–	Trace	0·18	–	0·02	Trace	0·06	14
15	0·01	0·12	0·23	–	–	–	0·05	0·17	–	0·01	–	0·01	15
16	–	0·11	0·21	0·16	Trace	–	0·22	0·12	–	–	–	–	16
17	0·08	0·06	–	0·03	–	–	0·02	0·21	0·31	0·50	–	–	17
18	0·01	0·14	0·02	0·22	–	–	–	0·26	0·24	0·26	0·62	–	18
19	0·12	0·06	0·17	0·17	–	–	–	–	0·12	Trace	0·56	Trace	19
20	0·16	–	0·24	–	–	–	–	Trace	–	–	0·02	0·31	20
21	0·01	–	0·38	0·01	–	–	0·27	–	–	–	0·01	0·39	21
22	0·03	0·02	0·07	–	0·02	–	–	–	–	Trace	Trace	0·37	22
23	0·01	0·24	0·01	–	–	0·02	–	0·01	–	0·10	0·02	0·20	23
24	0·02	0·13	–	–	0·05	0·01	–	0·03	–	0·12	0·03	0·28	24
25	–	0·70	0·13	–	0·01	–	–	0·36	–	0·05	0·08	0·01	25
26	–	0·20	0·08	–	–	0·10	–	0·41	0·01	0·01	–	–	26
27	0·03	0·02	0·65	–	–	0·12	–	0·61	0·08	0·64	–	–	27
28	–	0·33	0·30	–	–	0·03	–	0·03	0·10	0·01	0·01	0·09	28
29	–	0·04	–	–	–	0·04	–	1·03	0·03	0·18	Trace	0·14	29
30	–	×	–	Trace	–	0·21	–	0·13	–	0·30	–	Trace	30
31	–	×	–	×	–	×	–	0·07	×	0·14	×	0·03	31
Total	1·14	3·78	4·00	1·19	2·10	2·67	1·53	3·76	1·68	3·32	4·53	2·37	YEAR'S TOTAL 32·07
Rain Days.	18	23	23	13	13	16	13	16	14	23	19	17	208

W. 8,000. X. 15.

Exd HW

197

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Wimbledon Common

in the County of Surrey

by Captain A. E. Mackenzie

Lat. 51° 25' N Long. 0° 13' W.
Time of Observation 8 am. – 9 am (S.T.)
Nearest Railway Station Wimbledon
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 177½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	Trace	0.02	0.04	–	–	–	1.33	0.04	–	0.07		1
2	–	Trace	–	0.55	–	0.05	–	0.08	–	–	0.19	0.08	2
3	Trace	–	–	0.07	–	–	0.06	0.31	–	0.17	0.03		3
4	–	0.15	0.11	Trace	–	–	0.57	0.27	–	0.42	–		4
5	0.23	Trace	0.05	0.17	–	–	–	0.04	0.44	0.18		to	5
6	0.01	–	0.09	0.11	–	0.06	–	–	0.17	0.01	0.38		6
7	0.14	–	Trace	–	–	–	0.11	–	Trace	0.28			7
8	0.11	–	–	0.09	–	–	0.88	0.10	0.06	0.21	to	4.15 p.m	8
9	0.02	–	–	0.04	Trace	–	0.02	0.13	0.06	Trace			9
10	0.20	–	0.08		–	–	–	0.01	–	Trace	5.30 p.m.		10
11	0.12	0.03	0.39		–	–	–	0.02	0.11	0.13		0.53	11
12	0.06	Trace	0.05	0.42	–	–	–	0.08	–	0.38			12
13	0.02	–	0.20		–	–	–	0.02	0.04	0.07	0.03	to	13
14	Trace	–	0.02	0.16	–	–	–	0.03	–	–			14
15	0.04	–	0.01	–	–	–	0.18	0.06	–	0.01	to		15
16	0.08	0.17	–	0.18	0.07	–	0.10	–	–	0.38		3.30 p.m	16
17	Trace	0.01	–	0.07	0.73	–	0.22	0.14	0.40	0.27	4.30 p.m		17
18	0.04	0.03	–	0.07	0.05	0.16	0.20	0.14	0.19	0.10			18
19	0.01	0.02	0.08	0.01	0.05	0.07	–	–	0.14	0.01		0.18	19
20	0.02	0.28	0.03	–	0.66	–	0.05	–	0.01	–	0.15		20
21	0.01	Trace	0.01	Trace	0.16	Trace	–	–	Trace	–			21
22	Trace	–	0.03	–	Trace	–	–	0.07	–	0.07	to		22
23	–	Trace	0.02	–	0.11	0.02	–	0.08	–	0.10		to	23
24	–	0.10	–	–	–	0.18	0.01	0.01	–	0.13			24
25	–	–	0.03	–	–	–	–	–	–	0.03	3p.m		25
26	–	0.01	0.07	–	–	–	–	0.28	0.04	0.01			26
27	–	–	0.01	–	–	0.06	–	1.03	–	–	0.40		27
28	–	0.01	0.01	–	–	1.40	–	0.05	Trace	–			28
29	–	╳	0.01	–	0.57	0.18	0.49	0.02	–	0.18	to	6 p.m	29
30	0.01	╳	0.30	–	–	Trace	1.79	0.08	–	0.05	5.45 p.m	0.04	30
31	0.03	╳	0.10	╳	–	╳	0.30	0.01	╳	0.01	╳	to 9a.m 1.1.18	31
Total	1.15	0.81	1.72	1.98	2.40	2.18	4.98	4.39	1.70	3.20	1.25	0.83	YEAR'S TOTAL 26.59
Rain Days.	17	10	22		8	9	14	24	12	22			

W. 8,000, IX. 17.

WIMBLEDON PARK

DORA RD

SURREY

1917 - 1919

REGI

FORM A.

BRITISH RAINFALL

JAN 1918

Kept at 92 Dora Road

don Park. (Dist)

in the County of Surrey

5 in.

by Harold Bayly

ft. in.

el ft.

IMPORTANT NOTE ult entered to the previous day. If an Obs le, he is earnestly requested to add the readi space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·01	·09	–	–	–	1·38	·05	–	·05	·01	1
2	·01	–	–	·50	–	·04	–	·08	–	·01	·22	–	2
3	·01	–	–	·05	–	–	·05	·27	–	·20	·02	–	3
4	–	·17	·10	–	–	–	·48	·25	–	·40	·06	–	4
5	·23	–	·06	·23	–	–	–	·01	·81	·19	–	–	5
6	–	–	·08	·03	–	·06	–	–	·09	·02	·05	–	6
7	·13	–	–	–	–	–	·11	–	–	·28	–	·01	7
8	·12	–	–	·08	–	–	·84	·08	·05	·22	·15	·26	8
9	·01	–	·01	·03	·01	–	·02	·07	·05	·01	·08	·20	9
10	·11	–	·06	·10	–	–	–	·01	–	–	·01	·03	10
11	·10	·01	·42	·25	–	–	–	·02	·10	·19	–	–	11
12	·06	–	·05	·07	–	–	–	·08	–	·38	·01	–	12
13	·02	–	·20	·04	–	–	–	·03	·04	·05	·01	–	13
14	–	–	·02	·18	–	–	–	·02	–	–	·01	–	14
15	·04	–	–	–	–	–	·20	·06	–	·01	–	·01	15
16	·05	·17	–	·31	·08	·03	·09	–	–	·38	·01	·42	16
17	–	·01	–	·08	·68	–	·23	·05	·41	·24	–	–	17
18	·03	·03	–	·07	·06	·10	·20	·20	·19	·06	–	–	18
19	·01	·13	·10	–	·21	·07	–	–	·15	–	–	–	19
20	·01	·12	·04	–	·74	–	·05	·01	·01	–	·05	–	20
21	–	–	·03	·01	·10	·02	–	–	–	–	·02	–	21
22	·01	–	·01	–	–	–	–	·07		·06	–	–	22
23	–	·10	·02	–	·11	·02	–	·08		·10	–	·02	23
24	–	·01	–	–	–	·19	–	·03		·13	·05	·04	24
25	–	·01	·03	–	–	–	·01	–		·02	·07	–	25
26	–	–	·04	–	–	–	–	·25	·03	·01	·46	–	26
27	–	–	·01	–	–	·02	–	·86	–	–	–	·01	27
28	–	·01	·01	–	–	1·43	–	·06	–	–	–	·06	28
29	–	×	·01	–	·19	·14	·35	·02	–	·18	–	·12	29
30	–	×	·32	–	–	–	~~1·77~~	·09	–	·02	–	·02	30
31	·01	×	·07	×	–	×	·30	·02	×	–	×	·02	31
Total	·90	·77	1·70	2·12	2·18	2·12	4·70	4·10	1·98	3·16	1·33	1·23	YEAR'S TOTAL 26·35
Rain Days.	17	11	22	16	9	11	14	25	12	22	17	14	190

W. 8,000, IX. 17.

✓

REGI

FORM A.
BRITISH RAINFALL
4 JAN 19

Kept at 92 Dora Road · Wimbledon Park. S.W.

in the County of Surrey –

by Harold Bayly Ransom –

Lat. ________ Long. ________

Time of Observation 9 · a · m.

Nearest Railway Station Wimbledon Park. (Dist)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	–	–	·01	·09	–	–	–	1·38	·05	–	·05	·01	1
2	·01	–	–	·50	–	·04	–	·08	–	·01	·22	–	2
3	·01	–	–	·05	–	–	·05	·27	–	·20	·02	–	3
4	–	·17	·10	–	–	–	·48	·25	–	·40	·06	–	4
5	·23	–	·06	·23	–	–	–	·01	·81	·19	–	–	5
6	–	–	·08	·03	–	·06	–	–	·09	·02	·05	–	6
7	·13	–	–	–	–	–	·11	–	–	·28	–	·01	7
8	·12	–	–	·08	–	–	·84	·08	·05	·22	·15	·26	8
9	·01	–	·01	·03	·01	–	·02	·07	·05	·01	·08	·20	9
10	·11	–	·06	·10	–	–	–	·01	–	–	·01	·03	10
11	·10	·01	·42	·25	–	–	–	·02	·10	·19	–	–	11
12	·06	–	·05	·07	–	–	–	·08	–	·38	·01	–	12
13	·02	–	·20	·04	–	–	–	·03	·04	·05	·01	–	13
14	–	–	·02	·18	–	–	–	·02	–	–	·01	–	14
15	·04	–	–	–	–	–	·20	·06	–	·01	–	·01	15
16	·05	·17	–	·31	·08	·03	·09	–	–	·38	·01	·42	16
17	–	·01	–	·08	·68	–	·23	·05	·41	·24	–	–	17
18	·03	·03	–	·07	·06	·10	·20	·20	·19	·06	–	–	18
19	·01	·13	·10	–	·21	·07	–	–	·15	–	–	–	19
20	·01	·12	·04	–	·74	–	·05	·01	·01	–	·05	–	20
21	–	–	·03	·01	·10	·02	–	–	–	–	·02	–	21
22	·01	–	·01	–	–	–	–	·07		·06	–	–	22
23	–	·10	·02	–	·11	·02	–	·08		·10	–	·02	23
24	–	·01	–	–	–	·19	–	·03		·13	·05	·04	24
25	–	·01	·03	–	–	–	·01	–		·02	·07	–	25
26	–	–	·04	–	–	–	–	·25	·03	·01	·46	–	26
27	–	–	·01	–	–	·02	–	·86	–	–	–	·01	27
28	–	·01	·01	–	–	1·43	–	·06	–	–	–	·06	28
29	–	X	·01	–	·19	·14	·35	·02	–	·18	–	·12	29
30	–	X	·32	–	–	–	1·77	·09	–	·02	–	·02	30
31	·01	X	·07	X	–	X	·30	·02	X	–	X	·02	31
Total	·96	·77	1·70	2·12	2·18	2·12	4·70	4·10	1·98	3·16	1·33	1·23	YEAR'S TOTAL 26·35
Rain Days.	17	11.	22.	16.	9.	11.	14.	25.	12.	22.	17.	14.	190.

✓

W. 8,000, IX. 17.

54

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL

Kept at 92 Dora Road. Wimbledon Park. S.W.

in the County of Surrey.

by Harold Bayly Ransom.

Lat. ______ Long. ______

Time of Observation 9. a. m.

Nearest Railway Station Wimbledon Park.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 136. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	·01	–	·09	–	–	–	·01	–	·03	·18	·06	1
2	·01.	·09.	–	·05	–	–	–	·35	–	·01	·17	·12	2
3	–	·01.	·04	·02	·33	–	–	·13	·02	–	·54	·02	3
4	–	·04.	·15	–	–	–	–	·03	·35	–	·38	–	4
5	–	·02.	·01	–	·10	–	–	·13	·32	·09	–	–	5
6	·22	·10.	–	·27	·26	–	–	·13	·01	·01	–	·07	6
7	·04.	·10	–	·17	·28	·01	–	·01	·09	·17	·07	–	7
8	–	·07	–	·01	·01	–	–	–	·06	·03	·05	·04	8
9	·02.	·02.	·01	·07	–	·06	·38.	–	·24	·13	–	·20	9
10	–	–	–	·11	–	–	·49	–	·02	·09	·03	·35	10
11	·02.	–	–	·02	·04	–	1·81	–	·02	·17	·12	·12	11
12	–	·03	–	–	·32	–	·20	–	·01	–	·01	·01	12
13	·03.	·01	–	–	·08	–	·20	–	·10	–	–	–	13
14	·13.	–	·02	·01	·01	·30	·03	–	·20	·09	–	·24	14
15	1·06	–	–	·68	–	–	·32.	–	·02	·01	–	·09	15
16	·40.	–	·01	·24	–	·25	·01	–	·25	·01	–	·01	16
17	·21.	–	·01	·15	–	–	·58	·05	·01	–	–	·11	17
18	·47.	–	–	–	–	·16	·08	–	·55	·18	–	·05	18
19	·02.	–	·05	·09	–	·06	·21	–	·01	·09	–	·06	19
20	·03.	·09	·01	·52	–	·02	·14	–	·15	·22	·01	·01	20
21	·07.	·02	–	·44	–	–	·01	–	·48	·06	–	–	21
22	·03.	–	–	·01	·33	–	·14	–	·15	·01	–	·12	22
23	·02.	–	–	·01	·20	–	·57	·05	·03	–	–	·05	23
24	–	·25	–	–	·01	·07	1·13	–	·13	·04	·04	–	24
25	–	–	–	·02	–	–	·20	·26	·04	–	·01	–	25
26	–	–	–	–	–	–	·42	·04	–	·04	·10	·12	26
27	–	·05	·01	·12	–	–	·03	·14	·13	–	·09	·02	27
28	–	·02.	·12	·01	–	·02	–	·02	–	–	·21	·12	28
29	–		·03	–	–	–	–	–	·92	–	–	–	29
30	–	X	·38	–	–	–	–	–	·03	·01	·02	·12	30
31	–	X	–	X	–	X	–	·06	X	·03	X	·01	31
Total	2·78 ✓	·93 ✓	·85 ✓	3.11 ✓	1·97 ✓	·95 ✓	6·95 ✓	1·41 ✓	4·34 ✓	1·49 ✓	2·03 ✓	2·12 ✓	YEAR'S TOTAL 28·93 ✓
Rain Days.	16 ✓	16. ✓	13. ✓	21. ✓	12. ✓	9. ✓	19. ✓	14. ✓	26. ✓	21. ✓	16. ✓	23. ✓	206. ✓

W, 6,500, VII. 18. W W O

1806

175

13 JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919..

Kept at 92 Dora Road. Wimbledon Park. S. W

in the County of Surrey.

by Harold Bayly Ransom.

Lat. 51·26. Long. 0·17

Time of Observation 9. a. m.

Nearest Railway Station Wimbledon Park.

Diameter of Funnel of Rain Gauge 5. in.

Height of top of Gauge above Ground 1 ft 1 in.

" " " " Sea Level 136 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·24.	·03.	·01	·01	·02	–	·25	–	–	·02	·02	·83	1
2	·32.	–	·01	–	·04	–	·16	·03	·22	·04.	·09	·08	2
3	·29.	–	·38	–	·01	–	·20	–	·04	–	·02	·35	3
4	·08	–	(·46)	–	–	·08	·18	·01	–	–	·02	·15	4
5	–	·29	·62	–	–	–	–	–	·03	–	·03	·22	5
6	·03.	–	·05	–	–	–	–	–	–	·01	–	·08	6
7	·01	–	·26	–	–	–	–	–	–	–	·03	–	7
8	·09.	–	·05	·07	–	–	–	–	–	–	–	–	8
9	·07.	–	·01	·03	–	–	–	–	–	–	·05	–	9
10	·41	–	·03	–	–	–	–	–	–	·01	–	–	10
11	·02.	–	·08	·24	–	–	·37	–	–	–	–	·01	11
12	·01	–	·07	·05	–	·02	·01	–	–	·07	·03	–	12
13	·01	–	–	·30	–	–	–	–	·01	·04	–	·01	13
14	·19	–	–	·25	–	–	·09	–	·60	–	–	·01	14
15	·20	·02	·20	·07	–	–	–	–	–	·02	–	·19	15
16	·04	·48	–	–	–	–	·01	–	–	–	·10	·04	16
17	–	·38	·02	·01	–	–	–	–	–	–	·13	–	17
18	–	·21	·05	–	–	–	–	–	·05	–	·08	·04	18
19	·06	·04	·35	–	–	·19	·44	·23	·01	–	·06	·01	19
20	·05	·06	·04	–	–	·80	·27	·13	–	–	–	·01	20
21	·14	·22	·01	–	–	·20	·15	–	–	–	·02	·02	21
22	–	·07	–	–	–	–	·20	–	·20	–	·01	·29	22
23	–	–	–	–	–	·04	–	–	·03	–	·01	·02	23
24	–	–	–	·19	–	·03	·11	·07	–	·14	·05	–	24
25	·03	·01	–	–	·01	·01	–	·13	–	–	–	–	25
26	·03	·14	·09	·10	–	–	·01	·10	·08	–	–	·24	26
27	·32	·04	·04	·83	–	–	·01	·29	–	–	·03	·06	27
28	–	–	·24	·04	–	·01	·02	·55	–	–	·18	·27	28
29	·03		–	·04	–	–	–	·30	–	·30.	·05	·06	29
30	–		·01	·25	–	·15	–	·20	–	·03	(·32)	·33	30
31	·04		·02		–		·04	–		·01		·10	31
TOTAL	2·71.	1·99	3·10	2·48	·08	1·53	2·52	1·98	1·27	·69	1·33	3·42	YEAR'S TOTAL 23·10
Days with ·01 in. or more	23.	13.	23.	15.	4.	10.	17.	11.	10.	11.	20.	23.	180

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

6o5a

RE

WINDLESHAM
WESTWOOD
SURREY

1911 C

FORM A2.
BRITISH RAINFALL.

Kept at Westw
in the County of Su
by Colonel G. A

in.
round ft. 10 in.
ea Level 300 ft.
m
ame Sunningdale
istance 1¾ Direction W

IMPORTANT NOT the rain result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·07			0·50				0·06				0·01	1
2				0·36	0·20		0·04			0·01	0·23		2
3	0·05				0·16						0·04	0·07	3
4			0·06	0·06						0·15		0·04	4
5	0·04			×0·03							0·25	0·41	5
6	0·19		0·14							0·28			6
7				0·03						0·19		0·52	7
8	0·20										0·29	0·33	8
9	(·20)		0·23	0·01							0·15		9
10		0·14	0·11								0·05	0·71	10
11	0·38										0·77		11
12			0·50								0·28		12
13			0·05		0·27				0·48	0·15		0·75	13
14		0·05			0·23							0·45	14
15			0·13							0·12	0·04	0·04	15
16		0·10				0·18						0·05	16
17						0·21					0·76	0·23	17
18		0·14	0·02			0·11					0·61	0·29	18
19		0·02				0·50			0·38		0·14	0·19	19
20								0·04	0·09			0·69	20
21	0·03	0·16	0·02					0·12		0·09		0·13	21
22	0·07		0·12			0·02				0·67		0·53	22
23		0·14	0·01			0·46					0·05	0·10	23
24		(·12) 0·12				0·03		0·03	0·14	(1·03) 0·03		0·17	24
25		0·02	×0·07	0·12		0·14		0·04	0·02	0·02			25
26				0·19	0·36	0·10	0·30			0·11		0·25	26
27		0·33	0·11	0·08					0·10			0·19	27
28		0·17		0·27			0·05	0·08			0·06		28
29				0·24	~~0·18~~	0·18	0·12			0·21			29
30					0·02	0·04		0·04	0·17	0·22		0·02	30
31					0·01					0·04			31
Total	1·23 ✓	1·39 ✓	1·57	1·89	1·25	1.97	0·51	0.41	1·38	3·19	3·72	6.17	TOTAL for year 24·78
No. of Rain Days	9 ✓	11 ✓	13	11	7	11	4	7	7	14	14	22	130

9,000, IX. '10.

× Snow.

6or5a

RE

FORM A2.
BRITISH RAINFALL.

JAN 1914

Kept at Westwood, Windlesham

in the County of Surrey

by Colonel G. A Curzon

T

RAIN GAUGE Diameter of top ... in.
Height of top above Ground ... ft. 10 in.
" " " Sea Level 300 ft.

Time of Observation 9 am

Nearest Railway Station Name Sunningdale
Distance 1¾ mile Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.07			0.50				0.06				0.01	1
2				0.36	0.20		0.04			0.01	0.23		2
3	0.05				0.16						0.04	0.07	3
4			0.06	0.06						0.15		0.04	4
5	0.04			x0.03							0.25	0.41	5
6	0.19		0.14							0.28			6
7				0.03						0.19		0.52	7
8	0.20										0.29	0.33	8
9	(.20)		0.23	0.01							0.15		9
10		0.14	0.11								0.05	0.71	10
11	0.38										0.77		11
12			0.50								0.28		12
13			0.05		0.27				0.48	0.15		0.75	13
14		0.05			0.23							0.45	14
15			0.13							0.02	0.04	0.04	15
16		0.10				0.18						0.05	16
17						0.21					0.76	0.23	17
18		0.14	0.02			0.11					0.61	0.29	18
19		0.02				0.50			0.38		0.14	0.19	19
20								0.04	0.09			0.69	20
21	0.03	0.16	0.02					0.12		0.09		0.13	21
22	0.07		0.12			0.02				0.67		0.53	22
23		0.14	0.01			0.46					0.05	0.10	23
24		(.12) 0.12				0.03		0.03	0.14	(1.03) 1.03		0.17	24
25		0.02	x0.07	0.12		0.14		0.04	0.02	0.02			25
26				0.19	0.36	0.10	0.30			0.11		0.25	26
27		0.33	0.11	0.08					0.10			0.19	27
28		0.17		0.27			0.05	0.08			0.06		28
29				0.24	~~0.18~~	0.18	0.12			0.21			29
30					0.02	0.04		0.04	0.17	0.22		0.02	30
31					0.01					0.04			31
Total	1.23 ✓	1.39 ✓	1.57	1.89	1.25	1.97	0.51	0.41	1.38	3.19	3.72	6.17	24.68 Total for year 24.78
No. of Rain Days	9 ✓	11 ✓	13	11	7	11	4	7	7	14	14	22	130 ✓

9,000, IX. '10.

x Snow.

Sr wrong day WD

SUNNINGDALE

RE

WINDLESHAM

THE CAMP

SURREY

1911 - 1917

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at The Camp ... in.

ound 1 ft. 2 in.

in the County of Surr ... Level 252 ft.

by Lady Hooke ... ne Sunningdale

ance ... Direction

IMPORTANT NOTE ... le result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.18		.02	.02	.06			.04	.05		1
2	.07			.42				.08				.08	2
3				.4	.24		.09	.02			.22		3
4	.05				.27						.06	.11	4
5		.03	.07	.02						.2	.17	.25	5
6	.03	.01		.09						.3	.05		6
7	.21		.14	.05							.3	.3	7
8	.05									.12			8
9	.13										.16	.5	9
10	.17		.05									.1	10
11		.12	.11	.02							.05	.45	11
12	.29										.76		12
13			.43		.05						.16		13
14			.1		.16				.45	.15	.08	.67	14
15		.08			.28					.03		.44	15
16		.06	.08								.05	.05	16
17						.2					.35	.05	17
18			.02			.22					.4	.02	18
19		.15	.02			.04					.63	.28	19
20						.6			.4		.12	.19	20
21	.02	.05						.05	.1	.1		.65	21
22	.1	.08						.14		.33		.16	22
23			.12			.03				.38		.51	23
24		.12				.45			.16		.07	.1	24
25		.13				.03		.05		1.00		.161	25
26		.03	.05	.05	.23	.15	.15	.1	.03				26
27				.23	.1	.1	.13	.02		.14		.251	27
28		.35	.12	.04			.05		.1			.2	28
29				.21				.09			.06		29
30				.25	.03	.2	.14		.18	.21			30
31						.06		.04		.13		.02	31
	–	.18	–	.02	.02	.06	–	–	.04	.05	–	(–)	
Total	1.12	~~1.21~~ 1.39	~~1.49~~ 1.31	~~1.78~~ 1.80	1.38	~~2.10~~ 2.14	~~.62~~ .56	.59	~~1.42~~ 1.46	~~3.13~~ 3.14	~~3.44~~ 3.69	5.542	TOTAL for year 24.12
No. of Rain Days	10	13	12	12	9	12	5	9	8	13	17	22	142

9,000, IX. '10.

wrong day WD SUNNI[illegible]

RE

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at The Camp - Windlesham

in the County of Surrey 7

by Lady Hooker

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 252 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Sunningdale
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.		.18		.02	.02	.06			.04	.05		1
2	.07			.42				.08		—		.08	2
3				.4	.24		.09	.02			.22		3
4	.05				.27						.06	.11	4
5		.03	.07	.02						.2	.17	.25	5
6	.03	.01		.09						.3	.05		6
7	.21		.14	.05							.3	.3	7
8	.05									.12			8
9	.13										.16	.5	9
10	.17		.05									.1	10
11		.12	.11	.02							.05	.45	11
12	.29										.76		12
13			.43		.05						.16		13
14			.1		.16				.45	.15	.08	.67	14
15		.08			.28					.03		.44	15
16		.06	.08								.05	.05	16
17						.2					.35	.05	17
18			.02			.22					.4	.02	18
19		.15	.02			.04					.63	.28	19
20						.6			.4		.12	.19	20
21	.02	.05						.05	.1	.1		.65	21
22	.1	.08						.14		.33		.16	22
23			.12			.03				.38		.51	23
24		.12				.45			.16		.07	.1	24
25		.13				.03		.05		1.00		.161	25
26		.03	.05	.05	.23	.15	.15	.1	.03				26
27				.23	.1	.1	.13	.02		.14		.251	27
28		.35	.12	.04			.05		.1			.2	28
29				.21				.09			.06		29
30				.25	.03	.2	.14		.18	.21			30
31						.06		.04		.13		.02	31
	–	.18	–	.02	.02	.06	–		.04	.05	–	(–)	TOTAL for year
Total	1.12	~~1.21~~	~~1.49~~	~~1.78~~	1.38 ✓	~~2.10~~	~~.62~~	.59	~~1.42~~	~~3.13~~	~~3.44~~	5.542	24.142
		1.39	1.31	1.80		2.14	.56		1.46	3.14	3.69		
No. of Rain Days	10	13	13	12	9 ✓	12 ✓	5	9	8	13 ✓	13	22	142

9,000, IX. '10.

Ex DL Cor. for wrong day. 28·III·13

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

3 - JAN 1913

Kept at The Camp - Sunningdale
in the County of Surrey 7
by Lady Hooker

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Sunningdale
Diameter of Rain Gauge ~~3/8~~ 5 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 286 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·04

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.04	.22				.18	.11	.94			1
2			.1			.03	.14		.04	.5		.22	2
3			.12			.1	.35	.05		.075			3
4			.08			.16	.03	.3					4
5	.25		.36		.18	.31		.01			.3		5
6	.15		.04					.3					6
7	.5	.15	.02		.01	.15		.2				.06	7
8					.15	1.06		.31				.1	8
9	.35	.3	.23			.15	.03	.25					9
10		.25	.05			.22		.04				.22	10
11		.08						.13			.07	.23	11
12	.8	.2									.04		12
13	.05	.2	.03		.18	.15	.09	.03					13
14												.54	14
15			.04				.1	.07		.05			15
16			.09		.15	.65							16
17	.25		.08		.12	.12		.05			.1		17
18	.6		.18			.04		.09					18
19	.16		.05					.12				.09	19
20	.06	.2	.07				.28	.45					20
21	.05		.06				.05	.12		.32	.06		21
22	.02	.2	.3		.22			.07		.004			22
23	.16	.2	.04		.03		.05	.16				.03	23
24	.34	.33	.33					.45		.12	.2	.18	24
25	.5					.13		.17				.36	25
26	.23					.3		.31		.1	.23	.3	26
27		.06					.02	.27		.37	.34	.3	27
28						.07				.15		.21	28
29		.05					.18	.25	.14	.43	.42	.18	29
30						.1	.28	.03	1.68	.18	.05		30
31			.04		.4					.15			31
	—	.04	.22	—	—	—	.18	.11	.97	~~3.419~~	—	.04	YEAR'S TOTAL
Total	~~4.47~~	~~2.22~~	~~2.35~~	~~.22~~	~~1.44~~	~~3.44~~	~~1.60~~	~~4.41~~	~~1.97~~	~~2.659~~	~~1.81~~	~~3.05~~	~~30.699~~
Rain Days.	16	~~12~~ 13	21	~~1~~ 0	9	16	~~12~~ 13	25	4	~~12~~ 13 ~~10~~ 11	10	~~14~~ 15	153
	4.47	2.26	2.53	.00	1.44	3.74	1.78	4.34	2.83	2.449	1.81	3.09	30.739

W. 7,500, XI. 12

~~INO~~ cod. 22-1-14 cod by B. cod by own stats 22.1.14

SUNNINGDALE

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

12 JAN 1914

Kept at The Camp - Windlesham

in the County of Surrey

by Lady Hooker

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Sunningdale

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 252 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04	.23							.5		.02		1
2	.07			.18		.11			1.0	.01	.13		2
3	.03	.11	.05				.08		.05	.24	.053✓	.14	3
4			.02	.09	.45				.02	.02		.04	4
5	.24		.01		.13				.02	.14	.05	.03	5
6	.11					.04	.1		.2	.033✓		.03	6
7		.04	.07		.04	.06	.15		.02)	.58	.07	.22 .~~0~~22	7
8		.14			.04					.21	.04	.01	8
9		.04	.01		.15	.08				.04	.03	.01	9
10		.16			.04			.01	.18		.02	.03	10
11			.13	.08			.05				.35		11
12	.55			.42				.05		.65	.36		12
13					.22				.08		.25		13
14	.04		.01					.03			.25		14
15	.08		.06	.05			.25	.08	.05	.12	.04	.01	15
16	.25	.06	.25	.22			.17		.18	.02	.04		16
17	.14		.33						.29		.02		17
18							.18		.01		.02	.05	18
19			.15	.2					.01		.04		19
20	.45	.22				.45	.08		.18 .~~0~~18	.55	.7		20
21	.09		.2							.14			21
22			.2	.15			.03						22
23	.44		.24			.03			.15 .~~0~~15				23
24	.02							.29	.01			.41	24
25				.04			.02				.05		25
26		.04		.17						.02		.01	26
27		.05	.15	1.6				.17		.62		.15	27
28			.02							.06			28
29	.22			.12						.13			29
30			.42	.51	.49			.09		.09	.03		30
31	.24							.18		.32		(–)	31
Total	.26 ~~3.04~~	~~1.09~~	2.32	2.39	1.62	.77	1.11 ~~1.14~~	.50 ~~.9~~	~~2.95~~ ~~2.743~~	.02 ~~4.063~~	~~2.593~~	1.17 ~~.972~~	YEAR'S TOTAL ~~23.046~~
Rain Days.	3.26 10	.86 ~~10~~ 9	2.32 17	2.39 13	1.62 8	.77 6	1.11 10	1.40 ~~8~~ 9	2.45 ~~17~~ 16	4.083 ~~19~~ 20	2.573 ~~20~~ 19	1.17 13	24.006 ~~154~~ 156

W.7,000, XI. 13

SUNNINGDALE Cord for W.D. 9.11.15

REGISTER OF RAINFALL IN 1914

Rec. M.G.

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at The Camp - Windlesham
in the County of Surrey 7
by Lady Hooker

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Sunningdale
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 252 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .04

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.03			.15		.04			.03	.75	1
2			.03					.03			.03	.04	2
3						.02	.19	.26			.08	.17	3
4			.06	.03	.11		.35	.05				.04	4
5	.02		.04	.21	.03		.03	.14			.35	.28	5
6	.11		.09	.11	.05	.06	.32	.42			.02		6
7		.1	.19	.13	.02	.14	.05	.04				.13	7
8		.22	.2	.11	.32	.19	.15	.01				.08	8
9	.04	.28	.74		.09	.04	.12	.1					9
10	.16	.01	.57	.05		.24		.03	.1			2.00	10
11	.01X	.15	.05	.04	.08			.01	.2				11
12		.2	.41			.05			.03		.05	.3	12
13	.01	.13	.14				.45		.25		.02	.42	13
14		.2	.08						.12	.08	.02	.48	14
15		.13	.1			.35	.1	.01	.01	.5	.08	.38	15
16	.09	.02	.08				.21	.06			.5		16
17			.02				.03		.03	.04	.03	.05	17
18	.01X	.26	.08						.02	.02		.15	18
19		.02	.1									.35	19
20		.07	.25			.1	.15				.16	.22	20
21		.3	.4			.04						.14	21
22		.6	.08			.02	~~.002~~			.08		.03	22
23		.04	.13		.22	.1	.09	.03		.17			23
24		.07	.07	.02	.07	.04	.04			.1			24
25		.02	.03		.02			.01		.06	.1		25
26	.03		.2				.02	.18		.2	.02	.1	26
27			.03				.07	.06		.12	.14	.45	27
28	.03										.03	.13	28
29			.09		.06					.06	.31	1.00	29
30	.03	X								.25	.01		30
31		X	.07	X		X			X	.11	X	.35	31
	—	.03	—	—	.15	—	.04	—	—	.03	.75	.04	YEAR'S TOTAL
Total	~~.542~~	~~2.82~~	~~4.36~~	~~.70~~	~~1.07~~	~~1.54~~	~~2.37~~	~~1.48~~	~~.76~~	~~1.49~~	~~1.98~~	~~8.04~~	~~27.45~~
	.54	2.85	4.33	.70	1.22	1.39	2.41	1.44	.76	1.82	2.70	7.33	27.49
Rain Days.	11	19	27	8	12	13	16	16	8	13	18	23	185

186

W. 8,000. X. 14.

card for W. D 25.11.16.

313

FORM A.
BRITISH RAINFALL.
6 JAN 1916

REGISTER OF RAINFALL IN 1915

SUNNINGDALE

Kept at The Camp - Windlesham

in the County of Surrey. 7

by Lady Hooker.

Lat. ...... Long. ......

Time of Observation 9 am.

Nearest Railway Station 1¼ miles distant

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 252 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
.15

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.4	.1	.15				.09				1.45	.3	1
2	.5	.3	.1		.04		.04	.08	.06	.07	.17	.5	2
3	.13	.11	.5		.05	.12		.85	.04	.12		.22	3
4	.45		.1	.15				.4	.05			.45	4
5	.06							.04				.33	5
6	.04	.45			.08			.07		.16		.45	6
7	.33	.06	.2	.2			.76					.39	7
8	.16	.23					.32	.06				.11	8
9	.04	.68					.04	.19				.03	9
10	.07	.1		.2		.13		.05			.3	.74	10
11	.12		.11					.17				.2	11
12	.1		.05					.02		.11	.77		12
13	.04	.07		.35	.47			.9			.5		13
14	.08	.7			1.27			.21					14
15	.07	.07			.13		.81	.2				.42	15
16	.07							.1			.27	.24	16
17	.03	.31			.28		.66	.09				.12	17
18		.33			1.22		.12						18
19		.14	.22		.31								19
20		.07			.16		.18			.2			20
21	.21			.08								.22	21
22	.16	.15			.44		.05			.18		.13	22
23	1.12	.11					.65					.12	23
24	.02	.22	.22			.21	.25		.46	.46		.22	24
25						.08	.17		.58	.64		.3	25
26			.16	.13		.13	.48			.1		.2	26
27		.14				.2	.23					.6	27
28		.03				.61	.11		.07	.31			28
29						.1	.22		1.55	.17			29
30		X				.06		.15	.12		.55	.09	30
31	.05	X		X		X			X	.2	X	.13	31
Total	·10 ~~4·25~~ 3·95	·15 ~~4·37~~ 4·42	— ~~1·81~~ 1·66	— ~~1·11~~ 1·11	— ~~4·28~~ 4·28	·09 ~~1·64~~ 1·73	— ~~5·18~~ 5·09	— ~~3·58~~ 3·58	— ~~2·93~~ 2·93	1·45 ~~2·72~~ 4·17	·30 ~~4·01~~ 2·86	·15 ~~6·51~~ 6·36	YEAR'S TOTAL ~~42·39~~ 42·14
Rain Days.	22	20	~~10~~ 9	6	11	~~9~~ 10	~~14~~ 16	16	8	~~12~~ 13	7	23	161

W. 8,000. X. 15.

cwd for WD

300

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

3 JAN 1917

Kept at The Camp, Windlesham

in the County of Surrey

by Lady Hooker.

Lat. Long.

Time of Observation 9 am.

Nearest Railway Station Sunningdale

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 252 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .05

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.15		.42						.05		.2		1
2	.08		.07		.16	.02			.35	.03	.39		2
3	.2	.05	.2		.35	.01			.15	.54	.05		3
4	.08	.4			.09	.01	.04		.16	.23	.3		4
5	.17	.05	.07			.16			.19	.01	.5		5
6	.13	.03			.28	.11				.04	.55		6
7		.1	.24	.12		.12	.36			.04	.31		7
8	.12		.45		.09	.2	.11			.03	.6	.06	8
9					.24	.02						.26	9
10					.15					.05		.13	10
11		.35	.19	.08	.05	.16	.05				.02	.13	11
12	.05	.05	.13	.18	.01	.26						.03	12
13				.07	.32	.11	.03	.2		.05			13
14		.2	.65	.13		.06	.04	.22		.05			14
15		.34	.16		.05		.02	.25		.03		.05	15
16		.24	.33					.21		.08			16
17	.05		.34	.19			.25	.4		.02			17
18	.09	.17		.05			.04	.14	.18	.52		.03	18
19	.07	.08	.7	.15				.31	.08	.32	.66	.02	19
20	.09		.23	.2					.5		.33		20
21	.12		.31					.04			.03	.63	21
22	.07		.35				.03				.06	.2	22
23			.05		.02	.02				.05		.46	23
24	.04	.2				.07				.11			24
25		.08			.2	.08		.06		.25		.34	25
26		.67						.15	.03	.05	.06		26
27		.15	.2			.06		.43		.18			27
28			1.02			.07		.18	.06	.25			28
29		.53	.13			.08			.03	.04		.09	29
30		✕				.24		1.14		.33		.15	30
31		✕		✕		✕		.09	✕	.38	✕		31
	—	.42	—	—	—	—	—	.05	—	.20	—	.05	YEAR'S TOTAL
Total	~~1.51~~	~~3.69~~	~~6.24~~	1.17	2.01	1.86	.97	~~3.82~~	1.78	3.68	4.06	2.58	~~33.37~~
Rain Days.	1.36	4.11	5.82					3.87	1.73	3.88	3.86	2.63	33.27
	15	17	20	9	13	19	10	14	11	24	14	14	180

W. 8,000, VIII. 16

✓ cwd/in WD 293

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL
2 JAN 1918

Kept at The Camp-Windlesham
in the County of Surrey
by Lady Hooker

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Sunningdale
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 252 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	.03		.05				.29	.03				1
2			.02	.35				1.0	.01				2
3		.02		.33		.06		.022					3
4	.03			.1			.7	.5		.25			4
5		.3	.08				.21	.11		.21			5
6	.25		.08	.25		.02			.1	.3			6
7			.27	.04		.04			.08	.06			7
8	.12		.02				.24			.32			8
9	.24			.05			.7	.12	.07	.14			9
10			.07	.03			.1	.23	.05				10
11	.22		.15	.25	.02			.05					11
12	.08	.03	.35	.1					.47	.15			12
13	.06		.03	.06	.03			.12		.41			13
14	.05		.19					.09	.04	.01			14
15	.02			.21				.12					15
16	.02						.11	.15		.03			16
17	.06	.12		.14	.08	.03				.42			17
18		.02		.08	.45		.42	.07	.4	.24			18
19	.04	.11		.1	.09	.2	.12	.15	.22	.02			19
20	.03	.17	.03			.04		.03	.18				20
21		.15	.02		.59		.04	.02	.03				21
22		.01	.03			.16				.02			22
23			.1					.1		.05			23
24		.15			.17	.08		.12					24
25		.05	.02			.1				.02			25
26		.05	.03										26
27			.04					.4	.05				27
28					.1	.02		.86					28
29			.04			1.2		.08					29
30	.03	X	.06			.1	.52	.03					30
31	.04	X	.5	X	.04	X	2.13	.06	X		X		31
Total	·03 ~~1.34~~ 1.32	— ~~1.21~~ 1.18	-05 ~~2.13~~ 2.18	— ~~2.14~~ 2.09	— 1.57	— 2.05	·29 ~~5.29~~ 5.58	·03 ~~4.712~~ 4.45	— ~~1.43~~ 1.70	(–) ~~2.65~~ 2.65			YEAR'S TOTAL ~~24.822~~
Rain Days.	16 ✓	13 ✓	20 ✓	15 ✓	9 ✓	12 ✓	11	23 ✓	13 ✓	16 ✓			~~148~~

W. 8,000, IX. 17.

50

FORM A2.
BRITISH RAINFALL.

1-JAN 1912

WISLEY

R.H.S. GDNS

SURREY

1911 — 1920

REC

Kept at The Royal Hortic
Garden

in the County of Surrey

by S. T. Wright
~~[illegible]~~

lar

in.

ound ft. in.

a Level 150 ft.

m.

me Byfleet

stance 3 m. Direction N.W.

IMPORTANT NOTE. ... e result entered to the previous day. If an Obser... al rule, he is earnestly requested to add the readin... in the space provided for it at the end of this ... nt of rain, the selection and placing ... h Rainfall Organization are given in " ... plication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	–	trace	·52	–	–	·01	·04	–	–	–	–	1
2	·13	–	–	·27	·20	–	·05	–	–	–	·22	·07	2
3	·02	·01	–	trace	·11	–	–	trace	–	trace	·06	·07 ~~·07~~	3
4	·01	trace	·05	·05	–	–	–	–	·01	·05	·19	35 ~~·35~~	4
5	·01	·01	–	trace	–	–	–	–	–	·18	·06	·04 ~~·04~~	5
6	·18	–	·14	–	–	–	–	–	–	–	–	·53	6
7	·01	–	–	·01	–	–	–	–	–	·11	·34	·18	7
8	·10	–	·18	–	–	–	–	–	–	–	·11	·36	8
9	·13	–	·06	trace	–	–	–	trace	–	–	–	·15	9
10	trace	·15	·07	–	–	–	–	–	–	–	·02	·72	10
11	·38	–	trace	–	·01	–	–	–	–	–	·69	·01	11
12	·02	trace	·44	–	–	–	–	–	·07	–	·18	trace	12
13	–	–	·04 trace	–	·07	–	–	–	·33	·13	–	·52	13
14	–	·06	trace ~~·10~~	–	·34	–	–	–	–	–	–	·52	14
15	trace	·04	·10	–	–	–	–	–	–	·01	·03	·02	15
16	–	trace	~~·01~~	–	–	·50	–	–	–	–	·38	·02	16
17	–	trace	·01	–	–	·02	–	–	–	trace	·32	·21	17
18	–	·15	–	·01	–	·04	–	–	–	–	·51	·32	18
19	–	·01	~~·01~~	–	trace	·28	–	–	·21	·10	·10	·15	19
20	·01	·03	·01	–	–	trace	–	·06	·01	·06	–	·59	20
21	trace	·07	~~·21~~	–	–	–	–	·21	–	·45	trace	·17	21
22	·08	trace	·21	–	–	·04	–	trace	–	·03	–	·46	22
23	–	·15	~~·02~~	–	–	·68	–	–	·10	trace	·03	·09	23
24	trace	·12	·02	–	–	·11	trace	·01	–	1·30	–	·27	24
25	trace	trace	~~·04~~	·02	·01	·09	·94	trace	trace	·02	–	–	25
26	–	trace	·04 ~~·10~~	·14	·02	·04	·07	trace	–	·13	trace	·22	26
27	–	·27	·10 trace	·02	–	–	·07	trace	·10	·01	trace	·16	27
28	–	·10	trace	·22	–	–	–	·28	–	–	·02	trace	28
29	–		trace	·34	–	·20	·11	–	·16	·17	–	–	29
30	–		trace	·02	trace	·02	–	·02	·02	·18	–	·01	30
31	–		–		·07		–	–		·03		–	31
Total	1·11	1·17	1·47	1·62	·83	2·02	1·25	·62	1·01	2·96	3·26	6·21	TOTAL for year 23·53
No. of Rain Days.	13	13	14	11	8	11	6	6	9	16	16	25	148

W. 8,000, X. '11.

Please read red figures

50

REC

FORM A2.
BRITISH RAINFALL.

1 - JAN 1912

Kept at The Royal Horticultural Society's garden, Wisley,

in the County of Surrey.

by ~~[illegible]~~ S. T. Wright (Superintendent).

6

RAIN GAUGE
Pattern Snowdon
Diameter of top 8 in.
Height of top above Ground ft. 1 in.
" " " Sea Level 150 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Byfleet
Distance 3 m. Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	–	trace	·52	–	–	·01	·04	–	–	–	–	1
2	·13	–	–	·27	·20	–	·05	–	–	–	·22	·07	2
3	·02	·01	–	trace	·11	–	–	trace	–	trace	·06	·07 ~~·07~~	3
4	·01	trace	·05	·05	–	–	–	–	·01	·05	·19	·35 ~~·35~~	4
5	·01	·01	–	trace	–	–	–	–	–	·18	·06	·04 ~~·04~~	5
6	·18	–	·14	–	–	–	–	–	–	–	–	·53	6
7	·01	–	–	·01	–	–	–	–	–	·11	·34	·18	7
8	·10	–	·18	–	–	–	–	–	–	–	·11	·36	8
9	·13	–	·06	trace	–	–	–	trace	–	–	–	·15	9
10	trace	·15	·07	–	–	–	–	–	–	–	·02	·72	10
11	·38	–	trace	–	·01	–	–	–	–	–	·69	·01	11
12	·02	trace	·44	–	–	–	–	–	·07	–	·18	trace	12
13	–	–	·04 ~~trace~~	–	·07	–	–	–	·33	·13	–	·52	13
14	–	·06	~~trace~~ ~~·10~~	–	·34	–	–	–	–	–	–	·52	14
15	trace	·04	·10 –	–	–	–	–	–	–	·01	·03	·02	15
16	–	trace	~~·01~~	–	–	·50	–	–	–	–	·38	·02	16
17	–	trace	·01 –	–	–	·02	–	–	–	trace	·32	·21	17
18	–	·15	–	·01	–	·04	–	–	–	–	·51	·32	18
19	–	·01	~~·01~~	–	trace	·28	–	–	·21	·10	·10	·15	19
20	·01	·03	·01 –	–	–	trace	–	·06	·01	·06	–	·59	20
21	trace	·07	~~·21~~	–	–	–	–	·21	–	·45	trace	·17	21
22	·08	trace	·21 –	–	–	·04	–	trace	–	·03	–	·46	22
23	–	·15	~~·02~~	–	–	·68	–	–	·10	trace	·03	·09	23
24	trace	·12	·02 –	–	–	·11	trace	·01	–	1·30	–	·27	24
25	trace	trace	~~·04~~	·02	·01	·09	·94	trace	trace	·02	–	–	25
26	–	trace	·04 ~~·10~~	·14	·02	·04	·07	trace	–	·13	trace	·22	26
27	–	·27	·10 ~~trace~~	·02	–	–	·07	trace	·10	·01	trace	·16	27
28	–	·10	~~trace~~	·22	–	–	–	·28	–	–	·02	trace	28
29	–		~~trace~~	·34	–	·20	·11	–	·16	·17	–	–	29
30	–		~~trace~~	·02	trace	·02	–	·02	·02	·18	–	·01	30
31	–		–		·07		–	–		·03		–	31
Total	1·11	1·17	1·47	1·62	·83	2·02	1·25	·62	1·01	2·96	3·26	6·21	TOTAL for year 23·53
No. of Rain Days.	13	13	14	11	8	11	6	6	9	16	16	25	148

W. 8,000, X. '11.

Please read red figures

REGISTER OF RAINFALL IN 1912

Ex 88

FORM A.
BRITISH RAINFALL.
2 - JAN 1913

Kept at R. H. S. Gardens, Wisley
in the County of Surrey
by W. J. Cartwright for S. T. Wright Esq.

6

Lat. 51° 17' N Long. 0° 26' W
Time of Observation 9 am
Nearest Railway Station Byfleet
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground — ft. 11 in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	·09	·02	—	·06	·34	—	·02	·56	—	·20	1
2	—	—	·29	—	—	·09	·35	·06	—	·08	—	—	2
3	trace	—	·18	—	—	·10	·01	·24	trace	—	trace	·05	3
4	·15	·01	·58	—	·08	·29	—	·11	—	—	·25	—	4
5	·13	trace	·07	—	trace	—	—	·43	—	—	·02	trace	5
6	·40	·07	·01	—	·01	—	—	·20	—	—	—	·05	6
7	—	—	—	—	·09	·71	·03	·26	—	—	—	·03	7
8	·25	·42	·25	—	—	·02	—	·18	—	—	—	trace	8
9	—	·12	·02	trace	—	trace	trace	·07	—	—	—	·16	9
10	—	·06	·01	—	—	·01	—	·33	—	—	·04	·24	10
11	·04	·17	—	—	—	·02	—	—	trace	—	·02	·21	11
12	·03	·10	·07	—	·17	·11	·02	·01	—	—	·01	—	12
13	—	trace	trace	—	—	—	—	trace	—	—	·02	·01	13
14	—	—	·01	—	·03	—	—	·04	—	·02	—	·02	14
15	·01	·01	·06	—	·06	·54	—	—	—	—	·01	·02	15
16	·33	—	·08	—	·17	·05	—	·05	—	·04	·03	—	16
17	·47	trace	·19	—	—	·01	—	·06	—	—	—	·04	17
18	·08	—	·18	—	—	—	—	·26	—	—	·02	·07	18
19	·05	·08	·03	—	—	—	·14	·46	—	—	—	—	19
20	·01	·01	·19	—	—	·01	—	·08	—	·45	·03	—	20
21	·01	·01	·11	—	·14	—	—	·04	—	·10	·14	—	21
22	·14	·14	·09	—	·07	—	·01	·17	—	·01	—	·04	22
23	·41	·45	·26	—	trace	—	·05	·34	—	·08	·17	·12	23
24	·45	trace	trace	—	trace	·05	trace	·25	—	—	—	·17	24
25	·07	—	—	—	—	·18	—	·54	—	—	·17	·56	25
26	trace	·04	—	—	—	—	—	·27	—	·24	·40	·29	26
27	—	—	·01	—	—	·06	trace	trace	—	·20	—	·15	27
28	—	·04	—	—	—	·07	·18	·07	·29	·41	·48	·11	28
29	—	·03	—	—	—	·13	·20	·17	1·58	·37	·02	—	29
30	—		—	—	·28	·01	·04	·02	1·10	·18	—	trace	30
31	—		·18		·15		·19	·06		trace		·01	31
Total	3·03	1·76	2·96	·02	1·25	2·52	1·56	4·77	2·99	2·74	1·83	2·55	YEAR'S TOTAL 27·98
Rain Days.	17	16	22	1	11	19	12	26	4	13	16	20	177

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

2 JAN 1914

REGISTER OF RAINFALL IN 19 13

Kept at R. H. S. Gardens, Wisley

in the County of Surrey 6

by S. T. Wright Esq.

Lat. 51°17'N Long. 0°26'W

Time of Observation 9 am

Nearest Railway Station Byfleet

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·21	·04	·08	—	trace	—	—	1·02	—	·04	·18	1
2	·03	·10	trace	·01	—	—	·12	—	·02	·03	·05	·01	2
3	trace	—	·04	·11	·34	—	—	—	trace	trace	—	·03	3
4	·27	—	·01	trace	·41	—	trace	—	·01	·27	trace	·03	4
5	·25	—	—	—	—	·09	·07	—	·21	trace	·02	·02	5
6	·01	·02	·13	—	·01	·09	·07	—	—	·42	·07	·18	6
7	—	·14	—	—	·08	·01	—	—	—	·34	·11	—	7
8	—	·01	—	trace	·11	·07	—	—	—	·02	—	·01	8
9	—	·16	—	trace	·01	trace	·06	—	·15	—	trace	·01	9
10	—	—	·02	·03	—	—	·03	·06	—	—	·38	—	10
11	·34	—	—	·37	·01	—	—	—	—	·56	·15	—	11
12	—	—	—	—	·05	—	—	—	—	—	·38	—	12
13	·04	—	·02	—	—	—	—	·01	·17	—	·24	—	13
14	·13	—	·09	·06	—	—	·72	·04	·01	·09	·04	trace	14
15	·21	·05	·28	·26	—	—	·25	—	·07	—	—	trace	15
16	·12	—	·33	·06	—	—	—	—	·20	—	trace	—	16
17	·01	·04	·02	·05	—	—	·26	—	trace	—	trace	·02	17
18	trace	—	·13	·07	—	—	trace	—	trace	—	·01	—	18
19	·28	—	·09	—	·05	trace	·09	—	·28	—	—	—	19
20	·25	—	·30	·05	trace	·34	—	—	—	·42	—	trace	20
21	—	—	·16	·04	—	—	·01	—	—	·16	·68	—	21
22	·34	—	28 ~~·28~~	—	—	—	trace	·14	·11	—	trace	—	22
23	trace	—	trace	—	—	·02	·02	·09	—	—	—	·48	23
24	·01	—	—	·04	—	—	—	—	—	—	—	—	24
25	—	·01	—	·25	—	—	trace	—	—	—	trace	·01	25
26	—	—	·18	·10	—	—	trace	·04	—	·71	trace	·12	26
27	—	·01	·06	·07	—	—	—	—	—	·02	trace	—	27
28	·19	—	·36	·09	—	—	—	—	—	·18	—	—	28
29	·04	✕	·04	·41	·61	—	—	·12	—	·09	trace	·01	29
30	·24	✕	~~·08~~	trace	—	—	—	·15	trace	·16	trace	—	30
31	—	✕	·08	✕	—	✕	—	·79	✕	·04	✕	—	31
Total	2·78	·75	2·66	2·15	1·68	·62	1·70	1·44	2·25	3·51	2·17	1·11	YEAR'S TOTAL 22·82
Rain Days.	18	10	20	18	10	6	11	9	11	15	12	13	153

W.7,000, XI. 13

Ex 1 Mcc P. 782308 224

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 6 - JAN 1915

Kept at Wisley, Surrey,
in the County of Surrey. 6
by S. T. Wright.

Lat. 51° 17' Long. 0° 26'
Time of Observation 9 am.
Nearest Railway Station Byfleet
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·01	—	—	—	—	·07	—	—	·03	·03	1
2	—	—	—	—	—	trace	·08	·09	—	—	·06	·21	2
3	trace	—	·03	·01	·21	—	·07	·05	—	—	·03	·02	3
4	·03	—	·01	·20	trace	—	trace	·09	—	—	·33	·36	4
5	·07	—	·05	·17	·13	·05	·21	·44	—	—	—	—	5
6	—	·14	trace	·11	trace	·15	·08	trace	—	—	·13	·11	6
7	—	·45	·28	·16	·18	·20	·11	·01	—	—	trace	·09	7
8	·06	·39	·46	—	—	·09	·08	·11	—	—	—	·03	8
9	·23	—	·59	·22	—	·08	—	—	·06	—	—	1·80	9
10	trace	·16	·05	·02	·06	—	—	—	·29	—	trace	·01	10
11	—	·34	·38	—	·02	·02	—	—	·03	—	·02	·31	11
12	trace	·09	·10	—	—	—	·57	—	·19	·01	·01	·41	12
13	·01	·20	·22	—	—	—	—	—	·08	trace	·03	·50	13
14	—	·15	·16	—	—	·06	·12	—	—	·43	·08	·41	14
15	·02	trace	·13	—	—	—	·14	·02	—	trace	·79	—	15
16	trace	—	·05	—	—	—	trace	—	·02	trace	trace	—	16
17	—	·35	·12	—	—	—	—	—	—	—	—	·15	17
18	—	·02	·18	—	—	—	trace	—	—	—	—	·29	18
19	—	·07	·24	—	—	—	·20	—	—	—	·18	·26	19
20	—	·30	·39	—	—	—	—	—	·04	—	—	·13	20
21	—	·58	·12	—	—	·07	—	—	—	·05	—	—	21
22	—	—	·04	trace	·26	·03	·16	·02	—	·22	—	—	22
23	—	·10	·08	·02	·05	·02	trace	—	—	·05	·10	trace	23
24	—	—	·08	—	trace	—	—	—	—	—	—	trace	24
25	·01	—	·19	—	—	—	trace	·10	—	·21	trace	·10	25
26	trace	—	trace	—	—	—	·06	·03	—	·06	·21	·60	26
27	·04	—	trace	—	—	—	—	—	—	—	·03	·20	27
28	—	·02	—	—	·02	—	—	—	—	·09	·40	·72	28
29	·05	×	·05	—	—	—	—	—	—	·28	·17	—	29
30	—	×	·04	—	—	—	-	—	—	·08	·48	·53	30
31	·01	×	—	×	·14	×	·02	—	×	·02	×	·08	31
Total	·53	3·36	4·05	·91	1·07	·77	1·90	1·03	·71	1·50	3·08	7·35	YEAR'S TOTAL 26·26
Rain Days.	10	15	25	8	9	10	13	11	7	11	17	23	159

W. 8,000. X. 14.

ext 6 %

291

FORM A.
BRITISH RAINFALL.

6. JAN. 1916

REGISTER OF RAINFALL IN 1915

Kept at R. H. S. Gardens, Wisley
in the County of Surrey 6
by L. D. Cartwright for S. T. Wright Esq.

Lat. 51°17' Long. 0°26'
Time of Observation 9 am
Nearest Railway Station Byfleet
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·71	·14	·12	—	·06	—	·06	trace	·20	·04	·18	·41	1
2	·34	·15	·23	·08	—	·03	—	·53	trace	·04	—	·19	2
3	·42	—	·08	·10	trace	—	—	·24	·02	—	—	·37	3
4	·01	—	—	—	—	—	—	—	—	—	—	·20	4
5	·01	·61	—	—	—	—	—	trace	—	·07	—	·34	5
6	·42	·17	·01	·29	—	trace	·60	·12	—	—	trace	·08	6
7	·21	·24	·01	—	—	—	·16	·01	—	—	trace	·25	7
8	·04	·54	—	·01	—	—	·08	·13	—	—	—	trace	8
9	·02	·08	—	·26	—	·06	—	·02	—	—	·32	·59	9
10	·14	·10	·01	—	—	—	—	·03	—	—	—	·20	10
11	trace	—	·04	—	—	—	—	—	—	·02	·65	·04	11
12	·03	·16	—	·39	·44	—	—	—	—	—	·16	trace	12
13	trace	·62	—	—	1·17	—	—	trace	trace	—	—	—	13
14	·01	·02	—	—	—	—	·13	·04	·03	—	—	·37	14
15	·17	·03	—	—	·03	—	·04	·07	trace	—	·17	·10	15
16	trace	·43	—	—	·12	—	·51	·25	—	—	—	·06	16
17	—	·42	—	—	·94	—	—	·08	—	—	—	—	17
18	—	·24	·04	—	·16	—	—	—	—	—	·03	—	18
19	—	·11	—	—	·02	—	·05	—	—	·02	—	—	19
20	·25	—	—	trace	·01	—	—	—	—	—	trace	·16	20
21	·16	—	—	—	—	—	·02	—	—	·04	—	·02	21
22	1·18	·15	·15	—	—	—	·77	—	—	—	—	·13	22
23	·01	·12	·04	trace	—	·02	·23	—	·27	·54	—	·21	23
24	—	—	trace	trace	—	trace	—	—	·41	·35	—	·32	24
25	—	—	—	·09	—	·05	·20	—	—	—	—	·10	25
26	—	·03	—	—	—	·06	·21	—	—	—	—	·52	26
27	—	·03	—	—	—	·25	trace	—	trace	·26	—	·11	27
28	—	·08	—	—	—	·12	—	—	1·37	·14	trace	—	28
29	—	X	—	—	—	·02	·45	·10	·01	—	·17	·01	29
30	·01	X	—	—	—	·63	—	—	trace	·30	·44	·02	30
31	·05	X	—	X	—	X	—	trace	X	1·04	X	·27	31
Total	4·19	4·47	·73	1·22	2·95	1·24	3·51	1·62	2·31	2·86	2·12	5·07	YEAR'S TOTAL 32·29
Rain Days.	19	21	10	7	9	9	14	12	7	12	8	24	152

W. 8,000. X. 15.

279

FORM A.
BRITISH RAINFALL.

5 JAN 19

REGISTER OF RAINFALL IN 1916

Kept at Wisley
in the County of Surrey
by W. D. Cartwright

Lat. 51°17' Long. 0°26'
Time of Observation 9 am.
Nearest Railway Station Byfleet
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	trace	·04	—	·15	—	—	—	·35	·03	·43	—	1
2	·18	·07	·09	—	·26	—	trace	—	·15	·55	·09	—	2
3	trace	·93	·16	—	trace	—	·04	—	·15	·34	·50	—	3
4	·11	·05	—	—	—	·25	—	—	·17	—	·70	—	4
5	·02	—	—	·02	·26	·12	—	—	—	·04	·77	·02	5
6	—	·07	·23	·09	·02	·08	·34	—	—	·05	·60	—	6
7	·07	—	·54	—	·17	·18	·13	—	—	·01	·57	·05	7
8	—	—	·02	—	·24	·05	—	—	—	—	—	·17	8
9	—	—	trace	—	·10	—	—	—	—	·05	—	·15	9
10	trace	·24	·09	·04	trace	·08	trace	—	—	—	trace	·07	10
11	·01	·13	·02	·16	—	·23	—	—	trace	—	trace	trace	11
12	·02	·04	trace	·02	·40	·12	trace	trace	·01	·07	—	—	12
13	—	·16	·62	·09	—	·03	·02	·08	—	·05	—	—	13
14	—	·39	·09	—	·08	—	trace	·05	—	—	—	·07	14
15	—	·11	·19	trace	—	—	·07	·76	—	·08	—	·02	15
16	trace	·03	·40	·14	trace	—	·17	·27	—	trace	—	—	16
17	·12	·15	—	·10	—	—	·02	·06	·30	·45	trace	—	17
18	trace	·05	·03	·07	—	—	—	·27	·05	·35	·71	·02	18
19	·08	—	·14	·23	—	·03	—	·05	·14	—	·50	—	19
20	·07	—	·23	·01	—	—	—	—	—	—	·03	·49	20
21	·03	—	·36	—	—	—	—	—	—	—	—	·27	21
22	—	·01	·03	·01	·01	—	·01	—	—	·13	—	·46	22
23	·02	·30	trace	—	—	·03	—	trace	—	·04	·03	·06	23
24	—	·08	—	—	·07	·01	—	·03	—	·27	·04	·30	24
25	—	·62	·14	—	—	—	—	·15	·02	·07	·06	—	25
26	—	·22	·05	—	—	·08	—	·14	·02	·31	—	—	26
27	—	—	·96	—	—	·01	—	·40	·02	·60	—	—	27
28	—	·43	·14	—	—	·12	—	·09	·03	·03	trace	·11	28
29	—	·12	—	—	—	·13	—	·79	·05	·28	—	·14	29
30	—	X	—	—	—	—	—	·05	—	·43	—	—	30
31	—	X	—	X	—	X	—	·04	X	·13	X	·02	31
Total	·78	4·20	4·57	·98	1·76	1·55	·80	3·23	1·46	4·36	5·03	2·42	YEAR'S TOTAL 31·14
Rain Days.	12	20	21	12	11	16	8	15	13	22	13	16	179

W. 8,000, VIII. 16

272

REGISTER OF RAINFALL IN 1917.

FORM A.
BRITISH RAINFALL.

Kept at R. H. S. Gardens, Wisley

in the County of Surrey

by S. T. Wright.

Lat. 51° 17′ Long. 0° 26′

Time of Observation 9 am

Nearest Railway Station Byfleet

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	trace	·24	—	—	—	1·22	·02	—	·07	trace	1
2	—	—	—	·32	—	·06	—	·06	—	trace	·05	—	2
3	—	—	·01	·07	—	—	·56	·45	—	·12	—	trace	3
4	—	·28	·09	—	—	—	·12	·11	—	·32	—	—	4
5	·28	—	·02	·19	—	trace	—	—	·24	·31	·09	—	5
6	—	—	·31	·03	—	·06	—	—	·25	trace	·06	trace	6
7	·16	—	trace	—	—	—	·34	—	—	·37	trace	·02	7
8	·12	—	trace	·05	—	—	·60	·10	·08	·23	·16	·31	8
9	·02	—	·04	·04	·02	—	·03	·07	·03	trace	·06	·25	9
10	·17	trace	·07	·23	—	—	—	·08	—	—	·01	·03	10
11	·09	·02	·29	·28	—	·20	—	—	·09	·15	—	—	11
12	·05	—	·08	·05	—	trace	—	·05	—	·52	—	—	12
13	·02	—	·14	·02	—	—	—	·10	·01	·08	—	—	13
14	—	—	—	·15	—	—	—	·05	—	—	—	—	14
15	·01	—	—	trace	—	—	·24	·05	—	·01	—	·01	15
16	·06	·07	—	·19	·11	·02	·18	·01	—	·49	—	·63	16
17	—	·01	—	·09	·41	—	·23	·20	·37	·16	—	—	17
18	·03	·02	—	·07	·09	·15	·24	·01	·28	·01	—	—	18
19	trace	·13	·08	—	·01	—	—	—	·09	—	—	—	19
20	·02	·06	·01	—	·63	—	trace	—	·01	trace	·04	—	20
21	—	trace	·01	—	—	trace	—	—	—	—	·02	—	21
22	—	—	·06	—	—	·01	—	·11	—	·06	trace	—	22
23	—	·12	trace	—	·13	·01	—	·12	—	—	—	·04	23
24	—	·01	trace	—	—	·16	·05	·04	—	·16	·01	trace	24
25	—	·04	·02	—	—	—	—	—	—	—	—	—	25
26	—	—	·02	—	—	—	—	·25	·03	—	·30	—	26
27	—	—	—	—	·07	trace	—	·90	—	—	—	—	27
28	—	—	trace	—	—	1·51	—	·02	—	—	—	·05	28
29	—	X	·02	—	·73	·10	·09	·01	—	·28	—	·10	29
30	trace	X	·26	—	—	—	1·75	·03	—	·02	—	·01	30
31	·02	X	·12	X	—	X	·32	trace	X	trace	X	trace	31
Total	1·05	·76	1·65	2·02	2·20	2·28	4·75	4·04	1·50	3·29	·87	1·45	YEAR'S TOTAL ~~25·86~~
Rain Days.	13	10	18	15	9	10	13	22	12	16	11	10	159

W. 8,000, IX. 17.

25·86

Exc D2 P. 782308 224

FORM A. BRITISH RAINFALL 19

REGISTER OF RAINFALL IN 1918

Kept at R. H. S. Gardens, Wisley,
in the County of Surrey
by L. T. Wright (Superintendent)

Lat. 51°17' Long. 0°26'
Time of Observation 9 am G. M. T.
Nearest Railway Station Byfleet
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	01	02	—	·02	—	—	—	·05	—	trace	·34	·04	1
2	—	04	—	·03	—	—	—	·23	—	—	·28	·11	2
3	—		·03	·08	·49	—	—	·06	—	—	·44	—	3
4	—	08	·14	·01	—	—	—	trace	·10	trace	·61	trace	4
5	20th	04	trace	—	·04	—	—	·05	·75	·07	—	trace	5
6	[illegible]	07	—	·37	·20	—	—	trace	·09	trace	—	·10	6
7	—	12	—	·25	·33	trace	—	—	·24	0·05	·07	—	7
8	—	06	—	—	—	—	—	—	·10	·07	·15	—	8
9	—	02	—	·16	—	·14	·32	—	·31	·07	—	·31	9
10	—	—	—	·09	—	—	·70	—	·04	trace	·02	·24	10
11	—	—	—	·01	trace	—	1·48	—	trace	·32	·09	·11	11
12	05m	03	—	—	·15	—	·24	—	·06	—	—	trace	12
13	[illegible]	—	—	—	·20	—	·13	—	·13	·01	—	trace	13
14	15m	—	·03	—	—	·41	·02	—	·08	·07	—	·33	14
15	1335	—	—	·67	—	·05	·12	—	trace	—	—	·06	15
16	·34	—	trace	·22	—	·24	trace	—	·15	—	trace	—	16
17	·27	—	·01	·15	·02	—	·12	·05	—	—	—	·12	17
18	·47	—	—	—	—	·17	·06	—	1·34	·12	—	·04	18
19	·07	trace	·07	·07	trace	·26	·15	trace	—	·13	—	·04	19
20	·07	·11	—	·82	—	·03	·06	—	·14	·11	—	—	20
21	·13	trace	—	·64	—	—	·01	—	·61	·03	—	·01	21
22	·05	trace	—	—	·17	—	·33	—	·15	—	·03	·20	22
23	·02	trace	—	trace	·09	—	·29	·05	·03	—	—	·02	23
24	—	·32	—	—	—	·04	·56	—	·10	—	·03	—	24
25	—	—	—	·02	—	trace	·42	·11	—	·02	—	—	25
26	—	—	—	—	—	—	·63	trace	—	·03	·05	·15	26
27	—	·04	·01	·06	—	—	·12	·17	·10	—	·13	trace	27
28	trace	·04	·20	·05	—	—	—	·05	—	—	·10	·07	28
29	—	X	trace	—	—	—	—	—	1·06	—	·01	—	29
30	—	X	·33	—	—	—	—	—	·05	trace	·04	·07	30
31	·02	X	trace	X	—	X	—	—	X	·08	X	trace	31
Total	3·20	·99	·82	3·72	1·69	1·34	5·76	·82	5·63	1·18	2·39	2·02	YEAR'S TOTAL 29·56
Rain Days.	14	13	8	18	9	8	18	9	20	14	15	17	163

W, 6,500, VII. 18. W W C

WISLEY

COUNTY NUMBER	cols. 1-2	
STATION NUMBER	cols. 3-8	
ALTITUDE	cols. 13-16	
UNITS	col. 17	0.

G04646/PH/11/69/100

9	1·3	-	0·5	2·0	0·8	-	-	-	-	-	1·3	-	9
10	20·8	-	1·5	-	-	-	-	-	-	0·3	0·5	1·3	10
11	0·8	-	1·5	7·1	0·8	-	7·6	-	-	-	-	-	11
12	0·3	-	0·8	-	-	0·5	1·3	-	-	1·8	1·0	-	12
13	0·3	-	-	13·5	-	-	-	-	0·3	0·8	-	1·0	13
14	5·6	-	-	4·8	-	-	2·5	-	26·7	0·3	-	0·5	14
15	3·8	0·5	2·5	1·0	-	-	-	-	-	1·3	0·3	11·2	15
16	2·8	12·2	-	-	-	-	-	-	-	-	2·0	0·5	16
17	-	4·8	-	0·5	-	-	-	-	-	-	3·8	-	17
18	-	6·1	2·5	-	-	-	0·3	-	-	-	2·0	0·8	18
19	0·3	1·5	14·7	-	-	6·9	24·1	8·9	0·3	-	1·3	-	19
20	3·3	1·3	3·3	-	-	15·5	2·3	2·8	-	-	-	0·3	20
21	3·6	7·6	0·5	-	-	1·5	1·0	-	-	-	0·5	2·8	21
22	-	0·3	-	-	-	-	5·8	-	6·6	-	0·3	7·9	22
23	-	-	-	-	-	0·3	-	1·0	-	-	0·8	0·5	23
24	-	-	-	2·0	-	0·5	1·8	-	-	6·1	1·5	0·5	24
25	0·8	1·3	-	0·5	2·0	0·5	-	3·8	-	-	-	0·5	25
26	1·3	2·8	2·8	2·5	-	-	-	0·3	1·3	-	0·3	7·4	26
27	14·2	1·0	-	18·5	-	-	-	9·1	-	-	0·8	1·3	27
28	-	-	7·6	0·8	-	-	0·5	16·8	-	-	12·4	6·9	28
29	0·8		-	2·5	-	-	-	7·4	-	4·6	0·3	1·5	29
30	-		0·8	6·4	-	2·5	-	9·4	-	1·0	8·1	11·4	30
31	0·8		0·5		-		2·3	-		-		1·0	31
TOTAL	99·6	48·6	35·2	62·9	6·1	29·7	67·5	59·5	42·8	17·2	43·6	111·9	YEAR'S TOTAL 674·6
Days with 0·2 mm. or more	23	14	20	15	6	9	16	9	8	10	23	25	178

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M.O. Form 3208

26·53

REGISTER OF RAINFALL IN 1919.

22 MAR 20

Kept at Wisley [M.O.]
in the County of Surrey
by The Superintendent, for the Royal Horticultural Society

Lat. 51° 17′ Long. 0° 26′ W
Time of Observation 9h. G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	8·1	1·3	0·5	-	1·5	-	7·1	-	-	0·5	0·3	28·4	1
2	9·9	-	-	-	0·5	-	4·8	-	2·8	0·5	2·3	2·3	2
3	7·4	-	8·6	-	0·5	-	0·3	-	1·0	-	0·5	9·1	3
4	2·8	0·8	10·7	-	-	1·5	3·8	-	-	-	0·3	4·6	4
5	-	7·1	14·0	0·3	-	-	2·0	-	3·8	-	2·5	7·1	5
6	4·8	-	0·8	-	-	-	-	-	-	-	-	2·8	6
7	1·0	-	8·6	-	-	-	-	-	-	-	0·5	0·3	7
8	4·8	-	2·5	0·5	-	-	-	-	-	-	-	-	8
9	1·3	-	0·5	2·0	0·8	-	-	-	-	-	1·3	-	9
10	20·8	-	1·5	-	-	-	-	-	-	0·3	0·5	1·3	10
11	0·8	-	1·5	7·1	0·8	-	7·6	-	-	-	-	-	11
12	0·3	-	0·8	-	-	0·5	1·3	-	-	1·8	1·0	-	12
13	0·3	-	-	13·5	-	-	-	-	0·3	0·8	-	1·0	13
14	5·6	-	-	4·8	-	-	2·5	-	26·7	0·3	-	0·5	14
15	3·8	0·5	2·5	1·0	-	-	-	-	-	1·3	0·3	11·2	15
16	2·8	12·2	-	-	-	-	-	-	-	-	2·0	0·5	16
17	-	4·8	-	0·5	-	-	-	-	-	-	3·8	-	17
18	-	6·1	2·5	-	-	-	0·3	-	-	-	2·0	0·8	18
19	0·3	1·5	14·7	-	-	6·9	24·1	8·9	0·3	-	1·3	-	19
20	3·3	1·3	3·3	-	-	15·5	2·3	2·8	-	-	-	0·3	20
21	3·6	7·6	0·5	-	-	1·5	1·0	-	-	-	0·5	2·8	21
22	-	0·3	-	-	-	-	5·8	-	6·6	-	0·3	7·9	22
23	-	-	-	-	-	0·3	-	1·0	-	-	0·8	0·5	23
24	-	-	-	2·0	-	0·5	1·8	-	-	6·1	1·5	0·5	24
25	0·8	1·3	-	0·5	2·0	0·5	-	3·8	-	-	-	0·5	25
26	1·3	2·8	2·8	2·5	-	-	-	0·3	1·3	-	0·3	7·4	26
27	14·2	1·0	-	18·5	-	-	-	9·1	-	-	0·8	1·3	27
28	-	-	7·6	0·8	-	-	0·5	16·8	-	-	12·4	6·9	28
29	0·8		-	2·5	-	-	-	7·4	-	4·6	0·3	1·5	29
30	-		0·8	6·4	-	2·5	-	9·4	-	1·0	8·1	11·4	30
31	0·8		0·5		-		2·3	-		-		1·0	31
TOTAL	99·6	48·6	35·2	62·9	6·1	29·7	67·5	59·5	42·8	17·2	43·6	111·9	YEAR'S TOTAL 674·6
Days with 0·2 mm. or more	23	14	20	15	6	9	16	9	8	10	23	25	178

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M.O. Form 3203.

26·53

235

and SA.

[illegible]RM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Wisley (M O)

in the County of Surrey

by The Superintendent for the Royal Horticultural Society

Lat. 51° 17′ Long. 0° 26′ W

Time of Observation 9h G.M.T

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	1·5	-	-	11·4	2·0	-	6·9	0·5	0·3	10·9	0·5	6·9	1
2	-	-	1·5	-	0·5	-	0·3	15·2	2·8	0·5	-	1·8	2
3	0·8	0·8	-	1·8	-	-	0·5	-	0·3	2·0	-	0·8	3
4	-	1·3	-	4·6	-	-	16·0	1·3	-	6·1	-	1·8	4
5	-	-	3·8	0·8	-	-	22·9	3·6	-	-	-	1·0	5
6	-	0·3	4·1	-	1·8	-	10·2	-	-	-	-	0·5	6
7	0·3	-	0·8	3·0	2·0	-	2·5	-	-	-	0·3	-	7
8	-	0·3	-	2·5	4·8	-	4·8	-	-	-	-	-	8
9	6·4	-	-	1·3	-	-	-	-	-	0·3	-	-	9
10	11·2	0·8	1·5	0·3	-	0·8	2·0	-	-	-	0·5	0·3	10
11	4·3	-	2·0	6·4	0·5	0·5	5·1	-	-	-	-	3·0	11
12	1·5	-	-	3·6	-	22·4	-	-	-	0·5	0·3	-	12
13	4·3	0·3	3·8	1·3	-	-	-	-	-	-	0·3	-	13
14	-	0·3	5·6	7·1	-	5·1	-	-	4·1	0·3	5·1	0·8	14
15	0·5	0·3	1·5	5·1	-	-	-	-	15·0	4·6	1·5	-	15
16	-	-	0·5	0·8	-	0·5	-	-	5·1	-	-	-	16
17	1·0	-	-	-	2·8	-	0·3	-	13·7	-	-	1·5	17
18	1·0	-	-	-	0·3	-	-	21·1	4·3	-	-	1·3	18
19	2·0	-	-	5·1	-	1·8	-	-	-	-	-	0·5	19
20	2·0	2·8	0·3	5·3	-	13·0	-	-	2·5	-	-	0·3	20
21	-	-	-	0·8	-	-	15·2	0·3	8·1	-	-	1·8	21
22	-	-	-	5·3	-	-	-	1·3	2·0	-	-	9·9	22
23	-	0·3	-	-	-	-	9·1	1·3	-	0·3	0·5	6·4	23
24	0·3	-	1·5	-	-	-	-	-	-	-	-	0·8	24
25		-	0·3	0·3	-	-	5·1	-	-	-	-	-	25
26	1·8	-	2·8	0·3	-	-	3·6	-	-	-	0·3	1·5	26
27	8·1	1·3	0·5	6·6	-	2·0	1·5	-	-	-	10·4	2·0	27
28	11·4	-	7·4	5·1	0·5	-	2·3	-	-	-	1·5	0·5	28
29	8·1	-	1·3	0·8	-	-	-	-	-	-	1·3	3·8	29
30	0·3		-	0·8	0·3	0·5	2·5	-	4·1	0·5	5·3	3·8	30
31	0·3		1·3		-		-	-		24·1		1·5	31
TOTAL	67·1	8·8	40·5	80·4	15·5	46·6	110·8	44·6	62·3	50·1	27·8	52·5	YEAR'S TOTAL 607·0
Days with 0·2 mm. or more	20	11	18	24	10	9	18	8	12	11	13	23	177
	14	3	13	16	5	5	15	6	10	5	6	15	113

(44,284). Wt 21,958—21? 500. 10/19. Gp.132. A.&E.W.

copied for M O Form 3203

E4 RL

235

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

4 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at R. H. S. Gardens, Wisley
in the County of Surrey
by S. T. Wright (Supt.)

Lat. 51°17′N Long. 0°26′ W
Time of Observation 9 am G. M. T.
Nearest Railway Station Byfleet
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	—	—	·45	·08	—	·27	·02	·01	·43	·02	·27	1
2	—	—	·06	—	·02	—	·01	·60	·11	·02	—	·07	2
3	·03	·03	—	·07	—	—	·02	—	·01	·08	—	·03	3
4	—	·05	—	·18	—	—	·63	·05	—	·24	—	·07	4
5	—	—	·15	·03	—	—	·90	·14	—	—	—	·04	5
6	—	·01	·16	—	·07	—	·40	—	—	—	—	·02	6
7	·01	—	·03	·12	·08	—	·10	—	—	—	·01	—	7
8	—	·01	—	·10	·19	—	·19	—	—	—	—	—	8
9	·25	—	—	·05	—	—	—	—	—	·01	—	—	9
10	·44	·03	·06	·01	—	·03	08	—	—	—	·02	·01	10
11	·17	—	·08	·25	·02	·02	·20	—	—	—	—	·12	11
12	·06	—	—	·14	—	·88	—	—	—	·02	·01	—	12
13	·17	·01	·15	·05	—	—	—	—	—	—	·01	—	13
14	—	·01	·22	·28	—	·20	—	—	·16	·01	·20	·03	14
15	·02	·01	·06	·20	—	—	—	—	·59	·18	·06	—	15
16	—	—	·02	·03	—	·02	—	—	·20	—	—	—	16
17	·04	—	—	—	·11	—	·01	—	·54	—	—	·06	17
18	·04	—	—	—	·01	—	—	83	·17	—	—	·05	18
19	·08	—	—	·20	—	·07	—	—	—	—	—	·02	19
20	·08	·11	·01	·21	—	·51	—	—	·10	—	—	·01	20
21	—	—	—	·03	—	—	·60	·01	·32	—	—	·07	21
22	—	—	—	·21	—	—	—	·05	·08	—	—	·39	22
23	—	·01	—	—	—	—	·36	·05	—	·01	·02	·25	23
24	·01	—	·06	—	—	—	—	—	—	—	—	·03	24
25	—	—	·01	·01	—	—	·20	—	—	—	—	—	25
26	·07	—	·11	·01	—	—	·14	—	—	—	·01	·06	26
27	·32	·05	·02	·26	—	08	·06	—	—	—	·41	·08	27
28	·45	—	·29	·20	·02	—	·09	—	—	—	·06	·02	28
29	·32	—	·05	·03	—	—	—	—	—	—	·05	·15	29
30	·01	╳	—	·03	·01	·02	·10	—	·16	·02	·21	·15	30
31	·01	╳	·05	╳	—	╳	—	—	╳	·95	╳	·06	31
Total	2·64	·33	1·59	3·15	·61	1·83	4·36	1·75	2·45	1·97	1·09	2·06	Year's Total 23·83
Days with ·01 in. or more	20	11	18	24	10	9	18	8	12	11	13	23	177
Days with ·04 in. or more	14	3	13	16	5	5	15	6	10	5	6	15	113

WITLEY
GT. ROKE
SURREY
1911 - 1920

RI 11 N

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

GREAT
Kept at Great

in the County of S

by Charles W

5" in.

e Ground 4 ft. 6 in.

Sea Level 300 ft.

Name Milford

Distance 1½ Direction East

IMPORTANT NOTE the result entered to the previous day. If an Obs versal rule, he is earnestly requested to add the readi on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·18	·01			·05			·02	·03	1
2	·08 Snow			·15	·27						·16	·12	2
3		·03						·02		·02	·10	·06	3
4	·01	·01	·04	·07	·16					·03	·20	·43	4
5	·02		·11	·01						·29	·04		5
6	·17		·01							·02	·03	·65	6
7	·02			·01						·12	·50	·24	7
8	·08		·21								·12	·43	8
9	·16		·01								·01	·25	9
10		·16	·11								·02	·70	10
11	·35		·01								·83		11
12	·01		·49						·02		·17	·01	12
13			·01						·20	·10		·59	13
14		·08			·35					·02		·63	14
15		·02									·12	·05	15
16			·04			·68						·09	16
17						·06					1.00	·39	17
18		·13	·09	·01		·10				·01	·40	·65	18
19					·01	·34			·46	·20	·12	·16	19
20	·02	·04	·06					·33	·04	·04		·90	20
21	·02	·16						·05	·12	·52	·01	·21	21
22	·10		·37			·11		·01	·15	·33		·55	22
23		·25								·09	·05	·11	23
24		·13					·01	·02		1·74		·32	24
25	·01		·02 Snow	·04	·63	·72	·52	·28	·04	·02		·01	25
26			·05	·22		·01	·09	·01		·18	·03	·23	26
27			·15	·41		·01	·03		·06	·14		·18	27
28		·52		·32				·13			·04		28
29				·44		·16	·09		·13	·29			29
30					·01	·02		·36	·01	·41		·01	30
31		~~·52~~								·01			31
Total	1.08	1.53	1.78	1.86	1.44	2.20	·74	1.26	1.23	4.58	3.97	8.00	TOTAL for year 29.67
No. of Rain Days	14	11	16	11	7	9	5	10	10	20	20	26	159

9,000, IX. '10.

RE 11

N

FORM A2.
BRITISH RAINFALL
2 - JAN 1912

GREAT

Kept at Great Roke, Witley

in the County of Surrey

by Charles W Dixon

RAIN GAUGE
Diameter of top 5" in.
Height of top above Ground 4 ft. 6 in.
" " " Sea Level 300 ft.

Time of Observation 9 am

Nearest Railway Station
Name Milford
Distance 1½ Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·18	·01			·05			·02	·03	1
2	·08 Snow			·15	·27						·16	·12	2
3		·03						·02		·02	·10	·06	3
4	·01	·01	·04	·07	·16					·03	·20	·43	4
5	·02		·11	·01						·29	·04		5
6	·17		·01							·02	·03	·65	6
7	·02			·01						·12	·50	·24	7
8	·08		·21								·12	·43	8
9	·16		·01								·01	·25	9
10		·16	·11								·02	·70	10
11	·35		·01								·83		11
12	·01		·49						·02		·17	·01	12
13			·01						·20	·10		·59	13
14		·08			·35					·02		·63	14
15		·02									·12	·05	15
16			·04			·68						·09	16
17						·06					1.00	·39	17
18		·13	·09	·01		·10				·01	·40	·65	18
19					·01	·34			·46	·20	·12	·16	19
20	·02	·04	·06					·33	·04	·04		·90	20
21	·02	·16						·05	·12	·52	·01	·21	21
22	·10		·37			·11		·01	·15	·33		·55	22
23		·25								·09	·05	·11	23
24		·73					·01	·02		1.74		·32	24
25	·01		·02 Snow	·04	·63	·72	·52	·28	·04	·02		·01	25
26			·05	·22		·01	·09	·01		·18	·03	·23	26
27			·15	·41		·01	·03		·06	·14		·18	27
28		·52		·32				·13			·04		28
29				·44		·16	·09		·13	·29			29
30					·01	·02		·36	·01	·41		·01	30
31		~~·52~~								·01			31
Total	1.08	1.53	1.78	1.86	1.44	2.20	·74	1.26	1.23	4.58	3.97	8.00	TOTAL for year 29.67
No. of Rain Days	14	11	16	11	7	9	5	10	10	20	20	26	159

9,000, IX. '10.

W DL cord 3 II·13 Co.ty sum. stats. 28. III. 13.

FORM A2. BRITISH RAINFALL. 1 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Great Roke, Witley

in the County of ~~Witley~~ Surrey 6

by Charles W Dixon

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 3 ft. in.
" " " Sea Level 300 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Milford
Distance 1½ Direction east

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·13			·16	·18		·06	~~1·16~~		·21	1
2		·01	·37			·12	·40	·34		·65		·01	2
3	·02		·09	~~·01~~	·01	·12		·35		·02	·01		3
4	·14		·62		·16	·28		·03			·16	·03	4
5	·19		·17					·50		·02	·04	·02	5
6	·33	·14			·01			·11	·02			·07	6
7			·02	·01	·07	·55		·23				·12	7
8	·28	·44	·31			·06		·03					8
9		·22	·07	·01		·03	·02	·16				·20	9
10	·01	·08						·15		·01	·03	·28	10
11	·06	·27	·03					·01	·01		·02	·25	11
12	·03	·15	·09		·05	·20	·09	·14		·02	·01		12
13							·19	·03			·05	·09	13
14		·01	·02		·03			·02		·03		·03	14
15	·01		·10		·15	·55					·01	·35	15
16		·01	·15		·21	·02		·11			·04		16
17			·19			·03		·11				·24	17
18	·72		·50	·01				·15		·03	·02	·05	18
19	·06	·11					·18	·62					19
20			·50					·13		·44		·01	20
21	·04	·03	·17		·19			·04		·16	·05		21
22	·10	·30			·14		·05	·19				·09	22
23	·49	·35	·32			·03		·22		·10	·14	·20	23
24	·40	·04			·01	·24		·16				·19	24
25	·12					·48		·49		·14	·20	·65	25
26		·03				·03		·20		·44	·75	·32	26
27			·01			·12	·02			·39		·26	27
28		·07				·11	·37	·13	·16	·68	·49	·27	28
29		·06	·01	·01		·11	·38	·26	2.20	·35	·06		29
30			·06		·25	·01	·11	·02	1·16	·26			30
31					·17		·26	·16				·01	31
Total	3·00 3·00	2·32	3·93	·04	1·45 1·45	3·25	2·25	5·19	~~2·45~~ 3·61	~~4·90~~ 3·74	2·08	3·95	TOTAL for year 34·81
No. of Rain Days.	16	17	21	4	13	19	12	28	6	16	16	23	191

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
17 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Great Roke . Witley
in the County of Surrey
by Charles W Dixon

6

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Milford. L.S.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·26	·10	·06					·55	·02	·18	·17	1
2	·09	·11	·02	·02			·09		·08	·05	·06	·01	2
3	·04		·03	·19	·69					·09		·21	3
4	·44		·07	·01	·39				·76	·32	·07	·02	4
5	·35	·02	·03		·01	·17	·08		·45			·02	5
6	·09	·30	·14		·01	·08	·38		·01	·69	·05	·19	6
7		·36	·01	·01	·19	·03	·01			·43	·17	·01	7
8	·01	·04	·01		·16	·01				·18			8
9		·07	·01		·04	·01	·01		·18		·03		9
10	·03			·05			·06	·02		·01	·28		10
11	·76			·34						·74	·29	·01	11
12					·40						·28		12
13	·28		·03	·01					·07		·19		13
14	·27		·16	·41			·80	·03		·09	·08		14
15	·24	·08	·25	·16			·25		·03		·01		15
16	·18		·47						·24				16
17	·02		·07	·08			·19				·01		17
18	·01		·24	·08			·02				·06		18
19	·34		·10	·01	·05	·04	·10		·27				19
20	·17		·39	·08	·01	·85				·80	·02		20
21			·23	·09		·01	·02		·19	·18	·80		21
22	·24		·25	·45			·02	·05					22
23			·04			·03		·12	·01			·72	23
24	·02			·06				·02					24
25		·01		·28					·01	·02			25
26			·11	·14				·12		·64		·21	26
27		·01	·18	·07						·05			27
28	·12		·24	·16						·14	·02		28
29	·05		·07	·44	·70			·22		·10			29
30	·42			·09				·80		·22			30
31	·02		·08					~~·66~~					31
Total	4.19	1.26	3.33	3.29	2.65	1.23	2.03	2.04	2.85	4.77	2.60	1.57	YEAR'S TOTAL 31.81
Rain Days.	22	10	25	23	11	9	13	9	13	18	17	10	180

3.33 2.04

W. 7,500, XI. ·12

cord pr auth 8.11.15 W 2456

REGISTER OF RAINFALL IN 1914

FORM A2. BRITISH RAINFALL. 2 - JAN 1915

Kept at Great Roke, Witley

in the County of Surrey 6

by Charles W Dixon Esq.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 6 ft. in.
" " " Sea Level 300 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Milford. S.W.R
Distance 1½ Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01					·12			·76	·04	1
2	·01					·02	·03	·12			·18	·33	2
3			·07		·31		·07				·02	·03	3
4	·02		·03		·02		·03	·20			·42	·36	4
5	·09		·06		·25	·05	·43	·70			·05		5
6		·19	·01		·04	·14	·01	·01				·34	6
7		·96	·21	·23	·02		·15	·01				·28	7
8	·04	·60	·33			·07	·01	·26				·09	8
9	·27		·80	·15		·08			·15			2.12	9
10	·04	·23	·02	·07	·08				·23			·01	10
11		·44	·45	·01		·05	·54		·10		·07	·41	11
12		·17	·07						·28	·08		·64	12
13	·01	·52	·29						·14	·02		1.05	13
14		·44	·26			·13	·22	·01		·41	·24	·45	14
15		·04	·15				·12	·06	·02	·01	·56	·01	15
16			·01				·03		·10		·05		16
17		·55							·09			·42	17
18		·01	·29			·03						·42	18
19		·05	·27				·42		·01		·19	·29	19
20		·34	·34						·05			·48	20
21		·50	·07	·11		·04				·17		·01	21
22		·01	·01			·09	·12	·02		·17			22
23		·02	·08	·01						·04			23
24			·13								·18		24
25	·03		·11					·12		·28	·01	·10	25
26			·04				·04	·09		·06	·27	·72	26
27	·04		·01								·09	·34	27
28		·04	~~·0~~	·07			·09			·09	·51	·69	28
29	·15		·09							·39	·34	·01	29
30	·01		·10	~~·10~~	·10					·12	·79	·68	30
31	·04	~~·04~~					·04			·05		·02	31
Total	·75	5.12 5.11	4.33 4.31	·65	·82	·70	2.35	1.72	1.97 1.17	1.89	4.13	10.34	TOTAL for year 33.97 33.94
No. of Rain Days	12	17	27	7	7	10	16	12	10	13	17	26	174

9,000, IX. '10.

232

FORM A.
BRITISH RAINFALL.

28 APR 1916

REGISTER OF RAINFALL IN 19 15

Kept at Great Roke, Witley
in the County of Surrey
by Charles W Dixon

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Milford LSWR
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·88	·12	·03		·02		·14	·05	·23	·07	·17	·47	1
2	·26	·31	·17	·06		·02		·53	·12	·05		·17	2
3	·61		·11	·15	·08			·01	·01			·40	3
4	·08											·47	4
5	·01	·75						·05		·01	·01		5
6	·44	·15		·45			·90			·01			6
7	·40	·49		~~·45~~			·29					·35	7
8	·03	·80	·02				·13	·09				·01	8
9	·08	·07		·10		·10		·01			·48	·59	9
10	·25	·02										·23	10
11	·02		·04				·01			·02	·71	·02	11
12	·03	·30		·29	·42					·03	·48		12
13	·02	·61			1·27				·02				13
14	·02	·03					·08	·09	·02			·59	14
15	·09	·01			·05		·02	·27			·07	·35	15
16	·02	·80			·10		·85	·10		·01		·09	16
17		·63			1·42		·03	·17					17
18		·16	·03		·15								18
19		·29			·04		·06			·01	·08		19
20	·29			·03	·05							·14	20
21	·15	·06			·05		·03			·17		·04	21
22	1·34	·12	·10				·92		·01			·24	22
23	·01	·09	·06			·03	·15		·29	·37		·27	23
24			·01				·09		·40	·33		·42	24
25				·05					·01		·02	·19	25
26		·05				·13	·17					·72	26
27		·05				·19			·01	·37		·09	27
28		·07				·10			·81	·14			28
29		X				·14	·26	·14			·42	·03	29
30	·06	X				·12				·43	·69	·04	30
31	·05	X		X		X		·09	X	1·44	X	·47	31
Total	5·14	5·98	·57	1·13	3·65	·83	4·13	1·60	1·93	3·46	3·13	6·39	YEAR'S TOTAL 37·94
Rain Days.	22	22	9	7	11	8	16	12	11	15	10	23	37·94 166

W. 8,000. X. 14.

✓

end for month

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

223

2 JAN 1917

Kept at Great Roke Witley

in the County of Surrey

by Mr & Mrs C. W. Dixon

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Milford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 5 ft. in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Rainfall entered day before

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·09	·04	·03		·22	·01			·46	·12	·35		1
2	·38	·11	·12		·28				·19	·85	·04		2
3	·02	1.02	·23		·01				·21	·51	·66		3
4	·15	·04				·34			·23	·01	·67		4
5	·03	·04	·01		·20	·09	·03			·09	·85		5
6		·11	·01		·03	·03	·36			·26	·85		6
7	·04	·10	·27	·04	·14		·11			·07	1.07	·02	7
8			·25		·20						·01	·41	8
9			~~·07~~		·40					·01		·25	9
10		·36	·07		·02	·33	·10				·01	·20	10
11	·05	·10	·04	·06		·78					~~·0~~	·06	11
12	·03	·06	·01	·13	·12	·11				·01	·01		12
13		·21	·15	·03	·05	·63	·07	·06	·05	·01			13
14		·47	·30	·15	·03					·09			14
15		·13	·40	·04	·01			·50				·01	15
16	·01	·02	·31	·03			·12	·50					16
17	·17	·17		·13			·01	1.27	·24	·79			17
18	·04	·09	·06	·02		·03		·26	·23	·04	·69	·15	18
19	·22	·01	·23	·03				·11	·26		·34	·03	19
20	·12		·35	·24						·01	·04	·75	20
21	·01		·32	·03			·10					·36	21
22	·01	·01	·03		·01	·01				·08	·01	·67	22
23	·01	·06	·01			·03		·03		·09	·08	·05	23
24		·26			·21	·02		·04	~~·02~~	·44	·13	·35	24
25			·17					·15	·02	·02	·08		25
26		·31	·05			·08		·04	·19	·49			26
27	·01	·33	·98					·42	·08	·67			27
28		·44	·10			·14		·05	·20	·09	·05	·15	28
29	·01	·25				·25		·58	·12	·53		·23	29
30								·06		·56			30
31								·02		·14			31
Total	1.40	4.74	4.50	·93	1.93	2.28	·90	4.09	2.48	5.92	6.94	3.69	YEAR'S TOTAL 38.89
Rain Days.	18	24	24	12	15	15	8	15	13	24	18	15	201

W. 8,000. X. 15.

216

FORM A.
BRITISH RAINFALL
2 JAN 18

REGISTER OF RAINFALL IN 1917

Kept at Great Roke, Witley
in the County of Surrey
by Charles W Dixon

Lat. .... Long. ....
Time of Observation 9 a.m
Nearest Railway Station Milford LSWR
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 6 in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. ~~If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph.~~ Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☒

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·14	·26				1·38	·08			·01	1
2				·16				·04	·02		·16		2
3			·03	·14			1·09	·56		·18			3
4		·25		}			·08	·46		·29			4
5	·27		·12	} ·44		·01			·25	·48	·16		5
6			·24			·07			·10		·09	·02	6
7	·27			·01			·07			·49		·02	7
8	·17			·06			·55	·12	·03	·29	·17	·41	8
9	·01		·05	·05	·01		·12				·05	·29	9
10	·19		·22	·26		·07		·24				·01	10
11	·18		·31	·16		·16		·05	·26	·03			11
12	·06		·03	·05				·10		·25		·01	12
13	·08		·12	·13				·21	·04	·15			13
14				·16				·08		·03	·01		14
15					·03		·21	·02		·05		·04	15
16		·14		·10	·04			·04		·94		·54	16
17		·01			·18		·23	·14	·48	·17			17
18	·05	·03			·36	·05	·20	·02	·36				18
19		·17	·10		·02	·01			·10		·01		19
20					·37		·13	·10	·04		·02		20
21		·05	·04										21
22						·23		·14		·06		·03	22
23		·19	·05		·14			·14					23
24		·04				·07	·07	·01		·20	·04		24
25			·03										25
26			·05			·03		·44	·05		·28		26
27					·06	·01		1·41					27
28			·10			·91		·22					28
29			·08		·21	·10	·03	·02		·47		·14	29
30		╳	·11				1·38	·10		·06			30
31	·04	╳	·11	╳		╳	·12	·04	╳		╳	·04	31
Total	1·32	·88	1·93	1·98	1·42	1·72	4·28	6·08	1·81	4·14	·99	1·56	YEAR'S TOTAL 28·11
Rain Days.	10	8	18	14	10	12	13	24	12	16	10	12	159

W. 8,000, IX. 17.

135

cnd by obr.

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL.

23. 19

Kept at Great Roke, Witley
in the County of Surrey
by Charles W Dixon

Lat. 51°10'N. Long. 0°40' W.
Time of Observation 9 a.m.
Nearest Railway Station Milford, L. & S.W.R.
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 5 ft. 6" in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·02					·38	·30			·50		1
2		·03						·06		·01	·31	·28	2
3		·02	·04		·46		·08	·03			·36		3
4		·22	·10					·12	·22		·99		4
5		·08		·01	·10				·08	·19		·06	5
6	·18	·16	·05	·32	·30				·01			·06	6
7		·12		·23				·08	·33		·27	·05	7
8		·42								·15	·03	·05	8
9	·01	·03		·13		·11	·27		·68	·14		·28	9
10	-						·43		·16	·04	·03	·72	10
11		·05					·42		·01	·36	·08		11
12					·17		·28		·06	·01		·12	12
13	s ·15						·18		·20			·01	13
14	·18		·09						·17	·17		·36	14
15	1·21			·30		·01			·02			·15	15
16	s ·45		·05	·25		·07					·01		16
17	·20		·02	·12		·08						·22	17
18	·58					·32						·12	18
19	·11		·01	·02		·04	·19			·05			19
20	·06	·16		~~·22~~ ·24		·06	·12		1·71 x	·08			20
21	·33	·02		·38			·01		·35			·03	21
22	·17			·03			·21	·03	·20	·05		·16	22
23	·07	·35		·			·50				·03	·02	23
24							·01				·10		24
25				·13			·19		·36	·03			25
26							·47			·02	·05	·13	26
27		·10		·05		·42	·10		·07	·01	·10		27
28	·03		·41	·04				·29			·12	·01	28
29			·02					·02	·05		·02		29
30	·02	X	·43			·09			·06	·04	·06		30
31	·01	X	·04	X		X	·04	·02	X	·15	X		31
Total	3·76	1·78	1·26	2·75	1·03	~~·69~~ 1·20	~~3·42~~ 3·88	·95	4·74	1·50	3·06	2·87 3	YEAR'S TOTAL ~~27·77~~ 28·14
Rain Days.	16	14	11	14	4	~~7~~ 9	~~15~~ 17	9	~~18~~ 20	16	16	19 ✓	~~159~~ 165

W. 6,500, VII. 18. W W C

of the last days of June & beginning of July.

		rain
June	27	·42"
"	30	·09"
July	1	·38"
"	3	·08".

I am afraid you will think from this that the whole return is hardly to be relied upon.

I think however that you may safely take them as accurate.

It has been difficult all this last year to keep the accounts, owing to the death of Mr Duncan early in the year, & because I have been in London myself.

Yours faithfully

Charles W Duncan

Surrey 135

C 20.11.19

STATION:- MILFORD. } SURREY.
TELEGRAMS WITLEY. }

GREAT ROKE,
WITLEY,
SURREY.

Feb 19. 19.

Dr H R Mill

Dear Sir

With reference to the record of rain fall I sent you for 1918. I regret to find that some omission have been made in the return. I give overleaf the rain

~~W~~ Rl and fractions

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Great Oaks, Witley

in the County of Surrey

by Charles W. Dixon

Lat. 51° 10′ N. Long. 0° 40′ W

Time of Observation 9 a.m.

Nearest Railway Station Milford, L. & S. W. R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 5 ft. 6 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·51	·03 S	·02		·01		·27			·02	·04	1·30	1
2	·51		·03		·03		·03		·04	·01	·06	·04	2
3	·39		·55		·02		·03		·03		·03	·28	3
4	·15	·30	·43				·17	·02	·06		·03	·16	4
5	·01	·37 S	·70				·98		·22		·16	·19	5
6	·24		·04		·02	·07			·01		·02	·08	6
7	·05		·52	·01							·05		7
8	·32		·14	·02									8
9	·20		·05	·20	·05				·01		·18		9
10	·98		·12	·05	·01					·01 ×	·01	·16	10
11	·08		·11	·26	·04		·08					·04	11
12	·04		·02	·04		·02	·08			·05	·04	·01	12
13	·04		·01	·68								·05	13
14	·48			·43			·09		·59	·01 ×		·07	14
15	·26	·10	·04	·03					·01	·03	·01	1·02	15
16	·08	·65		·03							·08	·01	16
17		·28 S									·10	·01	17
18		·11	·27						·01	·01	·04	·03	18
19	·09	·25	1·14			·10	·62	·18	·01	·01 ×	·04		19
20	·35	·09	·09			·52	·05	·20			·01	·01	20
21	·11	·57	·01			·06	·01			·01 ×	·01	·02	21
22		·03					·21		·42	·01 ×	·01	·19	22
23									·02	·01	·04	·03	23
24		·01		·07	·01	·03	·03	·03		·24	·07	·05	24
25	·02	·08	·06			·01		·38			·01	·01	25
26	~~·64~~	·23		~~·01~~ ·10			·02	·14	·11			·42	26
27	·69 S	·02	·24 S	} ·64 S				·50			·02	·01	27
28	~~·03~~			} ·16 S				1·02			·46	·32	28
29	·03 S			}		·01		·31		·14	·03	·08	29
30		×		} ·38		·10		·49		·02	·43	·76	30
31	·04 S	×	·09 S	×		×	·03	·01	×	·01	×	·10	31
TOTAL	5·67	3·12	4·68	~~3·00~~ 3·10	·19	·92	2·70	3·28	1·54	·59	1·98	5·45	YEAR'S TOTAL ~~33·12~~ 33·22
Days with ·01 in. or more	23	15	21	15	8	9	15	11	13	15	25	27	195

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

193

5 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Great Roke, Witley
in the County of Surrey
by Charles W. Dixon

Lat. 51°.10′N Long. 0°.40′W
Time of Observation 9. a. m.
Nearest Railway Station Milford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 6 in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05			·30	·12		·36				·03	·43	1
2	·01		·08	·01	·03		·01	·27	·07	(1)·47		·13	2
3	·08	·02	·01	·03	·37		·03		·01	(2)·02	x ·01	·03	3
4		·08		(·92)			1·36	·15		(3)·27		·10	4
5			·20	·01			·59	·24		(4)·45		·06	5
6		·01	·23		·15		·46			(5)·01		·02	6
7	·02		·01	·11	·04		·22			(6)·01			7
8	·01			·03	·06		·24			·01			8
9	·19	·02	·02	·07		·04	·17					S ·02	9
10	·56	·22	·05	·01		·21	·20				x ·01		10
11	·34	·03	·08	·48	·02	·05	·20			·01		S ·15	11
12	·03	·03		·28		·85					·04		12
13	·19		·20	·06							·05	·02	13
14		·02	·38	·43		·03			·06	·12	·47		14
15	·01	·03	·03	·17	·01	·12	·06		·63	·10	·14	S ·01	15
16			·02	·10					·19				16
17					·15	·02			·98			·07	17
18	·07				·09	·01		·90	·18			·08	18
19	·07	·01		·27		·03		·02	·03		·01	·02	19
20	·18	·10		·21		·52		·01				·03	20
21				·04			·59		·31			·17	21
22	·02			·18					·12			·39	22
23	·01	·01					·31	·26		x ·01		·31	23
24	·01	·01	·14							x ·01	·01	·04	24
25	·01	·01	·03	·01	·02		·36						25
26	·12		·41	·02			·09			x ·01		·08	26
27	·63	·03	·05	·11		·06	·19				·35	·26	27
28	·46		·17	·08	·01		·08				·02	·01	28
29	·65		·08	·01						x ·01	·15	·28	29
30	·03	X	·01		·02	·01	·09		·13	·03	·31	·25	30
31	·02	X	·15	X	·01	X			X	·68	X	·16	31
TOTAL	3·77	0.63	2·35	3·13	1·10	1·95	5·61	1·85	2·71	2·22	1·60	3·12	YEAR'S TOTAL 30·04
Days with ·01 in. or more	24	15	20	24	14	12	19	7	11	16	13	24	199
Days with ·04 in. or more	13	3	13	15	7	7	17	5	9	6	7	16	118.

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

X = DEW. S = SNOW.

P.T.O.

cn.Sa

WITLEY

KING EDWARDS SCH

SURREY

1911 - 1920

R

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

Kept at King Edwar

in the County of Surr

by J. Wood

1 ft. 3

400 ft.

itley

Direction South

IMPORTANT NOTI t entered to the previous day. If an Ob , he is earnestly requested to add the read space provided for it at the end of this in, the selection and placing gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·00	·00	·21	·00	·00	·01	·07	·00	·00	·01	·07	1
2	·18	·00	·00	·16	·38	·00	·00	·00	·00	·00	·21	·27	2
3	·00	·04	·00	·00	·20	·00	·00	·05	·00	·00	·17	·06	3
4	·00	·02	·04	·07	·00	·00	·00	·01	·01	·06	·30	·53	4
5	·02	·00	·00	·08	·00	·00	·00	·00	·00	·33	·08	·00	5
6	·18	·00	·12	·00	·00	·00	·00	·00	·00	·02	·07	1·06	6
7	·03	·00	·00	·00	·00	·00	·00	·00	·00	·12	·48	·22	7
8	·09	·00	·26	·00	·00	·00	·00	·00	·00	·00	·16	·51	8
9	·17	·00	·00	·03	·00	·00	·00	·00	·00	·00	·02	·32	9
10	·00	·18	·21	·00	·00	·00	·00	·00	·00	·00	·08	1·04	10
11	·48	·00	·00	·00	·00	·00	·00	·00	·00	·00	1·08	·00	11
12	·00	·00	·53	·00	·00	·00	·00	·00	·06	·00	·17	·01	12
13	·00	·00	·00	·00	·14	·00	·00	·00	·19	·08	·00	·80	13
14	·00	·08	·00	·00	·36	·00	·00	·00	·00	·08	·00	·82	14
15	·00	·04	·02	·00	·00	·00	·00	·00	·00	·00	·14	·07	15
16	·00	·00	·08	·00	·00	·86	·00	·00	·00	·01	·67	·15	16
17	·00	·00	·01	·00	·00	·09	·00	·00	·00	·00	·43	·46	17
18	·00	·16	·11	·02	·00	·11	·00	·00	·00	·01	·57	·84	18
19	·00	·00	·00	·00	·00	·33	·00	·00	·75	·28	·15	·23	19
20	·04	·05	·09	·00	·00	·00	·00	·36	·04	·02	·00	1·05	20
21	·03	·17	·00	·00	·00	·00	·00	·08	·06	·64	·00	·23	21
22	·13	·00	·38	·00	·00	·21	·00	·02	·00	·36	·00	·71	22
23	·03	·28	·00	·00	·00	·48	·00	·03	·23	·07	·08	·26	23
24	·00	·18	·00	·00	·00	·14	·00	·02	·00	1·86	·00	·33	24
25	·02	·00	·04	·08	·57	·09	·64	·34	·08	·06	·00	·00	25
26	·00	·06	·07	·29	·08	·09	·08	·01	·00	·24	·00	·31	26
27	·00	·38	·21	·91	·00	·00	·04	·00	·09	·17	·06	·24	27
28	·02	·24	·00	·37	·00	·00	·00	·14	·00	·00	·03	·01	28
29	·00		·00	·34	·00	·19	·10	·00	·19	·39	·01	·00	29
30	·00		·00	·00	·00	·06	·00	·21	·03	·44	·00	·01	30
31	·00		·00		·00		·00	·00		·03		·02	31
Total	1·47	1·88	2·17	2·56	1·73	2·65 2·65	·87	1·34	1·73	5·27	4·97	10·63	37·27 TOTAL for year 38·47
No. of Rain Days	14	13	14	11	6	11	5	12	11	20	21	27	165

9,000, IX. '10.

cn.5a

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

Kept at King Edwards' School, Witley

in the County of Surrey 6

by J. Wood

Rain Gauge
Pattern Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 400 ft.

Time of Observation ———

Nearest Railway Station
Name Witley
Distance ¼ ml Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·00	·00	·21	·00	·00	·01	·07	·00	·00	·01	·07	1
2	·18	·00	·00	·16	·38	·00	·00	·00	·00	·00	·21	·27	2
3	·00	·04	·00	·00	·20	·00	·00	·05	·00	·00	·17	·06	3
4	·00	·02	·04	·07	·00	·00	·00	·01	·01	·06	·30	·53	4
5	·02	·00	·00	·08	·00	·00	·00	·00	·00	·33	·08	·00	5
6	·18	·00	·12	·00	·00	·00	·00	·00	·00	·02	·07	1·06	6
7	·03	·00	·00	·00	·00	·00	·00	·00	·00	·12	·48	·22	7
8	·09	·00	·26	·00	·00	·00	·00	·00	·00	·00	·16	·51	8
9	·17	·00	·00	·03	·00	·00	·00	·00	·00	·00	·02	·32	9
10	·00	·18	·21	·00	·00	·00	·00	·00	·00	·00	·08	1·04	10
11	·48	·00	·00	·00	·00	·00	·00	·00	·00	·00	1·08	·00	11
12	·00	·00	·53	·00	·00	·00	·00	·00	·06	·00	·17	·01	12
13	·00	·00	·00	·00	·14	·00	·00	·00	·19	·08	·00	·80	13
14	·00	·08	·00	·00	·36	·00	·00	·00	·00	·08	·00	·82	14
15	·00	·04	·02	·00	·00	·00	·00	·00	·00	·00	·14	·07	15
16	·00	·00	·08	·00	·00	·86	·00	·00	·00	·01	·67	·15	16
17	·00	·00	·01	·00	·00	·09	·00	·00	·00	·00	·43	·46	17
18	·00	·16	·11	·02	·00	·11	·00	·00	·00	·01	·57	·84	18
19	·00	·00	·00	·00	·00	·33	·00	·00	·75	·28	·15	·23	19
20	·04	·05	·09	·00	·00	·00	·00	·36	·04	·02	·00	1·05	20
21	·03	·17	·00	·00	·00	·00	·00	·08	·06	·64	·00	·23	21
22	·13	·00	·38	·00	·00	·21	·00	·02	·00	·36	·00	·71	22
23	·03	·28	·00	·00	·00	·48	·00	·03	·23	·07	·08	·26	23
24	·00	·18	·00	·00	·00	·14	·00	·02	·00	1·86	·00	·33	24
25	·02	·00	·04	·08	·57	·09	·64	·34	·08	·06	·00	·00	25
26	·00	·06	·07	·29	·08	·09	·08	·01	·00	·24	·00	·31	26
27	·00	·38	·21	·91	·00	·00	·04	·00	·09	·17	·06	·24	27
28	·02	·24	·00	·37	·00	·00	·00	·14	·00	·00	·03	·01	28
29	·00		·00	·34	·00	·19	·10	·00	·19	·39	·01	·00	29
30	·00		·00	·00	·00	·06	·00	·21	·03	·44	·00	·01	30
31	·00		·00		·00		·00	·00		·03		·02	31
Total	1·47	1·88	2·17	2·56	1·73	2·65 2·85	·87	1·34	1·73	5·27	4·97	10·63	TOTAL for year 37·27 36·47
No. of Rain Days	14	13	14	11	6	11	5	12	11	20	21	27	165

9,000, IX. '10.

Cwd 3.1.B

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

8 - JAN 1913

Kept at King Edwards' School, Witley

in the County of Surrey 6

by J. Wood

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Witley
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·03

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·23			·18	·14		·05	·72		·20	1
2			·50			·13	·43	·16		·01			2
3	·03		·13		·01	·15		·39				·02	3
4	·18		·81		·09	·28		·02			·24	·01	4
5	·34	·08	·18					·50			·05	·03	5
6	·28	·19			·03			·21	·02			·06	6
7		·02			·08	·54		·25				·15	7
8	·43	·56	·41			·05		·07				·20	8
9		·37	·08			·06	·03	·07				·30	9
10		·13	·01					·28			·04	·30	10
11	·08	·32	·09			·02		·04		·01			11
12	·04	·21	·13		·06	·17	·08	·18		·01	·01		12
13			·02				·18	·09			·05	·12	13
14	·02		·04					·04		·01		·03	14
15		·06	·10		·17	·68						·41	15
16	·28		·19		·21	·03		·16		·06	·04		16
17	·53	·02	·25			·04		·14				·16	17
18	·26		·68					·28		·04		·08	18
19	·08		·06				·14	·66				·02	19
20	·03		·61					·15		·47			20
21		·08	·29		·18			·07		·22	·06		21
22	·14	·50	·01		·11			·21				·07	22
23	·56	·38	·42			·05		·25		·11	·19	·17	23
24	·43	·07				·22		·18				·21	24
25	·14					·72		·56			·25	·78	25
26	·02	·05				·01	·07	·30		·75	·80	·32	26
27						·17	·02			·33		·36	27
28		·08				·17	·37	·21	·21	·73	·54	·25	28
29		·10				·04	·36	·16	1·27	·45	·09		29
30					·26	·01	·22		1·15	·34			30
31			·08		·16		·31	·15					31
Total	3.87	3.22	5.32		1.36	3.72	2.35	5.72	2.70	4.26	2.36 2·36	4.25	YEAR'S TOTAL 39·13 39·13
Rain Days.	18	17	22	0	11	20	12	27	5	15	12	22	181

W. 7,500, XI. 12

[illegible] 21·1·14 W. F. C.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
13 JAN 1914

Kept at King Edward's School, Witley 6
in the County of Surrey
by J. Wood

Lat. .... Long. ....
Time of Observation 9 a.m
Nearest Railway Station Witley
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·25	·12	·08	·00	·00	·00	·00	·32	·01	·13	·17	1
2	·04	·12	·00	·01	·00	·00	·10	·00	·04	·05	·05	·00	2
3	·05	·00	·05	·21	·73	·00	·00	·00	·00	·17	·00	·20	3
4	·55	·00	·08	·00	·40	·00	·00	·00	·78	·27	·09	·00	4
5	·56	·00	·02	·00	·00	·18	·08	·00	·32	·01	·06	·02	5
6	·08	·22	·15	·00	·00	·10	·33	·00	·01	·77	·04	·18	6
7	·00	·45	·01	·00	·19	·07	·00	·00	·00	·38	·18	·00	7
8	·02	·04	·01	·00	·19	·00	·00	·00	·00	·16	·00	·01	8
9	·00	·09	·01	·00	·02	·01	·01	·00	·14	·00	·03	·00	9
10	·02	·00	·00	·04	·00	·00	·07	·00	·00	·00	·32	·00	10
11	·96	·00	·00	·40	·01	·00	·00	·00	·00	·65	·33	·00	11
12	·00	·01	·00	·00	·52	·00	·00	·00	·00	·00	·30	·00	12
13	·24	·00	·04	·00	·00	·00	·00	·00	·04	·00	·20	·00	13
14	·32	·00	·20	·00	·00	·00	·77	·02	·00	·06	·07	·00	14
15	·28	·06	·27	·51	·00	·00	·18	·00	·05	·00	·00	·00	15
16	·22	·00	·55	·15	·00	·00	·00	·00	·25	·00	·00	·00	16
17	·01	·00	·11	·08	·00	·00	·18	·00	·00	·00	·01	·00	17
18	·00	·00	·29	·12	·00	·00	·01	·00	·00	·00	·04	·00	18
19	·43	·00	·11	·01	·11	·00	·10	·00	·29	00 (·00)	·00	·00	19
20	·16	·00	·33	·12	·00	·85	·00	·00	·00	·74	·01	·00	20
21	·03	·00	·28	·10	·00	·00	·00	·00	·00	·18	·73	·00	21
22	·23	·00	·24	·44	·00	·00	·02	·11	·19	·00	·00	·03	22
23	·00	·00	·02	·00	·00	·02	·00	·05	·00	·00	·00	·63	23
24	·00	·00	·00	·07	·00	·00	·00	·00	·00	·00	·02	·00	24
25	·02	·01	·00	·31	·00	·00	·00	·00	·00	·00	·00	·00	25
26	·00	·00	·11	·15	·00	·00	·00	·11	·00	·55	·00	·13	26
27	·00	·00	·18	·07	·00	·00	·00	·00	·00	·04	·00	·00	27
28	·15	·00	·27	·09	·00	·00	·00	·00	·00	·13	·00	·00	28
29	·05	~~·05~~	·01	·50	·54	·00	·00	·19	·00	·11	·00	·00	29
30	·54		·00	·07	·00	·00	·00	·78	·00	·23	·00	·00	30
31	·00		·10		·00		·00	·44		·08		·00	31
Total	4·99	1·25	3·56	3·53	2·71	1·23	1·85	1·70	2·43	4·59 ✓	2·61	1·37	YEAR'S TOTAL 31·82 31·82
Rain Days.	22	9	3·56 24	3·53 20	9	6	11	7	11	18 ✓	17	8	152 162

W.7,000, XI. 13

card for certif 6.11.15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

11 JAN 1915

Kept at King Edwards' School, Witley

in the County of Surrey 6 # RL

by J. Wood

Lat. .... Long. ....

Time of Observation 9. a. m

Nearest Railway Station Witley

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·12			·17	·01	1
2	·01			·01		·01	·01	·04			·18	·39	2
3			·06	·06	·32		·03				·04	·01	3
4	·01		·02	·24	·01		·02	·16			·40	·33	4
5	·04		·06	·36	·23	·06	·33	·43			·04		5
6		·20	·01	·19	·05	·10	·02	·01				·32	6
7		·72	·22	·15	·03	·01	·17	·01				·29	7
8	·04	·47	·21			·12		·19				·15	8
9	·22		·69	·15		·08		·01	·13			2·30	9
10		·11	·01	·06	·09				·23			·01	10
11		·37	·38			·03			·06		·07	·39	11
12	·03	·18	·07			·01	·47		·23	·09		·54	12
13		·56	·21						·14	·01	·05	·85	13
14		·48	·26			·24	·16	·01		·32	·24	·46	14
15		·04	·10				·06	·05			·44		15
16			·03				·03		·08		·07		16
17		·51	·10						·08			·37	17
18			·17									·42	18
19		·05	·21			·24	·38				·19	·32	19
20		·35	·28			·01			·04	·01		·45	20
21		·50	·07			·01				·08			21
22		·01			·30	·11	·08	·02		·18			22
23		·04	·14							·05			23
24			·20								·20		24
25	·02		·11					·11		·28	·01	·10	25
26			·03				·08	·07		·05	·25	·65	26
27	·03										·08	·33	27
28		·04			·06		·11			·09	·48	·70	28
29	·20		·08							·33	·29		29
30	·01	✕	·06							·10	·76	·69	30
31	·03	✕		✕	·08	✕	·04		✕	·03	✕	·04	31
Total	·64 ·64	4·63	3·78	1·22	1·17	1·03	1·99	1·23	·99	1·62	3·96	10·12 10·12	YEAR'S TOTAL 32·38 32·38
Rain Days.	11	16	25	8	9	13	15	13	8	13	18	23	172

W. 8,000. X. 14.

ex LMcC

231

FORM A.
BRITISH RAINFALL

4. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at King Edward's School, Witley

in the County of Surrey 6

by J. Wood

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Witley

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .14

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.72	.12	.02	.00	.02	.00	.10	.02	.06	.10	.25	.48	1
2	.25	.31	.14	.07	.00	.04	.00	.45	.00	.05	.04	.19	2
3	.62	.00	.09	.15	.09	.00	.00	.02	.01	.01	.02	.40	3
4	.04	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.57	4
5	.03	.73	.00	.04	.00	.00	.00	.05	.00	.01	.01	.50	5
6	.43	.19	.01	.30	.00	.00	.82	.01	.00	.01	.00	.40	6
7	.39	.47	.01	.00	.00	.00	.35	.00	.00	.00	.01	.31	7
8	.02	.55	.00	.00	.00	.00	.08	.10	.00	.00	.04	.01	8
9	.05	.09	.01	.09	.00	.09	.00	.01	.00	.00	.50	.70	9
10	.26	.02	.05	.00	.00	.00	.00	.00	.00	.00	.02	.25	10
11	.02	.00	.00	.00	.00	.00	.01	.00	.00	.06	.81	.01	11
12	.03	.22	.00	.25	.49	.00	.00	.01	.00	.01	.40	.02	12
13	.02	.67	.00	.00	1.10	.00	.00	.00	.03	.00	.01	.01	13
14	.02	.04	.00	.00	.00	.00	.07	.10	.05	.00	.01	.64	14
15	.08	.01	.00	.00	.06	.00	.04	.15	.00	.01	.10	.45	15
16	.02	.50	.00	.00	.10	.00	.87	.24	.00	.01	.01	.05	16
17	.00	.35	.07	.00	1.21	.00	.00	.26	.00	.01	.00	.01	17
18	.00	.09	.00	.00	.15	.00	.00	.00	.00	.00	.02	.02	18
19	.00	.20	.00	.00	.04	.00	.06	.00	.00	.02	.00	.01	19
20	.25	.00	.00	.02	.06	.00	.00	.00	.00	.01	.03	.11	20
21	snow .08	.03	.10	.00	.05	.00	.03	.00	.00	.17	.01	.05	21
22	Snow 1.52	.15	.07	.00	.00	.00	.82	.00	.01	.01	.01	.24	22
23	.00	.05	.01	.00	.00	.04	.31	.00	.38	.40	.00	.35	23
24	.00	.00	.01	.00	.00	.00	.08	.00	.39	.35	.00	.74	24
25	.00	.00	.00	.05	.00	.00	.00	.00	.01	.02	.01	.24	25
26	.00	.04	.00	.00	.00	.12	.24	.00	.02	.01	.00	.58	26
27	.00	.08	.00	.00	.00	.12	.00	.00	.04	.50	.00	.15	27
28	.00	.10	.00	.00	.00	.09	.00	.00	.90	.10	.01	.01	28
29	.00		.00	.00	.00	.40	.21	.05	.01	.01	.41	.03	29
30	.06	╳	.00	.00	.00	.10	.00	.00	.00	.50	.65	.05	30
31	.05	╳		╳	.00	╳	.00	.25	╳	1.47	╳	.50	31
Total	4.96	5.01	.59	.97	3.37	1.00	4.09	1.72	2.01	3.85	3.38	8.08	YEAR'S TOTAL 39.03
Rain Days.	21	22	~~13~~ 12	8	11	8	15	14	13	23	22	31	~~201~~ 200

W. 8,000. X. 15.

222

FORM A.
BRITISH RAINFALL.

3 JAN

REGISTER OF RAINFALL IN 1916

Kept at King Edwards' School, Witley

in the County of Surrey

by J. Wood

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Witley (L.S.W.R.)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·14	·05	·03		·20				·42	·07	·40		1
2	·37	·13	·12		·35				·22	1·03	·11		2
3	·02	1·07	·29			·05	·03		·26	·60	·78		3
4	·14	·05				·33			·21	·02	·46		4
5	·02	·05			·21	·12				·11	1·02		5
6	·01	·18	·04	·05	·03	·05	·38			·24	·87		6
7	·02	·10	·46		·13	·06	·03			·03	1·20	·02	7
8	·01				·22							·47	8
9					·30	·02				·02		·21	9
10	·01	·45	·10	·06	·01	(·25)	·25					·20	10
11	·06	·10	·03	·14		·95					·01	·06	11
12	·05	·06	·01	·04	·13	·10	·07	·02	·02	·03			12
13		·23	·15	·18	·05	·04		·05		·03			13
14		·15	·30	·02	·03		·03	·05		·09		·03	14
15		·20	·45					·20					15
16	·01	·04	·30	·18			·11	·80					16
17	·20	·17	~~·85~~	·03				·25	·38	·95			17
18	·05	·11	·05	·04				1·31	·07	·05	·75	·08	18
19	·27	·08	·17	·25		·04		·25	·25		·37		19
20	·13		·35	·04							·03	1·00	20
21	·01		·30				·11				·01	·35	21
22	·01	·02	·08	·01						·18		·52	22
23	·02	·33	·01	·01		·06		·06	·10	·08			23
24	·01	·04		·02	·21	·02		·04		·47	·07	·38	24
25		·70	·15		·02			·07	·11	·05	·16	·05	25
26		·22	·10			·08		·11	·12	·57			26
27			1·13					·11	·10	·81	·09		27
28		·45	·11			·15		·32	·43	·10		·16	28
29	·01	·23				·28		·08	·12	·60	·05	·28	29
30	·01	X						·58		·81			30
31		X		X		X		·07	X	·17	X	·06	31
Total	1·58	5·21	4·73	1·07	1·89	2·60	1·01	4·37	2·81	7·11	6·38	3·87	YEAR'S TOTAL 42·63
Rain Days.	22	24	22	14	13	16	8	17	14	23	16	15	204

W. 8,000, VIII. 16

[illegible] 215

FORM A.

BRITISH RAINFALL JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at King Edward's School, Witley

in the County of Surrey

by J. Wood

Lat. Long.

Time of Observation 9. a. m

Nearest Railway Station Witley (L.S.W.R.)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·01

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·04	·20				1.38	·05		·06		1
2			·01	·06				·03			·15		2
3	·02			·14			1.08	·69		·08	·03		3
4		·19	·16				·05	·40		·30		·02	4
5	·30		·11	·53		·02		·01	·19	·41	·14		5
6			·27	·01		·04		·01	·09	·02	·08	·01	6
7	·31						·06			·44		·02	7
8	·20		·01	·06			·54	·12	·01	·33	·19	·45	8
9			·08	·03	·02		·15	·04	·02	·02	·05	·32	9
10	·15		·34	·28		·05		·11				·04	10
11	·10		·25	·80		·06		·04	·17	·19			11
12	·05		·06	·05	·01			·10		·24			12
13	·08		·13	·09				·15	·03	·14			13
14			·01	·11				·05		·03		·02	14
15				·12	·05		·23	·02		·05		·05	15
16		·05		·12	·04		·03	·01		·91		·35	16
17		·10		·12	·15		·25	·14	·52	·12		·07	17
18	·05	·02		·04	·38	·07	·19	·01	·34			·02	18
19	·02	·22	·14		·01	·02		·01	·08				19
20	·01	·07	·02		·34	·01	·02	·19	·05		·02		20
21			·01		·02	~~·06~~				·01			21
22			·04			·06		·12		·06			22
23		·21			·16	·01		·15		·02		·02	23
24		·04				·06	·09	·01					24
25		·12	·02							·01	·02		25
26			·05			·02		·45			·26		26
27					·07	·01		1·75				·01	27
28			·07			1·09		·20				·03	28
29			·09		·07	·10	·02	·01		·50		·08	29
30		X	·55				1·29	·07		·03	·01	·06	30
31		X	·06	X		X	·19	·05	X	·03	X	·04	31
Total	1·29	1·02	2·52	2·76	1·32	1·62	4·19	6·32	1·55	3·94	1·01	1·61	YEAR'S TOTAL 29·15
Rain Days.	11	9	22	16	12	14	14	28	11	21	11	17	186

W. 8,000, IX. 17.

2.60

Exd Cfo. 134

FORM A. BRITISH RAINFALL

4. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at King Edwards' School, Witley

in the County of Surrey

by J. Wood

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Witley

Diameter of Funnel of Rain Gauge 5· in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·39

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·01		·03				·06			·47	·08	1
2		·06		·14				·31		·01	·31	·17	2
3		·01	·09	·20	·46						·32	·01	3
4		·22	·10	·01					·19		1·03	·03	4
5		·08	·05		·06			·11	·01	·07		·03	5
6	·15	·10		·07	·12			·04	·03	·01		·10	6
7	·06	·09		·39	·12	·01		·02	·21		·14	·05	7
8		·47		·01					·05	·08	·14	·04	8
9	·01	·02		·13		·09	·24		·50	·12		·59	9
10				·08		·01	·28		·12	·02	·03	·30	10
11				·01	·01		·46		·02	·22	·07	·10	11
12		·05	·02		·12		·62		·03			·01	12
13	·11				·07		·19		·19			·01	13
14	·20		·08		·01	·08	·08		·21	·11		·26	14
15	1·09			·44			·27					·16	15
16	·30		·04	·15		·13			·12	·03			16
17	·73		·02	·11		·14	·04	·02					17
18	·60					·26			·69			·12	18
19	·10		·08	·02		·03	·23	·01	·07	·02		·01	19
20	·06	·19		·68		·03	·06		·61	·10		·02	20
21	·32	·02	·02	·34			·06		·28	·10		·02	21
22	·16	·01			·21		·40		·15			·16	22
23	·08			·02	·05		·47	·03	·18			·01	23
24		·22				·04			·10	·01	·06		24
25	·01	·01		·61			·19	·16		·04			25
26							·40		·02	·03	·07	·12	26
27	·01	·08	·05	·04			·11	·13	·04	·01	·08		27
28	·02	·02	·29	·04				·02			·10		28
29									·75		·07	·01	29
30		☒	·43					·01	·05	·04	·07	·07	30
31	·02	☒	·06	☒		☒			☒	·15	☒		31
Total	4·04	1·66	1·33	3·52	1·23	·82	4·10	·92	4·62	1·17	2·90	2·48	YEAR'S TOTAL 28·79
Rain Days.	19	17	13	20	10	10	16	12	23	18	14	24	196

202

5 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at King Edward's School, Witley

in the County of Surrey

by J. Wood

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Witley

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·05

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·39	·01	·04				·26		·01	·01	·01	1.26	1
2	·47		·02		·03		·03		·03		·08	·02	2
3	·38		·56		·02		·02		·04		·04	·25	3
4	·16		·47			·05	·14	·01	·04		·03	·16	4
5		·40	·68				·61		·18		·15	·23	5
6	·26		·03	·01								·05	6
7	·08		·49								·06		7
8	·30		·11	·02									8
9	·16		·06	·22	·04						·15		9
10	·89		·09	·03								·12	10
11	·11		·07	·27	·04		·14					·04	11
12	·01			·10			·04			·04	·03		12
13	·03			·72								·05	13
14	·47			·24			·08		·68			·07	14
15	·25	·12	·03	·01						·04		1.08	15
16	·06	·54		·01							·08		16
17		·13									·04	·02	17
18		·11	·25						·01		·06	·02	18
19	·06	·23	1.12			·14	·78	·16	·01		·04		19
20	·37	·05	·06			·37	·03	·18				·01	20
21	·09	·58	·01			·04					·01	·01	21
22		·03					·21		·46			·18	22
23						·03				·01	·05	·01	23
24				·06		·01	·04			·23	·07	·03	24
25		·07				·01		·36	·08				25
26	·07	·21	·08	·09			·02	·03				·40	26
27	·51 s	·02		·66				·67				·01	27
28			·23 s					·67			·39	·36	28
29	·10			·21		·01		·35		·16	·01	·09	29
30		╳		·23		·08		·71		·01	·38	·81	30
31	·03	╳	·07	╳		╳	·02		╳		╳	·11	31
TOTAL	5.25	2.50	4.47	2.88	·13	·74	2.42	3.14	1.54	·50	1.68	5.39	YEAR'S TOTAL 30·64
Days with ·01 in. or more	22	13	19	15	4	9	14	9	10	7	18	24	164

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Ex ML 192

JAN 1921

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at King Edward's School, Witley Wormley

in the County of Surrey

by J. Wood

Lat. abut 51·1 Long. abut 0.40

Time of Observation 9 a.m

Nearest Railway Station Witley

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·35

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05			·14	·13		·35			·51	·02	·47	1
2	·02		·06		·03			·22	·07	·08		·17	2
3	·04	·02		·03	·47		·03			·30		·03	3
4		·08		·12			1·55	·15		·29		·07	4
5			·17	·01			·63	·51				·06	5
6			·20	·11	·17		·33					·04	6
7	·03		·01		·02		·19						7
8		·07	·01		·05		·21						8
9	·23	·02				·04	·07						9
10	·45	·14	·04	·19		·27	·19						10
11	·32	·02	·09	·59	·02	·01	·20					·17	11
12	·03	·04		·19		·79					·05		12
13	·17		·20	·05							·06		13
14		·03	·32	·50		·03			·12	·22	·52	·02	14
15	·01	·03		·15		·14	·05		·69	·10	·08		15
16			·03	·17					·21				16
17					·15		·01		·91			·06	17
18	·08				·04	·01		·89	·04			·07	18
19	·05			·26		·02		·03	·01			·03	19
20	·09	·15		·20		·60							20
21				·03			·63		·35			·18	21
22	·03			·15					·06			·40	22
23							·38	·17				·38	23
24	·01		·14									·0.7	24
25			·02		·02		·32						25
26	·10		·43	·01			·19				·04	·10	26
27	·59	·04	·03	·10		·05	·02				·40	·25	27
28	·37		·19	·06	·05		·09				·03	·04	28
29	·63		·06	·01							·12	·30	29
30	·03	X			·02	·02	·11		·14	·03	·34	·26	30
31	·03	X	·29	X		X			X	·72	X	·20	31
TOTAL	3·36	·58	2·29	3·07	1·17	1·98	5·55	1·97	2·60	2·25	1·66	3·37	YEAR'S TOTAL 29·85
Days with ·01 in. or more	21	11	17	20	12	11	19	6	10	8	10	21	166
Days with ·04 in. or more	13	5	12	15	7	6	16	5	9	7	8	18	121

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Sa

RE

WITLEY
THE MOUNT
SURREY
1911 - 1920

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

...mons

Kept at The Mou... 5 in.

Ground 1 ft. —

in the County of Su... Sea Level 375 ft. (or more)

...½c

by Mr Julia... Name Witley L.S.W.R.

Distance 1 mile Direction South

IMPORTANT NOTE ... the result entered to the previous day. If an Obs... ersal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	—	—	.18	—	—	—	.07	—	—	.03	.05	1
2	.11	—	—	.16	.33	—	—	—	—	—	.16	.20	2
3	—	.04	—	—	.20	—	—	.04	—	.02	.14	.07	3
4	.02	.02	.05	S .08	—	—	—	—	—	.04	.27	.47	4
5	.03	—	—	S.H .04	—	—	—	—	—	.31	.06	.03	5
6	.23	—	.11	—	—	—	—	—	—	.03	.06	.81	6
7	.04	—	—	.02	—	—	—	—	—	.12	.46	.27	7
8	.10	—	.23	—	—	—	—	—	—	—	.16	.46	8
9	.17	—	.02	.02	—	—	—	—	—	—	.02	.22	9
10	.02	.17	.15	—	—	—	—	—	—	—	.03	1.00	10
11	.45	—	.02	—	—	—	—	—	—	—	.96	—	11
12	—	—	.52	—	—	—	—	—	.4	—	.17	.02	12
13	—	—	.02	—	TH .07	—	—	—	.21	.09	—	.64	13
14	—	.09	—	—	.31	—	—	—	—	.03	—	.75	14
15	.02	.04	.05	—	.02	—	—	—	—	.02	.15	.08	15
16	—	—	.01	—	—	.81	—	—	—	— Mist	.60	.16	16
17	—	—	—	—	—	.09	—	—	—	.02	.37	.44	17
18	—	.16	.12	.02	—	.09	—	—	—	.02	.50	.72	18
19	—	—	.01	—	.02	.32	—	—	.57	.24	.13	.22	19
20	.03	.04	.08	—	—	—	—	TH .32	.04	.06	—	.96	20
21	.03	.19	.02	—	—	—	—	.05	.06	.56 Th	S .02	.21	21
22	.12	—	.34	—	—	.19	—	.03	—	.33	.01	.63	22
23	—	.34	—	—	Dw	.46	—	—	.20	.09	.07	.23	23
24	—	.16	—	—	.01	.16	.03	.03	—	1.82	—	.34	24
25	.02	.05	S .04	.07	.56	.09	.60 TH	.40	.08	.03	.01	.02	25
26	—	.02	.08	.26	.08	.06	.10	.02	—	.23	.03	.29	26
27	—	.36	.26	.50	—	—	.04	—	.08	.15	.04	.22	27
28	.02	.30	—	.38	—	—	—	.14	—	.02	.03	—	28
29	—		—	H.TH .38	—	.18	.10	—	.15	.36	.01	—	29
30	—		—	—	.02	.04	—	.37	.02	.43	—	.02	30
31	—		—		—		—			.03		—	31
Total	1.45	1.98	2.13	2.11	1.62	2.49	.87	1.47	1.45	5.05	4.49	9.53 9.52	TOTAL for year 3464
No. of Rain Days	16	14	18	12	10	11	5	10	10	23	25	27	181

9,000, IX. '10.

50

RE

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

Kept at The Mount Witley

in the County of Surrey 6 P

by Mrs Juliana Foster

RAIN GAUGE
Pattern Simons
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 375 ft. (or more)

Time of Observation 9 o/c

Nearest Railway Station
Name Witley L.S.W.R.
Distance 1 mile Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	—	—	.18	—	—	—	.07	—	—	.03	.05	1
2	.11	—	—	.16	.33	—	—	—	—	—	.16	.20	2
3	—	.04	—	—	.20	—	—	.04	—	.02	.14	.07	3
4	.02	.02	.05	S .08	—	—	—	—	—	.04	.27	.47	4
5	.03	—	—	S.H .04	—	—	—	—	—	.31	.06	.03	5
6	.23	—	.11	—	—	—	—	—	—	.03	.06	.81	6
7	.04	—	—	.02	—	—	—	—	—	.12	.46	.27	7
8	.10	—	.23	—	—	—	—	—	—	—	.16	.46	8
9	.17	—	.02	.02	—	—	—	—	—	—	.02	.22	9
10	.02	.17	.15	—	—	—	—	—	—	—	.03	1.00	10
11	.45	—	.02	—	—	—	—	—	—	—	.96	—	11
12	—	—	.52	—	—	—	—	—	.4	—	.17	.02	12
13	—	—	.02	—	TH .07	—	—	—	.21	.09	—	.64	13
14	—	.09	—	—	.31	—	—	—	—	.03	—	.75	14
15	.02	.04	.05	—	.02	—	—	—	—	.02	.15	.08	15
16	—	—	.01	—	—	.81	—	—	—	— Mist	.60	.16	16
17	—	—	—	—	—	.09	—	—	—	.02	.37	.44	17
18	—	.16	.12	.02	—	.09	—	—	—	.02	.50	.72	18
19	—	—	.01	—	.02	.32	—	—	.57	.24	.13	.22	19
20	.03	.04	.08	—	—	—	—	TH .32	.04	.06	—	.96	20
21	.03	.19	.02	—	—	—	—	.05	.06	.56 Th	S .02	.21	21
22	.12	—	.34	—	—	.19	—	.03	—	.33	.01	.63	22
23	—	.34	—	—	Dew	.46	—	—	.20	.09	.07	.23	23
24	—	.16	—	—	.01	.16	.03	.03	—	1.82	—	.34	24
25	.02	.05	S .04	.07	.56	.09	.60 TH	.40	.08	.03	.01	.02	25
26	—	.02	.08	.26	.08	.06	.10	.02	—	.23	.03	.29	26
27	—	.36	.26	.50	—	—	.04	—	.08	.15	.04	.22	27
28	.02	.30	—	.38	—	—	—	.14	—	.02	.03	—	28
29	—		—	H.TH .38	—	.18	.10	—	.15	.36	.01	—	29
30	—		—	—	.02	.04	—	.37	.02	.43	—	.02	30
31	—		—		—		—			.03		—	31
Total	1.45	1.98	2.13	2.11	1.62	2.49	.87	1.47	1.45	5.05	4.49	9.52 9.53	TOTAL for year 34.64
No. of Rain Days	16	14	18	12	10	11	5	10	10	23	25	27	181

9,000, IX. '10.

5 made

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

1 JAN 1913

Kept at The Mount Witley Surrey

in the County of Surrey 6

by Mrs Juliana Foster.

RAIN GAUGE
Pattern Simons
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 375 ft. or more

Time of Observation 9 o/c a.m.

Nearest Railway Station
Name Witley L.S.W.R
Distance 1 mile Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.20	—	.01	.18	.14	—	.06	.64	—	.24	1
2	—	.01 S	.45	—	—	.13	.40	.17 T	—	.02	.01	—	2
3	.04	.02 S	.14	—	.02	.15	.01	.39	.01	—	.02	.03	3
4	.17	—	.77 HLT	—	.12	.34	—	.06	—	—	.18	.02	4
5	.20	.05	.19	—	—	—	—	.50	—	—	.06	.04	5
6	.38	.17	—	—	.03	.01	—	.20	.03	—	.01	.08	6
7	.02	—	.03	—	.09	.49	—	.19 T	—	.01	—	.16	7
8	.39	.53	.36 H	—	—	.05	.04	.03	—	—	—	.03	8
9	.01 D	.24	.09	.02	—	.06	.04	.14	—	—	—	.25	9
10	—	.11	.01	—	—	—	—	.20	—	.02	.04	.28	10
11	.07	.32	.07 T	—	R —	.02	—	.07	.02	.02	.03	.31	11
12	.04	.22	.13	—	.06	.19	.09	.17	—	.02	.02	.01	12
13	.02	.04	.03	—	—	—	.18	.04	—	—	.06	.14	13
14	.02	—	.04	—	.05	—	—	.03	—	.04	—	.05	14
15	.04	.03	.10	—	.17	.57	—	—	—	—	.02	.39	15
16	.24	.02	.18	—	.22	.02	—	.17	—	.07	.04	—	16
17	.57	—	.23	—	—	.04	—	.15	—	—	—	.20	17
18	.13	—	.57	—	—	—	—	.27 T	—	.04	.02	.07	18
19	.08	.12	.06	—	—	—	.17	.63	—	.02	—	.02	19
20	.04	.01	SLR .53	—	—	.03	—	.17	—	.45	—	.01	20
21	.02	.07	T.H.S .23	—	.20	—	—	.07	—	.19	.07	—	21
22	.12	.44	—	—	.12	—	—	.22	.01	.02	—	.10	22
23	.45	.37	.39	—	—	.05	—	.25	—	.10	.16	.20	23
24	.49	.06	—	—	.01	.23	—	.19	—	—	—	.20	24
25	.13	—	—	—	—	.67	—	.53	—	.12	.25	.77	25
26	.01 S	.05	—	—	—	.03	.05	.21	—	.52	.85	.35	26
27	.01	.02	.03	—	—	.18	.03	—	—	.43	—	.30	27
28	—	.08	—	—	—	.13	.37	.17	.20	.73	.53	.30	28
29	—	.08	.02	—	—	.10	.34	.26	2.30	.39	.06	—	29
30	—		—	—	.26	.03	.13	.01	1.24	.32		—	30
31	—		.09		.20 T		.34	.16		.02		.02	31
Total	3.69	3.06	4.94	.02	1.56	3.70	2.29	5.65	3.87	4.19	2.43	4.57	TOTAL for year 39.97
No. of Rain Days	24	22	24	1	14	22	13	28	8	21	18	26	221

Rain on 2 days not enough to measure.

9,000, IX. '10.

cond for anilt. 26.1.14 DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
6 - JAN 1914

Kept at The Mount Witley 6

in the County of Surrey.

by Mrs. J. H. Foster

Lat. .... Long. ....
Time of Observation 9. a.m.
Nearest Railway Station Witley L.S.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 375 L 400 — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·27	·12	·07	—	·02	—	—	·50	·02	·21	·19	1
2	·08	·13	·02	·03	—	—	·10	—	·09	·06	·07	·02	2
3	·06	—	—	·22	·71	—	—	—	—	·14	—	·25	3
4	·54	—	·12	·02	·42	—	—	—	·82	·34	·10	·03	4
5	·45	·03	·04	—	·02	·24	·08	—	·44	·03	·06	·04	5
6	·09	·31	·17	·01	—	·12	·32	—	·01	·83	·05	·21	6
7	—	·42	·02	—	·22	·05	—	—	—	Th ·43	·21	·02	7
8	·04	·04	·02	·02	·20	·02	—	—	—	·19	·01	·02	8
9	—	·10	·02	·01	·04	·02	·02	·02	·18	·02	·04	·02	9
10	·04	—	—	·05	—	—	·06	·02	—	—	·35	·01	10
11	·94	—	—	·37	·03	—	—	—	—	·70	Th ·40	—	11
12	—	·03	D ·01	—	·53	—	—	—	·02	·02	·32	—	12
13	S ·30	—	·05	—	—	—	—	·01	·06	·02	·21	—	13
14	·28	·02	·22	·03	—	—	Th ·74	·03	·02	·08	·11	—	14
15	·27	·07	Th ·28	·46	—	—	·27	·01	Th ·07	—	·02	—	15
16	·22	—	S ·54	·20	—	—	—	—	Th ·26	—	—	—	16
17	·02	S ·01	S ·08	Th ·09	—	—	·20	—	·02	—	·03	·03	17
18	·02	—	·29	·12	—	—	·03	—	—	—	·08	—	18
19	·39	—	·12	·02	·09	·05	·12	—	·29	—	—	—	19
20	·20	—	Th H ·45	·13	·01	1·07	—	—	—	·81	·03	—	20
21	—	—	H ·30	·11	—	—	·02	·02	—	·19	·80	·03	21
22	·29	·01	Th ·25	·43	—	—	·03	·07	·20	·01	—	·02	22
23	—	—	·05	—	—	·03	—	·12	·02	·01	·02	·73	23
24	·03	—	·02	·08	—	—	—	·02	—	·02	·03	—	24
25	—	·01	—	·33	—	—	·01	—	—	·02	—	·02	25
26	—	—	·12	·18	—	—	·01	·13	·01	·66	·01	·28	26
27	—	·02	·18	·09	—	—	—	—	—	·06	·02	—	27
28	·17	—	·30	·13	—	—	·02	—	·02	·16	—	—	28
29	·06		·09	ThS ·53	ThS ·60	—	—	Th ·28	—	·13	·01	S ·02	29
30	·48		—	·10	—	—	—	Th ·88	—	·30	—	—	30
31	·02		·11		—		—	·76		·09		—	31
Total	5.02	1.47	3.99	3.83 3.82	2.87	1.62	2.03	2.37	3.03	5.34	3.19	1·94	YEAR'S TOTAL 36.60 36.70
Rain Days.	23	14	26	25	11	9	15	13	17	25	23	17	218

W. 7,500, XI. ·12

referred 17.11.15

c/d for arch dir written } 20.11.15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL

5 - JAN 1915

Kept at The Mount, Witley

in the County of Surrey 6

by Mrs J. H Foster

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Witley L.S.W.R

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 375 & 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	—	·03	—	—	—	—	·15	—	—	·17	·04	1
2	·02	—	—	·01	—	·03	·02	·07	—	—	·20	·37	2
3	—	·01	·08	·07	·32	—	·09	—	—	—	·04	·03	3
4	·03	·02	·04	·30	·03	—	·03	·18	—	—	·43	·39	4
5	·10	·02	·08	·44	·30	·08	·39	·65	—	—	·05	·03	5
6	—	·20	·02	·20	·07	·13	·03	·03	—	—	—	·42	6
7	—	1·05	·25	·31 H	·04	·01	·19	·02	—	—	·01	·34	7
8	·06	·67	·40	—	—	Th ·10	·04	·32	—	—	—	·17	8
9	·28	—	·87	·18	—	·10	—	·02	·17	—	—	2·10	9
10	·05	·25	·03	·08	·09	—	—	—	·20	—	—	·02	10
11	—	·55	·48	·01	—	·06	—	—	·11	—	·07	·47	11
12	—	·20	·09	·02	—	—	Th ·55	—	·30	·09	·02	·65	12
13	·01	·60	·31	—	—	·03	—	—	·17	·03	·06	1·06	13
14	—	·55	·31	—	—	·21	·20	·02	·02	·38	·18	·48	14
15	·02	·06	·19	—	—	—	·12	—	·03	·02	·58	·02	15
16	—	·01	·02	—	—	—	·04	·06	·10	—	·08	—	16
17	—	·57	·12	—	—	—	—	—	·10	—	—	·44	17
18	—	·02	SLR ·22	—	—	—	·02	—	—	—	—	·49	18
19	—	·06	SLR ·38	—	—	·08	·43	—	·02	—	·21	·34	19
20	—	·39	SLR ·29	—	—	·02	—	—	·07	·02	—	·54	20
21	—	·56	·09	—	—	·03	—	—	—	·17	—	·02	21
22	—	·02	·02	·01	Th S ·21	·11	·11	·03	—	·16	·02	—	22
23	—	·03	·17	—	—	·02	—	—	·01	·05	—	—	23
24	·02	·01	·15	—	—	—	—	—	—	—	·18	—	24
25	·03	—	·13	—	—	—	—	·13	—	·29	·02	·10	25
26	—	·01	·04	—	—	—	·05	·10	—	·06	·30	·78	26
27	·05	—	·01	—	—	—	—	—	—	·02	·09	·41	27
28	—	·05	—	·01	·08	—	·15	—	—	·08	·57	·82	28
29	·20		·10	—	—	—	—	—	—	·37	·35	—	29
30	·02		·13	—	—	—	—	—	—	·12	·88	·76	30
31	·05		—		·11		·06	—		·04		·03	31
Total	·96	5.91	~~4.85~~ 5.05	1.64	1.25	1.01	2.51	1.78	1.30	1.90	4.51	11.32	YEAR'S TOTAL ~~38.94~~ 39.14
Rain Days.	15	23	28	12	9	14	17	13	12	15	21	26	205

W.7,000, XI. 13

39·14

FORM C.
BRITISH RAINFALL.
W., 10,000 x. 14.

PLEASE fill in name of place and month.

RAINFALL at The Mount Witley in the Month of March 1914.

Copy

20 FEB 1915

DATE	Inches	REMARKS ON THE DAYS.
1	·03	
2	–	
3	·08	
4	·04	
5	·08	
6	·02	
7	·25	
8	·40	
9	·87	
10	·03	
11	·48	
12	·09	
13	·31	
14	·31	
15	·19	
16	·02	
17	·12	
18	·22	
19	·38	
20	·29	
21	·09	
22	·02	
23	·17	
24	·15	
25	·13	
26	·04	
27	·01	
28	–	
29	·10	
30	·13	
31	–	adds to 5·05
TOTAL	4·85	No. of Days with Rain 28

NOTE.—Observations returned on this form should be made at 9 a.m. daily, and entered *to the day preceding* that on which the amount is measured. If this is not done the reading on 1st of following month should be entered in the triangular space below.

1st of following month.

POST CARD.

ADDITIONAL REMARKS.

Calmer. Shaldon
Teignmouth.
Mrs Foster of Witley Surrey
finds a mistake in the
addition of the figures
for March — the daily
entries she is certain
are correct — she apologises
for the inaccuracy

OPTIONAL OBSERVATIONS.

The reports in "Rainfall"
very much "[illegible]
carefully kept at the
Mount Weather
19 – Feb – 1915

Max. Temp. in shade on the
Min. " " on the
Temp. in shade at or below 32° on days.
" on grass, " 30° on days.

SIGNED

No writing on this side of the line.

TEIGNMOUTH
5.15 PM
19 FE 15

Dr. H. R. MILL,

British Rainfall Organization,

62, Camden Square,

LONDON, N.W.

cmd pr with 22·11·16 F.J. L.N

233

FORM A.
BRITISH RAINFALL.
10 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at The Mount Witley
in the County of Surrey 6
by Mr J. H. Foster

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Witley L.S.W.R
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 3?? 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec. Th	Date.
1	.87	.14	.03	—	.03	—	Th .12	.04	.16	.07	.16	.48	1
2	.28	.41	.19	.06	—	.03	—	.47	.08	.05	.03	.17	2
3	.65 s	—	.12	.17	.09	—	—	.03	.01	—	—	.42	3
4	.09	—	—	.02	—	—	—	—	—	—	—	.55	4
5	.04	.80	.03	.03	—	—	—	.07	—	.01	—	.53	5
6	.49	.17	.03	.44	—	—	.96	—	—	—	—	.28	6
7	.45	.53	—	—	—	—	.32	—	—	—	—	.40	7
8	.04	.83	—	—	—	—	.12	.09	—	—	—	.02	8
9	.06	.12	.02	.09	—	.11	—	.02	—	—	.50	.68	9
10	.28	.02	—	—	—	—	—	—	—	—	—	.24	10
11	.03	.02	.05	—	—	—	.02	—	—	.05	.77	.03	11
12	.04	.22	.01	.31	.43	—	—	—	—	.02	.44	.02	12
13	.02	.80	—	—	1.30	—	—	—	.03	—	—	—	13
14	.05	.03	—	—	—	—	.09	.09	.04	—	—	.63	14
15	.11	.01	—	—	.05	—	.03	Th .24	—	—	R.S .13	.40	15
16	.03	.79	—	—	.09	—	.87	.10	—	—	—	.07	16
17	—	.59	—	—	1.42	—	—	.30	—	—	—	.01	17
18	.02	.16	.05	—	.15	—	—	—	—	.01	.04	—	18
19	—	.31	—	—	.04	—	.06	—	—	—	.01	—	19
20	.29	—	—	.03	.07	—	—	—	—	—	—	.15	20
21	.08 s	.04	—	—	.05	—	.03	—	—	.16	—	.05	21
22	1.58 s	.15	.11	.01	—	—	.90	—	.02	—	—	.25	22
23	.02	.10	.06	—	—	.04	.21	—	.32	.38	—	.32	23
24	—	—	.01	—	—	—	.06	—	.43	.33	—	.33	24
25	—	—	.01	.05	—	—	—	—	—	—	.02	.17	25
26	.02	.06	—	—	—	.14	.19	—	.01	—	—	.79	26
27	—	.07	—	—	—	.15	—	—	.03	.39	—	.10	27
28	—	.08	—	—	—	.11	—	—	.80	.13	.02	—	28
29	—		—	—	—	.28	.30	.10	—	.01	.34	.03	29
30	.07	╳	—	—	—	.12	—	—	—	.45	.68	.04	30
31	.06	╳	—	╳	—	╳	—	.16	╳	1.44	╳	.41	31
Total	5.67	~~6.48~~ 6.45	.72	1.21	3.72	.98 .98	4.28	1.71	1.93	3.50	3.14	7.37	YEAR'S TOTAL 40.68
Rain Days.	24	23	13	10	11	8	15	12	11	14	12	27	180

W. 8,000. X. 14.

notified 16-11-17 [illegible] Rl 224

FORM A.
BRITISH RAINFALL.
9 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at The Mount, Witley
in the County of Surrey
by Mrs J H Foster

Lat. .... Long. ....
Time of Observation 9 a.m
Nearest Railway Station Witley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 375 to 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·18	·04	·04	—	·22	—	—	—	·47 Th	·14	·39 Th	—	1
2	·38	·12	·12	—	·27	·02	·02	—	·19 Th	·85	·05	—	2
3	·02	1·02	·21	—	·02	·02	·03	—	·26	·54	·72	—	3
4	·20	·05	·02	—	·01	Th ·38	—	—	·22	·02	·49	·01	4
5	·04	·05	·01	—	·20	·10 Th	—	—	—	·11	·86	·01	5
6	·02	·15	·04	·04	·03	·04	·42	—	·01	·24	·83	—	6
7	·04	·09	·44	—	·14	·05	·02	—	—	·08	1·02	·03	7
8	—	·01	·01	—	·21	·02	—	—	—	·01	—	·45	8
9	—	—	—	—	H ·39	·03	—	—	—	·02	—	·25	9
10	—	·40	·07	·06	·03	·03	·13	—	—	·02	·02	·19	10
11	·05	·10	·05	·16	—	Th.R.H 1·10	—	—	·02	—	—	·06	11
12	·04	·06	·02	·04	·14	·11	·08	·02	—	·03	·02	—	12
13	—	·23	·16	·13	·05	·04	—	·07	·05	·03	·01	— S	13
14	—	·51	·32	·04	·03	—	—	·02	—	—	—	·03	14
15	—	·17	·42	·04	—	—	·02	·53	—	—	—	·02	15
16	·02	·04	·30	·16	—	—	·13	·51 Th	—	·02	—	—	16
17	·20	·19	—	·03	—	—	·02	1·58 Th	·42	·84	—	—	17
18	·04	·19	·07	·04	—	—	—	·27	·09	·05	S.R ·74	S ·08	18
19	·26	·01	·18	·23	—	·03	—	·11	·26	—	·33	·09	19
20	·14	—	·35	·04	—	—	—	—	—	—	·04	·74	20
21	·02	—	·31	—	—	—	·08	—	—	—	—	·41	21
22	—	·02	·04	—	—	·02	—	—	—	·13	·03	·73	22
23	·03	·28 S	·01	·02	—	·05	—	·04	—	·09	·10	·09	23
24	—	·06	—	—	·19	·02	—	·04	—	·43	·15	·37	24
25	—	·51 S	·17	—	—	—	—	·15	·14	·03	·10	·07	25
26	—	·16 S	H.S ·09	—	—	·07	—	·12 Th	·09	·47	·02	—	26
27	·01	·03	R.S 1·17	—	—	—	—	·28 Th	·08	·70	—	·02	27
28	—	·42	R.S ·10	—	—	—	—	·08	·27	·09	·04	·16	28
29	·02	·23	—	—	—	·47	—	·60	·12	·50	—	·26	29
30	—	X	—	—	—	—	—	·09	—	·66	—	—	30
31	—	X	—	X	—	X	—	·05	X	·15	X	·07	31
Total	1.71	5.14	3.52	1.03	1.93	2.60	·95	4.56	2.69	6.25	5.96	4.14	YEAR'S TOTAL ~~40.48~~ 41.68
Rain Days.	18	26	4.72 25	13	14	18	10	17	15	25	19	21	221

W. 8,000. X. 15.

217

FORM A.
BRITISH RAINFALL.
7. JAN [illegible]

REGISTER OF RAINFALL IN 1917

E30 8d

Kept at The Mount - Witley
in the County of Surrey
by Mrs J. H. Foster

Lat. ……… Long. ………
Time of Observation 9 o/c a.m
Nearest Railway Station Witley L&SWR
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 375–400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·01	·04	·30 s	—	—	—	1·30	·06	·01	·06	·02	1
2	—	—	·02	·27 s	—	—	—	·06	—	—	·13	—	2
3	·01	—	—	·16 s	—	—	1·09 Th	·57	·02	·13	·03	—	3
4	—	·17 s	·17 s	—	—	—	·06	·50	—	·30	—	·02	4
5	·27	—	·07	·50 s&R	—	·02	—	·02	·26	·45	·16	·01	5
6	·01	—	·25	·02 s	—	·09	—	·02	·10	·02	·10	—	6
7	·29	—	—	—	—	—	·07	—	—	·49	—	·04	7
8	·21 s	—	—	·07	—	—	·57	·12	·03	·32	·20	·42	8
9	—	—	·08 s	·05 s	·02	—	·11	·05	·03	·03	·06	·29	9
10	·15 s	—	·32	·27 s	—	·07	—	·19	—	—	—	·04	10
11	·12	—	·33	·20 s	—	·11 Th	—	·06	·24	·25	—	—	11
12	·07	·01	·05	·05 s	—	—	—	·14	—	·30	·02	—	12
13	·09 s	—	·13	·17	—	—	—	·17	·04	·16	·02	·02	13
14	—	—	·01	·16	—	—	—	·06	—	·03	—	—	14
15	—	—	—	—	·03	—	·18 Th	·03	—	·05	·01	·05	15
16	·03 s	·13	—	·12	·05	—	—	·04	—	·99	—	·55 s	16
17	—	·02	—	·14	·17	—	·24	·23	·53	·17	—	—	17
18	·04 sl	·03	—	·06	·47	·07 Th	·22	·02	·38	—	—	—	18
19	·02	·19	·13	—	·01	—	—	·04	·11	—	—	—	19
20	·02	·07	·02 s	—	·38 Th	—	·10	·14	·04	—	·03	—	20
21	·03	—	·02 s	—	·02	—	—	—	—	·02	·02	—	21
22	—	—	·04 s	—	—	·32 Th	—	·15	—	·07	·02	—	22
23	—	·22	—	—	·15 Th	·02	—	·15	—	·02	—	·03	23
24	—	·05	—	—	—	·08	·08	·02	—	·20	·05	—	24
25	—	·13	·04 s	—	—	—	—	—	·01	·02	—	—	25
26	—	—	·05 s	—	—	·03	—	·44	·05	·02	·29	—	26
27	—	—	—	—	·07	·02	—	1·56	—	—	—	·02 sl	27
28	—	—	·10	—	—	1·02 Th	—	·21	—	·02	—	·06 sl	28
29	—	—	·08	—	·14 Th	·13	·04 Th	·03	—	·51	—	·07 sl	29
30	·02 s	X	·32 s	—	—	—	1·48	·11	·02	·05	·02	·03 sl	30
31	·03	X	·07 s	X	—	X	·17	·07	X	·03	X	·04 s	31
Total	1·41	1·03	2·24	2·54	1·51	1·98	4·41	6·50	1·92	4·66	1·22	1·71	YEAR'S TOTAL 31·13
Rain Days.	16	11	21	15	11	12	13	28	15	25	16	16	199

W. 8,000, IX. 17.

E20 8f

136

FORM A.
BRITISH RAINFALL.

9·1·19

REGISTER OF RAINFALL IN 1918

Kept at The Mount. Witley
in the County of Surrey.
by Mrs J. H. Foster.

Lat. Long.
Time of Observation 9 o/c a.m
Nearest Railway Station Witley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 400 – ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov. ·1	Dec.	Date.
1	—	·02	—	·02	—	—	—	·07	—	—	·53	·09	1
2	·01	·05	—	·16 H.R.	— Th	—	—	·36	·03	·02	·34	·22	2
3	—	·02	·05	·20	·49	—	—	—	—	·03	·37	·02	3
4	·01	·26	·10	—	—	—	—	·03	·21	—	1·03	·04	4
5	—	·09	·06	—	·07	—	—	·12	·03	·14	—	·05	5
6	·17	·19	—	·35	·18	—	—	·07	·04	·03	—	·07	6
7	·02 S	·14	—	·13	·15	·02	—	·03	·29	·05	·17	·05	7
8	·01 S	·48	—	—	—	—	—	—	·08	·09	—	·06	8
9	·02 S	·05	—	·13	—	·11	·24	—	·62	·18	—	·61	9
10	—	—	—	·11	—	·02	·41	—	·16	·05	·20	·34	10
11	·02	—	—	·01	— H	—	·50	—	·02	·34	·08	·12	11
12	— S	·08	—	—	·19	—	·38 Th	—	·05	·02	—	·02	12
13	·16	·01	—	—	·07	—	·19	—	·23	·02	—	·02	13
14	·21	—	·10	— S.R.	·03	·09 Th	·10 Th	—	·19	·16	—	·29	14
15	1·30	—	—	·50	—	·01	·33	—	·02	—	—	·15	15
16	·42 S	—	·05	·20	—	·06 Th	—	—	·25	·04	—	—	16
17	·25	—	·02	·12	—	·12	·07	·04	—	—	—	·24	17
18	·64	—	·02	—	—	·35	·01	—	·80	—	—	·15	18
19	·12	·01	·10	·03 S	—	·04	·21	·02	·05	·05	—	·03	19
20	·08	·19	—	·83 S	—	·06	·15	—	·62	·10	—	—	20
21	·36	·04	—	·43 S	— Th	·01	·03	—	·39	·06	—	·04	21
22	·17	·02	—	—	·25	—	·48	—	·21	·02	·04	·18	22
23	·09	—	—	·03 S	·07	·01	·51	·06	·22	—	—	·03	23
24	—	·36	—	— Th, H.R.	—	·05	—	—	·15	—	·10	·02	24
25	·02	·02	—	·32	—	—	·15	·15	—	·04	—	—	25
26	—	—	—	—	—	—	·47	·01	·04	·03	·08	·14	26
27	·02	·09	·08	·05	—	—	·11 Th	·16	·06	·02	·10	·01	27
28	·03	·03	·37	·05	—	—	—	·03	—	—	·14	·02	28
29	·02	—	·04	—	—	—	—	—	1·05	—	·03	·03	29
30	·02	✗	·44	—	—	—	—	—	·06	·05	·07	·09	30
31	·03	✗	·08	✗	—	✗	—	·03	✗	·16	✗	·03	31
Total	4·20	2.15	1.51	3.67	1.50	·95	4.34	1.18	5.87	1.70	3.28	3.16	YEAR'S TOTAL 33.51
Rain Days.	24	19	13	18	9	13	17	14	25	22	14	28	216

W, 6,500, VII. 18. W W C

8th Jan: 1917.

9 JAN 1917

THE MOUNT,
WITLEY,
SURREY.

Dear Dr. Mill

I am sorry to be late in sending my rain-fall register. My gardener wishes me to particularize the "deep snow" on Feb: 25th. I returned from Shaldon Devon - 10th May, so have experienced all the varied weather of the year since then. The Summer was at the end of May - & there was only 1 rainy day in 17 days. The long spell of wet from 22nd Oct: to 7th Nov: gave 17 consecutive wet days - & those months have the largest rainfall of any in the year - During the Daylight Saving Period, the rain was measured at 10 o/c a.m. The great gale at the end of March seems to have been universal, & the gale at the beginning of Nov: did a great deal of damage to trees & roofs. With sincere wishes for a Prosperous & happy New Year

Yrs faithfully
Juliana Foster.

I enclose a cheque for a guinea, I am sorry it can't be more this year -

The Mount. Witley. Surrey

21 Feb 1917

Dear Sir I found by looking at my Rainfall book that my addition of daily amount was wrong for March 1916. It should be 4-72 as you make it

Yrs faithfully

To Carle Salter Esq.

J. Foster

POST CARD

GOD
8
21
17

½ HALFPENNY ½

Carle Salter Esq

Assist. Director
British Rainfall Organⁿ
62 Camden Square
London N.W.

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

9 JAN 20

Kept at The Mount. Witley
in the County of Surrey
by Mr. J. H. Foster

Lat. Long.
Time of Observation 9 o/c a.m.
Nearest Railway Station Witley L.S.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 375-400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.41	.03 s	.03	.02	.02	—	.23 Th.	—	.02	.03	.05	1.40	1
2	.50	—	.05	—	.04	—	.02	—	.04	.02	.07	.07	2
3	.41	—	.59	—	.03	—	.03	—	.03	—	.04	.32	3
4	.17	.04	.48	—	.02	.07	.14	.03	.06	—	.05	.16	4
5	.02	.41 s	.64	—	—	—	.93 Th.	—	.19	—	.11	.22	5
6	.22	.02	.06	—	.02	—	—	—	—	.01	.07	.08	6
7	.10	—	.57	.02	—	—	—	—	—	—	.04	—	7
8	.33	—	.12	.03	— Th.	—	—	—	.01	—	.07	—	8
9	.25	—	.10	3.H.Th. .21	.05	—	—	—	.02	—	.16	—	9
10	1.01	—	.17	.04	—	—	—	—	—	.02	.03	.18	10
11	.10	—	.13	.27	.06	—	.14	—	—	—	.02	.05	11
12	.04	—	.03	.04	—	.03	.06	—	—	.05	s .04	.01	12
13	.05	.02	—	.78	—	—	—	—	—	—	—	.07	13
14	.56	.02	.01	.39	—	—	.09	—	Th. .74	.02	— s	.09	14
15	.24	.12	.05	.04	—	—	—	—	.02	.04	.02	1.11	15
16	.09	.71 s	—	.04	—	—	—	—	—	—	s .19	.03	16
17	—	.24	—	—	—	—	—	—	—	—	.11	—	17
18	.02	.11	.27	—	—	—	—	.03	.02	.02	.06	.04	18
19	.06	.30	1.12	—	—	.16	.72	.14	.02	.02	.06	.02	19
20	.41	.11	.09 s	—	—	.48	.05	.18	—	—	.02	.03	20
21	.12	.63	.02	—	—	.06	.02	—	—	.01	.03	.03	21
22	.02	.04	—	—	—	—	.21	—	.40	—	.02	.22	22
23	—	—	—	—	—	.04	—	.02	—	.02	.07	.04	23
24	—	.02	—	.07	—	.03	.04	.02	—	.25	.08	.04	24
25	.02	.08	—	—	—	.02	—	.42	—	—	—	.04	25
26	.08 s	.24	.07	H.Th. .10 s	—	—	.03	.09	.10	—	.02	.46	26
27	.55 s	.03	— s	.74	—	—	—	.61	—	—	.02	.02	27
28	.02 s	—	.25	.01 R	—	—	—	.77	—	—	.48	.37	28
29	.04		— s	s.R .22	—	.02	—	.33	—	.14	.03	.09	29
30	—		.02 s	.28	—	.09	—	.71	—	.03	.44	.85	30
31	.04		.07		—		.03	—		.02		.12	31
TOTAL	5.88	3.17	4.94	3.30	.24	1.00	2.77	3.35	1.67	.70	2.40	6.16	YEAR'S TOTAL 55.58
Days with ·01 in. or more	27	18	22	17	7	10	15	12	13	15	27	27	210

194

Wind

REGISTER OF RAINFALL IN 1920

FORM A.
BRITISH RAINFALL.

8 JAN

Kept at The Mount. Witley
in the County of Surrey.
by Mrs John H Foster

Lat. Long.
Time of Observation 9½ a.m.
Nearest Railway Station Witley
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground One ft. in.
" " " " Sea Level abt 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	—	—	·28	·13	—	·38	—	—	·46	·03	·49	1
2	·02	—	·07	·03	·04	—	·02	·28	·08	·10	—	·17	2
3	·07	·03	·02	·04	·49 H	—	·03	—	·02	·28	—	·05	3
4	—	·08	—	·14	—	—	1·48 Th	·17	—	·32	—	·11	4
5	—	·02	·19	·02	—	—	·65	·29	—	·02	—	·07	5
6	—	·02	·24	—	·16	—	·43	—	—	—	—	·04	6
7	·04	—	·02	·11	·03	—	·16	—	—	·02	—	—	7
8	·01	·02	—	·04	·07	—	·21	—	·01	·02	—	(·03)	8
9	·20	·03	·03	·08	—	·04	·14	—	—	—	—	—	9
10	·66	·25	·05	·11	—	·25	·20	—	—	—	·01	—	10
11	·42	·04	·08	·51	·03	·02	·20	—	—	·02	—	·17 Sn	11
12	·05	·06	·01	·31	—	·88 Th	—	—	—	·01	·05	·02 S	12
13	·20	·02	·18	·05	—	—	—	—	—	·02	·08	—	13
14	—	·04	·42 d	·51	—	·04 Th	—	—	·10	·13	·54	·03 S	14
15	·02	·05	·04	·49	—	·16 Th	·05	—	·74	·10	·16	·02 S	15
16	—	—	·04	·14	—	—	—	—	·26	—	—	—	16
17	—	—	—	—	·16	·02	·02	—	1·00	—	—	·08	17
18	·11	—	—	—	·07	·02	—	·92	·11	—	—	·09	18
19	·08	·02	—	·28	—	·04	—	·04	·03	—	·03	·05	19
20	·11	·13 S	—	·25	—	·56	—	·02	·01	—	—	·04	20
21	—	·02	—	·05	—	—	·61	—	·33	—	·01	·19	21
22	·04	·01	—	·18	—	—	·02	—	·12 Th	—	·02	·40	22
23	·02	—	—	—	—	—	·33	·18	—	·02	—	·34	23
24	·02	·02	·15	—	—	—	—	·01	—	·02	·02	·08	24
25	·02	·02	·03	·02	·02	—	·37	—	—	—	—	—	25
26	·13	—	·48	·03	—	—	·25	—	—	·02	·01	·11	26
27	·72	·03	·05	·12	—	·06	·04	—	·02	·02	·39	·26	27
28	·50	·02	·18	·07	·04	—	·09	—	—	—	·04	·04	28
29	·71	—	·08	·02	·02	—	—	—	·01	—	·18	·36	29
30	·04	✗	·03	—	·01	·03	·10	—	·14	·03	·36	·26	30
31	·04	✗	·15	✗		✗		—	✗	·69	✗	·21	31
Total	4.28	·93	2.54	3.58	1.27	2.12	5.78	1.91	2.98	2.30	1.93	3.71	YEAR'S TOTAL 33.33
Rain Days.	24	20	21	24	13	12	21	8	15	18	15	25	216
	18	7	15	19	4	8	17	6	19	7	8	21	143

W. 8,000, IX. 17.

WITLEY
~~TIGBOURNE~~ COURT
SURREY
1914 - 1915

RE

FORM A.
BRITISH RAINFALL.
6 - JAN 1915

Kept at Tigbourn 9 a.m Witley

in the County of Su 5 in.

by Jas. A. Mur ve Ground 1 ft. in.

Sea Level 250 (approx)

IMPORTANT N the result entered to the previous day. If an ersal rule, he is earnestly requested to add the re following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
.88

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.		2					6			16	2	1
2	.		-	1		2		2			21	40	2
3	.		7	7	35		13	1			5	2	3
4	.		3	26	2		2	15			50	38	4
5	16		6	47	29	4	38	37			1	1	5
6	✓	20	-	23	7	12	2	2			1	42	6
7	.	92	21	16	6	3	21	1				27	7
8	26	79	42	1		15	—	38				22	8
9	16	1	93	17		8	—	1	17			2.05	9
10	6	23	2	7	10							9	10
11		61	48	1		5			37		8	46	11
12		14	7				48		32		7	57	12
13		62	35						17	12	.	1.03	13
14		59	33			33	12		1	35	10	48	14
15		5	20				6	7		5	64	2	15
16			1								11		16
17		51	14				3		20			37	17
18		7	21									52	18
19		7	31			14	40				24	30	19
20		42	53						9			55	20
21		57	8			2				10		3	21
22		2			43		9	2		27		.	22
23		2			1	3				6		.	23
24			13			11					21	.	24
25			13					10		32			25
26	7		4				7	12		5	25	62	26
27										2	16	70	27
28		5			7		7			7	51	85	28
29	30		7							37	32		29
30		X	17							11	1.02	82	30
31	3	X		X	10	X	5		X	4	X	2	31
Total	1.04	5.89✓	5.01	1.46	1.50	1.12	2.13	1.34	1.33	1.93	4.65	11.22	YEAR'S TOTAL 38.62
Rain Days.	7	18	24	10	10	12	14	13	7	13	18	25	171

W. 8,000. X. 14.

RE M

FORM A.
BRITISH RAINFALL.
6 - JAN 1915

Kept at Tigbourne (Witley)
in the County of Surrey
by Jas. A. Murphy

Time of Observation 9 a.m
Nearest Railway Station Witley
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 250 (approx)

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .88

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·		2					6			16	2	1
2	·		-	1		2		2			21	40	2
3	·		7	7	35		13	1			5	2	3
4	·		3	26	2		2	15			50	38	4
5	16		6	47	29	4	38	37			1	1	5
6	✓	20	-	23	7	12	2	2			1	42	6
7	·	92	21	16	6	3	21	1				27	7
8	26	79	42	1		15	—	38				22	8
9	16	1	93	17		8	—	1	17			2.05	9
10	6	23	2	7	10							9	10
11		61	48	1		5			37		8	46	11
12		14	7				48		32		7	57	12
13		62	35						17	12	·	1.03	13
14		59	33			33	12		1	35	10	48	14
15		5	20				6	7		5	64	2	15
16			1								11		16
17		51	14				3		20			37	17
18		7	21									52	18
19		7	31			14	40				24	30	19
20		42	53						9			55	20
21		57	8			2				10		3	21
22		2			43		9	2		27		·	22
23		2			1	3				6		·	23
24			13			11					21	·	24
25			13					10		32			25
26	7		4				7	12		5	25	62	26
27										2	16	70	27
28		5			7		7			7	51	85	28
29	30		7							37	32		29
30		X	17							11	1.02	82	30
31	3	X		X	10	X	5		X	4	X	2	31
Total	1.04	5.89✓	5.01	1.46	1.50	1.12	2.13	1.34	1.33	1.93	4.65	11.22	YEAR'S TOTAL 38.62
Rain Days.	7	18	24	10	10	12	14	13	7	13	18	25	141

W. 8,000. X. 14.

92

FORM A. BRITISH RAINFALL
JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Tigbourne Court Gdns. Witley
in the County of Surrey
by James A. Murphy

Lat. Long.
Time of Observation 9 A.M
Nearest Railway Station Witley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·88	·13	·04	–	–	–	·08	·03	·08	·03	·21	·58	1
2	·25	·32	·18	·08	–	03	–	·37	·06	·10	–	·17	2
3	·30	–	·11	·15	·10	–	–	·03	–	–	–	·39	3
4	·12	–	–	–	–	–	–	·02	–	–	–	·52	4
5	·04	·88	–	·04	–	–	–	·04	–	·01	–	·57	5
6	·51	·17	·04	·48	–	–	·86	·01	–	–	–	·36	6
7	·44	·59	–	–	–	–	·38	·01	–	–	–	·34	7
8	·02	·93	01	–	–	–	·06	·05	–	–	–	–	8
9	·04	·05	–	·09	–	·14	–	·03	–	–	·54	·70	9
10	·30	·01	–	–	–	–	–	–	–	–	–	·23	10
11	·06	·05	05	–	–	–	–	–	–	·09	·78	·01	11
12	·04	·24	–	33	·42	–	–	–	–	–	·44	·01	12
13	·02	80	–	–	1.32	·01	–	–	·03	–	–	–	13
14	·03	·04	–	–	–	–	·07	·09	·04	–	–	·59	14
15	·10	–	–	–	·05	–	·03	·15	–	–	#·12	·45	15
16	–	·79	–	–	·07	–	·95	·21	–	–	–	·06	16
17	–	·68	–	–	1.38	–	·01	·14	–	–	–	–	17
18	–	·15	05	–	·17	–	–	–	–	–	·04	–	18
19	–	·33	–	–	·05	–	·03	–	–	·02	–	–	19
20	·26	–	–	·02	·05	–	–	–	–	–	–	·14	20
21	·08	·08	–	–	·06	–	–	–	–	·16	–	·04	21
22	1.05(#)	·15	·10	·03	–	–	84	–	·40	·01	–	·25	22
23	–	·12	·06	–	–	·03	·28	–	·43	·36	–	·36	23
24	–	–	–	–	–	–	·08	–	–	·34	–	·47	24
25	–	–	–	·03	–	–	·01	–	–	–	·01	·19	25
26	–	·05	–	–	–	·12	·30	–	·01	–	–	·65	26
27	–	·07	–	–	–	·13	–	–	·03	·41	–	·16	27
28	–	·08	–	–	–	·08	–	–	·85	·16	–	–	28
29	–	–	–	–	–	·18	·30	·08	·01	–	·45	·02	29
30	·06	X	–	–	–	·05	–	–	–	·47	·54	·02	30
31	·04	X	–	X	–	X	–	·25	X	1.33	X	37	31
Total	4.64	6.71	·64	1.25	3.67	·77	4.28	1.51	1.94	3.49	3.13	7.65	YEAR'S TOTAL 39.68
Rain Days.	20	22	9	9	10	9	15	15	10	13	9	25	166

W. 8,000. X. 15. 22nd # - Snow

15th .06 Snow

WOKING

THE GREEN

SURREY

1912, 16 - 1920

Smythe

REC

FORM A1.
BRITISH RAINFALL.
22 JAN 1913

Kept at The Green

in the County of Surr

by F. E. Howlett

in.

ound — ft. 9 in.

Level 100 ft.

M

me Woking

tance ¾ mile Direction N E

IMPORTANT NOTE. he result entered to the previous day. If an Obse sal rule, he is earnestly requested to add the readin in the space provided for it at the end of this t of rain, the selection and placing h Rainfall Organization are given in " lication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						·05				·56		·20	1
2						·08	·80	·08		·08			2
3			·42					·25					3
4	·20					·40		·07			·28		4
5	·10		·70		·07			·35				·05	5
6	·40							·28				·05	6
7						1·10		·15					7
8	·30		·28		·10	·08		·10				·03	8
9		·68	·04			·09		·10				·20	9
10		·06				~~·00~~							10
11	·10												11
12	·03					·20					·10	·50	12
13		·26											13
14			·18		·21			·05		·05		·05	14
15		·02				·52						·20	15
16					·36	·11		·05		·05			16
17	·86		·25			·02					·05		17
18	·11		·15					·22					18
19							·18	·40			·03		19
20	·10		·02							·30	·03		20
21			·35		·30					·08			21
22			·18					·41					22
23	·70	·68	·26								·28	·30	23
24	·23	·03						·54					24
25								·53			·20		25
26						·25		·30		·42	·42	·60	26
27		·06								·20		·30	27
28							·22		·13			·10	28
29						·30	·21	·27	1·60	·70		·10	29
30					·24				1·15	·15			30
31			·30				·17	·7					31
Total	3·13	1·79	3·13		1·28	3·20	1·58	4·22	2·88	2·59	1·39	2·68	TOTA for ye 27·87
No. of Rain Days	11	7	12	—	7	12	5	19	3	11	8	14	27.87

1,000, X. '09. Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. ~~1d~~ Price 2d.

Smythe

REC[illegible] RAINFALL IN 1912

FORM A1.
BRITISH RAINFALL.

22 JAN 1913

Kept at The Green Woking

in the County of Surrey 6

by E. Howlett

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground — ft. 9 in.
" " " Sea Level 100 ft.

Time of Observation 9 A M

Nearest Railway Station
Name Woking
Distance 3/4 mile Direction N E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						·05				·56		·20	1
2						·08	·80	·08		·08			2
3			·42					·25					3
4	·20					·40		·07			·28		4
5	·10		·70		·07			·35				·05	5
6	·40							·28				·05	6
7						1·10		·15					7
8	·30		·28		·10	·08		·10				·03	8
9		·68	·04			·09		·10				·20	9
10		·06				~~[illegible]~~							10
11	·10												11
12	·03					·20					·10	·50	12
13		·26											13
14			·18		·21			·05		·05		·05	14
15		·02				·52						·20	15
16					·36	·11		·05		·05			16
17	·86		·25			·02					·05		17
18	·11		·15					·22					18
19							·18	·40			·03		19
20	·10		·02							·30	·03		20
21			·35		·30					·08			21
22			·18					·41					22
23	·70	·68	·26								·28	·30	23
24	·23	·03						·54					24
25								·53			·20		25
26						·25		·30		·42	·42	·60	26
27		·06								·20		·30	27
28							·22		·13			·10	28
29						·30	·21	·2 y.	1·60	·70		·10	29
30					·24				1·15	·15			30
31			·30				·17	· y.					31
Total	3·13	1·79	3·13		1·28	3·29	1·58	4·22	2·88	2·59	1·39	2·68	TOTA for ye 27·87
No. of Rain Days	11	7	12	—	7	12	5	19	3	11	8	14	27.87

Esd C° 7

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
4 JAN 1917

Kept at The Green Woking
in the County of Surrey
by M. S. Howlett

Lat. 51·20 Long. 0. 30
Time of Observation 9 a. m
Nearest Railway Station Woking
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07				·15				·35	·07	·32		1
2	·17		·23		·30				·12	·56	·15		2
3		·83	·10		·01		·03		·21	·36	·45		3
4						·26			·14		·63		4
5	·15	·13			·26	·12				·04	·62		5
6		·06	·33	·14		·10	·25			·06	·50		6
7	·11		·40		·13	·05	·26			·02	·45	·05	7
8			·06		·25	·02						·20	8
9					·15	·01				·12		·16	9
10		·26	·11	·05		·11						·08	10
11	·03	·12	·05	·15		·23						·03	11
12	·03	·05	·06	·02	·37	·12	·01	·03					12
13		·15	·60	·10		·04	·01	·08					13
14		·37			·08			·75 }		·02		·08	14
15	·01	·16	·23							·10			15
16			·37	·16			·22	·28					16
17	·12	·17		·10				·17	·23	·48			17
18			·04	·03				·56	·11	·27	·70		18
19			·20	·30				·03	·22		·48		19
20	·10	·06	·28	·02								·71	20
21			·45									·04	21
22			·02							·02	·01	·46	22
23		·32				·03		·02		·08	·02	·30	23
24					·12	·03		·03		·25	·04		24
25		·77	·17					·12		·04			25
26		·25	·12			·06		·13		·28	·06		26
27			·47			·02		·87	·10	·58			27
28		·40	·15			·20		·04	·11	·02			28
29		·14				·15		·81	·05	·29		·24	29
30		X						·06		·40			30
31		X		X		X		·04	X	·21	X	·03	31
Total	·79	4·24	4·84	1·07	1·82	1·55	·78	4·02	1·64	4·27	4·43	2·38	YEAR'S TOTAL 31·83
Rain Days.	9	16	20	10	10	16	6	16	10	27	13	12	159

W. 8,000, VIII. 16

266

Geof 40

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at The Green, Woking
in the County of Surrey
by M. S. Howlett

Lat. 51.20 Long. 0. 30
Time of Observation 9 a.m.
Nearest Railway Station Woking
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02	·22				1·25	·02		·09		1
2				·20		·10		·05			·14		2
3				·10			·60	·40		·09			3
4		·25	·08				·20	·13		·35			4
5	·30		·02	·21						·32	·09		5
6			·35	·03					·28				6
7	·17						·15			·43			7
8	·18			·05			·90	·06	·08	·24	·17	·34	8
9	·02						~~·40~~	·10	·04			·26	9
10	·18		·13	·25	·03			·11					10
11	·15		·33	·20		·07		·09	·20				11
12			·04	·03		·02		·20		·63	·07		12
13	·05		·14	·04				·09		·06			13
14				·12			~~·15~~	·06					14
15	·06						·17					·01	15
16		·09		·17	·03		·08			·51		·52	16
17				·08	·45		·30	·06	·38	·16			17
18	·03	·03		·08	·10	·41	·23		·26				18
19	·02	·17	·08			·01		·04	·12				19
20	·02	·06			·63						·03		20
21			·04			·08							21
22			·03			·05		·08					22
23		·12			·09	·02		·14		·05			23
24		·02				·16	·06	·02		·18			24
25		·05	·02			·							25
26			·07					·40	·05		·25		26
27					·17	·02		·68					27
28						1·25		·02					28
29					·60	·25	·18	·01		·25		·19	29
30			·40				1·82	·03		·02		·03	30
31	·02		·06				·28					·05	31
Total	1·20	·79	1·81	1·78	2·10	2·44	4·97	4·02	1·43	3·29	·84	1·40	YEAR'S TOTAL 26·07
Rain Days.	12	8	15	14	8	12	12	21	9	13	7	7	138

W. 8,000, VIII. 16

✓ Exe JL 18

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 101.18

Kept at The Green. Woking

in the County of Surrey

by M. S. Howlett

Lat. 51. 20 Long. 0. 30 W

Time of Observation 9. a. m.

Nearest Railway Station Woking

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·05						·05			·34	·07	1
2	·03	·03		·12				·28		·02	·32	·10	2
3			·05	·28	·40						·42	·01	3
4		·09	·15					·03	·18		·63		4
5								·06	·37	·11			5
6	·21	·10		·31	·23				·03	·02		·05	6
7		·10		·28	·36				·12	·06			7
8		·07							·11	·06	·23		8
9		·04		·22		·18	·16		·32	·12		}	9
10				·10			·77		·02	·03	·02	·57	10
11							1·45		·09	·37	·11	·19	11
12	·01	·05			·13		·15		·03				12
13	·07			·03	·15		·11		·13			·02	13
14	·15		·04			·36	·03		·10	·12		·26	14
15	1·41			·63		·07	·35		·03			·10	15
16	·32		·02	·25		·21			·35				16
17	·37			·18			·10	·05					17
18	·43					·16	·09		1.02	·12		·10	18
19	·07	·09	·06	·08		·10	·23		·01	·13		·13	19
20	·07			·65		·02	·10		·21	·14			20
21	·22	·02		·50					·65	·03			21
22	·08				·77		·20		·17			·22	22
23				·02	·11		·52	·02			·03	·03	23
24		·32					·43		·11	·02	·10		24
25						·03	·32	·30					25
26							·65		·02	·03	·09	·14	26
27		·04	·02	·06			·06	·17	·09		·12		27
28		·03	·19					·02			·11	·06	28
29									1·11		·04		29
30		X	·40						·09		·05	·11	30
31		X		X		X			X	·09	X		31
Total	3·44	1·03	·93	3·71	2·15	1·13	5·42	·98	5·36	1·47	2·61	2·16	YEAR'S TOTAL 30·39
Rain Days.	13	13	8	15	7	8	17	9	23	16	14	17	160

W. 500, IX. 17.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

FORM A.
BRITISH RAINFALL.

20 JAN 20

REGISTER OF and [illegible] RAINFALL IN 1919

Kept at The Green Woking

in the County of Surrey

by

Lat. 51. 19 Long. 0. 34

Time of Observation 9. a. m.

Nearest Railway Station Woking

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·30	·03	·03		·01		·20			·04		1·07	1
2	·46						·07			·03	·09	·11	2
3	·28		·41		·03				·08		·04	·40	3
4	·08	·03	·41				·14	·02			·02	·21	4
5		·33	·55	·03		·08	·15		·22		·12	·27	5
6	·16		·04									·11	6
7	·05		·30										7
8	·15		·09										8
9	·11		·03	·17	·05						·05		9
10	·77		·06							·03		·05	10
11	·03		·07	·27	·06		·19					·02	11
12			·03				·18			·10			12
13				·30					·03	·04	·04	·03	13
14	·20	·05		·27			·10		1·05			·03	14
15	·21	·04	·08							·04		·43	15
16	·08	·54									·10	·05	16
17		·30		·02							·17	·03	17
18		·18	·17								·07		18
19	·02	·09	·57			·22	·25	·30					19
20	·25	·08	·10			·65	~~·25~~	·10			·05		20
21	·12	·27	·03			·02	·61)		·06		·02	·12	21
22		·02					·24		·15		·02	·33	22
23									·05		·03	·03	23
24				·11		·04	·15	·06		·28	·05		24
25	·05	·06		·02				·14				·01	25
26	·06	·15	·09						·08			·34	26
27	·77	·05		·70				·20				·04	27
28	·02		·28	·03				·68			·48	·32	28
29	·04			·10				·28		·18	·03	·03	29
30		X		·23		·10		·30		·04	·28	·45	30
31	·04	X		X		X	·12		X	·02	X	·06	31
Total	4·25	2·22 ~~2·12~~	3·34	2·25	·15	1·11	2·40	2·08	1·72	·80	1·66	4·54	YEAR'S TOTAL 26·52 ~~26·42~~
Rain Days.	22	15	18	12	4	6	12	9	8	10	17	23	156

W. 8,000, IX. 17.

231

8 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at The Green Woking
in the County of Surrey
by Mrs Howlett

Lat. 51·20 Long. 0·3
Time of Observation 9 a.m.
Nearest Railway Station Woking
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground · ft 9 in.
" " " " Sea Level ~~150~~ 122 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09			·39	·09					·27	·03	·24	1
2			·08		·02		·24	·46	·11	·02		·07	2
3	·02	·04		·07						·06		·02	3
4		·07		·11			·03	·04		·07		·12	4
5			·11	·03			·58	·03				·06	5
6			·21		·09		·80						6
7			·02	·12	·05		·51						7
8				·10	·14		·12						8
9	·22			·05		·02	·23						9
10	·43	·03	·06	·03		·04	·08						10
11	·21		·07	·24	·03	·02	·23					·15	11
12				·18		·57					·02		12
13	·19		·13	·26							·03		13
14		·01	·21	·33					·07	·04	·22	·04	14
15		·02	·09	·35	·02				·47	·10	·05	·	15
16			·02	·14					·28				16
17	·03				·11		·02		·36			·06	17
18	·05							·84	·17			·03	18
19	·07			·17									19
20	·09	·09		·24									20
21				·06		·60	·64	·01	·43			·09	21
22				·26				·02	·10			·40	22
23							·42	·06				·28	23
24	·02		·07								·01	·02	24
25			·01				·25					·04	25
26	·06	·06	·09				·21						26
27	·28		·02	·33			·05				·28		27
28	·34		·23	·08	·03		·10				·04	·11	28
29	·29		·05			·06					·05	·13	29
30	·02			·02	·04		·10		·17	·02	·25	·15	30
31	·02		·05		·03					·87		·08	31
TOTAL	2·43	·32	~~1·32~~ 1·52	3·56	·65	1·31	4·61	1·46	2·16	1·45	·98	2·09	~~22·34~~ 22·54
Days with ·01 in. or more	17	7	17	21	11	6	17	7	9	8	10	18	148
	12	4	12	18	6	4	15	4	9	6	6	15	112

(44,283). Wt 21958—218. 7500. 10/19. Gp.132. A.&E.W.

WOODSIDE
ST LUKES VIC
SURREY
1912 - 1919

FORM A.
BRITISH RAINFALL.
8 - JAN 191

R

Kept at St Luke … M
… oodside

in the County of … in.

by A.E. Sponer … Ground 1 ft. - - in.

Sea Level ft.

IMPORTANT … he result entered to the previous day. If a … rsal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·11	—	—	·09	·30	—		·54	—	·22	1
2	—	—	·34	·03	—	·02	·34	—		·04	—	—	2
3	·05	·04	·04	—	—	·08	—	·31		—	·15	·08	3
4	·18	—	·59	—	·15	·17	—			—	·08	—	4
5	·18	·02	·05	—	—	—	—			—	—	—	5
6	·46	·03	—	—	·01	—	—			—	—	·16	6
7	—	—	·[illegible]	—	·08	·72	·20			—	—	·02	7
8	·26	·35	·22	—	—	·03	—		4·64	—	—	—	8
9	—	·11	—	—	—	·54	·02		·02	—	—	·08	9
10	—	·04	—	·04	—	—	—		·03	—	·10	·25	10
11	·03	·26	·[illegible]	—	—	·01	—		·02	—	—	·21	11
12	·03	·11	·04	—	·18	·12	—	Not Taken from Aug 4th to Sept 8	—	—	·01	·03	12
13	·01	·01	—	—	—	—	—		—	—	·09	—	13
14	—	—	·01	—	·02	—	—		—	·06	·01	·01	14
15	—	—	·18	—	·33	·69	—		—	—	·03	·36	15
16	·39	—	·04	—	·04	·04	—		—	·03	·05	—	16
17	·36	—	·27	—	—	·02	—		—	—	·02	·09	17
18	·11	—	·14	—	—	—	—		—	·05	·01	·11	18
19	·12	·07	·11	—	—	—	·03		—	—	—	—	19
20	—	·02	·40	—	—	—	—		—	·41	·03	—	20
21	—	·01	·21	—	·01	—	—		—	·10	·04	—	21
22	·18	·13	·04	—	·02	—	·07		—	—	—	·03	22
23	·35	·32	·29	—	·01	—	—		—	·05	·17	·13	23
24	·26	·01	—	—	—	·09	·03		—	—	—	·17	24
25	·14	—	—	—	—	·15	—		—	—	·27	·41	25
26	·01	·04	—	—	—	—	—		—	·20	·43	·28	26
27	—	—	—	—	—	·01	—		—	·13	—	·14	27
28	—	·05	—	·01	—	·07	·13		·08	·38	·54	·13	28
29	—	·03	—	—	—	·04	·32		1·25	·09	·06	—	29
30	—		—	—	·37	·04	·02		1·40	·40	—	—	30
31	—		·05		—		·08			·03		—	31
Total	3·12 3.12	1·63	3·13 3.13	·08	1·14	2·93	1·54		7·44 7·75	2·51	2·09	2·89 2·91	YEAR'S TOTAL 28·85 28 85
Rain Days.	17	18	18	3	11	18	11			14	17	19	146

W. 7,500, XI. ·12

R

FORM A.
BRITISH RAINFALL
8 - JAN 1913

Kept at St Lukes Vicarage Woodside South Norwood

in the County of Surrey 3

by A.E. Spooner for Rev Bowman

Time of Observation 9 A. M

Nearest Railway Station Woodside

Diameter of Rain Gauge ~~4~~ in.

Height of top of Gauge above Ground 1 ft. -- in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·11	—	—	·09	·30	—		·54	—	·22	1
2	—	—	·34	·03	—	·02	·34	—		·04	—	—	2
3	·05	·04	·04	—	—	·08	—	·31		—	·15	·08	3
4	·18	—	·59	—	·15	·17	—			—	·08	—	4
5	·18	·02	·05	—	—	—	—			—	—	—	5
6	·46	·03	—	—	·01	—	—			—	—	·16	6
7	—	—	·~~21~~	—	·08	·72	·20			—	—	·02	7
8	·26	·35	·22	—	—	·03	—		4·64	—	—	—	8
9	—	·11	—	—	—	·54	·02		·02	—	—	·08	9
10	—	·04	—	·04	—	—	—		·03	—	·10	·25	10
11	·03	·26	[illegible]	—	—	·01	—		·02	—	—	·21	11
12	·03	·11	·04	—	·10	·12	—	Not Taken from Aug 4th to Sept 8	—	—	·01	·03	12
13	·01	·01	—	—	—	—	—		—	—	·09	—	13
14	—	—	·01	—	·02	—	—		—	·06	·01	·01	14
15	—	—	·18	—	·33	·69	—		—	—	·03	·36	15
16	·39	—	·04	—	·04	·04	—		—	·03	·05	—	16
17	·36	—	·27	—	—	·02	—		—	—	·02	·09	17
18	·11	—	·14	—	—	—	—		—	·05	·01	·11	18
19	·12	·07	·11	—	—	—	·03		—	—	—	—	19
20	—	·02	·40	—	—	—	—		—	·41	·03	—	20
21	—	·01	·21	—	·01	—	—		—	·10	·04	—	21
22	·18	·13	·04	—	·02	—	·07		—	—	—	·03	22
23	·35	·32	·29	—	·01	—	—		—	·05	·17	·13	23
24	·26	·01	—	—	—	·09	·03		—	—	—	·17	24
25	·14	—	—	—	—	·15	—		—	—	·27	·41	25
26	·01	·04	—	—	—	—	—		—	·20	·43	·28	26
27	—	—	—	—	—	·01	—		—	·13	—	·14	27
28	—	·05	—	·01	—	·07	·13		·08	·38	·54	·13	28
29	—	·03	—	—	—	·04	·32		1·25	·09	·06	—	29
30	—		—	—	·37	·04	·02		1·40	·40	—	—	30
31	—		·05		—		·08			·03		—	31
Total	3·12 3·12	1·65	3·13 3·13	·08	1·14	2·93	1·54		7·44 7·75	2·51	2·09	2·89 2·91	YEAR'S TOTAL 28·85 28 85
Rain Days.	17	18	18	3	11	18	11			14	17	19	146

W. 7,500, XI. ·12

cw for arith 21-1-14

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL.
JAN 1914

Kept at Woodside Vicarage. South Norwood. S.E.
in the County of Surrey.
by Rev. Paget M. Bowman.

3

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground — ft. 10 in.
" " " Sea Level ft.

Time of Observation 9. a.m.

Nearest Railway Station
Name Woodside. S.E.C.R.
Distance 200 yds. Direction S.S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·30	·02	·10	—	—	—	—	·41	·03	·03	·12	1
2	·04	·12	—	—	—	—	·08	—	—	·28	·05	—	2
3	—	—	·06	·29	·30	—	—	—	—	—	—	·10	3
4	·23	—	—	·02	·23	—	·08	—	—	·23	—	·06	4
5	·37	—	—	—	—	·06	·07	—	·44	—	·01	·03	5
6	·03	—	·11	—	·01	·08	·12	—	—	·16	·15	·08	6
7	—	·13	—	—	—	—	·04	—	—	·46	·09	—	7
8	—	·02	·03	—	·13	·06	—	·24	—	·01	·02	—	8
9	—	·12	—	—	·03	—	—	—	·07	—	·03	·02	9
10	—	—	·19	·08	—	—	—	—	—	—	·44	—	10
11	·31	—	—	·37	·15	—	—	—	—	·69	·30	—	11
12	—	—	—	—	—	—	—	—	—	—	·36	—	12
13	·07	—	·04	—	—	—	—	—	—	—	·20	—	13
14	·09	—	·09	·08	—	—	·19	·07	—	·14	·04	—	14
15	·37	·05	·27	·22	—	—	·22	—	·09	—	—	—	15
16	·15	—	·33	·13	—	—	—	—	·46	—	—	—	16
17	·03	·04	·07	·02	—	—	·15	—	—	—	—	—	17
18	—	—	·09	·09	—	—	—	—	—	—	·01	—	18
19	·19	—	·17	—	—	·04	·13	—	·09	—	—	—	19
20	·23	—	·39	·04	—	·03	—	—	—	·54	·01	—	20
21	·01	—	·09	·05	—	—	·07	—	—	·25	·70	—	21
22	·35	—	·22	·29	—	—	—	—	·12	—	·02	—	22
23	—	—	·01	—	—	·02	—	·23	—	—	—	·37	23
24	·02	—	—	·01	—	·01	—	·08	—	—	·04	—	24
25	—	·01	—	·21	—	—	—	—	—	—	—	—	25
26	—	—	·11	·05	—	—	—	·19	—	·82	—	·16	26
27	—	—	·07	·16	·01	·02	—	—	—	·02	—	—	27
28	·34	—	·24	·06	—	—	—	—	—	·15	—	—	28
29	·04		·04	·35	·44	—	—	·09	—	·03	—	—	29
30	·33		—	·17	—	—	—	·25	—	·15	—	—	30
31	—		—		—		—	·100		·12		—	31
Total	3·20	·99	2·66 2·66	2·79 2·79	1·30	·32	1·15	2·15	1·68	4·08	2·50	·94	TOTAL for year 26·56 23·56 ~~24·16~~
No. of Rain Days.	18	8	20	20	8	8	10	8	7	16	17	8	148

W. 8,000, X. '11.

Exatss

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

-6 FEB 1915

Kept at St Lukes Vicarage WOODSIDE
South Norwood
in the County of Surrey 3
by Revd P. M. Bowman

Lat. Long.
Time of Observation 9. a.m
Nearest Railway Station Woodside. SE & C.
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

Upfalator
negretti size
& Zambra.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·58

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	—	—	—	—	·20	—	—	·03	·03	1
2	—	—	—	—	—	—	·16	·31	—	—	·23	·27	2
3	—	—	·07	·01	·13	—	·10	·01	—	—	—	·26	3
4	·03	—	—	·17	·18	—	—	·04	—	—	·26	—	4
5	·09	·09	·03	·24	—	·01	·29	·71	—	—	·03	—	5
6	—	—	—	·14	—	·20	·02	·01	—	—	·11	·17	6
7	—	·47	·20	·17	·29	·25	·09	—	—	—	—	·10	7
8	·06	·41	·41	·01	·04	·15	·17	·08	—	—	—	·06	8
9	·22	—	·75	·08	—	·05	—	—	·05	—	—	1·44	9
10	—	·05	·02	·01	·05	—	—	—	·07	—	—	·02	10
11	—	·47	·29	—	·04	·03	—	—	·17	—	·12	·30	11
12	—	·10	·11	—	—	—	·11	—	·13	·01	·03	·48	12
13	—	·22	·14	—	—	—	—	—	·03	—	·07	·47	13
14	·02	·09	·19	—	—	·92	·20	—	·12	·13	·06	·47	14
15	—	·02	·18	—	—	—	·14	·05	—	·01	1·09	·04	15
16	—	—	·02	—	—	—	—	—	·03	—	—	—	16
17	—	·26	·10	—	—	—	—	—	·01	—	—	·14	17
18	—	·07	·12	—	—	—	—	—	—	—	·06	—	18
19	—	·04	·23	—	—	·01	·11	—	·01	—	—	·15	19
20	—	·19	·33	—	—	·05	—	—	·03	—	—	·50	20
21	—	·76	·09	—	—	—	—	—	—	—	—	·05	21
22	—	·04	—	·02	·17	·08	·19	·01	—	·05	—	—	22
23	—	—	·08	—	·19	·10	·04	—	—	·03	—	—	23
24	—	—	·11	—	—	—	—	—	—	—	·03	—	24
25	·01	—	·20	—	—	—	·02	·08	—	·06	—	·05	25
26	—	—	·05	—	—	—	·07	·07	—	·20	·21	·50	26
27	·02	—	·01	—	—	—	—	·02	—	·09	·05	·19	27
28	—	—	—	—	—	—	—	—	—	—	—	·81	28
29	·04	—	·03	—	—	—	—	—	—	·31	·48	—	29
30	—	X	·03	—	—	—	—	—	—	·06	·46	·21	30
31	—	X	—	X	·19	X	·01	—	X	—	X	—	31
Total	·49	3·28	3·79	·85	1·28	1·85	1·72	1·59	·65	·95	3·32	6·71	YEAR'S TOTAL 26·48
Rain Days.	8	15	24	9	~~8~~ 9	11	~~14~~ 15	12	10	10	16	22	~~159~~ 161

W. 8,000. X. 14.

/

Form 121

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
MAY 1917

Kept at Woodside Vicarage South Norwood

in the County of Surrey 3

by The Revd Sir Paget M. Bowman. Bart

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Woodside S.E

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·58	·09	·05	· · ·	·05	· · ·	· · ·	· · ·	·05	·02	·32	·36	1
2	·21	·22	·18	·16	· · ·	· · ·	· · ·	·91	·07	·05	· · ·	·10	2
3	·41	· · ·	·07	·18	·04	· · ·	· · ·	·26	·01	· · ·	· · ·	·51	3
4	· · ·	· · ·	· · ·	· · ·	· · ·	· · ·	· · ·	· · ·	· · ·	· · ·	· · ·	·34	4
5	·05	·51	· · ·	·48	· · ·	· · ·	· · ·	· · ·	· · ·	·05	· · ·	·22	5
6	·38	·05	·02	· · ·	· · ·	· · ·	·40	· · ·	· · ·	· · ·	· · ·	·10	6
7	·27	·33	·02	·03	· · ·	· · ·	·19	·04	· · ·	· · ·	· · ·	·17	7
8	·08	·58	· · ·	·09	· · ·	· · ·	·08	·32	· · ·	· · ·	·25	·01	8
9	· · ·	· · ·	· · ·	· · ·	· · ·	·09	· · ·	·05	· · ·	·03	· · ·	·60	9
10	·19	· · ·	· · ·	·12	· · ·	· · ·	· · ·	· · ·	· · ·	· · ·	· · ·	·21	10
11	·05	· · ·	· · ·	· · ·	· · ·	· · ·	· · ·	· · ·	· · ·	· · ·	·50	·03	11
12	· · ·	·05	· · ·	·45	·41	· · ·	· · ·	·40	· · ·	·04	·32	·01	12
13	· · ·	·62	· · ·	·02	·15	· · ·	· · ·	·05	· · ·	· · ·	· · ·	· · ·	13
14	· · ·	·04	·02	· · ·	· · ·	· · ·	·28	·19	·02	· · ·	· · ·	·28	14
15	·11	· · ·	· · ·	· · ·	·04	· · ·	·03	·29	· · ·	· · ·	·17	·09	15
16	· · ·	·40	·01	· · ·	· · ·	· · ·	·48	· · ·	· · ·	· · ·	· · ·	·15	16
17	· · ·	·36	· · ·	· · ·	·91	· · ·	·04	·40	· · ·	· · ·	· · ·	· · ·	17
18	· · ·	·08	·08	· · ·	·19	· · ·	· · ·	· · ·	· · ·	· · ·	·07	· · ·	18
19	· · ·	·24	· · ·	· · ·	·02	· · ·	·06	· · ·	· · ·	·03	· · ·	· · ·	19
20	·28	· · ·	· · ·	·04	· · ·	· · ·	· · ·	· · ·	· · ·	· · ·	· · ·	· · ·	20
21	·22	· · ·	· · ·	· · ·	· · ·	· · ·	·04	· · ·	· · ·	·04	· · ·	·32	21
22	·51	·08	·08	·03	· · ·	· · ·	·67	· · ·	· · ·	· · ·	· · ·	·08	22
23	· · ·	·22	·08	·18	· · ·	·04	·22	· · ·	·11	·40	· · ·	·30	23
24	·01	· · ·	·01	·02	· · ·	· · ·	·03	· · ·	·20	·20	· · ·	·23	24
25	· · ·	· · ·	·05	· · ·	· · ·	· · ·	·31	· · ·	· · ·	· · ·	· · ·	·45	25
26	· · ·	·04	· · ·	· · ·	· · ·	· · ·	·02	· · ·	· · ·	· · ·	· · ·	·08	26
27	· · ·	·02	· · ·	· · ·	· · ·	·08	·10	· · ·	· · ·	·22	· · ·	·01	27
28	· · ·	· · ·	· · ·	· · ·	· · ·	·12	· · ·	· · ·	1·61	·14	· · ·	· · ·	28
29	· · ·		· · ·	·03	· · ·	·05	·02	·08	·02	· · ·	·03	· · ·	29
30	·03		· · ·	· · ·	· · ·	· · ·	· · ·	· · ·	· · ·	·03	·43	· · ·	30
31	·02		· · ·		· · ·		· · ·	· · ·		·98		·33	31
Total	3·40	3·93	·67	1·83	1·81	·38	2·97	2·99	2·09	2·23	2·09	4·98	YEAR'S TOTAL 29·37
Rain Days.	16	17	12	13	8	5	16	11	8	13	8	23	150

End C T'E

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
7. MAY 1917

Kept at Woodside Vicarage Sth Norwood

in the County of Surrey

by The Revd Sir Paget M. Bowman, Bart

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Woodside S.E.
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.09	...	.01	...	.57	...	...	...	.05	.09	.21	...	1
2	.21	.10	.08	...	.31	...	.02	...	.19	.30	.05	...	2
3	...	.85	.21	...	...	...	...	...	.05	.19	.61	...	3
4	.19	.13	.02	...	...	.19	...	...	.11	.01	.47	...	4
5	...	.01	...	...	.07	.20	.05	...	.19	.04	.61	...	5
6	...	.08	.24	.33	.01	.14	.26	...	...	.01	.62	...	6
7	.04	...	.56	...	.20	.16	.16	...	...	...	.78	.06	7
8	...	...	.02	...	.23	...	...	...	...	.06	...	.34	8
9	...	...	...	...	.16	...	...	...	...	...	...	.11	9
10	.02	.16	.13	.07	...	.35	.05	...	...	...	...	.09	10
11	.01	.15	.03	.11	...	.20	...	...	...	...	...	.01	11
12	...	.04	...	.05	.25	.22	.18	...	...	.06	...	...	12
13	...	.20	.29	.11	.02	.05	.15	.03	...	.03	...	...	13
14	...	.38	.02	...	.10	...	.05	...	...	...	...	...	14
15	...	.15	.21	.03	...	...	.19	.17	...	...	...	...	15
16	.02	.04	.14	.14	...	...	.19	.26	...	...	...	.11	16
17	...	.11	.01	.01	...	...	...	.21	.33	.46	.35	.01	17
18	.06	.09	.02	.32	...	...	...	.11	.10	.23	.40	...	18
19	.06	.06	.05	.15	...	...	...	.28	.08	...	...	.03	19
20	14	...	.30	.03	...	...	...	...	...	...	.75	.46	20
21	...	...	.39	...	...	...	.19	...	...	...	...	.75	21
22	...	...	.08	...	...	...	...	...	...	...	...	...	22
23	.01	.31	.02	...	.02	.02	...	...	...	.03	.03	.11	23
24	...	.05	...	...	.02	...	...	...	...	.13	.04	.31	24
25	...	.49	...	...	...	...	...	...	...	.08	.05	...	25
26	...	.16	.16	...	...	.11	...	.33	...	.12	...	...	26
27	.03	...	.76	...	...	.65	...	.05	.02	.65	...	...	27
28	...	.33	.25	...	...	.02	...	.39	.11	...	...	.09	28
29	...	.09	...	...	...	.14	...	1.02	.04	.26	...	.05	29
30	...	X	...	...	...	...	...	...	...	1.29	...	.01	30
31	...	X	...	X	...	X	...	...	X	.08	X	.01	31
Total	.88	3.98	4.00	1.35	1.96	2.45	1.49	2.85	1.27	4.13	4.97	2.55	YEAR'S TOTAL 31.88
Rain Days.	12	21	23	11	12	13	11	10	11	19	13	16	172

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
4. JAN 1918

Kept at St Lukes Vicarage Woodside S.E.
in the County of Surrey
by Revd Sir Paget M. Bowman Bart

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Woodside S.E.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground one ft. — in.
" " " " Sea Level ? ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·01

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	...	·04	...	·18	...	...	...	·54	...	...	·07	...	1
2	...	...	...	·40	...	...	...	·14	...	...	·11	...	2
3	...	...	...	·15	...	...	·05	·38	...	·12	·01	...	3
4	...	·18	·07	...	...	...	·57	·17	...	·35	...	...	4
5	·20	...	...	·32	...	...	...	...	1·0·0	·16	·04	...	5
6	...	...	...	·03	...	·06	...	...	·25	·01	·06	...	6
7	·14	...	·01	...	...	...	·17	...	...	·30	·12	·05	7
8	·09	...	·18	·09	...	...	·62	·16	·06	·21	·11	·20	8
9	·02	...	·01	·04	...	...	·05	·04	·01	...	...	·43	9
10	·17	...	...	·13	...	...	...	·05	...	...	...	·03	10
11	·12	...	·39	·15	...	...	...	...	·19	·19	...	...	11
12	·03	·01	·03	...	...	...	...	·03	...	·41	·01	...	12
13	·01	...	·09	·04	...	...	...	·04	·02	·09	...	...	13
14	·04	...	·02	·04	...	...	...	·02	...	...	...	...	14
15	·04	...	...	·12	...	...	·22	·34	...	·04	...	...	15
16	...	·16	...	...	·23	...	·13	...	...	·16	...	·20	16
17	·03	...	...	·26	·52	...	·22	·10	·33	...	...	·26	17
18	...	·08	...	·10	·05	...	·26	·01	·14	...	...	...	18
19	...	·11	·09	·08	·18	...	...	...	·11	...	...	...	19
20	...	·09	...	...	·66	...	...	...	...	...	·05	·03	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	·15	...	·01	·15	...	...	·15	...	·22	·01	...	22
23	·01	·01	·09	...	...	...	...	·07	...	·04	...	...	23
24	·02	...	...	...	...	0·13	·01	...	...	...	...	...	24
25	...	...	·07	...	...	...	...	...	...	·10	·09	...	25
26	...	...	...	...	...	...	...	·33	...	·01	·55	...	26
27	...	...	·06	...	...	...	...	·75	...	...	·01	...	27
28	...	·01	...	...	...	1·42	...	·02	...	...	...	...	28
29	...	×	...	...	·11	·17	...	·02	...	·32	...	·20	29
30	·01	×	·25	...	...	...	·19	·06	...	·01	·01	·03	30
31	·07	×	·07	×	...	×	·05	·01	×	...	×	...	31
Total	1·0·0	·84	1·4·3	2·14	1·90	1·78	2·64	3·43	2·11	2·74	1·25	1·43	YEAR'S TOTAL 22·59
Rain Days.	15	10	14	16	7	4	12	21	9	17	14	9	148

W. 8,000, IX. 17.

Exd [illegible]

15

from M.S. ✓

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
10 4 19

Kept at Woodside St. Luke's Vicarage

in the County of Surrey

by Rev. Sir P.M. Bowman. Bart per F.C. Bayard

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 104 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·01				·02		·02	·20	·19	1
2				·02				·25			·13		2
3				·04	·35			·02			·45		3
4									·26		1·12		4
5					·16			·13	·68	·04			5
6				·24	·24			·03	·16		·06	·02	6
7				·18	·33				09	·06		·08	7
8									·04	·01	·10	·03	8
9				·08		·04	·22		·33	·08		·25	9
10				·06		·01	·39		·05	·03	·03	·33	10
11				·03	·01		·30		·04	·23	·11	·13	11
12					·11		1·00		·02			·01	12
13					·13		·03		·05				13
14					·02	·40	·04		·07	·13		·18	14
15				·82			·68					·09	15
16						·11	·01		·04	·01			16
17				·17	·05		1·68	·06				·09	17
18						·11	·02		·46	·33		·05	18
19				·26	·06	·11	·08			·11		·15	19
20				·52		·02	·20		·34	·31		·02	20
21				·48			·04		·28	·09			21
22				·02	·35		·32		·08			·13	22
23				·02	·16		·48	·07	·04			·04	23
24							·35		·15				24
25				·74			·24	·18			·08		25
26				·01			·44			·05	·08	·11	26
27				·13			105	·01	·05	·01	·09		27
28				·11				·13			·25	·12	28
29				·01					1·01	·03	·01		29
30		X										·19	30
31		X		X		X			X	·06	X		31
Total		4·92		3·95 ✓	1·97 ✓	·80 ✓	6·57 ✓	·90 ✓	4·24 ✓	1·60 ✓	2·71 ✓	2·21 ✓	YEAR'S TOTAL 29·87 ✓
Rain Days				20 ✓	12 ✓	7 ✓	19 ✓	10 ✓	20 ✓	17 ✓	13 ✓	19 ✓	

W, 6,500, VII. 18. W W C

S4R 37

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Woodside, St Lukes Vicarage
in the County of Surrey
by Rev. Sir P. M. Bowman Bt., per Bayard

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " Sea Level 164 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in. Woodside IN.	in. Woodside IN.	in. Woodside IN.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·20	·14	·01										1
2	·18	·01	·01										2
3	·24	..	·58										3
4	·11	..	·48										4
5	..	·29	·77										5
6	·06	..	·05										6
7	·02	..	·26										7
8	·13	..	·04										8
9	·31	..	·02										9
10	·19	..	·01										10
11	·02	..	·07										11
12	..	..	·06										12
13	·02	..	..										13
14	·02	·01	..										14
15	·35	..	·16										15
16	·15	·49	..										16
17	..	·38	·04										17
18	..	·37	·06										18
19	·04	·07	·38										19
20	·08	·02	·06										20
21	·14	·31	·01										21
22	..	·04	·01										22
23	..	..	..										23
24	..	..	..										24
25	·02	..	..										25
26	..	·20	·09										26
27	·32	·11	·04										27
28	..	..	·22										28
29	·05		..										29
30	·01		..										30
31	..		·05										31
TOTAL	2·66 ..	2·44 5·10	3·48 8·58										YEAR'S TOTAL
Days with ·01 in. or more	21	13	23										

5a

WOKING

NORTHWOOD

SURREY

1911, - 1918, 1919

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

Kept at "Northi ...rdon

in the County of

by S. Price-Willi

5 in.

Ground 1 ft. · in.

Sea Level 115.1 ft.

m

ame Woking Junctⁿ

stance 1/4 m Direction N.

IMPORTANT N he result entered to the previous day. If an sal rule, he is earnestly requested to add the in the space provided for it at the end of t of rain, the selection and pla as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	—	·01	·40	—	—	·01	·04	—	—	—	·015	1
2	·08	—	—	·275	·21	—	·01	none the meas.	—	—	·21	·055	2
3	—	—	—	—	·15	—	—		—	—	·08	·07	3
4	—	·05	·03	·10	—	—	—	—	·01	·09	·16	·37	4
5	·04	—	—	·02	—	—	—	—	—	·21	·08	·04	5
6	·19	—	—	—	—	—	—	—	—	—	—	·38	6
7	·05	—	—	—	—	—	—	—	—	·13	·28	·20	7
8	·10	—	·34	—	—	—	—	—	—	—	·14	·38	8
9	·15	—	·02	·02	—	—	—	—	—	—	—	·15	9
10	·01	·14	·10	—	none meas^d.	—	—	—	—	—	·02	·66	10
11	·35	—	·01	—	—	—	—	—	—	—	·70	—	11
12	—	—	·45	—	·015	—	—	—	·02	—	·19	·01	12
13	—	—	·07	—	·05	—	—	—	·33	·14	·05	·55	13
14	—	·06	—	—	—	—	—	—	—	—	—	·48	14
15	—	—	·06	—	—	—	—	—	—	·01	·03	—	15
16	—	—	·03	—	—	·33	—	—	—	—	·36	·065	16
17	—	—	·01	—	—	·08	—	—	—	—	·39	·215	17
18	—	·23	—	·01	—	·01	—	—	—	·01	·58	·32	18
19	—	—	·01	—	·01	·35	—	—	·18	·06	·10	·17	19
20	·02	·03	·02	—	—	—	—	·20	·14	·01	—	·67	20
21	—	—	—	—	—	—	—	·04	·01	·59	—	·18	21
22	·10	·18	·22	—	—	·02	—	—	—	·04	—	·49	22
23	—	—	·005	—	—	·47	—	—	·08	·01	·04	·08	23
24	—	·12	—	—	—	·15	—	·02	—	1·12	—	·25	24
25		·01	·03	·03	·12	·08	·83	·02	—	·01	—	—	25
26		·01	·01	·15	·15	·06	·085	none meas	—	·10	·01	·23	26
27		·30	·15	·04	—	—	·07		·09	·02	·02	·18	27
28		·14	—	·23	—	—	—	·11	—	—	·03	·005	28
29			—	·33	—	·19	·17	none the meas.	·15	·18	—	—	29
30			—	—	—	·02	—	·11	·03	·19	—	·020	30
31			—		·015		—	—		·04		—	31
Total	1·14	1·27 2·41	1·575 3·985	1·605 5·59	0·720 6·31	1·76 8·07	1·175 9·245	0·54 9·785	1·04 10·825	2·96 13·785	3·47 17·255	6·235 23·49	TOTAL for year 23·490
No. of Rain Days	11	11	~~18~~ 17	11	8	11	6	7	10	18	19	~~26~~ 25	154

9,000, IX. '10.

5a

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

Kept at "Northwood" Woking

in the County of Surrey 6

by S. Price-Williams Esq. M. Inst. C.E

Rain Gauge
- Pattern Snowdon
- Diameter of top 5 in.
- Height of top above Ground 1 ft. - in.
- " " " Sea Level 115.1 ft.

Time of Observation 9 am

Nearest Railway Station
- Name Woking Junct^n
- Distance 1/4^m Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	—	·01	·40	—	—	·01	·04	—	—	—	·015	1
2	·08	—	—	·275	·21	—	·01	none the meas.	—	—	·21	·055	2
3	—	—	—	—	·15	—	—		—	—	·08	·07	3
4	—	·05	·03	·10	—	—	—	—	·01	·09	·16	·37	4
5	·04	—	—	·02	—	—	—	—	—	·21	·08	·04	5
6	·19	—	—	—	—	—	—	—	—	—	—	·38	6
7	·05	—	—	—	—	—	—	—	—	·13	·28	·20	7
8	·10	—	·34	—	—	—	—	—	—	—	·14	·38	8
9	·15	—	·02	·02	—	—	—	—	—	—	—	·15	9
10	·01	·14	·10	—	none the meas.	—	—	—	—	—	·02	·66	10
11	·35	—	·01	—	—	—	—	—	—	—	·70	—	11
12	—	—	·45	—	·015	—	—	—	·02	—	·19	·01	12
13	—	—	·07	—	·05	—	—	—	·33	·14	·05	·55	13
14	—	·06	—	—	—	—	—	—	—	—	—	·48	14
15	—	—	·06	—	—	—	—	—	—	·01	·03	—	15
16	—	—	·03	—	—	·33	—	—	—	—	·36	·065	16
17	—	—	·01	—	—	·08	—	—	—	—	·39	·215	17
18	—	·23	—	·01	—	·01	—	—	—	·01	·58	·32	18
19	—	—	·01	—	·01	·35	—	—	·18	·06	·10	·17	19
20	·02	·03	·02	—	—	—	—	·20	·14	·01	—	·67	20
21	—	—	—	—	—	—	—	·04	·01	·59	—	·18	21
22	·10	·18	·22	—	—	·02	—	—	—	·04	—	·49	22
23	—	—	·005	—	—	·47	—	—	·08	·01	·04	·08	23
24	—	·12	—	—	—	·15	—	·02	—	1·12	—	·25	24
25		·01	·03	·03	·12	·08	·83	·02	—	·01	—	—	25
26		·01	·01	·15	·15	·06	·085	none the meas	—	·10	·01	·23	26
27		·30	·15	·04	—	—	·07		·09	·02	·02	·18	27
28		·14	—	·23	—	—	—	·11	—	—	·03	·005	28
29			—	·33	—	·19	·17	none the meas.	·15	·18	—	—	29
30			—	—	—	·02	—	·11	·03	·19	—	·020	30
31			—		·015		—	—		·04		—	31
Total	1.14	1.27 2.41	1.575 3.985	1.605 5.59	0.720 6.31	1.76 8.07	1.175 9.245	0.54 9.785	1.04 10.825	2.96 13.785	3.47 17.255	6.235 23.49	TOTAL for year 23.49
No. of Rain Days	11	11	~~18~~ 17	11	8	11	6	7	10	18	19	~~26~~ 25	154

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.
9.1.19

REGISTER OF RAINFALL IN 1918

Kept at Northwood Woking

in the County of Surrey

by Capt. S. Price-Williams R.E. M.Mot.C.

Lat. 51 19.50 Long. 0.33 W

Time of Observation 9 am

Nearest Railway Station Woking

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4½ in.

" " " " Sea Level 113.66 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1											.34	.07	1
2		.05		.12				.29		.02	.20	.10	2
3			.04	.26				.04		.01	.57		3
4		.09	.13	.01	.37			.01	.19		.55		4
5								.05	.38	(.08)		.01	5
6	.45	.10		.31	.06			.01	.05	.01		.05	6
7		.11		.20	.17	.01			.14	.04	.27	.01	7
8				.17	.37				.11	.03	.04		8
9		.10				.17	.16		.30	.16		.32	9
10				09			.62		.05	.02	.04	.25	10
11	.02			.03	.13		1.70			.34	.11	.12	11
12					.12		.13		.11				12
13		.05					.12		.15				13
14	.15					.36	.02		.10	.11		.26	14
15	1.37			.65		.07	.06		.02			.07	15
16	.41		.05	(.25)		.27			.35			02	16
17	.27			.16			.11	.06				.10	17
18	.43			.01		.16	09	.02	.97	.10		07	18
19	.07		.04	.08		.05	.23		.02	.10		05	19
20		.11		.68		.01	.10		.23	.14	.03		20
21	.29	.02		.44		.01	.01		.16	.03			21
22	.09			.02	.59		.21		.03			.23	22
23	.02				.11		.59	.03	.09				23
24						.04	.44		.15		.10		24
25		.34				.04	.31	.33					25
26							.68		.02	.04	.09	.16	26
27		.06	.01	.05			.07	.17	.08			.01	27
28			.20					.02			.21	.04	28
29				.02					1.14		.05	—	29
30		×	.40						.08		05	.11	30
31		×	.02	×		×			×	.07	×	.01	31
Total	3.57 —	1.03 4.60	0.89 5.49	3.54 9.03	1.92 1095	1.19 12.14	5.65 17.79	1.03 1882	4.92 23.74	1.30 25.04	2.65 27.69	2.06 29.75	YEAR'S TOTAL 29.75
Rain Days.	11	10	8	18	8	11	18	11	23	16	14.	20	168

W. 8,000, IX. 17.

Surrey 178

ansd 16 xii 18

ref to Mr Patterson [illegible]

TELEPHONE,
16 WOKING.

NORTHWOOD,
HEATHSIDE AVENUE,
WOKING.

15. 12. 18

Dear Sir

Rainfall

I should be very much obliged if your Observer could inform me of the address of any one ~~the~~ [illegible] in this neighbourhood who could give his or her record for Oct. 5 1918 as on taking the gauging on Oct 6 at 9 a.m. I found my rain gauge had been either blown over or knocked over in the night.

Yours faithfully

Seymour Price-Williams M.Inst.C.E.
Capt. R.E.
J.R. Mil. S.O.C.

Dr. H. R. Mill
62 Camden Sq.
London N.W.1.

3.20 247

18 FEB 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

Kept at Northwood Woking

in the County of Surrey

by [illegible]

Lat. 51° 18 50 Long 0 33 W

Time of Observation

Nearest Railway Station Woking

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft 4½ in.

" " " " Sea Level 113 66 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·30	–	·02	·01	·01	–	·02	–	–	·08	·03	–	1
2	} –	·02	–	–	·02	–	·13	–	–	–	·18	·07	2
3	} ·69	–	·38	–	·02	–	·21	–	–	–	·04	·08	3
4	·07	·04	·43	–	–	·04	·05	–	·20	–	·02	·23	4
5	·01	·37	·57	·01	–	–	·07	–	·07	–	05	–	5
6	·17	–	·03	–	–	–	·13	–	–	·26	·06	–	6
7	·05	–	30	–	–	–	–	·26	–	–	–	·02	7
8	·16	–	09	·02	–	–	–	–	–	–	–	·22	8
9	·14	–	·02	·10	·04	–	·02	–	·50	–	·01	·16	9
10	·77	–	·06	·25	–	–	–	–	·16	·04	·03	·05	10
11	·02	–	·56	–	·04	–	–	–	–	–	·27	–	11
12	–	–	·02	–	·01	·02	–	–	–	·09	–	–	12
13	·02	·05	–	·31	–	–	·34	–	–	–	–	·52	13
14	·19	·01	–	·21	–	–	·12	–	·18	–	–	06	14
15	·20	·02	·07	·04	–	–	–	–	·13	–	·44	–	15
16	·10	·54	·01	·02	–	–	–	–	·06	–	·16	–	16
17	–	·11	–	–	–	–	–	·21	·05	·07	·05	·07	17
18	–	·34	·16	–	–	–	·46	–	·12	–	·02	·04	18
19	·01	·08	·61	–	–	–	–	–	–	–	–	·13	19
20	14	·08	·16	–	–	·25	·40	·23	·07	–	–	·16	20
21	·11	·27	·02	–	–	·56	·12	·46	·07	–	–	·49	21
22	–	·01	–	–	–	–	·06	–	·19	·08	–	·20	22
23	–	·05	–	–	–	–	–	–	–	–	·28	·36	23
24	–	–	–	·11	·02	·03	–	–	–	–	·57	–	24
25	·05	–	–	–	–	04	·10	·32	–	·07	·15	·12	25
(x) 26	05	·14	·09	(x) } ·74 {	–	–	–	–	–	–	·48	·18	26
27	·71	·02	–		–	–	–	–	–	–	–	–	27
28	–	–	snow ·36	–	–	–	–	·07	–	–	–	·25	28
29	–		–	09	–	–	–	·11	–	·05	·02	62	29
30	·05		–	21	–	·04	·50	·13	–	·06	–	·17	30
31			–		–					·08		·26	31
Total	4·01	2·15 6·16	3·40 9·56	2·12 11·68	0·16 11·84	1·01 12·85	2·73 15 58	1·79 17·37	1·80 19·17	0·88 20.05	2·86 22·91	4·46 27 37	Year's Total 27.37
Days with ·01 in. or more	21	16	19	14	7	7	15	8	12	10	18	22	169

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

(x) Rainfall for 2 days aggregate ·74 · Unavoidably all [illegible]

TEL. 16. WOKING
TELEGRAMS. PLANIMETER
WOKING

Northwood
Heathside Avenue
Woking Surrey

OGICAL OFFICE
BRITISH RAINFALL ORGANIZATION
Recd.................Ansd. 9.3.20
A. C. S. M.
File..........Perm. File........

sent copy reg. Dec comp. with [illegible]

Feb. 29. 1920

M. de Carle Salter Esq

Dear Sir

I am in receipt of yours of the 26th inst. Ref S.138

I enclose as requested a copy of my Form A1. for 1919.

I have only recently Tany returned from British East Africa where I am also an Observer.

I have ~~I~~ had no reason to doubt the accuracy of the readings of the gardener in the past but I must to frankly state that I was away from home from about the middle of April to the end of 1919 & therefore I should probably not have sent you the readings as I had not been present to verify them daily.

I commenced taking daily gaugings in 1905 & reported annually till 1913 when I went to East Africa.

If any serious discrepancy exists I should be very glad to know of it & I think in any case it would be well to consider my return as cancelled because I cannot truthfully vouch for its accuracy as I ought to be able to do. I have had however every confidence in my gardener who is a most intelligent man & it has always been my practice to check the readings when I am at home.

If it is not asking too much I should be very glad if you would inform me in due course where the want of harmony exists.

The nearest gauge to me is [illegible] at Hook Heath. 2 miles away

Yours faithfully,

Seymour [illegible]

TELEPHONE,
16 WOKING.

NORTHWOOD,
HEATHSIDE AVENUE,
WOKING.

[illegible]

Rainfall 1919

My Dear Sir

I am much obliged for your letter enclosing Comparative returns for the last 6 months of 1919 of ~~the~~ my gauge & the Green & am bound to say it is a Chinese puzzle. & quite impossible to Explain

I delayed answering your letter until the return of my Gardener to-day (he has had the Flu) & I went into his return & compared ~~the~~ it with that from "the Green" gauge.

I am in communication with some friends & acquaintances in Woking & Byfleet & intend comparing the daily precipitation for 1919 & if I find anything which will throw any light on this puzzle will let you know When for example on Dec. 1. the difference between the gauge & the Green is 1 inch! a great deal of explanation is required. There is no reason to doubt my gardener He is a very intelligent young fellow & assures me he did not miss any day. But as I told you in a previous letter. as I was abroad for 8 months May to Jan 1st. I cannot personally

vouch for the accuracy of my returns & I think
it would be well to cancel it
the really extraordinary fact is that the total no
of rainy days nearly correspond. & again the
total yield is not far out
In Horsell about 2 miles away the total no of rainy
day was 168 as against my 169. this is
from a published return.

Another curious fact is that in a great many
cases in 3 & 4 days on which my return shows
rain fell & the Green shows nothing

Such records of course are useless.
I propose calling on Mr Howlett at the Green
& asking him to let me see his returns for
past years. & again for this year. when
I personally took my returns.

Would you kindly send me a copy of
British Rainfall for 1919. I enclose cheque
for 10/-

Yours faithfully

Seymour Price Williams

273

FORM A.
BRITISH RAINFALL.

4 JAN 1917

WOKING
NORMANHURST
SURREY
1916-1918

Kept at Normant... ...y.

in the County of S... ...king.

by George Duff...

...uge 5 inches in.

...round 1 ft. 3 in.

...Sea Level 180 ft.

IMPORTANT ... ...e result entered to the previous day. If ... ...sal rule, he is earnestly requested to add th... ...in the space provided for it at the end ... ...nt of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							·13				1·46		1
2													2
3			·25		·47				·67	1·0	·48		3
4		·85									·45		4
5						·32							5
6					·29	·10					1·14		6
7	·37					·10					·48		7
8							·57				·47		8
9				·14									9
10			·95						·20				10
11					·82								11
12													12
13		·60		·19								·50	13
14			1·23			·37		·25					14
15		·56						·50					15
16								·50		·50			16
17				·25	·07		·22						17
18			·50						·50				18
19								·68		·50			19
20		·45		·40								·93	20
21	·54		·70										21
22			·45										22
23											1·34		23
24													24
25					·10			·15					25
26								·91	·10	·65			26
27										·40			27
28			1·17			·25		·24			·13	·90	28
29		1·60	·07										29
30								·95	·20				30
31	·03											·24	31
Total	·94	4·06	5·32	·98	1·75	·13 ~~1·14~~ 1·27	~~·92~~ ·79	4·18	1·67	1·46 ~~3·05~~ 4·51	~~5·95~~ 4·49	2·57	YEAR'S TOTAL 32·53
Rain Days.	3	5	8	4	5	5	3	8	5	5	8	4	63

W. 8,000, VIII. 16

273

FORM A.
BRITISH RAINFALL.

4 JAN 1917

Kept at Normanhurst. Woking.

in the County of Surrey.

by George Duffus ~~[illegible]~~

Lat. .... Long. ....

Time of Observation 10 A.M.

Nearest Railway Station Woking.

Diameter of Funnel of Rain Gauge 5 inches in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							·13				1·46		1
2													2
3			·25		·47				·67	1·0	·48		3
4		·85									·45		4
5						·32							5
6					·29	·10					1·14		6
7	·37					·10					·48		7
8							·57				·47		8
9				·14									9
10			·95						·20				10
11					·82								11
12													12
13		·60		·19								·50	13
14			1·23			·37		·25					14
15		·56						·50					15
16								·50		·50			16
17				·25	·07		·22						17
18			·50						·50				18
19								·68		·50			19
20		·45		·40								·93	20
21	·54		·70										21
22			·45										22
23											1·34		23
24													24
25					·10			·15					25
26								·91	·10	·65			26
27										·40			27
28			1·17			·25		·24			·13	·90	28
29		1·60	·07										29
30		X						·95	·20				30
31	·03	X		X		X			X		X	·24	31
Total	·94 ✓	4·06 ✓	5·32 ✓	·98 ✓	1·75 ✓	·13 ✓ ~~1·14~~ 1·27	~~·92~~ ✓ ·79	4·18 ✓	1·67 ✓	1·46 ~~3·05~~ 4·51	~~5·95~~ ✓ 4·49	2·57 ✓	YEAR'S TOTAL 32·53 ✓
Rain Days.	3	5	8	4	5	5	3	8	5	5	8	4	63

W. 8,000, VIII. 16

NORMANHURST.
WOKING.

4 JAN 1917

Jan^y. 2. 1917

Dr H. R. Mill

Dear Sir

I'm sending you the enclosed tables showing our rainfall for 1916. You will note that A & B do not correspond. In form A I include the rainfall for these months & Nov: 1st whereas for July 1st till Nov these ~~Nov~~ in June in form B I include the & October. I took all the measurements myself and they are accurate except for snowfall. I cannot strictly guarantee this.

Yours truly

Geo. Saffus M.D.

√

74 R1

267

REGISTER OF RAINFALL IN 1917-

FORM A.
BRITISH RAINFALL.
2 JAN 1918

Kept at Normanhurst. Woking.

in the County of Surrey.

by George Duffus M.B.

Lat. Long.

Time of Observation 9

Nearest Railway Station Woking.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
Total	1·15	·66	1·77	1·83	1·87	2·29	5·35	3·89	1·62	3·41	·90	1·55	YEAR'S TOTAL 26-29 ✓
Rain Days.													

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL
2·1·19

Kept at Normanhurst. Woking.
in the County of Surrey.
by George Duffus M.D.

Lat. Long.
Time of Observation 9 A. M.
Nearest Railway Station Woking.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. - in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
Total	3·01	·93	·88	3·56	1·71	1·00	5·29	·87	5·07	1·74	2·45	2·16.	YEAR'S TOTAL 29·27
Rain Days.													

W. 6,500, VII. 18. W W O

I, made

FORM A.
BRITISH RAINFALL.

8 JAN 1918

REGIS

WOKING

WORPLESDON HILL

SURREY

1917 - 1920

Pinewood
Kept at Worplesdon ... 9 a.m.

... kwood.

in the County of Surr

... 5 in.s

by Geo. W. Ha

... 1 ft. 4 in.s

vel 180. ft.

IMPORTANT NOTE. ... ult entered to the previous day. If an Obse ... le, he is earnestly requested to add the readin ... he space provided for it at the end of this ... rain, the selection and placing o ... ainfall Organization are given in " ... on to Dr. H. R. Mill, 62, Camde

Jan. 1, following.

—

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	—	—	·21	—	—	—	·23	·04	—	·01	—	1
2	—	—	·02	·13	—	—	—	1·27	·03	—	·06	—	2
3	—	—	—	·28	—	·08	—	·01	—	—	·05	—	3
4	—	—	—	·11	—	—	·70	·45	—	·16	—	—	4
5	—	·23	·05	·005	—	—	·17	·17	—	·23	—	·01	5
6	·30	—	·06	·25	—	·02	—	—	·12	·27	·10	—	6
7	—	—	·30	—	—	·07	—	—	·08	—	·07	—	7
8	·13	—	—	—	—	—	·22	—	—	·35	—	·02	8
9	·19	—	—	·07	—	—	·62.	·06	·08	·22	·16	·33	9
10	·01	·01	·05	·005	·02	—	·05	·08	·04	·01	·06	·26	10
11	·16	—	·11	·20	·01	— ?	—	·08	—	—	—	·01	11
12	·09	·01	·31	·14	—	·05	—	—	·19	·14	—	—	12
13	·04	—	·01	·02	—	·10	—	·11	—	·55	—	—	13
14	·04	—	·12	·04	—	—	—	·45	·02	·03	—	·01	14
15	—	—	—	·13	—	—	—	·24	—	—	—	—	15
16	—	—	—	—	—	—	·13	·02	—	·05	—	—	16
17	·06	·01	—	·09	·13	—	·08	·01	—	·53	—	·37	17
18	—	—	—	·10	·31	—	·26	·09	·35	·23	—	—	18
19	·03	·02	—	·07	·12.	·38	·20	·04	·27	·01	—	—	19
20	·02	·13	·14	—	—	·12	—	—	·13	—	—	—	20
21	—	·06	—	—	·65	—	—	·01	—	—	·06	—	21
22	—	—	·01	—	·005	·25	—	—	—	—	—	—	22
23	·005	—	·02	—	—	·01	—	·13	—	·05	—	—	23
24	—	·12	·01	—	·10	·01	—	·10	—	—	—	·04	24
25	—	·02	—	—	—	·14	·05	·02	—	·15	—	·15	25
26	—	·04	—	—	—	—	—	—	—	—	—	—	26
27	—	—	·02	—	—	—	—	·46	·04	—	·23	—	27
28	—	—	[illegible]	—	·02	·01	—	1·02	—	—	—	·01	28
29	—	—	·01	—	—	1·47	—	·03	—	—	—	·05	29
30	—	X	·02	—	·04	·13	·27	—	—	·22	—	·13	30
31	—	X	·33	X	—	X	1·50	·05	X	·04	X	·01	31
Total	~~1·125~~ 1·08	~~·65~~ ·65	·21 ~~1·59~~ 1·80	~~1·85~~ 1·64	~~1·405~~ 1·40	~~2·84~~ 2·84	·23 ~~4·25~~ 4·48	·04 ~~5·13~~ 4·94	~~1·39~~ 1·35	·01 ~~3·24~~ 3·25	~~·80~~ ·79	~~1·42~~ 1·40	YEAR'S TOTAL
Rain Days.	13. 12	10.	17. 16	16. 15 14	10.	14.	12. 13	23.	12.	17. 18	9. 8	13.	25·67

W. 8,000, X. 15.

25

164

I, made

REGI

FORM A.
BRITISH RAINFALL

JAN 191[illegible]

Kept at Pinewood Worplesdon

in the County of Surrey.

by Geo. W. Hayes.

Time of Observation 9 = 30 a.m.

Nearest Railway Station Brookwood.

Diameter of Funnel of Rain Gauge 5 in.s

Height of top of Gauge above Ground 1 ft. 4 in.s

" " " " Sea Level 180. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	—	—	·21	—	—	—	·23	·04	—	·01	—	1
2	—	—	·02	·13	—	—	—	1·27	·03	—	·06	—	2
3	—	—	—	·28	—	·08	—	·01	—	—	·05	—	3
4	—	—	—	·11	—	—	·70	·45	—	·16	—	—	4
5	—	·23	·05	·005	—	—	·17	·17	—	·23	—	·01	5
6	·30	—	·06	·25	—	·02	—	—	·12	·27	·10	—	6
7	—	—	·30	—	—	·07	—	—	·08	—	·07	—	7
8	·13	—	—	—	—	—	·22	—	—	·35	—	·02	8
9	·19	—	—	·07	—	—	·62.	·06	·08	·22	·16	·33	9
10	·01	·01	·05	·005	·02	—	·05	·08	·04	·01	·06	·26	10
11	·16	—	·11	·20	·01	— ?	—	·08	—	—	—	·01	11
12	·09	·01	·31	·14	—	·05	—	—	·19	·14	—	—	12
13	·04	—	·01	·02	—	·10	—	·11	—	·55	—	—	13
14	·04	—	·12	·04	—	—	—	·45	·02	·03	—	·01	14
15	—	—	—	·13	—	—	—	·24	—	—	—	—	15
16	—	—	—	—	—	—	·13	·02	—	·05	—	—	16
17	·06	·01	—	·09	·13	—	·08	·01	—	·53	—	·37	17
18	—	—	—	·10	·31	—	·26	·09	·35	·23	—	—	18
19	·03	·02	—	·07	·12.	·38	·20	·04	·27	·01	—	—	19
20	·02	·13	·14	—	—	·12	—	—	·13	—	—	—	20
21	—	·06	—	—	·65	—	—	·01	—	—	·06	—	21
22	—	—	·01	—	·005	·25	—	—	—	—	—	—	22
23	·005	—	·02	—	—	·01	—	·13	—	·05	—	—	23
24	—	·12	·01	—	·10	·01	—	·10	—	—	—	·04	24
25	—	·02	—	—	—	·14	·05	·02	—	·15	—	·15	25
26	—	·04	—	—	—	—	—	—	—	—	—	—	26
27	—	—	·02	—	—	—	—	·46	·04	—	·23	—	27
28	—	—	—	—	·02	·01	—	1·02	—	—	—	·01	28
29	—	—	·01	—	—	1·47	—	·03	—	—	—	·05	29
30	—	X	·02	—	·04	·13	·27	—	—	·22	—	·13	30
31	—	X	·33	X	—	X	1·50	·05	X	·04	X	·01	31
Total	~~1·125~~ 1·08	~~·65~~ ·65	21 ~~1·59~~ 1·80	~~1·85~~ 1·64	~~1·405~~ 1·40	~~2·84~~ 2·84	·23 ~~4·25~~ 4·48	·04 ~~5·13~~ 4·94	~~1·39~~ 1·35	·01 ~~3·24~~ 3·25	~~·80~~ ·79	~~1·42~~ 1·40	YEAR'S TOTAL
Rain Days.	13.	10.	17.	16. 14	10.	14.	13.	23.	12.	18.	9.	13.	25·62

W. 8,000. X. 15. 25

164

STATION & TELEGRAMS,
BROOKWOOD.

PINEWOOD,
WORPLESDON HILL,
Nr WOKING.

Jan 7th 1917.

Dear Sir.

I now have much pleasure in sending you our Register of Rainfall which is most interesting: will you kindly check my additions as they may very likely be wrong. I take my observation at 9. 30 am but as requested on Jan 1st: (B. day) I have taken same at 9. 0 am & added in square

2.

since we provide for that purpose.

Yrs very truly

Geo. W. Hayes.

From to-day on I will take Observations at 9. 0 am.

174

FORM A. BRITISH RAINFALL.

4. 1. 19

cwd for W.D

REGISTER OF RAINFALL IN 1918.

Kept at Pinewood. Worplesdon Hill Woking.

in the County of Surrey.

by G. W. Hayes.

Lat. Long.

Time of Observation 9. 0 am.

Nearest Railway Station Brookwood.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 180. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following. ——

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·02	·01	—	—	—	—	—	·09	·10	·05	1
2	—	·02	—	—	—	—	—	·02	—	—	·41	·04	2
3	—	—	—	·09	—	—	—	·69	—	·01	·30	·10	3
4	—	·02	·04	·32	·43	—	—	·02	—	—	·36	·01	4
5	—	·07	·11	—	—	—	—	—	·23	—	·55	—	5
6	—	·03	·01	—	·09	—	—	·06	·30	·09	—	—	6
7	·20	·08	—	·34	·12	—	—	·05	·10	—	—	·05	7
8	—	·10	—	·10	·39	—	—	·02	·10	·05	·09	·02	8
9	—	·07	—	—	—	—	—	—	·13	·04	·13	·01	9
10	·01	·03	—	·15	—	·16	·27	—	·33	·13	—	·23	10
11	—	—	—	·09	—	—	·69	—	·05	·03	·03	·28	11
12	·01	·03	—	·02	—	—	1·74	—	·04	·34	·09	·16	12
13	—	—	—	—	·14	—	·15	—	·05	—	—	·01	13
14	·06	—	—	—	·10	—	·08	—	·14	—	—	·01	14
15	·15	—	·04	—	—	·38	·10	—	·12	·14	—	·24	15
16	1·48	—	—	·60	—	·05	·11	—	—	—	—	·08	16
17	·37	—	·01	·25	—	·17	—	—	·50	—	—	·02	17
18	·27	—	·01	·14	—	—	·13	·05	·05	—	—	·12	18
19	·50	—	—	—	—	·25	·08	—	·80	·10	—	·04	19
20	·10	—	·06	·07	—	·09	·23	·01	·01	·10	—	·02	20
21	·05	·09	—	·50	—	·01	·08	—	·40	·09	—	—	21
22	·24	·01	—	·55	—	—	·05	—	·59	·01	—	·01	22
23	·13	—	—	—	·35	—	·12	—	·20	—	—	·20	23
24	·01	—	—	—	·12	—	·67	·02	·05	—	—	·02	24
25	—	·33	—	—	—	·01	·55	—	·07	·03	·10	—	25
26	—	—	—	—	—	·06	·45	·43	—	·03	—	—	26
27	—	—	—	—	—	—	·52	—	·02	—	·10	·17	27
28	—	·05	·01	·05	—	—	·18	·19	·11	—	·10	—	28
29	—	×	·23	·01	—	—	—	·01	—	—	·12	·03	29
30	—	×	—	—	—	—	—	—	1·20	—	·06	—	30
31	—	×	·43	×	—	×	—	—	×	—	×	·09	31
Total	3·58	·02 ~~·93~~ ·95	·01 ~~·97~~ ·96	~~3·29~~ 3·28	1·74	1·18	6·20	1·57	·09 ~~5·59~~ 5·68	·10 ~~1·28~~ 1·29	·05 ~~2·54~~ 2·49	— ~~2·01~~ 1·96	YEAR'S TOTAL 30·88
Rain Days.	14	~~13~~ 14	11.	~~18~~ 15	8.	9.	18.	12.	~~23~~ 24	15	14	~~22~~ 23	178

W. 6,500, VII. 18. W W O

corrd for W.D

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL

Kept at Pinewood. Worplesdon Hill Woking.
in the County of Surrey.
by George W. Hayes.

Lat.
Long.
Time of Observation 9·0 a.m.
Nearest Railway Station Brookwood.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·05

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	—	·22	—	·09	·06	—	—	·01	·25	1
2	·27	—	·03	·01	—	—	·33	—	—	·03	·01	1·10	2
3	·42	—	·36	—	·01	—	·02	—	1·3	—	·03	·10	3
4	·25	—	·46	—	—	—	—	—	—	—	·07	·31	4
5	·09	·08	·59	—	·01	·06	·11	·04	·04	—	·03	·14	5
6	—	·40	·03	—	—	—	·28	—	·30	—	·09	·23	6
7	·20	—	·33	—	—	—	—	—	—	—	·01	·05	7
8	·06	—	—	—	—	—	—	—	—	—	·03	—	8
9	·17	—	·12	·02	—	—	—	—	—	—	—	—	9
10	·12	—	·02	·05	·05	—	—	—	—	—	·03	—	10
11	·70	—	·09	·02	—	—	—	—	—	·02	·02	·06	11
12	·02	—	·09	·25	·06	—	·12	—	—	—	—	·02	12
13	—	—	·03	—	—	·02	·18	—	—	·07	—	—	13
14	·01	—	—	·35	—	—	—	—	·01	·02	—	—	14
15	·20	·03	—	·28	—	—	·10	—	·89	·01	—	·04	15
16	·18	·05	·09	·02	—	—	—	—	—	·01	—	·58	16
17	·08	·52	—	·01	—	—	—	—	—	—	·18	—	17
18	—	·10	—	—	—	—	—	—	—	—	·15	·01	18
19	—	·34	·22	—	—	—	—	—	—	—	·04	·01	19
20	·02	·09	·62	—	—	·19	·66	·32	·08	—	·05	—	20
21	·17	·07	·18	—	—	·55	·20	·12	—	—	—	—	21
22	·15	·29	·02	—	—	·08	·03	—	·01	—	·02	·05	22
23	—	—	—	—	—	—	·20	—	·14	—	—	·27	23
24	—	—	—	—	—	·01	—	—	·03	·02	·03	·03	24
25	—	—	—	·07	—	·05	·04	·03	—	·27	·03	·02	25
26	·05	·05	—	—	·01	—	—	·14	—	—	—	—	26
27	—	·12	·09	·11	—	—	—	·01	·08	—	—	·32	27
28	·85	·03	—	·65	—	—	—	·41	—	—	·02	—	28
29	—	✗	·32	·08	—	—	—	·79	—	—	·45	·29	29
30	·03	✗	—	—	—	—	—	·22	—	·10	·05	·02	30
31	—	✗	—	✗	—	✗	—	·33	✗	·04	✗	·38	31
Total	4·04	2·17	3·69	·22 ~~1·92~~ 2·14	~~·36~~ ·14	·09 ~~·96~~ 1·05	·06 ~~2·36~~ 2·33	~~2·47~~ 2·41	1·71	·01 ~~·59~~ ·60	·25 ~~1·35~~ 1·60	·05 ~~4·28~~ 4·08	YEAR'S TOTAL 25·95
Rain Days.	20.	13.	18.	~~13.~~ 14	~~6.~~ 5	~~7.~~ 8	13.	~~11.~~ 10	10.	~~10.~~ 11	20.	21.	~~25·90~~ ~~162~~ 168

W. 8,000, IX. 17.

Confd WD

6X 9Z

2228

8 JAN 1921

FORM A. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Pinewood Worplesdon Hill: Woking:
in the County of Surrey:
by George W. Hayes:

Lat. Long.
Time of Observation 9-0 am.
Nearest Railway Station Brookwood: L&SWRy.
Diameter of Funnel of Rain Gauge 5 ins
Height of top of Gauge above Ground 1 ft 4 ins
" " " " Sea Level 180: ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·09

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	—	—	·06	·03	—	—	—	—	·16	·85	·23	1
2	·09	·01	·01	·42	·10	—	·23	—	·03	·32	·04	·28	2
3	—	—	·05	·01	·01	—	·02	·41	·14	·02	—	·08	3
4	—	·03	—	·08	—	—	·13	—	—	·09	—	·03	4
5	·02	·05	—	·09	·01	—	·44	·03	—	·26	—	·11	5
6	—	—	·08	·04	—	—	·69	·05	—	·01	—	·04	6
7	—	—	·23	—	·04	—	·48	—	—	—	—	·02	7
8	·01	—	·02	·09	·02	—	·10	—	—	—	—	—	8
9	—	—	—	·13	·15	—	·17	—	—	—	—	·01	9
10	·18	—	·02	·03	—	·02	·03	—	—	—	—	—	10
11	·42	·03	·03	·08	—	·05	·07	—	—	—	·01	·01	11
12	·17	—	·08	·28	·03	·05	·18	—	—	—	—	·08	12
13	·02	—	—	·18	—	·44	—	—	—	—	·02	—	13
14	·18	—	·14	·18	—	—	—	—	—	—	·01	—	14
15	—	—	·22	·32	—	·03	—	—	·11	·04	·25	—	15
16	·01	·01	·05	·40	—	—	—	—	·44	·06	·06	—	16
17	—	—	·03	·10	—	—	—	—	·23	—	—	—	17
18	—	—	—	—	·10	—	·01	—	·46	—	—	·07	18
19	·04	—	—	—	·02	—	—	·74	·15	—	—	·03	19
20	·05	—	—	·19	—	·06	—	·03	—	—	—	·01	20
21	·09	·05	—	·19	—	·48	—	—	—	—	—	—	21
22	—	—	—	·02	—	—	·62	—	·22	—	—	·10	22
23	—	—	—	·27	—	—	·01	—	·07	—	—	·40	23
24	—	—	—	—	—	—	·30	·08	—	—	—	·26	24
25	—	—	·06	—	—	—	—	—	—	—	·02	·03	25
26	·02	·03	·01	·01	—	—	·23	—	—	—	—	—	26
27	·06	—	·10	·01	—	—	·29	—	—	—	—	·05	27
28	·29	·01	—	·18	—	·04	·10	—	—	—	·22	·13	28
29	·35	—	·15	·07	·02	—	·06	—	—	—	—	·02	29
30	·32	X	·03	—	·02	—	—	—	—	—	·05	·14	30
31	·01	X	—	X	—	X	·10	—	X	—	X	·13	31
TOTAL	~~2·38~~ 2.33	·22	·06 ~~1·31~~ 1.37	·03 ~~3·43~~ 3.40	~~·55~~ ·52	1·17	4·26	1·32	·16 ~~1·85~~ 2·01	·85 ~~·96~~ 1.65	·23 ~~1·53~~	·09 ~~2·26~~ 2.17	21.32 21.28 YEAR'S TOTAL ✓ ~~21·24~~
Days with ·01 in. or more	~~19~~ 18	8.	~~17~~ 16	24.	~~12~~ 11	8.	20.	6.	~~9~~ 10	8.	·11.	22.	163

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

12 2 11 18 4 6 16 4 9 6 6 14 108

S9 made

R N

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

WOK~~ING~~
WOODHAM HALL
SURREY
1911 -1912

Kept at Woodham
in the County of S
by F Seabro

in.
re Ground ft. in.
Sea Level – ft.
30 yds
Name Woking
Distance 1 Direction West

IMPORTANT NO the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	~~·7~~		·15			·02					·25		1
2				·70									2
3				·43	·24		·14				·21		3
4					·16						·08		4
5										·14	·22	·50	5
6										·13	·07		6
7	·37		·21									·48	7
8				·11							·30		8
9	·22									·11	·15	·56	9
10			·32										10
11		·19									·70	·68	11
12	·51												12
13			·61								·23		13
14									·32			·53	14
15					·52							·43	15
16										·13	·50		16
17		·11	·13			·45							17
18						·10					·53	·26	18
19										·11	·64	·20	19
20		·22				·38			·18		·13	·65	20
21								·43				·38	21
22						·02		·09		·54			22
23										·13		·55	23
24						·49				·76		·21	24
25	·13	·39				·10	·82			·43			25
26						·12							26
27				·20	·05	·03				·12	·10		27
28		·34			·11		·05		·21			·56	28
29				·33									29
30				·23		·25		·14	·16	·21		·10	30
31							·12	·12					31
Total	1·23	1·25	1·42	2·00	1·08	1·96	1·13	·78	·87	2·81	4·11	6·09	TOTAL for year 24·73
No. of Rain Days.	4	5	5	6	5	10	4	4	4	11	14	14	86

W. 8,000, X. '11.

S9 made

R N

FORM A2. BRITISH RAINFALL.
6 - JAN 1912

Kept at Woodham Hall Woking

in the County of Surrey 6

by F Seabrook

RAIN GAUGE
Pattern
Diameter of top ______ in.
Height of top above Ground ______ ft. ______ in.
" " " Sea Level ______ ft.

Time of Observation 8 30 pm

Nearest Railway Station
Name Woking
Distance 1 Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	~~37~~		·15			·02					·25		1
2				·70									2
3				·43	·24		·14				·21		3
4					·16						·08		4
5										·14	·22	·50	5
6										·13	·07		6
7	·37		·21									·48	7
8				·11							·30		8
9	·22									·11	·15	·56	9
10			·32										10
11		·19									·70	·68	11
12	·51												12
13			·61								·23		13
14									·32			·53	14
15					·52							·43	15
16										·13	·50		16
17		·11	·13			·45							17
18						·10					·53	·26	18
19										·11	·64	·20	19
20		·22				·38			·18		·13	·65	20
21								·43				·38	21
22						·02		·09		·54			22
23										·13		·55	23
24						·49				·76		·21	24
25	·13	·39				·10	·82			·43			25
26						·12							26
27				·20	·05	·03				·12	·10		27
28		·34			·11		·05		·21			·56	28
29				·33									29
30				·23		·25		·14	·16	·21		·10	30
31							·12	·12					31
Total	1·23	1·25	1·42	2·00	1·08	1·96	1·13	·78	·87	2·81	4·11	6·09	TOTAL for year 24·73
No. of Rain Days.	4	5	5	6	5	10	4	4	4	11	14	14	86

W. 8,000, X. '11.

~~made~~ WOKING

Corly sun. stats. 21.IV.13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
11 APR 1913

Kept at Woodham

in the County of Surrey 6

by R N Stevens

Lat. Long.

Time of Observation

Nearest Railway Station Woking

Diameter of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1						16	37	32		58 8			1
2			33			14		[illegible]					2
3	8		42		7	25		37			27		3
4								37				11	4
5	66	20						21					5
6					12	120		22					6
7	30	35	33					10					7
8		17	5			37						21	8
9		70				~~37~~2		12				24	9
10	6	10						4				27	10
11		17			20	24		2					11
12											14		12
13			10		2							9	13
14					9	58							14
15	41				21			9		7			15
16	55		33					16				25	16
17	13		11					15			4		17
18	15		6					39					18
19		13	4				16 ~~37~~	13		32			19
20			17		23			9		5			20
21	25 ~~40~~	15	15		5		2 ~~16~~	16				12	21
22	40	50	30					31		11	30	24	22
23		3						39				14	23
24	35					33		49			21	52	24
25		6						33		35	45	31	25
26						4				23		20	26
27						19	7		20	36	60	16	27
28		10					39	32	140	25			28
29						13			119	16			29
30			37		26		17 ~~37~~	4					30
31		15				17		4	~~58~~		20		31
Total	325	2.18	276	·00	125	382	118	456	~~337~~ 2.19	~~198~~ 2.56	221	286	YEAR'S TOTAL 29.42
Rain Days.	11	13	13		9	13	6	24	~~1~~3	~~10~~ 11	8	13	124

W. 7,500, XI. ·12